

LAMPIRAN

KODE PROGRAM

1. Koneksi Dinamis *Database*

1.1 *Load data*

Nama File : LoadData.php

```
<?php
include_once( 'class/adodb/adodb.inc.php' );

$PageSize = 5;
$Nav = $_GET["NAV"];

if ( $Nav == "" ) {
    $Page = 1;
} else {
    $Page = $Nav;
}

$DB = &ADONewConnection( 'access' );
$DB->PConnect( "Fakultas" );
$DB->SetFetchMode( ADODB_FETCH_ASSOC );

$sql = "SELECT id, nama, deskripsi, fasilitas,
akreditasi,jurusan, regdate FROM fakultas ORDER BY nama ASC";
$res = $DB->Execute( $sql );
$count = $res->RecordCount();
$PageCount = ceil( $count / $PageSize );

echo "&size=" . $PageSize . "&count=" . $count;
if ( $count == 0 )
{
    echo "&f_name=No Guest Entries Yet";
}

$i = 1;
while( !$res->EOF )
{
    $str .= "&startK=" . $res->fields['id'];
    $str .= "&startN=" . $res->fields['nama'];
    $str .="&startA=" . $res->fields['deskripsi'];
```

```

$str .= "&startE=". $res->fields['fasilitas'];
$str .= "&startH=". $res->fields['akreditasi'];
$str .= "&startJ=" . $res->fields['jurusan'];

$str .= "&id" . $i . "=" . $res->fields['id'];
$str .= "&nama". $i . "=" . $res->fields['nama'];
$str .= "&deskripsi". $i . "=" . $res->fields['deskripsi'];
$str .= "&fasilitas". $i . "=" . $res->fields['fasilitas'];
$str .= "&akreditasi". $i . "=" . $res->fields['akreditasi'];
$str .= "&jurusan" . $i . "=" . $res->fields['jurusan'];

$res->MoveNext();
$i++;
}

echo $str;
?>

```

1.2 Save data

Nama File : save.php

```

<?php
include_once( 'class/adodb/adodb.inc.php' );

$DB      = &ADONewConnection( 'access' );
$DB->PConnect( "Fakultas" );
$DB->SetFetchMode( ADODB_FETCH_ASSOC );

$sql      = "INSERT INTO fakultas( akreditasi, nama, jurusan,
deskripsi, fasilitas, regdate ) ";

$sql      .= "VALUES('".$_GET['akreditasi']. "','" . $_GET['nama']
. "','" . $_GET['jurusan'] . "','" . $_GET['deskripsi'] .
"', '" . $_GET['fasilitas'] . "','" . date( "d/m/Y" ) . "'
)";

$res      = $DB->Execute( $sql );

```

```

if( $res === false ) {
    echo "iFailed=1";
} else {
    echo "iSuccess=1";
}

?>

```

1.3 Delete data

Nama File : delete.php

```

<?php
include_once( 'class/adodb/adodb.inc.php' );

$DB      = &ADONewConnection( 'access' );
$DB->PConnect( "Fakultas" );
$DB->SetFetchMode( ADODB_FETCH_ASSOC );

if( isset( $_GET['id'] ) )
{
    $sql      = "DELETE FROM fakultas WHERE id=" .
$_GET['id'];
    $res      = $DB->Execute( $sql );

    if( $DB->Affected_Rows() === false ) {
        echo "iFailed=1";
    } else {
        echo "iSuccess=1";
    }
}

?>

```

1.4 Edit data

Nama File : edit.php

```
<?php
include_once( 'class/adodb/adodb.inc.php' );

$DB      = &ADONewConnection( 'access' );
$DB->PConnect( "Fakultas" );
$DB->SetFetchMode( ADODB_FETCH_ASSOC );

if( isset( $_GET['id'] ) )
{
    $sql      = "UPDATE fakultas ";
    $sql      .= "SET akreditasi='" . $_GET['akreditasi'] .
    "', nama='" . $_GET['nama'] . "', jurusan='" .
    $_GET['jurusan'] . "', deskripsi='" . $_GET['deskripsi'] .
    "', fasilitas='" . $_GET['fasilitas'] . "', regdate='" .
    date( "d/m/Y" ) . "' ";
    $sql      .= "WHERE id=" . $_GET['id'];
    $res      = $DB->Execute( $sql );

    if( $DB->Affected_Rows() === false ) {
        echo "iFailed=1";
    } else {
        echo "iSuccess=1";
    }
}

?>
```

1.5 Load data by ID

Nama File : loadById.php

```
<?php
include_once( 'class/adodb/adodb.inc.php' );

$DB = &ADONewConnection( 'access' );
$DB->PConnect( "Fakultas" );
$DB->SetFetchMode( ADODB_FETCH_ASSOC );

if( isset( $_GET['id'] ) )
{
    $sql = "SELECT id, nama, deskripsi, fasilitas,
akreditasi,jurusan, regdate FROM fakultas WHERE id=" .
$_GET['id'];
    $res = $DB->Execute( $sql );

    if( $res->RecordCount() > 0 )
    {
        $str .="&akreditasi=".$res->fields['akreditasi'];
        $str .="&nama=" . $res->fields['nama'];
        $str .="&deskripsi=" . $res->fields['deskripsi'];
        $str .="&fasilitas=" . $res->fields['fasilitas'];
        $str .="&jurusan=" . $res->fields['jurusan'];
        echo $str;
    } else {
        echo "Record not found";
    }
}

?>
```

1.6 Guest Log

Nama File : GuestLog.php

```
<?php
include_once( 'class/adodb/adodb.inc.php' );

$DB = &ADONewConnection( 'access' );
$DB->PConnect( "Fakultas" );
$DB->SetFetchMode( ADODB_FETCH_ASSOC );

$sql = "INSERT INTO tamu( nama, email, tanggal ) VALUES(
'".$_GET['nama']. "', '".$_GET['email']. "', ' " . date( "d/m/Y
H:i:s" ). "' )";

$res = $DB->Execute( $sql );

if( $DB->Affected_Rows() === false ) {
    echo "iFailed=1";
} else {
    echo "iSuccess=1";
}
?>
```

1.7 IdPage

File Name : IdPage.php

```
<?php
include_once( 'class/adodb/adodb.inc.php' );

$DB = &ADONewConnection( 'access' );
$DB->PConnect( "Fakultas" );
$DB->SetFetchMode( ADODB_FETCH_ASSOC );

if( isset( $_GET['username'] ) && isset( $_GET['password'] ) )
{
    $sql = "SELECT page_id FROM user WHERE user_name='" .
$_GET['username'] . "' AND password='" . $_GET["password"] . "'";
    $res = $DB->Execute( $sql );
}
```

```

        if( $res->RecordCount() > 0 ) {
            $str = "idPage=" . $res->fields['page_id'];
            echo $str;
        } else {
            echo "Record not found";
        }
    }
}

?>

```

2. Action Script Flash

2.1 FullScreen

```

fscommand("fullscreen", "true");
fscommand("showmenu", "false");
fscommand("allowscale", "false");

```

2.2 Login Administrator

```

on (release){
f="http://127.0.0.1/kios/idPage.php?username="+this._parent.
loginName. text+"&password="+ this._parent. loginPassword.text;
var getVars = new LoadVars();
getVars.load(f);

getVars.onLoad = function() {
    _global.loadNo = this["idPage"];
    //trace(_global.loadNo);
};

loadMovieNum ("halaman_admin.swf",0);
}

```

2.3 Load Data

```
stop();

if      (parseInt(getVars["count"])      >      (loadNo      *
parseInt(getVars["size"]))) {
max = loadNo * parseInt(getVars["size"])

}else{
    max =      parseInt(getVars["count"]);
}
min = ((loadNo -1) * getVars["size"]) + 1;
x = min

startK = getVars["startK"];
startN = getVars["startN"];
startA = getVars["startA"];
startE = getVars["startE"];
startH = getVars["startH"];
startJ = getVars["startJ"];
startD = getVars["startD"];

function myFirstHandler(eventObj:Object){
if(eventObj.type=="click"){
    x = min;
    startK = getVars["id" + min];
    startN = getVars["nama" + min];
    startJ = getVars["jurusan" + min];
    startA = getVars["deskripsi" + min];
    startE = getVars["fasilitas" + min];
    startH = getVars["akreditasi" + min];
}
}

function myEndHandler(eventObj:Object){
if(eventObj.type=="click"){
    x = max;
    startK = getVars["id" + x];
    startN = getVars["nama" + x];
```



```

        startJ = getVars["jurusan" + x];
        startA = getVars["deskripsi" + x];
        startE = getVars["fasilitas" + x];
        startH = getVars["akreditasi" + x];
    }
}
function myNextHandler(eventObj:Object){
    if(eventObj.type=="click"){
        if (x < max){
            x++;
        }
        startK = getVars["id" + x];
        startN = getVars["nama" + x];
        startJ = getVars["jurusan" + x];
        startA = getVars["deskripsi" + x];
        startE = getVars["fasilitas" + x];
        startH = getVars["akreditasi" + x];
    }
}
function myPrevHandler(eventObj:Object){
    if(eventObj.type=="click"){
        if (x > min){
            x--;
        }
        startK = getVars["id" + x];
        startN = getVars["nama" + x];
        startJ = getVars["jurusan" + x];
        startA = getVars["deskripsi" + x];
        startE = getVars["fasilitas" + x];
        startH = getVars["akreditasi" + x];
    }
}
function myInputHandler(eventObj:Object){
    if(eventObj.type=="click"){
        gotoAndStop(3);
    }
}
function myNextBatchHandler(eventObj:Object){

```

```

        if(eventObj.type=="click"){
            if (loadNo <
(parseInt(getVars["count"])/parseInt(getVars["size"]))) {
                loadNo++;
            }
            prevFrame();
        }
    }
function myPrevBatchHandler(eventObj:Object){
    if(eventObj.type=="click"){
        if (loadNo>0){
            loadNo--;
        }
        prevFrame();
    }
}
function mySave(eventObj:Object){
    if(eventObj.type=="click"){
        file = "http://127.0.0.1/kios/edit.php";

        var sendVars = new LoadVars();
        sendVars.id = id_txt.text;
        sendVars.akreditasi = akreditasi_txt.text;
        sendVars.jurusan = jurusan_txt.text;
        sendVars.nama = nama_txt.text;
        sendVars.deskripsi = deskripsi_txt.text;
        sendVars.fasilitas = fasilitas_txt.text;
        sendVars.load(file + "?" + sendVars.toString());
        sendVars.onLoad = function(){
            gotoAndStop(1);
        }
    }
}
function myDelete(eventObj:Object){
    if(eventObj.type=="click"){
        file = "http://127.0.0.1/kios/delete.php";

        var sendVars = new LoadVars();

```

```

        sendVars.id = id_txt.text;

        sendVars.load(file + "?" + sendVars.toString());
        sendVars.onLoad = function(){
            gotoAndStop(1);
        }
    }
}

save_btn.addEventListener("click",mySave);
delete_btn.addEventListener("click",myDelete);
awal_btn.addEventListener("click",myFirstHandler);
seb_btn.addEventListener("click",myPrevHandler);
ses_btn.addEventListener("click",myNextHandler);
akhir_btn.addEventListener("click",myEndHandler);
inputbaru_btn.addEventListener("click",myInputHandler);
nbatch_btn.addEventListener("click",myNextBatchHandler);
pbatch_btn.addEventListener("click",myPrevBatchHandler);

```

2.4 Save Data, Edit Data, Delete Data

```

stop();

if(parseInt(getVars["count"])>(loadNo*
parseInt(getVars["size"]))) {
    max = loadNo * parseInt(getVars["size"])

}else{
    max =      parseInt(getVars["count"]);
}
min = ((loadNo -1) * getVars["size"]) + 1;
x = min
startK = getVars["startK"];
startN = getVars["startN"];
startA = getVars["startA"];
startE = getVars["startE"];
startH = getVars["startH"];
startJ = getVars["startJ"];

```

```

startD = getVars["startD"];

function myFirstHandler(eventObj:Object){
    if(eventObj.type=="click"){
        x = min;
        startK = getVars["id" + min];
        startN = getVars["nama" + min];
        startJ = getVars["jurusan" + min];
        startA = getVars["deskripsi" + min];
        startE = getVars["fasilitas" + min];
        startH = getVars["akreditasi" + min];
    }
}

function myEndHandler(eventObj:Object){
    if(eventObj.type=="click"){
        x = max;
        startK = getVars["id" + x];
        startN = getVars["nama" + x];
        startJ = getVars["jurusan" + x];
        startA = getVars["deskripsi" + x];
        startE = getVars["fasilitas" + x];
        startH = getVars["akreditasi" + x];
    }
}

function myNextHandler(eventObj:Object){
    if(eventObj.type=="click"){
        if (x < max){
            x++;
        }
        startK = getVars["id" + x];
        startN = getVars["nama" + x];
        startJ = getVars["jurusan" + x];
        startA = getVars["deskripsi" + x];
        startE = getVars["fasilitas" + x];
        startH = getVars["akreditasi" + x];
    }
}

```

```

    }
}
function myPrevHandler(eventObj:Object){
    if(eventObj.type=="click"){
        if (x > min){
            x--;
        }
        startK = getVars["id" + x];
        startN = getVars["nama" + x];
        startJ = getVars["jurusan" + x];
        startA = getVars["deskripsi" + x];
        startE = getVars["fasilitas" + x];
        startH = getVars["akreditasi" + x];
    }
}
function myInputHandler(eventObj:Object){
    if(eventObj.type=="click"){
        gotoAndStop(3);
    }
}
function myNextBatchHandler(eventObj:Object){
    if(eventObj.type=="click"){
        if (loadNo <
(parseInt(getVars["count"])/parseInt(getVars["size"]))) {
            loadNo++;
        }
        prevFrame();
    }
}
function myPrevBatchHandler(eventObj:Object){
    if(eventObj.type=="click"){
        if (loadNo>0){
            loadNo--;
        }
        prevFrame();
    }
}
function mySave(eventObj:Object){

```

```

if(eventObj.type=="click"){
    file = "http://127.0.0.1/kios/edit.php";
    var sendVars = new LoadVars();
    sendVars.id = id_txt.text;
    sendVars.akreditasi = akreditasi_txt.text;
    sendVars.jurusan = jurusan_txt.text;
    sendVars.nama = nama_txt.text;
    sendVars.deskripsi = deskripsi_txt.text;
    sendVars.fasilitas = fasilitas_txt.text;

    sendVars.load(file + "?" + sendVars.toString());
    sendVars.onLoad = function(){
        gotoAndStop(1);
    }
}

function myDelete(eventObj:Object){
    if(eventObj.type=="click"){
        file = "http://127.0.0.1/kios/delete.php";

        var sendVars = new LoadVars();
        sendVars.id = id_txt.text;

        sendVars.load(file + "?" + sendVars.toString());
        sendVars.onLoad = function(){
            gotoAndStop(1);
        }
    }
}

save_btn.addEventListener("click",mySave);
delete_btn.addEventListener("click",myDelete);
awal_btn.addEventListener("click",myFirstHandler);
seb_btn.addEventListener("click",myPrevHandler);
ses_btn.addEventListener("click",myNextHandler);
akhir_btn.addEventListener("click",myEndHandler);
inputbaru_btn.addEventListener("click",myInputHandler);
nbatch_btn.addEventListener("click",myNextBatchHandler);
pbatch_btn.addEventListener("click",myPrevBatchHandler);

```

2.5 Menampilkan data sebelum di edit

```
stop();
loadNo = (loadNo) ? loadNo : 1;
f = "http://127.0.0.1/kios/load.php?NAV="+ loadNo;
var getVars = new LoadVars();
getVars.load(f);
getVars.onLoad = function(){
nextFrame();
}
```

2.6 Action Script Digital Clock & Tanggalan

```
class MCDigitalClock extends MovieClip
{
private var __tf:TextFormat;

function MCDigitalClock()
{
    this.__tf          = new TextFormat();
    this.__tf.font      = "tahoma";
    this.__tf.size      = 18;
    this.__tf.color= 0xFFFFFF;

    this.ClockDate( 0, 20 );
    this.ClockTime( 0, 0);
}
function ClockDate(PosX:Number, PosY:Number ):Void
{
    this.createEmptyMovieClip("mcDate",
this.getNextHighestDepth() );
    this["mcDate"].createTextField(          "txtDate",
this.getNextHighestDepth(), PosX, PosY, 22, 22 );
    this["mcDate"]["txtDate"].embedFonts= true;
    this["mcDate"]["txtDate"].type= "dynamic";
    this["mcDate"]["txtDate"].autoSize  = "left";
```

```

var months:Array = [ "Jan", "Feb", "Mar", "Apr",
"May", "Jun", "Jul", "Aug", "Sep", "Oct", "Nov", "Dec"
];

var weekdays:Array = [ "Sunday", "Monday",
"Tuesday", "Wednesday", "Thursday", "Friday",
"Saturday" ];

this["mcDate"].onEnterFrame = function() {
    var time = new Date();
    var day = weekdays[time.getDay()];
    var month = months[time.getMonth()];
    var date = time.getDate();
    var year = time.getFullYear();

    this["txtDate"].text= day + ", " + month + " / "
+ date + " / " + year;
    this["txtDate"].setTextFormat( this._parent.__tf
);
};
}

function ClockTime(PosX:Number,PosY:Number ):Void
{
    this.createEmptyMovieClip("mcTime",
this.getNextHighestDepth() );

    this["mcTime"].createTextField( "txtTime",
this.getNextHighestDepth(), PosX, PosY, 50, 22 );
    this["mcTime"]["txtTime"].embedFonts= true;
    this["mcTime"]["txtTime"].type= "dynamic";
    this["mcTime"]["txtTime"].autoSize = "left";

    this["mcTime"].onEnterFrame = function() {
        var time = new Date();
        var seconds = ( time.getSeconds() < 10 ) ?
"0" + time.getSeconds() :
time.getSeconds();
    }
}

```



```

        var minutes      = ( time.getMinutes() < 10 ) ?
                                "0" + time.getMinutes() :
                                time.getMinutes();
        var hours        = ( time.getHours() < 10 ) ?
                                "0" + time.getHours()   :
                                time.getHours();

        this["txtTime"].text = hours + " : " + minutes +
                                " : " + seconds;
        this["txtTime"].setTextFormat( this._parent.__tf
        );
    };
}
}

```

2.7 Memanggil Action Script Dalam Movie Digital Clock

```

attachMovie( "MCDigitalClock", "MCDigitalClock",
1, { _x:0, _y:0 } );

```