

DAFTAR PUSTAKA

- Alvi, S. N., & Hammami, M. M. (2011). Validated HPLC Method for Determination of Caffeine Level in Human Plasma using Synthetic Plasma: Application to Bioavailability Studies. *Journal of Chromatographic Science* , 49, 292.
- Anderson, R. A., & Polansky, M. M. (2002). Tea enhances insulin activity. *J. Agric. Food Chem.* , 50, 7182-7186.
- Aranda, J. V., Collinge, J. M., Zinman, R., & Watters, G. (1979). Maturation of Caffeine Elimination In Infancy. *Arch Dis Child* , 54, 946-949.
- Blanchard, J., & Sawers, S. J. (1983). Comparative Pharmacokinetics of Caffeine In Young and Elderly Men. *J Pharmacokinet Biopharm* , 11, 109-126.
- Bokuchava, M. A., & Skobeleva, N. I. (1980). The Biochemistry and Technology of Tea Manufacture. *CRC Rev. Food Sci. Nutrition*, 12, 303-370.
- Bruce, M., & Lader, M. (1986). Caffeine: Clinical and Experimental effects In Humans. *Hum Psychopharmacol* , 1, 63-82.
- Bryan, J. (2008). Psychological effects of dietary components of tea: caffeine and L-theanine. *Nutrition Reviews*, 66, 82-90.
- Chen, Z., Pettinger, M. B., Ritenbaugh, C., LaCroix, A. Z., Robbins, J., & Caan, B. J. (2003). Habitual tea consumption and risk of osteoporosis: a prospective study in the Women' s health initiative observational cohort. *Am. J. Epidemiol.* , 158, 772-781.
- David, L. (2009). *Book of Teas*. TIA Ltd
- Davis, J.M., Zhao, Z., Stock, H.S., Mehl, K.A., Buggy, J., Hand, G.A. (2003). Central nervous system effects of caffeine and adenosine on fatigue. *Am J Physiol Regul Integr Comp Physiol.*, 284, 399–404.
- De Sousa, A. (2013). *Towards an integrative theory of consciousness: Part 1 (Neurobiological and cognitive models)*. Retrieved 2 12, 2015, from Mens Sana Monographs: <http://www.msmonographs.org/article.asp?issn=0973-1229;year=2013;volume=11;issue=1;spage=100;epage=150;aulast=De>

- Di Chiara, G., & Imperato, A. (1988). Drugs Abused by Humans Preferentially Increase Synaptic Dopamine Concentrations In the Mesolimbic System of Freely Moving Rats. *Proc Natl Acad Sci USA* , 85, 5274-5278.
- Encyclopaedia Britannica. (2014, March 9). *Caffeine*. Retrieved September 6, 2014, from <http://www.britannica.com/EBchecked/topic/88304/caffeine> britannica.com:
- Eroğlu, H. E. (2011). The Cytogenetic Effects of Black Tea and Green Tea on Cultured Human Lymphocytes. *Brazilian Arch. Biol. Technol.* ,54, 1159-1165.
- Fagan, D., Swift, C. G., & Tiplady, B. (1988). Effects of Caffeine On Vigilance and Other Performance Tests In Normal Subjects. *J Psychopharmacol* , 2, 19-25.
- Feng, Q., Torii, Y., Uchida, K., Nakamura, Y., Hara, Y., & Osawa, T. (2002). Black Tea Polyphenols, Theaflavins, Prevent Cellular DNA Damage by Inhibiting Oxidative Stress and Suppressing Cytochrome P450 1A1 in Cultures. *Journal of Agriculture and Food Chemistry* , 213-220.
- Ferre, S., Fredholm, B. B., Morelli, M., Popoli, P., & Fuxe, K. (1997). Adenosine-Dopamine Receptor-Receptor Interactions as an Integrative Mechanism In the Basal Ganglia. *Trends Neurosci* , 20, 482-487.
- Ferre, S., Fuxe, K., von Euler, G., Johansson, B., & Fredholm, B. B. (1992). Adenosinedopamine interactions in the brain. *Neuroscience* , 51, 501-512.
- Finger, A., & Engelhardt, U. H., (1991). Flavonol glycosides in tea-kaempferol and quercetin rhamnoglucosides. *J. Sci. Food Agric.*, 55, 313-321.
- Finger, A., Engelhardt, U. H., & Wray, V. (1991). Flavonol triglycosides containing galactose in tea. *Phytochem* , 30, 2057-2060.
- Fredholm, B. B., Battig, K., Holmen, J., Nehlig, A., & Zvartau, E. E. (1999). Actions of Caffeine In the Brain with Special Reference to Factors That Contribute to Its Widespread Use. *Pharmacological Reviews* , 51, 83-133.
- Funmilayo, O. O., Kamaldeen, A., & Buhari, A. M. (2012). Phytochemical Screening and Antimicrobial Properties of a Common Brand of Black Tea (*Camellia sinensis*) Marketed in Nigerian Environment. *Advanced Pharmaceutical Bulletin* , 2, 259-263.
- Ganong, W. F. (2003). *Buku Ajar Fisiologi Kedokteran* (20 ed.). Jakarta: EGC.

- Guyton, & Hall. (2006). *Buku Ajar Fisiologi Kedokteran* (12 ed.). Jakarta: EGC.
- Gomes, A., Vedasiromoni, J. R., Das, M., Sharma, R. M., & Ganguly, D. K. (1995). Anti-hyperglycemic effect of black tea (*Camellia sinensis*) in rat. *J. Ethnopharmacol.* , 45, 223-226.
- Harbowy, M. E., & Balentine, D. A. (1997). Tea Chemistry. *Critical Reviews in Plant Sciences* , 16, 415-480.
- Henning, S. M., Niu, Y., Lee, N. H., Thames, G. D., Minutti, R. R., Wang, H., et al. (2004). Bioavailability and Antioxidant Activity of Tea Flavanols After Consumption of Green Tea, Black Tea, or a Green Tea Extract Supplement. *Am. J. Clinic. Nutr* , 1558-1564.
- Hodgson, J. M., Puddey, I. B., Burke, V., Watts, G. F., & Beilin, L. J. (2002). Regular ingestion of black tea improves brachial artery vasodilator function. *Clinical Sci.* , 102, 195-201.
- Hodgson, J. M., Puddey, I. B., Mori, T. A., Burke, V., Baker, R. I., & Beilin, L. J. (2001). Effects of regular ingestion of black tea on haemostasis and cell adhesion molecules in humans. *Euro. J. Clinical Nutr.* , 55, 881-886.
- Ikeda, G. J., Sapienza, P. P., McGinnis, M. L., Bragg, L. E., Walsh, J. J., & Collins, T. F. (1982). Blood Levels of Caffeine and Results of Fetal Examination After Oral administration of Caffeine to Pregnant Rats. *J Appl Toxicol* , 2, 307-314.
- Imagawa, H., Takino, Y., & Shimizu, M. (1976). *Nippon Shokuhin Kogyo Gakkashi*. 23, 138-144.
- Imagawa, O., Yamano, H., Inoue, K., & Takino, Y. (1979). *Agric. Biol. Chem.* 43, 2337-2342.
- ITIS Report, (2014). *Camellia sinensis* (L.) Kuntze. Retrieved 11 23, 2014, from ITIS Report: http://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=506801&print_version=PRT&source=to_print
- Joseph, R. (2000). *Striatum, Basal Ganglia, Thalamus, Caudate, Putamen, Globus Pallidus, Limbic Striatum Parkinson's Disease, Alzheimer's Psychosis, Catatonia, Obsessive-Compulsions & Disorders of Movement*. Retrieved 2 12, 2015, from Neuroscience: <http://brainmind.net/BrainLecture9.html>

- Kerr, J. S., Sherwood, N., & Hindmarch, I. (1991). Separate and Combined Effects of the Social Drugs Psychomotor Performance. *Psychopharmacology* , 104, 113-119.
- Kiehne, A., & Engelhardt, U. H. (1996). Thermospray-LC-MS analysis of various groups of polyphenols in tea. II: Chlorogenic acids, theaflavins and thearubigins. *Zeitschrift für Lebensmittel-Untersuchung und -Forschung.* , 202, 299-302.
- Kiehne, A., Lakenbrink, C., & Engelhardt, U. H. (1997). Analysis of proanthocyanidins in tea samples. *Zeitschrift für Lebensmittel-Untersuchung und -Forschung.* , 205, 153-157.
- Liang, Y. C., Chen, Y. C., Lin, Y. L., Lin-Shiau, S. Y., Ho, C. T., & Lin, J. K. (1999). Suppression of extracellular signals and cell proliferation by the black tea polyphenol, theaflavin-3,3' -digallate. *Carcinogenesis.* , 20, 733-736.
- Liang, Y. R., Liu, Z. S., Xu, Y. R., & Hu, Y. L. (1990). A study on the chemical composition of two special green teas (*Camellia sinensis*). *J. Sci. Food Agric* , 53, 541-548.
- Lieberman, H. R., Wurtman, R. J., Emde, G. G., & Coviella, I. L. (1987). The Effects of Caffeine and Aspirin On Mood and Performance. *J Clin Psychopharmacol* , 7, 315-320.
- Liu, S., Lu, H., Zhao, Q., He, Y., Niu, J., Debnath, A. K., Wu, S., & Jiang, S. (2005). Theaflavin derivatives in black tea and catechin derivatives in green tea inhibit HIV-1 entry by targeting gp41. *Biochimica Biophysica Acta.* , 1723, 270-281.
- Luceri, C., Caderni, G., Sanna, A., & Dolaro, P. (2002). Red Wine and Black tea Polyphenols Modulate the Expression of Cyclooxygenase-2, Inducible Nitric Oxide Synthase and Glutathione-Related Enzymes In Azoxymethane-Induced f344 Rat Colon Tumors. *J. Nutr.* , 132, 1376-1379.
- Maity, S., Vedasiromoni, J. R., & Ganguly, D. K. (1995). Anti-ulcer effect of the hot water extract of black tea (*Camellia sinensis*). *J.Ethnopharmacol.* , 46, 167-174.
- Medina, J. H., Viola, H., Wolfman, C., Marder, M., Wasowski, C., Calvo, D., et al. (1997). Flavanoids: a New Family of Benzodiazepine Receptor Ligands. *Neurochem Res* , 22, 419-425.

- Molon, A. (2006). *05 Tea Leaves*. Retrieved 2 12, 2015, from molon.de: <http://www.molon.de/galleries/Malaysia/WestCoast/Cameron/Tea/img.php?pic=4>
- Nag Chaudhuri, A. K., Karmakar, S., Roy, D., Pal, S., Pal, M., & Sen, T. (2005). Anti-inflammatory activity of Indian black tea (Sikkim variety). *Pharmacol. Res.* , 51, 169-175.
- Negishi, O., Ozawa, T., & Imagawa, H. (1985). Methylation of xanthosine by tea-leaf extraxt and caffeine biosynthesis. *Agric. Biol. Chem.* 49, 887-890.
- Negishi, O., Ozawa, T., & Imagawa, H. (1988). N-Methyl nucleosidase from tea leaves. *Agric. Biol. Chem.* 52, 169-175.
- Negishi, O., Ozawa, T., & Imagawa, H. (1992). Biosynthesis of caffeine from purine nucleotides in tea plant. *Biosci. Biotech. Biochem.* 56, 499-503.
- Nobre, A. C., Rao, A., Owen, G. N. (2008). L-Theanine, a natural constituent in tea, and its effect on mental state. *Asia Pacific J Clin Nutr* , 17, 167-168.
- Parmar, N., Mukesh, R., & Vijay, J. K. (2012). Camellia Sinensis. *Global Journal of Pharmacology* 6 , 52-59.
- Pons, L., Trenque, T., Bielecki, M., Moulin, M., & Poitier, J. C. (1988). Attentional Effects of Caffeine In Man, Comparison with Drugs Acting Upon Performance. *Psychiatry Res* , 23, 329-333.
- Popoli, P., Gimenez-Llort, L., Pezzola, A., Reggio, R., Martinez, E., Fuxe, K., & Ferre', S. (1996b). Adenosine A1 receptor blockade selectively potentiates the motor effects induced by dopamine D1 receptor stimulation in rodents. *Neurosci Lett* , 218, 209-213.
- Priguna, S. (2005). *Tata Pemeriksaan Klinis Dalam Neurologi*. Jakarta: Dian Rakyat.
- Quinlan, P. T., Lane, J., & Aspinall, L. (1997). Effect of Hot Tea, Coffee and Water Ingestion On Physiological Responses and Mood: The Role of Caffeine, Water and Beverage Type. *Psychopharmacology* , 134, 887-892.
- Quinlan, P. T., Lane, J., Moore, K. L., Aspen, J., Rycroft, J. A. and O' Brien, D. C. (2000). The acute physiological and mood effects of tea and coffee: the role of caffeine level. *Pharmacol. Biochem. Behav.*, 66, 19-28.

- Quirk, R. (2011). *Longman Dictionary of Contemporary English 3rd Edition*. Edinburg: Tearson Education Limited.
- Ramachandran, V. S. (2002). *Encyclopedia of The Human Brain Volume 4*. New York: Academic Press.
- Ratnasooriva W. D., & Fernando T. S. P. (2008). Effect of black tea brew of *Camellia sinensis* on sexual competence of male rats. *J.Ethnopharmacol.*, 118, 373-377.
- Reid, M. S., Hsu, K., Berger, S. P. (1997). Cocaine and amphetamine preferentially stimulate glutamate release in the limbic system: studies on the involvement of dopamine. *Synapse*, 27, 95-105.
- Ryan, & Lee. (2002). Caffeine Reduces Time-of-Day Effect on Memory Performance in Older adult. *Journal of the American Psychological Society* , 13, 8-71.
- Satyanegara. (2010). *Ilmu Bedah Saraf* (4 ed.). Jakarta: PT Gramedia Pustaka Utama.
- Sesso, H. D., Gaziano, J. M., Buring, J. E., & Hennekens, C. H. (1999). Coffee and tea intake and the risk of myocardial infarction. *Am. J. Epidemiol.*, 149, 162-167.
- Sharangi, A. B. (2009). Medicinal and therapeutic potentialities of tea (*Camellia sinensis* L.). *Food Research International* , 529-535.
- Sharangi, A. B., Siddiqui, M. D., & Avina, J. E. (2014). Black Tea Magic: Overview of Global Research on Human Health and Therapeutic Potentialities. *Journal of Tea Science Research* , 4-11.
- Simpson, A., Shaw, L., & Smith, A. J. (2001). Tooth surface pH during drinking of black tea. *British Dental J.* , 190, 374-376.
- Solinas, M., Ferre, S., You, Z. B., Kubicha, M. K., Popoli, P., & Goldberg, S. R. (2002). Caffeine Induces Dopamine and Glutamate Release in the Shell of the Nucleus Accumbens. *The Journal of Neuroscience* , 22, 6321-6324.
- Song, J., Xu, H., Liu, F., & Feng, L. (2012). Tea and Cognitive Health in Late Life: Current Evidence and Future Directions. *J. Nutrition, Health Ageing.*, 16, 31-34.

- Suriawiria, U. (2003). *Teh, Minuman Penuh Manfaat*. Retrieved 12 9, 2014, from chem-is-try.org: http://www.chem-is-try.org/artikel_kimia/berita/teh_minuman_penuh_manfaat/
- Suzuki, T., & Takahashi, E. (1975). Metabolism of Xanthine and Hypoxanthine in the Tea Plant (*Thea sinensis* L.). *Biochem. J* , 146, 87-96.
- Unno, T., Suzuki, Y., Kakuda, T., Hayakawa, T., & Tsuge, H. (1999). Metabolism of theanine, gamma-glutamylethylamide, in rats. *J. Agric. Food Chem.*, 47, 1593-1596.
- Wibowo, D. S. (2008). *Neuroanatomi untuk Mahasiswa Kedokteran*. Malang: Bayumedia.
- Wu C.D., & Wei G.X. (2002). Tea as a functional food for oral health. *Nutrition* , 18, 443-444.
- Yang, J., Li, L., Tan, S., Jin, H., Qiu, J., Mao, Q., Li, R., Xia, C., Jiang, Z. H., Jiang, S., Liu, S. (2012). A natural theaflavins preparation inhibits HIV-1 infection by targeting the entry step: potential applications for preventing HIV-1 infection. *Fitoterapia* . , 83, 348-55.
- Zabar, Y., Penney, D., & Macaulay, C. (2012). In *Netter's Neurology* (2 ed.). Elsevier Saunders.
- Zhang, J., & Kashket, S. (1998). Inhibition of salivary amylase by black and green teas and their effects on the intraoral hydrolysis of starch. *Caries Res.* , 32, 233-238.