

ABSTRAK

Aplikasi pencarian jodoh adalah suatu aplikasi untuk menfasilitasi para anggota mencari pasangan, teman dengan anggota lain. Program ini memiliki kemampuan untuk menampilkan hasil test kepribadian dari tiap anggota. Program ini juga mampu menentukan pasangan yang cocok terhadap anggota. Selain itu, dia juga mampu mencari pasangan sesuai dengan kata kunci yang dinginkan oleh anggota.

Pada *desktop*, aplikasi menyediakan fitur untuk menyimpan data *member*, data pasangan, data tipe kepribadian, data pertanyaan dari teori *Personality Plus* dan teori *Eneagram*, edit data *user*, melakukan registrasi, menyimpan dan mengolah data *test* kepribadian *Personality Plus*, menyimpan dan mengolah data *test Eneagram*, melihat hasil test, melihat profil pribadi dan pasangan, mengupload foto, mencari pasangan, memberikan alert ke anggota jika ada anggota baru yang cocok, me-request anggota menjadi pasangan, dan mengirim pesan. Aplikasi ini juga menyediakan laporan tentang anggota atau pasangan yang memiliki tingkat kecocokan paling tinggi.

Aplikasi ini dikembangkan menggunakan bahasa pemrograman *XHTML* dan *PHP* untuk aplikasi dekstop dan nirkabelnya.

Kata kunci : *WAP*, *handphone*, teori *Personality Plus*, teori *Eneagram*, pencarian, *Desktop*, Openwave V7, *XHTML*, *PHP*, *MySQL*.

ABSTRACT

Searching for soulmate is an application to facilitate all members to find partner, friends with another member. This program has ability to show personality result from each member. This application also can decide a match partner to each member. Besides, it can find a partner based on the keyword that they want.

On the desktop, application has ability to save member data, partner data, personality type data, question from Personality Plus theory and Eneagram theory, to update member's data, registration, saving and processing personality test based on Personality theory, saving and processing personality test based on Eneagram theory, to view the test result, to view personal profile and partner, upload photo, searching partner, send alert to member if have a new match member, request member to be a soul mate and sending message. This application is providing report about member or partner who has the highest level of agreement.

This application developed by using XHTML and PHP programming language for the desktop and wireless application.

Keyword: WAP, Mobile phone, personality plus theory, eneagram theory, searching, desktop, openwave V7, XHTML, PHP, MySQL

DAFTAR ISI

ABSTRAK.....	i
ABSTRACT	ii
Kata Pengantar	iii
DAFTAR ISI.....	iv
DAFTAR TABEL.....	vi
DAFTAR GAMBAR	vii
DAFTAR SIMBOL	ix
BAB I PERSYARATAN PRODUK.....	1
1 PENDAHULUAN	1
1.1 Tujuan.....	2
1.1.1 Ruang Lingkup	2
1.1.2 Definisi, Akronim, dan Singkatan.....	3
1.1.3 Overview.....	3
1.2 GAMBARAN KESELURUHAN.....	4
1.2.1 Perspektif Produk	4
1.2.2 Fungsi Produk	4
1.2.3 Karakteristik Pengguna	5
1.2.4 Batasan	5
1.2.5 Asumsi dan Ketergantungan	6
BAB II SPESIFIKASI PRODUK.....	7
2.1 PERSYARATAN ANTARMUKA EKSTERNAL.....	21
2.2.1 Antarmuka dengan Pengguna.....	19
2.2.2 Antarmuka Perangkat Keras	25
2.2.3 Antarmuka Perangkat Lunak.....	25
2.2.4 Antarmuka Komunikasi.....	26
2.2 FITUR PRODUK PERANGKAT LUNAK	26
2.2.1 Fitur 1 – Melakukan Registrasi	26
2.2.2 Fitur 2 – Melakukan Login	27
2.2.3 Fitur 3 – Memilih <i>Test</i> Kepribadian.....	27
2.2.4 Fitur 4 – Melakukan <i>Test</i> Personality	28
2.2.5 Fitur 5 – Melakukan <i>Test</i> Eneagram	29
2.2.6 Fitur 6 – Mencari Pasangan Eneagram.....	30
2.2.7 Fitur 7 – Mencari Pasangan Personality.....	30
2.2.8 Fitur 8 – Melihat profil Pasangan.....	31
2.2.9 Fitur 9 – Mengubah Profil Pribadi	31
2.2.10 Fitur 10 – Mengirim Pesan	32
2.2.11 Fitur 11 – Mencari Anggota	32
2.2.10 Fitur 12 – Request Pasangan	33
BAB III DESAIN PERANGKAT LUNAK.....	34
3.1.PENDAHULUAN	34
3.1.1 Identifikasi Kebutuhan Sistem	34
3.1.2 Overview Sistem.....	34
3.2 Keputusan Desain Perangkat Lunak Secara Keseluruhan	34
3.2.1 Analisis UML ERD (Entity Relationship Diagram)	35
3.2.2 Activity Diagram.....	46
3.2.3 Sequence Diagram.....	50
3.2.4 Entity Relational Diagram (ERD)	55
3.2.5 Relasi Antar Tabel	57
3.3 DESAIN ARSITEKTUR PERANGKAT LUNAK	61

3.3.1 Komponen Perangkat Lunak.....	61
3.3.2 Desain Antarmuka.....	62
BAB IV PENGEMBANGAN SISTEM.....	73
3.1.PERENCANAAN TAHAP IMPLEMENTASI	73
4.1.1 Pembagian Modul/Prosedur/Class Implementasi.....	73
4.1.2 Keterkaitan Antar Modul/Prosedur/ Class	77
4.2 PERJALANAN TAHAP IMPLEMENTASI (CODING)	77
4.2.1 Top Down Implementasi.....	78
4.2.2 Debugging	78
4.3 ULASAN REALISASI FUNGSIONALITAS	81
4.4 ULASAN REALISASI USER INTERFACE DESIGN	83
BAB V TESTING DAN EVALUASI SISTEM.....	106
5.1 Rencana Pengujian Sistem Terimplementasi	106
5.1.1 Test Case	106
5.1.2 Uji Fungsionalitas modul / class	107
5.2 Perjalanan Metodologi Pengujian.....	108
5.2.1 Black Box.....	108
5.3 Ulasan Hasil Evaluasi.....	119
BAB VI KESIMPULAN DAN SARAN.....	120
6.1 Keterkaitan Antara Kesimpulan dengan Hasil Evaluasi	120
6.2 Keterkaitan antara Saran dengan Hasil Evaluasi	120
6.3 Rencana Perbaikan / Implementasi terhadap Saran yang Diberikan.....	120
DAFTAR PUSTAKA	xi
DAFTAR LAMPIRAN.....	x

DAFTAR TABEL

Tabel II.1 Empat Tipe Kepribadian.....	11
Tabel II.2 Kombinasi Pasangan	14
Tabel II.3 Deskripsi tipe Eneagram	14
Tabel II.4 Antarmuka Perangkat Keras	25
Tabel II.5 Antarmuka Perangkat Lunak.....	25
Tabel III.1 <i>Use case</i> Melakukan Registrasi.....	37
Tabel III.2 <i>Use Case</i> Melakukan Login	38
Tabel III.3 <i>Use Case</i> Mengubah Profil	38
Tabel III.4a. <i>Use Case</i> Melakukan Test	39
Tabel III.4b. <i>Use Case</i> Melakukan Test	39
Tabel III.5 <i>Use Case</i> Mencari Pasangan.....	39
Tabel III.6 <i>Use Case</i> Melihat Pasangan.....	40
Tabel III.7. <i>Use Case</i> Menghapus Pasangan.....	40
Tabel III.8 <i>Use Case</i> Mengirim Pesan.....	40
Tabel III.9 <i>Use Case</i> Melihat Jawaban.....	41
Tabel III.10 <i>Use Case</i> Melakukan Login	41
Tabel III.11 <i>Use Case</i> Mengelola Data Kepribadian	42
Tabel III.12 <i>Use Case</i> Menginput Soal.....	43
Tabel III.13 <i>Use Case</i> Melihat data user.....	44
Tabel III.14 <i>Use Case</i> Mengelola data Pasangan.....	44
Tabel III.15 <i>Use Case</i> Mengelola Laporan.....	46
Tabel IV.1 Realisasi Fungsionalitas Aplikasi Pada <i>desktop</i>	81
Tabel IV.2 Realisasi Fungsionalitas Aplikasi Pada <i>client</i>	82
Tabel V.1 <i>Testing form login</i> pada <i>desktop</i>	108
Tabel V.2 Testing form main menu pada desktop.....	109
Tabel V.3 Testing form tambah kepribadian pada desktop.....	110
Tabel V.4 Testing form tambah soal personality pada desktop	110
Tabel V.5 Testing form soal eneagram pada desktop.....	111
Tabel V.6 Testing form Data User/ member pada desktop	112
Tabel V.7 Testing form test personality pada desktop	113
Tabel V.8 Testing form test eneagram pada client.....	114
Tabel V.9 Testing form mypersonality pada client	115
Tabel V.10 Testing form myeneagram pada client.....	115
Tabel V.11 Testing form Pencarian Pasangan berdasarkan test personality pada client	115
Tabel V.12 Testing form Pencarian Pasangan berdasarkan test Eneagram pada client	116
Tabel V.13 Testing form cari member	115
Tabel V.14 Testing form ganti password.....	116

DAFTAR GAMBAR

Gambar II.1 Simbol Eneagram	15
Gambar II.2 Struktur Menu Aplikasi Cari Jodoh untuk Administrator	21
Gambar II.3 Struktur Menu Aplikasi Cari Jodoh untuk member	23
Gambar III 1. <i>Use case diagram</i> aplikasi pencarian jodoh pada desktop	35
Gambar III 2. <i>Use case diagram</i> aplikasi pencarian jodoh pada desktop	36
Gambar III.3. <i>Use case diagram</i> aplikasi pencarian jodoh pada WAP	37
Gambar III.4. <i>Activity diagram</i> melakukan registrasi	46
Gambar III.5. <i>Activity diagram</i> melakukan login	47
Gambar III.6. <i>Activity diagram</i> mengubah profil	47
Gambar III.7. <i>Activity diagram</i> Melakukan test	47
Gambar III.8. <i>Activity diagram</i> mencari pasangan	48
Gambar III.9. <i>Activity diagram</i> melihat pasangan	48
Gambar III.10. <i>Activity diagram</i> menghapus pasangan	49
Gambar III.11. <i>Activity diagram</i> mengirim pesan	49
Gambar III.12. <i>Activity diagram</i> melihat jawaban	49
Gambar III.13 <i>Sequence Diagram</i> login	50
Gambar III.14 <i>Sequence Diagram</i> registrasi	50
Gambar III.15 <i>Sequence Diagram</i> Test	51
Gambar III.16 <i>Sequence Diagram</i> mencari Pasangan	51
Gambar III.17 <i>Sequence Diagram</i> menghapus Pasangan	51
Gambar III.18 <i>Sequence Diagram</i> Kepribadian	52
Gambar III.19 <i>Sequence Diagram</i> Soal	53
Gambar III.20 <i>Sequence Diagram</i> Ganti Password	54
Gambar III.21 <i>Sequence Diagram</i> Melihat Jawaban	54
Gambar III.22 <i>ER diagram</i> aplikasi pencarian jodoh	55
Gambar III.23 Relasi antar tabel aplikasi pencarian jodoh	57
Gambar III.24 Model program WAP	61
Gambar III.25 Arsitektur aplikasi WAP	61
Gambar III.26 <i>Form login</i>	62
Gambar III.27 <i>Form</i> Menu utama	62
Gambar III.28 <i>Form</i> registrasi	63
Gambar III.29 <i>Form</i> ganti password	63
Gambar III.30 <i>Form</i> edit profil	64
Gambar III.31 <i>Form</i> pilih test	64
Gambar III.32 <i>Form</i> pertanyaan personality plus	64
Gambar III.33 <i>Form</i> jawaban test personality	65
Gambar III.34 <i>Form</i> pertanyaan Eneagram	66
Gambar III.35 <i>Form</i> jawaban test eneagram	66
Gambar III.36 <i>Form</i> cari pasangan personality	67
Gambar III.37 <i>Form</i> cari pasangan eneagram	67
Gambar III.38 <i>Form</i> Lihat profil pasangan	68
Gambar III.39 <i>Form</i> Kirim Pesan I	68
Gambar III.40 <i>Form</i> Menu Utama	69
Gambar III.41 <i>Form</i> Master Kepribadian	69
Gambar III.42 <i>Form</i> Tambah data Kepribadian	69
Gambar III.43 <i>Form</i> pertanyaan personality	70
Gambar III.44 <i>Form</i> tambah pertanyaan personality	70
Gambar III.45 <i>Form</i> pertanyaan eneagram	70
Gambar III.46 <i>Form</i> tambah pertanyaan eneagram	71

Gambar III.47 <i>Form</i> pasangan personality	71
Gambar III.48 <i>Form</i> tambah data pasangan personality	71
Gambar III.49 <i>Form</i> pasangan eneagram	72
Gambar III.50 <i>Form</i> tambah data pasangan eneagram	72
Gambar III.51 <i>Form Data member</i>	72
Gambar IV.1 Keterkaitan Modul Sistem Aplikasi Pencarian Jodoh.....	77
Gambar IV 2 Antarmuka form Home	83
Gambar IV.3 Antarmuka Form Login	83
Gambar IV.4 Antarmuka Form MenuUtama (Admin)	84
Gambar IV.5 Antarmuka Form Kepribadian	85
Gambar IV.6 Antarmuka Form Ubah Kepribadian	86
Gambar IV.7 Antarmuka Form Hapus Kepribadian.....	87
Gambar IV.8 Antarmuka Form Cari Kepribadian	87
Gambar IV.9 Antarmuka Form Soal Personality	88
Gambar IV.10 Antarmuka Form Tambah soal Personality	89
Gambar IV.11 Antarmuka Form Ubah soal Personality	89
Gambar IV.12 Antarmuka Form Hapus soal Personality	90
Gambar IV.13 Antarmuka Form Cari soal Personality	90
Gambar IV.14 Antarmuka Form Soal eneagram.....	91
Gambar IV 15 Antarmuka Form Tambah Soal eneagram.....	92
Gambar IV.16 Antarmuka Form Ubah Soal eneagram	92
Gambar IV 17 Antarmuka Form Hapus Soal eneagram	93
Gambar IV 18 Antarmuka Form Cari Soal eneagram	93
Gambar IV 19 Antarmuka Form Data User	94
Gambar IV 20 Antarmuka Form Test	95
Gambar IV 21 Antarmuka Form Test Personality	95
Gambar IV 22 Antarmuka Form Test Eneagram.....	96
Gambar IV 23 Antarmuka Form Jawaban Test Personality	96
Gambar IV 24 Antarmuka Form Cari pasangan.....	97
Gambar IV 25 Antarmuka Form Jawaban Test Eneagram	97
Gambar IV 26 Antarmuka Form Pasangan Eneagram	98
Gambar IV 27Antarmuka form Profil Pasangan	99
Gambar IV 28 Antarmuka form Kirim Pesan	100
Gambar IV 29 Antarmuka form cari member	100
Gambar IV 31 Antarmuka Menu Utama pada dekstop (member)	101
Gambar IV 32 Antarmuka Form My Inbox.....	101
Gambar IV 33 Antarmuka Form Request Pasangan.....	102
Gambar IV 34 Antarmuka Form Informasi Request Pasangan.....	103
Gambar IV 35 Antarmuka form My soulmate	103
Gambar IV 36 Antarmuka form Rekomendasi Eneagram.....	104
Gambar IV 37 Antarmuka form Rekomendasi Personality.....	104
Gambar IV 38 Antarmuka form upload foto.....	105
Gambar IV 39 Antarmuka Menu My Photo	105

DAFTAR SIMBOL

ERD

	Entitas
	Atribut
	Relasi

Use Case


	Aktor
	Include / Extend

Aktivity Diagram


	Initial state
	Final state
	State
	Decision
	Transition

Sequence :

	Aktor
	Message call
	Message return



Class diagram



LAMPIRAN

Berikut ini adalah seluruh *source code* yang digunakan untuk membangun aplikasi pencarian jodoh berdasarkan kesesuaian sifat manusia menggunakan *Personality Plus* dan *Eneagram*.

```
Class SgnDB.php
<?php

class SgnDb {

    private $conn; // ADODB Connection handle
    private $rs;
    public $EOF;
    public $debug = false;

    public $Name;
    public $Id;

    private $current_record = array();
    private $_OnFirstRecord = false;

    function SgnDb($conn='')
    {
        global $sgn_adodb_conn;
        $this->conn = empty($conn) ? $sgn_adodb_conn : $conn;
    }

    private function WriteDebugLine($str) {
        echo "<hr>$str<hr>";
    }

    function MoveNext() {
        if ($this->rs) {
            if (!$this->rs->EOF) {
                if ($this->_OnFirstRecord) {
                    $this->_OnFirstRecord = false;
                } else {
                    $this->rs->MoveNext ();
                }
                $this->EOF = $this->rs->EOF;
                return !$this->EOF;
            }
        }
        return false;
    }

    public function UserDate($str, $fmt='') {
        return $this->rs->UserDate($str, $fmt);
    }
    public function DbDate($date) {
        return $this->rs->DbDate($date);
    }

    protected function fields($field_index) {
        if ($this->rs) {
            return $this->rs->fields[$field_index];
        }
    }
}
```

```

        } else {
            return false;
        }
    }

    public function Execute($query) {

        if ($this->debug) $this-
>WriteDebugLine("sgn_db:execute:query:".$query);
        $this->EOF = true;
        $this->rs = false;
        // execute query
        $rs = $this->conn->Execute($query);
        if (!$rs) {
            if ($this->debug) $this->WriteDebugLine
                ("sgn_db:execute:error: ".$this->conn->ErrorMsg());
            return false;
        } else {
            $this->rs = $rs;
            $this->EOF = false;
            $this->_OnFirstRecord = true;
            return true;
        }
    }

    private function ExecuteSelectLimit($query, $numrows, $offset) {
        if ($this->debug) $this->WriteDebugLine("Sgn_db: SelectLimit:
query: ".$query);

        $this->EOF = true;
        $this->rs = false;

        // execute query
        $rs = $this->conn->SelectLimit($query, $numrows, $offset);
        if (!$rs) {
            if ($this->debug) $this->WriteDebugLine("SgnDb:
SelectLimit: error: ".$this->conn->ErrorMsg());
            return false;
        } else {
            $this->rs = $rs;
            $this->EOF = false;
            $this->_OnFirstRecord = true;
            return true;
        }
    }

    public function RecordCount() {
        return $this->rs->RecordCount();
    }

    public function Get($field_name) {
        return $this->fields($field_name);
    }

    public function Set($field_name='', $field_value='') {

        if ( (!$field_name) && (!$field_value)
        $this->current_record = Array();
        return true;
    }

    if (is_array($field_name)) {
        foreach ($field_name as $key=>$field_valueue) {

```

```

        $this->current_record[$key] = $field_valueue;
    }
    return true;
}

if ( (!is_array($field_name)) && ($field_name) ) {
    $this->current_record[$field_name] = $field_value;
    return true;
}
return false;
}

private function CreateFieldList($record) {
    $_return = "";
    if (is_array($record)) {
        $_separator = "";
        foreach($record as $key=>$value) {
            $_return .= $_separator . $key;
            $_separator = ",";
        }
    }
    return $_return;
}

private function GetValueList($record) {
    $_return = "";
    if (is_array($record)) {
        $_separator = "";
        foreach($record as $value) {
            $_return .= $_separator . "'" . $value . "'";
            $_separator = ",";
        }
    }
    return $_return;
}

public function Insert() {
    $record = $this->current_record;
    $_insert_field_list = $this->CreateFieldList($record);
    $_insert_value_list = $this->GetValueList($record);
    $sql = "INSERT INTO $this->Name ($_insert_field_list) VALUES
($_insert_value_list)";
    return $this->Execute($sql);
}

private function CreateUpdateList($record) {
    $_return = "";
    if (is_array($record)) {
        $_separator = "";
        foreach($record as $key=>$value) {
            $_return .= $_separator . $key . "='". $value .
."'";
            $_separator = ", ";
        }
    }
    return $_return;
}

public function Update($where='') {
    $record = $this->current_record;
    $_update_list = $this->CreateUpdateList($record);
    $_where_list = $this->CreateWhereList($where);
    $sql = "UPDATE $this->Name SET $_update_list $_where_list";
    return $this->Execute($sql);
}

```

```

        }
        public function UpdateById($value) {
            return $this->Update(array($this->Id=>$value));
        }

        public function Delete($where='') {
            $_where_list = $this->CreateWhereList($where);
            $sql = "DELETE FROM $this->Name $_where_list";
            return $this->Execute($sql);
        }
        public function DeleteById($value) {
            return $this->Delete(array($this->Id=>$value));
        }

        public function Select($column="", $where="", $order="",
$numrows=-1, $offset=-1) {
            $strSelect = $this->CreateSelectList($column);
            $strWhere = $this->CreateWhereList($where);
            $strOrderBy = $this->CreateOrderByList($order);
            if (($numrows>-1) && ($offset>-1)) {
                return $this->ExecuteSelectLimit("$strSelect FROM
$this->Name $strWhere $strOrderBy", $numrows, $offset);
            } else {
                return $this->Execute("$strSelect FROM $this->Name
$strWhere $strOrderBy");
            }
        }
    }

?>

```

```

SgnUser.php
<?php
class SgnUser {

    protected $username = "";
    protected $fullname = "";
    protected $roles = "";
    protected $not_authorized_page = "";

    function SgnUser()
    {
    }
    function Authenticate($username, $password) {
    }
        if (strpos($this->roles, $allowed_roles)) {
            return true;
        } else {
            header ("Location: ".$this-
>not_authorized_page);
            exit;
        }
    }
    function IsMemberOf($role) {
        if (strpos($this->roles, $role)) {
            return true;
        } else {
            return false;
        }
    }
    function SetNotAuthorizedPage ($page) {

```

```

        $this->not_authorized_page = $page;
    }
    static function SgnUserEncrypt($password, $encrypt_mode=1) {
        switch ($encrypt_mode) {
            case 0: return $password; break;
            case 1: return MD5($password); break;
            default: return MD5($password); break;
        }
    }

    function GetUsername() {
        return $this->username;
    }
    function GetFullname() {
        return $this->fullname;
    }
    function GetRoles() {
        return $this->roles;
    }

    function GetNotAuthorizedPage() {
        return $this->not_authorized_page;
    }
}
?>
```

```

sgnUpload.php
<?php

class sgnUpload {
    var $name = "";
    var $type = "";
    var $tmp_name = "";
    var $size = -1;

    var $files = array();

    var $max_file_size = -1;
    var $error_message = "";
    var $upload_dir = "";
    var $new_file_name = "";

    function sgnUpload($files) {
        if ($files) {
            $this->files = $files;
        }
    }

    function upload() {

        if (!$this->files) {
            return false;
        }

        $source = $this->files['tmp_name'];
        if (empty($this->new_file_name)) {
            $destination = $this->upload_dir."/".$this-
```

```

>files['name'];
        } else {
            $destination = $this->upload_dir."/".$this-
>new_file_name;
        }

        if (move_uploaded_file($source, $destination)) {
            return true;
        } else {
            return false;
        }
    }

    function get_file_extension(){
        if ($this->files['name']){
            return get_file_extension($this->files['name']);
        } else {
            return false;
        }
    }

    function set_upload_dir($upload_dir){
        $this->upload_dir = $upload_dir;
    }

    function set_max_file_size($max_file_size) {
        if ($max_file_size>0){
            $this->max_file_size = $max_file_size;
        }
    }

    function set_new_file_name($new_file_name) {
        if (!empty($new_file_name)){
            $this->new_file_name = $new_file_name;
        }
    }

    function get_file_name() {
        if (empty($this->new_file_name)) {
            return $this->files['name'];
        } else {
            return $this->new_file_name;
        }
    }
}

```

```

MasterMember.php
require_once '../..../web/utils/SgnDb.php';

class MasterMember extends SgnDb {

    function MasterMember() {
        $this->SgnDb();
        $this->Name = "ms_member"; // table name
        $this->Id = "id_member"; // primary key
    }

    function GetPasanganEneagram($id_member) {

        $this->Select("jk,result_eneagram",
                    array("id_member"=>$id_member));
    }
}

```

```

$member_jk = $this->Get("jk");
$member_eneagram = $this->GetDominantEneagram
($id_member);
$target_jk = ($member_jk=="L") ? "P" : "L";
$_str = "(";
foreach($member_eneagram as $persKey=>$persValue) {
    $_str .= $_separator . " MPE.kepribadian1 =
'$persKey' ";
    $_separator = " OR ";
}
$_str .= ")";
$where_mpe_kepribadian1 = $_str;

// select pasangan eneagram
$this->Execute("SELECT DISTINCT id_member, nama, Photo,
nama_kepribadian2, keterangan, Provinsi, tggi_bdn,
brt_bdn, ket_pribadi, hobi, kecocokan, tgl_lhr
FROM
(
    SELECT MM.id_member, MM.nama, MM.Photo, MM.Provinsi,
MM.tggi_bdn, MM.brt_bdn, MM.ket_pribadi, MM.hobi, MM.result_eneagram,
MM.tgl_lhr, MPE.kepribadian1, MPE.kepribadian2, MPE.kecocokan,
MK.nama nama_kepribadian2, MK.keterangan
    FROM
        ms_member MM
    JOIN ms_pasangan_eneagram MPE ON
MPE.kepribadian2=MM.result_eneagram JOIN ms_kepribadian MK ON
MPE.kepribadian2=MK.id_kepribadian
    WHERE
        $where_mpe_kepribadian1
        AND MPE.jk = '$member_jk'
        AND MM.jk = '$target_jk'
        ORDER BY
            MPE.kecocokan DESC
    ) as A
    LIMIT 0,3"
);
}

function GetTargetPersonality($personality) {
if ($personality=="p1") { $target_personality = "p3"; } else
if ($personality=="p2") { $target_personality = "p4"; } else
if ($personality=="p3") { $target_personality = "p1"; } else
if ($personality=="p4") { $target_personality = "p2"; }
return $target_personality;
}

function GetTargetEneagram($eneagram) {
if ($eneagram=="e1") { $target_eneagram = "e1"; } else
if ($eneagram=="e2") { $target_eneagram = "e2"; } else
if ($eneagram=="e3") { $target_eneagram = "e3"; } else
if ($eneagram=="e4") { $target_eneagram = "e4"; } else
if ($eneagram=="e5") { $target_eneagram = "e5"; } else
if ($eneagram=="e6") { $target_eneagram = "e6"; } else
if ($eneagram=="e7") { $target_eneagram = "e7"; } else
if ($eneagram=="e8") { $target_eneagram = "e8"; } else
if ($eneagram=="e9") { $target_eneagram = "e9"; }
return $target_eneagram;
}

function GetPasanganRekomendasi2($id_member) {

```

```

        $this->Select("jk,result_eneagram,result_personality",
                      array("id_member"=>$id_member));
        $member_jk = $this->Get("jk");
        $member_personality = $this->Get("result_personality");
        $member_eneagram = $this->GetDominantEneagram($id_member);
        // set jenis kelamin target
        $target_jk = ($member_jk=="L") ? "P" : "L";

        $_str = "(";
        foreach($member_eneagram as $persKey=>$persValue) {
            $_str .= $_separator . " MPE.kepribadian1 =
            '$persKey' ";
            $_separator = " OR ";
        }
        $_str .= ")";
        $where_mpe_kepribadian1 = $_str;
        $target_personality = $this->GetTargetPersonality
                               ($member_personality);

$queryGetPasanganEneagram = " SELECT DISTINCT id_member,
nama,Photo,nama_kepribadian2,keterangan,Provinsi,tggi_bdn,
brt_bdn,ket_pribadi,hobi,kecocokan,tgl_lhr FROM
(
SELECT MM.id_member, MM.nama, MM.Photo, MM.Provinsi,
MM.tggi_bdn, MM.brt_bdn, MM.ket_pribadi, MM.hobi, MM.result_eneagram,
MM.tgl_lhr, MPE.kepribadian1, MPE.kepribadian2, MPE.kecocokan,
MK.nama nama_kepribadian2, MK.keterangan
        FROM
        ms_member MM
        JOIN ms_pasangan_eneagram MPE ON
        MPE.kepribadian2=MM.result_eneagram
        JOIN ms_kepribadian MK ON MPE.kepribadian2=
        MK.id_kepribadian
        WHERE
        $where_mpe_kepribadian1
        AND MPE.jk = '$member_jk'
        AND MM.jk = '$target_jk'
        ORDER BY
        MPE.kecocokan DESC
    ) as A
    LIMIT 0,3";

$this->Execute($queryGetPasanganEneagram);
$_separator = "";
while ($this->MoveNext ()) {
    $strPasanganEneagramList .= $_separator . "''"
    . $this->Get("id_member")."''";
    $_separator = ",";
}
// select pasangan personality
$this->Execute("SELECT DISTINCT MM.id_member, MM.nama,MM.
Photo,MK.nama nama_kepribadian2,MK.keterangan,MM.Provinsi,MM.tggi_bdn,
MM.brt_bdn,MM.ket_pribadi,MM.hobi,MM.tgl_lhr
FROM ms_member MM JOIN ms_pasangan_eneagram MPE ON
MPE.kepribadian2=result_eneagram
JOIN ms_kepribadian MK ON MPE.kepribadian2=MK.id_kepribadian
        WHERE
        MM.jk = '$target_jk'
        AND MM.result_personality = '$target_personality'";

```

```

        AND MM.id_member IN ($strPasanganEneagramList)");
    }

    function GetDominantPersonality($id_member) {

$this->Select("result_personality_p1, result_personality_p2,
result_personality_p3,result_personality_p4",array("id_member"=>$id_member));
    $score = array();
    $score["p1"] = $this->Get("result_personality_p1");
    $score["p2"] = $this->Get("result_personality_p2");
    $score["p3"] = $this->Get("result_personality_p3");
    $score["p4"] = $this->Get("result_personality_p4");
    arsort($score);

    $result = array();
    $stopScore = 101;
    $stopScoreCount = 0;
    foreach($score as $key=>$value) {
        if (((($value<$stopScore) && ($stopScoreCount<2)) ||
($value==$stopScore)) {
            $result[$key] = $value;
            if ($stopScore != $value) {
                $stopScoreCount++;
                $stopScore = $value;
            }
        }
    }
    asort($result);
    return $result;
}

function GetDominantEneagram($id_member) {

$this->Select("result_eneagram_e1,
result_eneagram_e2,result_eneagram_e3,
result_eneagram_e4,
result_eneagram_e5,result_eneagram_e6,result_eneagram_e7,
result_eneagram_e8,result_eneagram_e9",array("id_member"=>$id_member))
;

    $score = array();
    $score["e1"] = $this->Get("result_eneagram_e1");
    $score["e2"] = $this->Get("result_eneagram_e2");
    $score["e3"] = $this->Get("result_eneagram_e3");
    $score["e4"] = $this->Get("result_eneagram_e4");
    $score["e5"] = $this->Get("result_eneagram_e5");
    $score["e6"] = $this->Get("result_eneagram_e6");
    $score["e7"] = $this->Get("result_eneagram_e7");
    $score["e8"] = $this->Get("result_eneagram_e8");
    $score["e9"] = $this->Get("result_eneagram_e9");
    arsort($score);

    $result = array();
    $stopScore = 101;
    $stopScoreCount = 0;
    foreach($score as $key=>$value) {
        if (((($value<$stopScore) && ($stopScoreCount<2)) ||
($value==$stopScore)) {

```

```

        $result[$key] = $value;
        if ($topScore != $value) {
            $topScoreCount++;
            $topScore = $value;
        }
    }
}
return $result;
}
?>
```

MsKepribadian.php

```

<?php
require_once '../web/utils/SgnDb.php';

class MsKepribadian extends SgnDb {
    function MsKepribadian() {
        $this->SgnDb();
        $this->Name = "ms_kepribadian"; // table name
        $this->Id = "id_kepribadian"; // primary key
    }
    function GetNamaById($id_kepribadian) {
        $this->Execute("SELECT nama FROM ms_kepribadian WHERE
id_kepribadian='$id_kepribadian'");
        return $this->Get("nama");
    }
}
?>
```

MsMemberFoto.php

```

<?php
require_once '../web/utils/SgnDb.php';

class MsMemberFoto extends SgnDb {

    function MsMemberFoto() {
        $this->SgnDb();
        $this->Name = "tr_member"; // table name
        $this->Id = "idn"; // primary key
    }
}
?>
```

MsPasanganEneagram.php

```

<?php
require_once '../web/utils/SgnDb.php';

class MsPasanganEneagram extends SgnDb {
    function MsPasanganEneagram() {
        $this->SgnDb();
        $this->Name = "ms_pasangan_eneagram"; // table name
        $this->Id = "idn"; // primary key
    }
}
?>
```

```

MsPasanganPersonality.php
<?php
require_once '../..../web/utils/SgnDb.php';

class MsPasanganPersonality extends SgnDb {

    function MsPasanganPersonality() {
        $this->SgnDb();
        $this->Name = "ms_pasangan_personality"; // table name
        $this->Id = "idn"; // primary key
    }
}
?>

```

```

MsPertanyaanEneagram.php
<?php
require_once '../..../web/utils/SgnDb.php';

class MsPertanyaanEneagram extends SgnDb {

    function MsPertanyaanEneagram() {
        $this->SgnDb();
        $this->Name = "ms_pertanyaan_eneagram"; // table name
        $this->Id = "idn"; // primary key
    }

    function GetJumlahSoal() {
        $this->Execute("SELECT COUNT(idn) num FROM
                        ms_pertanyaan_eneagram");
        if ($this->MoveNext()) {
            return $this->Get("num");
        }
    }

    function GetJumlahSoalByKepribadian($kepribadian) {
        $this->Execute("SELECT COUNT(idn) num FROM
ms_pertanyaan_eneagram WHERE id_kepribadian='$kepribadian'");
        if ($this->MoveNext()) {
            return $this->Get("num");
        }
    }
}
?>

```

```

MsPertanyaanPersonality.php
?php
require_once '../..../web/utils/SgnDb.php';

class MsPertanyaanPersonality extends SgnDb {

    function MsPertanyaanPersonality() {
        $this->SgnDb();
        $this->Name = "ms_pertanyaan_personality"; // table
name
        $this->Id = "idn"; // primary key
    }

    function GetJumlahSoal() {

```

```

        $this->Execute("SELECT COUNT(DISTINCT(no_soal)) num
FROM
        ms_pertanyaan_personality");
if ($this->MoveNext()) {
    return $this->Get("num");
}
}
?>

```

```

SgnUserCJ.php
<?php
require_once '../../web/utils/SgnUser.php';
require_once '../../web/entities/MasterMember.php';

class SgnUserCJ extends SgnUser {

    protected $id_member = 0;

    function SgnUserSL()
    {
        $this->SgnUser();
    }
    function ChangePassword($new_password) {

        if ($this->roles=='member') {
            $member = new MasterMember();

            $member->Select("id_member",array("username"=>$this-
>username));
            $id_member = $member->Get("id_member");

            $member->Set();
            $member->Set("password",$this-
>SgnUserEncrypt($new_password));
            return $member->UpdateById($id_member);
        }
    }
    function Authenticate($username, $password, $encrypt_mode=1)
    {
        $member = new MasterMember();
        $member->Select("", array("username"=>$username,
password"=>$this->SgnUserEncrypt($password, $encrypt_mode)));
        if ($member->MoveNext()) {
            $this->id_member = $member->Get("id_member");
            $this->username = $member->Get("username");
            $this->fullname = $member->Get("nama");
            $this->roles = $member->Get("role");
            return true;
        }
        return false;
    }

    function ValidatePageAccess($allowed_roles) {

        if ($this->roles && strstr($allowed_roles, $this->roles)) {
            return true;
        }
    }
}

```

```

        } else {
            header ("Location: ".$this-
>not_authorized_page);
            exit;
        }
    }

    function GetIdMember() {
        return $this->id_member;
    }
}
?>
```

SgnUserSL.php
<pre><?php require_once '.../..../web/utils/SgnUser.php'; require_once ".../..../web/entities/MasterMember.php"; class SgnUserSL extends SgnUser { function SgnUserSL() { \$this->SgnUser(); } function ChangePassword(\$new_password) { if (\$this->roles=='member') { member = new MasterMember(); // get user id \$member->Select("id_member",array("username"==\$this- >username)); \$member->Set(); \$member->Set("password",\$this- >SgnUserEncrypt (\$new_password)); return \$member->UpdateById(\$id_member); } } function Authenticate(\$username, \$password, \$encrypt_mode=1) { \$member = new MasterMember(); \$member->Select ("", array("username"=>\$username, "password"=>\$this->SgnUserEncrypt (\$password, \$encrypt_mode))); if (\$member->MoveNext ()) { \$this->username = \$member->Get ("username"); \$this->fullname = \$member->Get ("nama"); \$this->roles = "member"; return true; } return false; } } ?></pre>

TrJawabanEneagram.php
<pre><?php</pre>

```

require_once '../web/utils/SgnDb.php';

class TrJawabanEneagram extends SgnDb {

    function TrJawabanEneagram() {
        $this->SgnDb();
        $this->Name = "tr_jawaban_eneagram"; // table name
        $this->Id = "idn"; // primary key
    }

    function GetSoal($user_id,$page=1) {
        $limitStart = $page*4;
        $this->Execute(
            "SELECT J.no_urut, J.no_soal, P.no_urut_soal,
P.pertanyaan
            FROM tr_jawaban_personality J
            JOIN ms_pertanyaan_personality P ON
P.no_soal=J.no_soal
            WHERE J.user_id = ".$user_id."
            ORDER BY J.no_urut, P.no_urut_soal
            LIMIT $limitStart,4");
    }

    function CreateSummary($user_id) {

        $result_eneagram = array();
        $this->Execute("SELECT id_kepribadian, COUNT(idn) AS score FROM
tr_jawaban_eneagram WHERE user_id='".$user_id' AND jawaban='Y' GROUP
BY id_kepribadian");
        while($this->MoveNext()) {
        $result_eneagram[$this->Get("id_kepribadian")] = $this-
>Get("score");
        }
        require_once "MasterMember.php";
        $member = new MasterMember();
        $member->Select("", array("id_member"=>$user_id));
        $max_value = 0;
        foreach ($result_eneagram as $key=>$value) {
            $member->Set("result_eneagram_".$key, $value);
            if ($value>$max_value) {
                $max_value = $value;
                $member->Set("result_eneagram", $key);
            }
        }
        $member->UpdateById($user_id);
    }
}
?>

```

TrJawabanPersonality.php
<?php require_once '../web/utils/SgnDb.php'; class TrJawabanPersonality extends SgnDb { function TrJawabanPersonality() { \$this->SgnDb(); \$this->Name = "tr_jawaban_personality"; // table name } }

```

        $this->Id = "idn"; // primary key
    }

    function GetSoal($user_id,$page=1) {
        $limitStart = $page*4;
        $this->Execute(
"SELECT J.no_urut, J.no_soal, J.idn, P.no_urut_soal, P.pertanyaan
FROM tr_jawaban_personality J OIN ms_pertanyaan_personality P ON
P.no_soal=J.no_soal
        WHERE J.user_id = ".$user_id."
        ORDER BY J.no_urut, P.no_urut_soal
        LIMIT $limitStart,4");
    }
}
?>
```

```

TrMessage.php
<?php
require_once '../..../web/utils/SgnDb.php';

class TrMessage extends SgnDb {

    function TrMessage() {
        $this->SgnDb();
        $this->Name = "tr_message"; // table name
        $this->Id = "idn"; // primary key
    }

}
?>
```

```

TrSoulmate.php
<?php
require_once '../..../web/utils/SgnDb.php';

class TrSoulmate extends SgnDb {
    function TrSoulmate() {
        $this->SgnDb();
        $this->Name = "tr_soulmate"; // table name
        $this->Id = "idn"; // primary key
    }

    function GetStatus($status) {
        if ($status == "T") {
            return "Diterima";
        } else if ($status == "F") {
            return "Menunggu Konfirmasi";
        } else if ($status == "R") {
            return "Ditolak";
        } else if ($status == "D") {
            return "Putus";
        }
    }

    function GetDisplayStyle($status, $button) {
        if ($button=="approve" || $button=="reject") {
            switch ($status) {
                case 'F': return 'inline';break;
```

```

        case 'T': return 'none';break;
        case 'R': case 'D': return 'none'; break;
    }
} else if ($button=="delete") {
    switch ($status) {
        case 'F': return 'none';break;
        case 'T': return 'inline';break;
        case 'R': case 'D': return 'none'; break;
    }
}
?>
```

Member.php

```

<?php

require_once "../../web/entities/MasterMember.php";
require_once('../../web/entities/SgnUserSL.php');
$user_auth = new SgnUserSL();
$user_auth-
>SetNotAuthorizedPage('....modules/Member/NotAuthorized.php');

if ($_SESSION['User_username'] && $_SESSION['User_password']) {
    $_SESSION['User_password'] is encrypted password
    $username = $_SESSION['User_username'];
    $password = $_SESSION['User_password'];

    if (!$user_auth->Authenticate($username,$password,0)) {
        header("Location: ".$user_auth->GetNotAuthorizedPage);
    }
    } else {
        header("Location: ".$user_auth->GetNotAuthorizedPage);
    }

$member = new MasterMember();

$thisyear = date("Y");
for($thn=$thisyear; $thn>($thisyear-100); $thn--) {
    $arrayTglLahirThn[$thn] = $thn;
}
$arrayTglLahirBln[1] = "Januari";
$arrayTglLahirBln[2] = "Pebruari";
$arrayTglLahirBln[3] = "Maret";
$arrayTglLahirBln[4] = "April";
$arrayTglLahirBln[5] = "Mei";
$arrayTglLahirBln[6] = "Juni";
$arrayTglLahirBln[7] = "Juli";
$arrayTglLahirBln[8] = "Agustus";
$arrayTglLahirBln[9] = "September";
$arrayTglLahirBln[10] ="Oktober";
$arrayTglLahirBln[11] ="November";
$arrayTglLahirBln[12] ="Desember";

$thisdate = date("D");
```

```

for($tgl=1; $tgl<=31; $tgl++) {
    $arrayTglLahirTgl[$tgl] = $tgl;
}

$arrayStatus['S'] = "Single";
$arrayStatus['R'] = "In Relationship";
$arrayStatus['M'] = "Married";
$arrayStatus['D'] = "Divorced";

if ($frm->getVar("action")=="submit_add") {

    $isValid = true;
    $a = $frm->getVar("nama");
    if (empty($a)) {
        $tpl->assign("message", MSG_INSERT_FAILED." : Nama Pengguna harus
diisi", "Message");
        $tpl->assign("message_type_class", "MsgError",
"Message");
        $isValid = false;
    }

    $a = $frm->getVar("username");
    if (empty($a)) {
        $tpl->assign("message", MSG_INSERT_FAILED." : Username
harus diisi", "Message");
        $tpl->assign("message_type_class", "MsgError",
"Message");
        $isValid = false;
    }

    $member->Execute("SELECT COUNT(*) AS num FROM ms_member
WHERE username='". $frm->getVar("username"). "'");
    if ($member->Get("num")>0) {
        $tpl->assign("message", "Nama Pengguna Telah Terpakai. Silakan isi
yang lain", "Message");
        $tpl->assign("message_type_class", "MsgError",
"Message");
        $isValid = false;
    }
    require_once "../web/utils/sgnUpload.php";
    $upload = new sgnUpload($_FILES['photo']);

    $upload->set_upload_dir(UPLOAD_FOTO_PATH);
    $upload->set_max_file_size(BACKGROUND_MAX_FILE_SIZE);
        if (!$upload->upload()) {
    $tpl->assign("message", MSG_INSERT_FAILED." : Foto tidak dapat
diupload", "Message");
        $tpl->assign("message_type_class", "MsgError",
"Message");
        $upload_success = false;
    } else {
        $upload_success = true;
    }

    if (!$isValid) {
        $tpl->set_page_template("edit");
        $tpl->assign("isAdd", true);
        $frm->setVar("action", "repost");
    }
}

```

```

    } else {

        $member->Set ();
        $member->Set ("username", $frm->getVar ("username"));
        $member->Set ("password", SgnUser::SgnUserEncrypt ($frm-
>getVar ("password_new1")));
        $member->Set ("nama", $frm->getVar ("nama"));
        $member->Set ("jk", $frm->getVar ("jk"));
        $member->Set ("tgl_lhr", $frm-
>getVar ("tgl_lahir_thn") . "-" . $frm->getVar ("tgl_lahir_bln") . "-
" . $frm->getVar ("tgl_lahir_tgl"));
        $member->Set ("alamat", $frm->getVar ("alamat"));
        $member->Set ("Provinsi", $frm->getVar ("Provinsi"));
        $member->Set ("Negara", $frm->getVar ("Negara"));
        $member->Set ("email", $frm->getVar ("email"));
        $member->Set ("hp", $frm->getVar ("hp"));
        $member->Set ("pkrajaan", $frm->getVar ("pkrajaan"));
        $member->Set ("status", $frm->getVar ("status"));
        $member->Set ("wrn_rmbut", $frm->getVar ("wrn_rmbut"));
        $member->Set ("tgsi_bdn", $frm->getVar ("tgsi_bdn"));
        $member->Set ("brt_bdn", $frm->getVar ("brt_bdn"));
        $member->Set ("agama", $frm->getVar ("agama"));
        $member->Set ("pendidikan", $frm-
>getVar ("pendidikan"));
        $member->Set ("ket_pribadi", $frm-
>getVar ("ket_pribadi"));
        $member->Set ("mkn_fav", $frm->getVar ("mkn_fav"));
        $member->Set ("film_fav", $frm->getVar ("film_fav"));
        $member->Set ("musik_fav", $frm->getVar ("musik_fav"));
        $member->Set ("hobi", $frm->getVar ("hobi"));

        if ($upload_success) {
            $member->Set ("photo", $upload->get_file_name ());

            require_once
"../../web/entities/MsMemberFoto.php";
            $foto = new MsMemberFoto();
            $foto->Set ("foto", $upload->get_file_name ());
            $foto->Set ("id_member", $user->GetIdMember ());
            $foto->Insert ();

            $tpl->set_page_template ("browse"); // template overrie
if ($member->Insert ()) {
                $tpl->assign ("message", MSG_INSERT_SUCCESS,
"Message");
                $tpl->assign ("message_type_class", "MsgInfo",
"Message");
                $frm->setVar ("action", "browse");
            } else {
                $tpl->assign ("message", MSG_INSERT_FAILED, "Message");
                $tpl->assign ("message_type_class", "MsgError",
"Message");
            }
        }
    }

    if ($frm->getVar ("action") == "submit_update") {

```

```

$isFormValid = true;

$a = $frm->getVar("nama");
if (empty($a)) {
    $tpl->assign("message", MSG_INSERT_FAILED." : Nama Lengkap harus diisi", "Message");
    $tpl->assign("message_type_class", "MsgError", "Message");
    $isFormValid = false; // flag
}

$a = $frm->getVar("username");
if (empty($a)) {
    $tpl->assign("message", MSG_INSERT_FAILED." : Username harus diisi", "Message");
    $tpl->assign("message_type_class", "MsgError", "Message");
    $isFormValid = false;
}

$member->Execute("SELECT COUNT(*) AS num FROM ms_member WHERE username='".$frm->getVar("username")."' AND id_member!='".$frm->getVar("id")."'");
if ($member->Get("num")>0) {
    $tpl->assign("message", "Username is already exist. Please select another", "Message");
    $tpl->assign("message_type_class", "MsgError", "Message");
    $isFormValid = false;
}

if (!$isFormValid) {
    $tpl->set_page_template("edit");
    $tpl->assign("isAdd", false);
    $frm->setVar("action", "repost");
} else {
    $member->Set();
    $member->Set("username", $frm->getVar("username"));
    $member->Set("nama", $frm->getVar("nama"));
    $member->Set("jk", $frm->getVar("jk"));
    $member->Set("tgl_lhr", $frm->getVar("tgl_lahir_thn")."-".$frm->getVar("tgl_lahir_bln")."-".$frm->getVar("tgl_lahir_tgl"));
    $member->Set("alamat", $frm->getVar("alamat"));
    $member->Set("Provinsi", $frm->getVar("Provinsi"));
    $member->Set("Negara", $frm->getVar("Negara"));
    $member->Set("email", $frm->getVar("email"));
    $member->Set("hp", $frm->getVar("hp"));
    $member->Set("pkrajaan", $frm->getVar("pkrajaan"));
    $member->Set("status", $frm->getVar("status"));
    $member->Set("wrn_rmbut", $frm->getVar("wrn_rmbut"));
    $member->Set("tggi_bdn", $frm->getVar("tggi_bdn"));
    $member->Set("brt_bdn", $frm->getVar("brt_bdn"));
    $member->Set("agama", $frm->getVar("agama"));
    $member->Set("pendidikan", $frm->getVar("pendidikan"));
    $member->Set("ket_pribadi", $frm->getVar("ket_pribadi"));
    $member->Set("mkn_fav", $frm->getVar("mkn_fav"));
    $member->Set("film_fav", $frm->getVar("film_fav"));
}

```

```

$member->Set ("musik_fav", $frm->getVar("musik_fav"));
$member->Set ("hobi", $frm->getVar("hobi"));

$p = $frm->getVar("password_new1");
if (!empty($p)) {
$member->Set ("password", SgnUser::SgnUserEncrypt ($p));
}

require_once "../web/utils/sgnUpload.php";
$upload = new sgnUpload($_FILES['photo']);
$upload->set_upload_dir(UPLOAD_FOTO_PATH);
$upload->set_max_file_size(BACKGROUND_MAX_FILE_SIZE);

if (!$upload->upload()){
$tpl->assign("message", MSG_INSERT_FAILED." Foto tidak dapat
diupload", "Message");
$tpl->assign("message_type_class", "MsgError",
"Message");
$upload_success = false;
} else {
$upload_success = true;
}
if ($upload_success)
$member->Set ("photo", $upload->get_file_name());

if ($member->UpdateById($frm->getVar("id"))){
$tpl->set_page_template("edit");
$tpl->assign("isAdd", false);
$frm->setVar("action", "edit");
$frm->setVar("id", $frm->getVar("id"));
$tpl->assign("message", MSG_UPDATE_SUCCESS,
"Message");
$tpl->assign("message_type_class", "MsgInfo",
"Message");
} else {
$tpl->assign("isAdd", false);
$tpl->set_page_template("edit");
$tpl->assign("message", MSG_UPDATE_DELETE, "Message");
$tpl->assign("message_type_class", "MsgError",
"Message");
}
}

if ($frm->getVar("action")=="submit_delete") {
if ($member->DeleteById($frm->getVar("id"))){
$frm->setVar("action", "browse");
$tpl->set_page_template($frm->getVar("action"));
$tpl->assign("message", MSG_DELETE_SUCCESS, "Message");
$tpl->assign("message_type_class", "MsgInfo",
"Message");
} else {
$tpl->assign("message", MSG_DELETE_FAILED);
$tpl->assign("message_type_class", "MsgError",
"Message");
}
}
}

```

```

if ($frm->getVar("action")=="submit_delete_many") {

    $frm->setVar("action", "browse");

    $num_success = 0;
    $num_failed = 0;

    for ($i=0; $i<$frm->getVar("chkItemNum"); $i++) {
        $a = $frm->getVar("chk".$i);
        if (!empty($a)) {
            $num_item++;
            if ($member->DeleteById($a)) {
                $num_success++;
            } else {
                $num_success++;
            }
        }
    }

}

// Select, Fetch, Assign List
$member->Select("", $_where, $_order, $row_per_page, $paging->get("offset"));
    $line_count = 0;
    while ($member->MoveNext()) {
        $tpl->assign_list("list", array(
            "line_count"=>$line_count++,
            "id_member"=>$member->Get("id_member"),
            "username"=>$member->Get("username"),
            "nama"=>$member->Get("nama"),
            "jk"=>$member->Get("jk"),
            "tgl_lhr"=>$member->Get("tgl_lhr"),
            "alamat"=>$member->Get("alamat"),
            "email"=>$member->Get("email"),
            "hp"=>$member->Get("hp"),
            "agama"=>$member->Get("agama"),
            "pkrjaan"=>$member->Get("pkrjaan")
        )
    );
    $tpl->assign("DataNotEmpty", true);
}
$tpl->assign("line_total", $line_count);
$tpl->register_list("list");
require_once "../web/inc/end.php";

?>

```

MsKepribadian.php
<pre> <?php require_once "../web/inc/begin.php"; require_once "../web/entities/MsKepribadian.php"; \$kepribadian = new MsKepribadian(); // Add if (\$frm->getVar("submit_add")) { \$isValid = true; </pre>

```

        $a = $frm->getVar("id_kepribadian");
        if (empty($a)) {
            $tpl->assign("message", MSG_INSERT_FAILED." ID Kepribadian harus
diisi", "Message");
            $tpl->assign("message_type_class", "MsgError",
"Message");
            $isValid = false;
        }
        $a = $frm->getVar("nama");
        if (empty($a)) {
            $tpl->assign("message", MSG_INSERT_FAILED." Nama
Kepribadian harus diisi", "Message");
            $tpl->assign("message_type_class", "MsgError",
"Message");
            $isValid = false; // flag
        }
        $a = $frm->getVar("jenis");
        if (empty($a)) {
            $tpl->assign("message", MSG_INSERT_FAILED." Jenis Kepribadian
harus diisi", "Message");
            $tpl->assign("message_type_class", "MsgError",
"Message");
            $isValid = false;
        }
        $a = $frm->getVar("keterangan");
        if (empty($a)) {
            $tpl->assign("message", MSG_INSERT_FAILED." Keterangan harus
diisi", "Message");
            $tpl->assign("message_type_class", "MsgError",
"Message");
            $isValid = false;
        }

        if (!$isValid) {
            $tpl->set_page_template("edit");
            $tpl->assign("isAdd", true);
            $frm->setVar("action", "repost");
        } else {

$kepribadian->Set();
$kepribadian->Set("id_kepribadian", $frm-
>getVar("id_kepribadian"));
$kepribadian->Set("nama", $frm->getVar("nama"));
$kepribadian->Set("jenis", $frm->getVar("jenis"));
$kepribadian->Set("keterangan", $frm->getVar("keterangan"));

            $tpl->set_page_template("browse"); // template overrie
            if ($kepribadian->Insert()) {
                $tpl->assign("message", MSG_INSERT_SUCCESS,
"Message");
                $tpl->assign("message_type_class", "MsgInfo",
"Message");
            } else {
                $tpl->assign("message", MSG_INSERT_FAILED, "Message");
                $tpl->assign("message_type_class", "MsgError",
"Message");
            }
            $frm->setVar("action", "browse");
        }
    }
}

```

```

}
//edit
if ($frm->getVar("action")=="submit_delete_many") {

    $frm->setVar("action", "browse");
    $num_success = 0;
    $num_failed = 0;

    for ($i=0; $i<$frm->getVar("chkItemNum"); $i++) {
        $a = $frm->getVar("chk".$i);
        if (!empty($a)) {
            $num_item++;
            if ($kepribadian->DeleteById($a)) {
                $num_success++;
            } else {
                $num_success++;
            }
        }
    }
}

if ($frm->getVar("action")=="browse") {

    $tpl->set_page_template($frm->getVar("action"));
    $_order = $sgn_poas->GetOrder();
    $_where = $sgn_poas->GetSearch(true);

    $total_record = $kepribadian->GetSelectCount($_where);
    $current_page = $frm->getVar("p");
    $row_per_page = BROWSE_PERPAGE;
$paging = new SgnPaging($total_record, $current_page,
$row_per_page);

    // Select, Fetch, Assign List
    $kepribadian->Select("", $_where, $_order, $row_per_page,
$paging->get("offset"));
    $line_count = 0;
    while ($kepribadian->MoveNext ()) {
        $tpl->assign_list("list", array(
            "line_count"=>$line_count++,
            "id_kepribadian"=>$kepribadian->Get("id_kepribadian"),
            "nama"=>$kepribadian->Get("nama"),
            "jenis"=>$kepribadian->Get("jenis"),
            "keterangan"=>n12br($kepribadian->Get("keterangan")),
        ));
        $tpl->assign("DataNotEmpty", true);
    }
    $tpl->assign("line_total", $line_count);
    $tpl->register_list("list");

require_once "../../web/inc/end.php";
?>

```

MsMemberFoto.php

```

<?php
require_once "../../web/inc/begin.php";

$user->ValidatePageAccess('member,admin');

```

```

require_once "../../web/entities/MsMemberFoto.php";
if ($frm->getVar("submit_add")) {

    $isValid = true;
    require_once "../../web/utils/sgnUpload.php";
    $upload = new sgnUpload($_FILES['photo']);
    $new_file_name = $user->GetIdMember().'.'.date("ymdHis").".$upload->get_file_extension();

        $upload->set_upload_dir(UPLOAD_FOTO_PATH);
        $upload->set_max_file_size(BACKGROUND_MAX_FILE_SIZE);
        $upload->set_new_file_name($new_file_name);

        $tpl->set_page_template("browse");
        if ($foto->Insert()) {
            $tpl->assign("message", MSG_INSERT_SUCCESS,
"Message");
            $tpl->assign("message_type_class", "MsgInfo",
"Message");
            $frm->setVar("action", "browse");
        } else {
            $tpl->assign("message", MSG_INSERT_FAILED, "Message");
            $tpl->assign("message_type_class", "MsgError",
"Message");
        }
    }
// Set As Default

if ($frm->getVar("action")=="set_as_default") {
    $foto->SelectById($frm->getVar("action_value"));

    $member = new MasterMember();
    $member->Set('Photo', $foto->Get('foto'));
    $member->UpdateById($user->GetIdMember());
    $frm->setVar("action", "browse");
}

if ($frm->getVar("action")=="submit_delete") {
    if ($eneagram->DeleteById($frm->getVar("id"))) {
        $frm->setVar("action", "browse");
        $tpl->set_page_template($frm->getVar("action"));
        $tpl->assign("message", MSG_DELETE_SUCCESS, "Message");
        $tpl->assign("message_type_class", "MsgInfo",
"Message");
    } else {
        $tpl->assign("message", MSG_DELETE_FAILED);
        $tpl->assign("message_type_class", "MsgError",
"Message");
    }
}
require_once "../../web/inc/end.php";
?>
```

MsPasanganEneagram.php

```

<?php

require_once "../../web/inc/begin.php";
require_once "../../web/entities/TrJawabanEneagram.php";
```

```

require_once "../../web/entities/MsPasanganEneagram.php";

$pasangan = new MsPasanganEneagram();

if ($frm->getVar("submit_add")) {
    $isValid = true;
    if (!$isValid) {
        $tpl->set_page_template("edit");
        $tpl->assign("isAdd", true);
        $frm->setVar("action", "repost");
    } else {
        $pasangan->Set();
        $pasangan->Set("idn", $frm->getVar("idn"));
        $pasangan->Set("jk", $frm->getVar("jk"));
        $pasangan->Set("kepribadian1", $frm-
>getVar("kepribadian1"));
        $pasangan->Set("kepribadian2", $frm-
>getVar("kepribadian2"));
        $pasangan->Set("kecocokan", $frm-
>getVar("kecocokan"));
        $pasangan->Set("keterangan", $frm-
>getVar("keterangan"));

        // execution
        $tpl->set_page_template("browse");
        if ($pasangan->Insert()) {
            $tpl->assign("message", MSG_INSERT_SUCCESS,
"Message");
            $tpl->assign("message_type_class", "MsgInfo",
"Message");
        } else {
            $tpl->assign("message", MSG_INSERT_FAILED, "Message");
            $tpl->assign("message_type_class", "MsgError",
"Message");
        }
        $frm->setVar("action", "browse");
    }
}

```

<pre> MsPasanganPersonality.php <?php require_once "../../web/inc/begin.php"; require_once "../../web/entities/MsPasanganPersonality.php"; \$pasangan = new MsPasanganPersonality(); if (\$frm->getVar("submit_add")) { \$isValid = true; if (!\$isValid) { \$tpl->set_page_template("edit"); \$tpl->assign("isAdd", true); \$frm->setVar("action", "repost"); } else { \$pasangan->Set(); \$pasangan->Set("idn", \$frm->getVar("idn")); \$pasangan->Set("jk", \$frm->getVar("jk")); \$pasangan->Set("kepribadian1", \$frm- </pre>

```

>getVar("kepribadian1"));
    $pasangan->Set("kepribadian2", $frm-
>getVar("kepribadian2"));
        $pasangan->Set("kecocokan", $frm-
>getVar("kecocokan"));
            $pasangan->Set("keterangan", $frm-
>getVar("keterangan"));

                $tpl->set_page_template("browse");
                if ($pasangan->Insert()) {
                    $tpl->assign("message", MSG_INSERT_SUCCESS,
"Message");
                    $tpl->assign("message_type_class", "MsgInfo",
"Message");
                } else {
                    $tpl->assign("message", MSG_INSERT_FAILED, "Message");
                    $tpl->assign("message_type_class", "MsgError",
"Message");
                }
                $frm->setVar("action", "browse");
            }

}
//update
if ($frm->getVar("submit_update")) {
    $isValid = true;
    if (!$isValid) {
        $tpl->set_page_template("edit");
        $tpl->assign("isAdd", false);
        $frm->setVar("action", "repost");
    } else {

        $pasangan->Set();
        $pasangan->Set("idn", $frm->getVar("idn"));
        $pasangan->Set("jk", $frm->getVar("jk"));
        $pasangan->Set("kepribadian1", $frm-
>getVar("kepribadian1"));
        $pasangan->Set("kepribadian2", $frm-
>getVar("kepribadian2"));
            $pasangan->Set("kecocokan", $frm-
>getVar("kecocokan"));
                $pasangan->Set("keterangan", $frm-
>getVar("keterangan"));

                    if ($pasangan->UpdateById($frm->getVar("id"))) {
                        $tpl->set_page_template("edit");
                        $tpl->assign("isAdd", false);
                        $frm->setVar("action", "repost");
                        $tpl->assign("message", MSG_UPDATE_SUCCESS,
"Message");
                        $tpl->assign("message_type_class", "MsgInfo",
"Message");
                    } else {
                        $tpl->assign("isAdd", false);
                        $tpl->set_page_template("edit");
                        $tpl->assign("message", MSG_UPDATE_DELETE, "Message");
                        $tpl->assign("message_type_class", "MsgError",
"Message");
                    }
    }
}

```

```

        }

    }
// Delete Many

if ($frm->getVar("action")=="submit_delete_many") {

    $frm->setVar("action", "browse");
    $num_success = 0;
    $num_failed = 0;

    for ($i=0; $i<$frm->getVar("chkItemNum"); $i++) {
        $a = $frm->getVar("chk".$i);
        if (!empty($a)) {
            $num_item++;
            if ($pasangan->DeleteById($a)) {
                $num_success++;
            } else {
                $num_success++;
            }
        }
    }
    if ($num_success==$num_item) {
        $tpl->set_page_template($frm->getVar("action"));
        $tpl->assign("message", MSG_DELETE_SUCCESS,
"Message");
        $tpl->assign("message_type_class", "MsgInfo",
"Message");
        } else {
        $tpl->assign("message", MSG_DELETE_FAILED." $num_failed dari
$num_item Data gagal dihapus.", "Message");
        $tpl->assign("message_type_class", "MsgError",
"Message");
    }
}

if ($frm->getVar("action")=="browse") {
$tpl->set_page_template($frm->getVar("action"));
$_order = $sgn_poas->GetOrder();
$_where = $sgn_poas->GetSearch(true);

$total_record = $pasangan->GetSelectCount($_where);
$current_page = $frm->getVar("p");
$row_per_page = BROWSE_PERPAGE;
$paging = new SgnPaging($total_record, $current_page,
$row_per_page);

$pasangan->Execute(
"SELECT MPP.*, MK1.nama nama_kepribadian1, MK2.nama
nama_kepribadian2
FROM ms_pasangan_personality MPP
JOIN ms_kepribadian MK1 ON MK1.id_kepribadian=MPP.kepribadian1
JOIN ms_kepribadian MK2 ON MK2.id_kepribadian=MPP.kepribadian2
LIMIT ".$paging->get("offset").",$row_per_page");

$line_count = 0;
while ($pasangan->MoveNext()) {
    $tpl->assign_list("list", array(
"line_count"=>$line_count++,

```

```

"idn"=>$pasangan->Get("idn"),
"jk"=>($pasangan->Get("jk")=="L") ? "Laki-laki" :
"Perempuan",
        "kepribadian1"=>$pasangan-
>Get("nama_kepribadian1"),
        "kepribadian2"=>$pasangan-
>Get("nama_kepribadian2"),
        "kecocokan"=>$pasangan->Get("kecocokan"),
        "keterangan"=>n12br($pasangan-
>Get("keterangan")),
    );
    $tpl->assign("DataNotEmpty", true);
}
$tpl->assign("line_total", $line_count);
$tpl->register_list("list");
}
require_once "../..../web/inc/end.php";
?>

```

```

MsPertanyaanEneagram.php
<?php

require_once "../..../web/inc/begin.php";
require_once "../..../web/entities/MsKepribadian.php";
require_once "../..../web/entities/MsPertanyaanEneagram.php";

$kepribadian = new MsKepribadian();
$eneagram = new MsPertanyaanEneagram();

// Vars
$tpl->set_page_template($frm->getVar("action"));
$arraySearchKeyList = array("idn"=>"ID
soal","id_kepribadian"=>"Nama Kepribadian","no_soal"=>"Nomor
soal");

// Get Kepribadian
$kepribadian->Execute("SELECT id_kepribadian, nama FROM
ms_kepribadian WHERE jenis='eneagram' ORDER BY id_kepribadian");
while($kepribadian->MoveNext()) {
$arrayKepribadianList[$kepribadian->Get("id_kepribadian")] =
$kepribadian->Get("nama");
}
if ($frm->getVar("submit_add")) {

    $isValid = true;
    if (!$isValid) {
        $tpl->set_page_template("edit");
        $tpl->assign("isAdd", true);
        $frm->setVar("action", "repost");
    } else {
        $eneagram->Set();
        $eneagram->Set("idn", $frm->getVar("idn"));
$eneagram->Set("id_kepribadian", $frm->getVar("id_kepribadian"));
        $eneagram->Set("pertanyaan", $frm-
>getVar("pertanyaan"));
            $eneagram->Set("no_soal", $frm->getVar("no_soal"));
            $eneagram->Set("keterangan", $frm-
>getVar("keterangan"));
    }
}

```

```

        $tpl->set_page_template("browse");
        if ($eneagram->Insert()) {
            $tpl->assign("message", MSG_INSERT_SUCCESS,
"Message");
            $tpl->assign("message_type_class", "MsgInfo",
"Message");
        } else {
            $tpl->assign("message", MSG_INSERT_FAILED, "Message");
            $tpl->assign("message_type_class", "MsgError",
"Message");
        }
        $frm->setVar("action", "browse");
    }
}
if ($frm->getVar("submit_update")) {

    $isValid = true;
    if (!$isValid) {
        $tpl->set_page_template("edit");
        $tpl->assign("isAdd", false);
        $frm->setVar("action", "repost");
    } else {
        $eneagram->Set();
        $eneagram->Set("idn", $frm->getVar("idn"));
$eneagram->Set("id_kepriadian", $frm->getVar("id_kepriadian"));
        $eneagram->Set("pertanyaan", $frm-
>getVar("pertanyaan"));
        $eneagram->Set("no_soal", $frm->getVar("no_soal"));
        $eneagram->Set("keterangan", $frm-
>getVar("keterangan"));

        if ($eneagram->UpdateById($frm->getVar("id"))) {
            $tpl->set_page_template("edit");
            $tpl->assign("isAdd", false);
            $frm->setVar("action", "repost");
            $tpl->assign("message", MSG_UPDATE_SUCCESS,
"Message");
            $tpl->assign("message_type_class", "MsgInfo",
"Message");
        } else {
            $tpl->assign("isAdd", false);
            $tpl->set_page_template("edit");
            $tpl->assign("message", MSG_UPDATE_DELETE, "Message");
            $tpl->assign("message_type_class", "MsgError",
"Message");
        }
    }
}

//delete
if ($frm->getVar("action")=="submit_delete") {
    if ($eneagram->DeleteById($frm->getVar("id"))) {
        $frm->setVar("action", "browse");
        $tpl->set_page_template($frm->getVar("action"));
        $tpl->assign("message", MSG_DELETE_SUCCESS, "Message");
        $tpl->assign("message_type_class", "MsgInfo", "Message");
    } else {
        $tpl->assign("message", MSG_DELETE_FAILED);
    }
}

```

```

        $tpl->assign("message_type_class", "MsgError",
"Message");
    }
}

// Delete Many

if ($frm->getVar("action")=="submit_delete_many") {

    $frm->setVar("action", "browse");
    $num_success = 0;
    $num_failed = 0;

    for ($i=0; $i<$frm->getVar("chkItemNum"); $i++) {
        $a = $frm->getVar("chk".$i);
        if (!empty($a)) {
            $num_item++;
            if ($eneagram->DeleteById($a)) {
                $num_success++;
            } else {
                $num_success++;
            }
        }
    }

    if ($num_success==$num_item) {
        $tpl->set_page_template($frm->getVar("action"));
        $tpl->assign("message", MSG_DELETE_SUCCESS, "Message");
        $tpl->assign("message_type_class", "MsgInfo", "Message");
    } else {
        $tpl->assign("message", MSG_DELETE_FAILED." $num_failed dari
$num_item Data gagal dihapus.", "Message");
        $tpl->assign("message_type_class", "MsgError",
"Message");
    }
}

if ($frm->getVar("action")=="browse") {

    $tpl->set_page_template($frm->getVar("action"));
    $_order = $sgn_poas->GetOrder();
    $_where = $sgn_poas->GetSearch(true);

    $total_record = $eneagram->GetSelectCount($_where);
    $current_page = $frm->getVar("p");
    $row_per_page = BROWSE_PERPAGE;
$paging = new SgnPaging($total_record, $current_page,
$row_per_page);

$eneagram->Select("", $_where, $_order, $row_per_page, $paging-
>get("offset"));
    $line_count = 0;
    while ($eneagram->MoveNext()) {
        $tpl->assign_list("list", array(
            "line_count"=>$line_count++,
            "idn"=>$eneagram->Get("idn"),
            "id_kepribadian"=>$kepribadian-
>GetNamaById($eneagram->Get("id_kepribadian")),
            "pertanyaan"=>$eneagram->Get("pertanyaan"),

```

```

        "no_soal"=>$eneagram->Get ("no_soal"),
        "keterangan"=>n12br ($eneagram-
>Get ("keterangan")),

    );
    $tpl->assign("DataNotEmpty", true);
}
$tpl->assign("line_total", $line_count);
$tpl->register_list("list");
require_once "../..../web/inc/end.php";

?>

```

MsPertanyaanPersonality.php
<pre> MsPertanyaanPersonality.php <?php require_once "../..../web/inc/begin.php"; require_once "../..../web/entities/MsKepribadian.php"; require_once "../..../web/entities/MsPertanyaanPersonality.php"; \$kepribadian = new MsKepribadian(); \$personality = new MsPertanyaanPersonality(); // Add if (\$frm->getVar("submit_add")) { \$isValid = true; if (!\$isValid) { \$tpl->set_page_template("edit"); \$tpl->assign("isAdd", true); \$frm->setVar("action", "repost"); } else { \$personality->Set(); \$personality->Set("idn", \$frm->getVar("idn")); \$personality->Set("id_kepribadian", \$frm- >getVar("id_kepribadian")); \$personality->Set("pertanyaan", \$frm->getVar("pertanyaan")); \$personality->Set("no_soal", \$frm->getVar("no_soal")); \$personality->Set("no_urut_soal", \$frm->getVar("no_urut_soal")); \$personality->Set("kelompok", \$frm->getVar("kelompok")); \$personality->Set("keterangan", \$frm->getVar("keterangan")); \$tpl->set_page_template("browse"); if (\$personality->Insert()) { \$tpl->assign("message", MSG_INSERT_SUCCESS, "Message"); \$tpl->assign("message_type_class", "MsgInfo", "Message"); } else { \$tpl->assign("message", MSG_INSERT_FAILED, "Message"); \$tpl->assign("message_type_class", "MsgError", "Message"); } \$frm->setVar("action", "browse"); } } // Update if (\$frm->getVar("submit_update")) { </pre>

```

$isFormValid = true;
if (!$isFormValid) {
    $tpl->set_page_template("edit");
    $tpl->assign("isAdd", false);
    $frm->setVar("action", "repost");
} else {
    $personality->Set();
    $personality->Set("idn", $frm->getVar("idn"));
$personality->Set("id_kepribadian", $frm-
>getVar("id_kepribadian"));
$personality->Set("pertanyaan", $frm->getVar("pertanyaan"));
$personality->Set("no_soal", $frm->getVar("no_soal"));
$personality->Set("no_urut_soal", $frm->getVar("no_urut_soal"));
$personality->Set("kelompok", $frm->getVar("kelompok"));
$personality->Set("keterangan", $frm->getVar("keterangan"));

    if ($personality->UpdateById($frm->getVar("id"))) {
        $tpl->set_page_template("edit");
        $tpl->assign("isAdd", false);
        $frm->setVar("action", "repost");
        $tpl->assign("message", MSG_UPDATE_SUCCESS,
"Message");
        $tpl->assign("message_type_class", "MsgInfo",
"Message");
    } else {
        $tpl->assign("isAdd", false);
        $tpl->set_page_template("edit");
        $tpl->assign("message", MSG_UPDATE_DELETE, "Message");
        $tpl->assign("message_type_class", "MsgError",
"Message");
    }
}

}
//add form

if ($frm->getVar("action")=="add") {

    // get no_soal max
$personality->Execute("SELECT MAX(no_soal) AS no_soal_max FROM
ms_pertanyaan_personality");
    $no_soal_max = $personality->Get('no_soal_max');

    // get no_urut_soal max
$personality->Execute("SELECT MAX(no_urut_soal) AS
no_urut_soal_max FROM ms_pertanyaan_personality WHERE
no_soal='{$no_soal_max}'");
    $no_urut_soal_max = $personality->Get('no_urut_soal_max');

    // set new no_soal & no_urut_soal
if ($no_urut_soal_max<4) {
    $no_soal_new = $no_soal_max;
    $no_urut_soal_new = $no_urut_soal_max + 1;
} else {
    $no_soal_new = $no_soal_max + 1;
    $no_urut_soal_new = 1;
}
}

```

```

$tpl->set_page_template("edit");
$tpl->assign("isAdd", true);
if ($frm->getVar("action")=="browse") {

    // Vars
    $tpl->set_page_template($frm->getVar("action"));
    $_order = $sgn_poas->GetOrder();
    $_where = $sgn_poas->GetSearch(true);
    $total_record = $personality->GetSelectCount($_where);
    $current_page = $frm->getVar("p");
    $row_per_page = BROWSE_PERPAGE;
    $paging = new SgnPaging($total_record, $current_page,
    $row_per_page);

    // Select, Fetch, Assign List
    $personality->Select("", $_where, $_order, $row_per_page,
$paging->get("offset"));
    $line_count = 0;
    while ($personality->MoveNext ()) {
        $tpl->assign_list("list", array(
            "line_count"=>$line_count++,
            "idn"=>$personality->Get ("idn"),
            "id_kepribadian"=>$kepribadian->GetNamaById($personality-
Get ("id_kepribadian")),
            "pertanyaan"=>$personality->Get ("pertanyaan"),
            "no_soal"=>$personality->Get ("no_soal"),
            "no_urut_soal"=>$personality->Get ("no_urut_soal"),
            "kelompok"=>$personality->Get ("kelompok"),
            "keterangan"=>nl2br($personality->Get ("keterangan")),
            ));
        $tpl->assign("DataNotEmpty", true);
    }
    $tpl->assign("line_total", $line_count);
    $tpl->register_list("list");
}
require_once "../web/inc/end.php";

?>

```

Register.php

```

<?php
require_once "../../web/inc/begin.php";
require_once "../../web/entities/MasterMember.php";

if ($frm->getVar("action")=="")
    $frm->setVar("action","add");

$member = new MasterMember();
$thisyear = date("Y");
for($thn=$thisyear; $thn>($thisyear-100); $thn--) {
    $arrayTglLahirThn[$thn] = $thn;
}
$arrayTglLahirBln[1] = "Januari";
$arrayTglLahirBln[2] = "Pebruari";
$arrayTglLahirBln[3] = "Maret";

```

```

$arrayTglLahirBln[4] = "April";
$arrayTglLahirBln[5] = "Mei";
$arrayTglLahirBln[6] = "Juni";
$arrayTglLahirBln[7] = "Juli";
$arrayTglLahirBln[8] = "Agustus";
$arrayTglLahirBln[9] = "September";
$arrayTglLahirBln[10] ="Oktober";
$arrayTglLahirBln[11] ="November";
$arrayTglLahirBln[12] ="Desember";

$thisdate = date("D");
for($tgl=1; $tgl<=31; $tgl++) {
    $arrayTglLahirTgl[$tgl] = $tgl;
}
$arrayStatus['S'] = "Single";
$arrayStatus['R'] = "In Relationship";
$arrayStatus['M'] = "Married";
$arrayStatus['D'] = "Divorced";

// Add
if ($frm->getVar("action")=="submit_add") {

    $isValid = true;
    $a = $frm->getVar("nama");
    if (empty($a)) {
        $tpl->assign("message", MSG_INSERT_FAILED." : Nama Pengguna harus
diisi", "Message");
        $tpl->assign("message_type_class", "MsgError", "Message");
        $isValid = false; // flag
    }
    $a = $frm->getVar("username");
    if (empty($a)) {
        $tpl->assign("message", MSG_INSERT_FAILED." : Username harus
diisi", "Message");
        $tpl->assign("message_type_class", "MsgError", "Message");
        $isValid = false; // flag
    }

    // check user exist
    $member->Execute("SELECT COUNT(*) AS num FROM ms_member WHERE
username='".$frm->getVar("username")."'");
    if ($member->Get("num")>0) {
        $tpl->assign("message", "Nama Pengguna Telah Terpakai. Silakan isi
yang lain", "Message");
        $tpl->assign("message_type_class", "MsgError", "Message");
        $isValid = false;
    }

    require_once "../../web/utils/sgnUpload.php";
    $upload = new sgnUpload($_FILES['photo']);
    $upload->set_upload_dir(UPLOAD_FOTO_PATH);
    $upload->set_max_file_size(BACKGROUND_MAX_FILE_SIZE);

    if (!$upload->upload()) {
        $tpl->assign("message", MSG_INSERT_FAILED." : Foto tidak dapat
diupload", "Message");
        $tpl->assign("message_type_class", "MsgError",
"Message");
    }
}

```

```

        $upload_success = false;
    } else {
        $upload_success = true;
    }
    if (!$isValid) {
        //tpl->set_page_template("edit");
        $tpl->assign("isAdd", true);
        $frm->setVar("action", "repost");
    } else {

        $member->Set();
        $member->Set("role", "member");
        $member->Set("username", $frm->getVar("username"));
        $member->Set("password", SgnUser::SgnUserEncrypt($frm->getVar("password_new1")));
        $member->Set("nama", $frm->getVar("nama"));
        $member->Set("jk", $frm->getVar("jk"));
        $member->Set("tgl_lhr", $frm->getVar("tgl_lahir_thn")."-" . $frm->getVar("tgl_lahir_bln")."-
" . $frm->getVar("tgl_lahir_tgl"));
        $member->Set("alamat", $frm->getVar("alamat"));
        $member->Set("Provinsi", $frm->getVar("Provinsi"));
        $member->Set("Negara", $frm->getVar("Negara"));
        $member->Set("email", $frm->getVar("email"));
        $member->Set("hp", $frm->getVar("hp"));
        $member->Set("pkrajaan", $frm->getVar("pkrajaan"));
        $member->Set("status", $frm->getVar("status"));
        $member->Set("wrn_rmbut", $frm->getVar("wrn_rmbut"));
        $member->Set("tgsi_bdn", $frm->getVar("tgsi_bdn"));
        $member->Set("brt_bdn", $frm->getVar("brt_bdn"));
        $member->Set("agama", $frm->getVar("agama"));
        $member->Set("pendidikan", $frm->getVar("pendidikan"));
        $member->Set("ket_pribadi", $frm->getVar("ket_pribadi"));
        $member->Set("mkn_fav", $frm->getVar("mkn_fav"));
        $member->Set("film_fav", $frm->getVar("film_fav"));
        $member->Set("musik_fav", $frm->getVar("musik_fav"));
        $member->Set("hobi", $frm->getVar("hobi"));

        if ($upload_success)
            $member->Set("photo", $upload->get_file_name());
            if ($member->Insert()) {
                $tpl->assign("message", MSG_INSERT_SUCCESS,
"Message");
                $tpl->assign("message_type_class", "MsgInfo",
"Message");
                $frm->setVar("action", "browse");

                $_SESSION['User_username'] = $frm->getVar("username");
                $_SESSION['User_password'] = $user-
>SgnUserEncrypt($frm->getVar("password_new1"));
                header("Location: ../Public/MenuUtama.php");
            } else {
                $tpl->assign("message", MSG_INSERT_FAILED, "Message");
                $tpl->assign("message_type_class", "MsgError",
"Message");
            }
        }
    }
}

```

```

}

require_once "../../web/inc/end.php";

?>

```

CariMember.php

```

<?php
require_once "../../web/inc	begin.php";
require_once "../../web/entities/MasterMember.php";
require_once ('../../web/entities/SgnUserSL.php');
$user_auth = new SgnUserSL();
$user_auth->SetNotAuthorizedPage ('../../modules/Member/NotAuthorized.php');

if ($_SESSION['User_username'] && $_SESSION['User_password']) {
    $_SESSION['User_password'] is encrypted password
    $username = $_SESSION['User_username'];
    $password = $_SESSION['User_password'];

    if (!$user_auth->Authenticate($username,$password,0)) {
        header("Location: ".$user_auth->GetNotAuthorizedPage);
    }
} else {
    header("Location: ".$user_auth->GetNotAuthorizedPage);
}
if ($frm->getVar("action")=="browse") {

    $tpl->set_page_template($frm->getVar("action"));
    $_order = $sgn_poas->GetOrder();

    // CJ custom where
    $_where = "";
    if ($frm->getVar("pekerjaan")) {
        $_where .= " AND pkrjaan LIKE '%".$frm-
>getVar("pekerjaan")."%'";
    }
    if ($frm->getVar("filter_nama")) {
        $_where .= " AND nama LIKE '%".$frm-
>getVar("filter_nama")."%'";
    }
    if ($frm->getVar("umur1") && $frm->getVar("umur2")) {
        $_where .= " AND YEAR(NOW())-YEAR(tgl_lhr)>='".$frm-
>getVar("umur1")."' AND YEAR(NOW())-YEAR(tgl_lhr)<='".$frm-
>getVar("umur2")."';
    }
    if ($frm->getVar("agama")) {
        $_where .= " AND agama LIKE '%".$frm-
>getVar("agama")."%'";
    }
    if ($frm->getVar("hobi")) {
        $_where .= " AND hobi LIKE '%".$frm-
>getVar("hobi")."%'";
    }
    if (empty($_where)) {
        $_where = " username=''";
    } else {

```

```

        $_where = " username<>'" . $_where;
    }
    // CJ custom total_record
$member->Execute("SELECT COUNT(*) AS num FROM ms_member WHERE
$_where");
    $total_record = $member->Get("num");
    $current_page = $frm->getVar("p");
    $row_per_page = BROWSE_PERPAGE;
    $paging = new SgnPaging($total_record, $current_page,
$row_per_page);

    $member->Execute("SELECT * FROM ms_member WHERE $_where");
    $line_count = 0;
    while ($member->MoveNext()) {
        $tpl->assign_list("list", array(
            "line_count"=>$line_count++,
            "id_member"=>$member->Get("id_member"),
            "username"=>$member->Get("username"),
            "nama"=>$member->Get("nama"),
            "jk"=>$member->Get("jk"),
            "tgl_lhr"=>$member->Get("tgl_lhr"),
            "alamat"=>$member->Get("alamat"),
            "email"=>$member->Get("email"),
            "hp"=>$member->Get("hp"),
            "agama"=>$member->Get("agama"),
            "pkrajan"=>$member->Get("pkrajan")
        )
    );
        $tpl->assign("DataNotEmpty", true);
    }
    $tpl->assign("line_total", $line_count);
    $tpl->register_list("list");

require_once "../../web/inc/end.php";
?>
```

MsgInbox.php
<pre><?php require_once "../../web/inc/begin.php"; // read Inbox \$user->ValidatePageAccess('member,admin'); if (\$frm->getVar("action")=="browse") { require_once "../../web/entities/TrMessage.php"; \$message = new TrMessage(); \$_order = \$sgn_poas->GetOrder(); \$_where = array("msgto"=>\$user->GetIdMember()); // Paging Setup \$total_record = \$message->GetSelectCount(\$_where); \$current_page = \$frm->getVar("p"); \$row_per_page = BROWSE_PERPAGE; \$paging = new SgnPaging(\$total_record, \$current_page, \$row_per_page); // Select, Fetch, Assign List \$message->Select("", \$_where, \$_order, \$row_per_page, \$paging-</pre>

```

>get("offset"));
    $line_count = 0;
    while ($message->MoveNext ()) {

        $member1 = new MasterMember();
        $member1->SelectById($message->Get ("msgfrom"));
        $tpl->assign_list("list", array(
            "line_count"=>$line_count++,
            "idn"=>$message->Get ("idn"),
            "status"=>$message->Get ("flag"),
            "waktu"=>$message->Get ("waktu"),
            "msgto"=>$message->Get ("msgto"),
            "msgfrom"=>$message->Get ("msgfrom"),
            "dari"=>$member1->Get ("nama"),
            "subject"=>$message->Get ("subject"),
            "message"=>$message->Get ("message"),
            )
        );
        $tpl->assign("DataNotEmpty", true);
    }
    $tpl->assign("line_total", $line_count);
    $tpl->register_list("list");
    require_once "../..../web/inc/end.php";

?>

```

```

MsgRead.php
<?php
require_once "../..../web/inc/begin.php";
$user->ValidatePageAccess('member,admin');

require_once "../..../web/entities/TrMessage.php";
$msg = new TrMessage();
$msg->SelectById($frm->getVar("id"));
if ($user->GetIdMember() == $msg->Get ("msgto")) {

    // nama pengirim
    require_once "../..../web/entities/MasterMember.php";
    $member = new MasterMember();
    $member->SelectById($msg->Get ("msgfrom"));

    // display data
    $tpl->assign("id_member", $msg->Get ("msgfrom"));
    $tpl->assign("waktu", $msg->Get ("waktu"));
    $tpl->assign("judul", $msg->Get ("subject"));
    $tpl->assign("message", $msg->Get ("message"));
    $tpl->assign("dari", $member->Get ("nama"));

    // update status
    require_once "../..../web/entities/TrMessage.php";
    $msg = new TrMessage();
    $msg->Set("flag", "R");
    $msg->UpdateById($frm->getVar("id"));
}

require_once "../..../web/inc/end.php";
?>

```

MsgWrite.php

```

<?php
require_once "../web/inc	begin.php";

$user->ValidatePageAccess('member,admin');
$tpl->set_page_template("Utama");

// Write Message
if ($frm->getVar("send_message")) {
    require_once "../web/entities/MasterMember.php";
    $member = new MasterMember();
    $member->SelectById($frm->getVar("msgto"));
    $tpl->assign("nama", $member->Get("nama"));
    $tpl->assign("msgto", $frm->getVar("msgto"));
}

// Send Message
if ($frm->getVar("action")=="Kirim") {
    require_once "../web/entities/TrMessage.php";
    $message = new TrMessage();
    $message->Set();
    $message->Set("waktu", date("Y-m-d H:i"));
    $message->Set("msgfrom", $user->GetIdMember());
    $message->Set("msgto", $frm->getVar("msgto"));
    $message->Set("subject", $frm->getVar("subject"));
    $message->Set("message", $frm->getVar("message"));
    $message->Set("flag", "N");
    $message->Insert();

    if (strstr($_SERVER["HTTP_REFERER"], "Profile")) {
        header("Location: Profile.php?id=".$frm-
>getVar("msgto"));
    } else {
        header("Location: MsgInbox.php");
    }
}
require_once "../web/inc/end.php";
?>

```

MySoulmate.php
<pre> <?php require_once "../web/inc begin.php"; \$user->ValidatePageAccess('member,admin'); \$user->GetIdMember(); \$tpl->set_page_template("Utama"); //approve if (\$frm->getVar("action")=="approve_soulmate") { require_once "../web/entities/TrSoulmate.php"; \$soulmate = new TrSoulmate(); \$frm->setVar("action", "browse"); // update status \$soulmate->Set(); \$soulmate->Set('is_aprv', 'T'); \$result = \$soulmate->UpdateById(\$frm->getVar('idn')); } </pre>

```

        if ($result) {
            $tpl->assign("message", "Status sudah diupdate.", "Message");
            $tpl->assign("message_type_class", "MsgInfo", "Message");
        } else {
            $tpl->assign("message", "Status gagal diupdate", "Message");
            $tpl->assign("message_type_class", "MsgError", "Message");
        }
    }
    if ($frm->getVar("action")=="reject_soulmate") {

        require_once "../web/entities/TrSoulmate.php";
        $soulmate = new TrSoulmate();
        $frm->setVar("action", "browse");

        // update status
        $soulmate->Set();
        $soulmate->Set('is_aprv', 'R');
        $result = $soulmate->UpdateById($frm->getVar('idn'));

        if ($result) {
            $tpl->assign("message", "Status sudah diupdate.", "Message");
            $tpl->assign("message_type_class", "MsgInfo", "Message");
        } else {
            $tpl->assign("message", "Status gagal diupdate", "Message");
            $tpl->assign("message_type_class", "MsgError", "Message");
        }
    }

    //reject
    if ($frm->getVar("action")=="reject_soulmate") {

        require_once "../web/entities/TrSoulmate.php";
        $soulmate = new TrSoulmate();

        $frm->setVar("action", "browse");

        // update status
        $soulmate->Set();
        $soulmate->Set('is_aprv', 'R');
        $result = $soulmate->UpdateById($frm->getVar('idn'));

        if ($result) {

            $tpl->assign("message", "Status sudah diupdate.", "Message");
            $tpl->assign("message_type_class", "MsgInfo", "Message");
        } else {
            $tpl->assign("message", "Status gagal diupdate", "Message");
            $tpl->assign("message_type_class", "MsgError", "Message");
        }
    }

    // Delete
    if ($frm->getVar("action")=="delete_soulmate") {

```

```

require_once "../../web/entities/TrSoulmate.php";
$soulmate = new TrSoulmate();

$frm->setVar("action", "browse");

$soulmate->Set();
$soulmate->Set('is_aprv', 'D');
$result = $soulmate->UpdateById($frm->getVar('idn'));

if ($result) {
    $tpl->assign("message", "Status sudah diupdate.",
    "Message");
    $tpl->assign("message_type_class", "MsgInfo", "Message");
} else {
    $tpl->assign("message", "Status gagal diupdate", "Message");
    $tpl->assign("message_type_class", "MsgError", "Message");
}

}

// Read Soulmate

if ($frm->getVar("action")=="browse") {
    // get my gender
    require_once "../../web/entities/MasterMember.php";
    $member = new MasterMember();
    $member->SelectById($user->GetIdMember());
    $my_gender = $member->Get('jk');

    require_once "../../web/entities/TrSoulmate.php";
    $soulmate = new TrSoulmate();
    $_order = $sgn_poas->GetOrder();
    if ($my_gender=="L") {
        $where = array("co"=>$user->GetIdMember());
    } else {
        $where = array("ce"=>$user->GetIdMember());
    }

    // Paging Setup
    $total_record = $soulmate->GetSelectCount($_where);
    $current_page = $frm->getVar("p");
    $row_per_page = BROWSE_PERPAGE;
    $paging = new SgnPaging($total_record, $current_page,
    $row_per_page);

    // Select, Fetch, Assign List
    $soulmate->Select("", $_where, $_order, $row_per_page, $paging-
    >get("offset"));
    $line_count = 0;
    while ($soulmate->MoveNext()) {

        $member1 = new MasterMember();
        if ($my_gender=='L') {
            $member1->SelectById($soulmate->Get("ce"));
        } else {
            $member1->SelectById($soulmate->Get("co"));
        }
        $tpl->assign_list("list", array(
            "line_count"=>$line_count++,

```

```

        "idn"=>$soulmate->Get("idn"),
        "pasangan"=>$member1->Get('nama'),
        "pasanganid"=>$member1->Get('id_member'),
        "reqname"=>$member1->Get('nama'),
    "status"=> $soulmate->GetStatus($soulmate->Get("is_aprv")),
    "display_approve" => ($user->GetIdMember() == $soulmate-
>Get("request_by")) ? 'none' : $soulmate-
>GetDisplayStyle($soulmate->Get("is_aprv"), "approve"),
"display_reject" => ($user->GetIdMember() == $soulmate-
>Get("request_by")) ? 'none' : $soulmate-
>GetDisplayStyle($soulmate->Get("is_aprv"), "reject"),
"display_delete" => ($user->GetIdMember() == $soulmate-
>Get("request_by")) ? 'none' : $soulmate-
>GetDisplayStyle($soulmate->Get("is_aprv"), "delete"),
)
);
$tpl->assign("DataNotEmpty", true);
}
$tpl->assign("line_total", $line_count);
$tpl->register_list("list");
require_once "../..../web/inc/end.php";

?>

```

ReqSoulmate.php

```

<?php

require_once "../..../web/inc/begin.php";
$user->ValidatePageAccess('member,admin');

$tpl->set_page_template("Utama"); // template

if ($frm->getVar("request_soulmate")) {
    require_once "../..../web/entities/TrSoulmate.php";
    $soulmate = new TrSoulmate();
    $soulmate->Set();

    if ($frm->getVar("gender")=="L") {
        $soulmate->Set("co",$frm->getVar("reqfrom"));
        $soulmate->Set("ce",$frm->getVar("reqto"));
    } else {
        $soulmate->Set("co",$frm->getVar("reqto"));
        $soulmate->Set("ce",$frm->getVar("reqfrom"));
    }
    $soulmate->Set("is_aprv", "F");
    $soulmate->Set("request_by", $frm->getVar("reqfrom"));
    $soulmate->Insert();

}
require_once "../..../web/inc/end.php";
?>

```

Profile.php

```

<?php

require_once "../..../web/inc/begin.php";
$user->ValidatePageAccess('member,admin');

```

```

$tpl->set_page_template("Utama"); // template

$userid = $frm->getVar("id"); // baca dari query string

require_once "../web/entities/MasterMember.php";
$member = new MasterMember();

// get my gender
$member->Select("", array("id_member"=>$user->GetIdMember()));
$my_gender = $member->Get('jk');

// get target profile
$member->Select("", array("id_member"=>$userid));

// calculate umur
$time_now = time();
$time_birth = strtotime($member->Get("tgl_lhr"));
$time_diff = $time_now - $time_birth;
$umur = date("Y", $time_diff)-1970;

// request soulmate
require_once "../web/entities/TrSoulmate.php";
$soulmate = new TrSoulmate();

if ($my_gender != $member->Get("jk")) {
    if ($my_gender == "L") {
        $soulmate->Select("is_aprv", array("co"=>$user->GetIdMember(), "ce"=>$userid));
    } else {
        $soulmate->Select("is_aprv", array("ce"=>$user->GetIdMember(), "co"=>$userid));
    }

    $showRequestSoulmate = true;
    while ($soulmate->MoveNext()) {
        if ($soulmate->Get('is_aprv')=='T') {
            $showRequestSoulmate = false;
        }
    }
}

require_once "../web/entities/MsMemberFoto.php";
$foto = new MsMemberFoto();
$foto->Execute("SELECT * FROM tr_member WHERE id_member='".$member->Get("id_member")."'");
while ($foto->MoveNext()) {
    $tpl->assign_list("list", array(
        "img"=>UPLOAD_FOTO_PATH."/".$foto->Get("foto"),
    ));
}

$tpl->assign("reqto", $userid);
$tpl->assign("reqfrom", $user->GetIdMember());
$tpl->assign("gender", $my_gender);
$tpl->assign("ShowRequestSoulmate", $showRequestSoulmate);

require_once "../web/inc/end.php";
?>

```

```

StartTest.php
<?php
require_once "../web/inc	begin.php";
$user->ValidatePageAccess('member,admin');

require_once "../web/entities/MsKepribadian.php";
require_once "../web/entities/MsPertanyaanPersonality.php";
require_once "../web/entities/TrJawabanPersonality.php";
require_once "../web/entities/MsPertanyaanEneagram.php";
require_once "../web/entities/TrJawabanEneagram.php";

// Start Test personality
if ($frm->getVar("TestPersonality")) {

    $jawaban_personality = new TrJawabanPersonality();
    $pertanyaan_personality = new MsPertanyaanPersonality();
    $jawaban_personality->Execute("SELECT COUNT(*) AS num FROM
tr_jawaban_personality WHERE user_id=".$user->GetIdMember());
    if ($jawaban_personality->Get("num")>0) {
        // cari no soal yg blm dijawab
        $jawaban_personality->Execute("SELECT no_urut FROM
tr_jawaban_personality WHERE jawaban=0 AND user_id=".$user-
>GetIdMember()." ORDER BY no_urut ASC LIMIT 0,1");
        $next_question = $jawaban_personality->Get("no_urut")
- 1;

        // back to first question
        if ($next_question== -1) $next_question = 0;
        header("Location:
TestPersonality.php?p=$next_question");
        exit;
    }
    $num_soal = $pertanyaan_personality->GetJumlahSoal();
    $random_soal_order = array();

    for ($i=1; $i<=$num_soal; $i++) {
        $random_soal = rand(1,$num_soal);
        while (array_search($random_soal, $random_soal_order))
{
            $random_soal = rand(1,$num_soal);
        }
        $random_soal_order[$i] = $random_soal;
    }
    for ($i=1; $i<=$num_soal; $i++) {
        $jawaban_personality->Set();
        $jawaban_personality->Set("user_id", $user->GetIdMember());
        $jawaban_personality->Set("no_urut", $i);
        $jawaban_personality->Set("no_soal",
$random_soal_order[$i]);
        $jawaban_personality->Set("jawaban", 0);
        $jawaban_personality->Insert();
    }

    header("Location: TestPersonality.php");
}

// Start Test Eneagram

```

```

if ($frm->getVar("TestEneagram")) {

    $jawaban_eneagram = new TrJawabanEneagram();
    $pertanyaan_eneagram = new MsPertanyaanEneagram();
    $kepribadian = new MsKepribadian();

    // cek apakah user ini sudah punya set jawaban
    $jawaban_eneagram->Execute("SELECT COUNT(*) AS num FROM
tr_jawaban_eneagram WHERE user_id=".$user->GetIdMember());
    if ($jawaban_eneagram->Get("num")>0) {
        // get soal yg belum dijawab
        $jawaban_eneagram = new TrJawabanEneagram();
        $jawaban_eneagram->Execute("SELECT COUNT(*) AS num
FROM tr_jawaban_eneagram WHERE user_id=".$user->GetIdMember()." AND (jawaban='Y' OR jawaban='T')");
        $terjawab = $jawaban_eneagram->Get("num");
        $nextpage = ($terjawab / 10) + 1;
        if ($terjawab>=$jawaban_eneagram->Get("num")) {
            header("Location: TestEneagram.php?p=1");
            exit;
        } else {
            header("Location: TestEneagram.php?p=$nextpage");
            exit;
        }
    }

    $num_soal = $pertanyaan_eneagram->GetJumlahSoal();
    // random soal
    $random_soal_order = array();
    for ($i=1; $i<=$num_soal; $i++) {
        $random_soal = rand(1,$num_soal);
        while (array_search($random_soal, $random_soal_order))
    {
        $random_soal = rand(1,$num_soal);
    }
        $random_soal_order[$i] = $random_soal;
    }
    // generate jawaban
    for ($i=1; $i<=$num_soal; $i++) {
        $pertanyaan_eneagram-
>SelectById($random_soal_order[$i]);
        $jawaban_eneagram->Set();
        $jawaban_eneagram->Set("user_id", $user-
>GetIdMember());
        $jawaban_eneagram->Set("id_kepribadian",
$pertanyaan_eneagram->Get('id_kepribadian'));
        $jawaban_eneagram->Set("no_urut", $i);
        $jawaban_eneagram->Set("no_soal",
$pertanyaan_eneagram->Get("id_kepribadian").$pertanyaan_eneagram-
>Get("no_soal"));
        $jawaban_eneagram->Set("jawaban", "X");
        $jawaban_eneagram->Insert();
    }
    header("Location: TestEneagram.php");
}
require_once "../../web/inc/end.php";

```

```
?>
```

```
TestPersonality.php
```

```
<?php

require_once "../../web/inc	begin.php";
$user->ValidatePageAccess('member,admin');

require_once "../../web/entities/MsKepribadian.php";
require_once "../../web/entities/TrJawabanPersonality.php";

$kepribadian = new MsKepribadian();

// Next Question
if ($frm->getVar("test_next")) {
    // paging
    $p = $frm->getVar("p");
    $frm->setVar("p", $p+1);

    // get answer
    $jawaban = $frm->getVar("pertanyaan");
    $idn = $frm->getVar("idn");
    $jawaban_personality = new TrJawabanPersonality();
    $jawaban_personality->Set("jawaban", $jawaban);
    $jawaban_personality->Update(array("idn"=>$idn));

    $frm->setVar("action", "browse");
    // last question

    $jawaban_personality->Execute("SELECT COUNT(*) num FROM
tr_jawaban_personality WHERE user_id='".$user->GetIdMember()."'
GROUP BY user_id");
    $last_question = $jawaban_personality->Get("num");
    if (($p+1) == $last_question) {
        // calculate result
        $id_member = $user->GetIdMember();

require_once "../../web/entities/TrJawabanPersonality.php";
        $personality = new TrJawabanPersonality();
        $max_personality = 0;
        $personality->Execute( "select P.kelompok,
P.id_kepribadian, J.jawaban, count(J.idn) as num
from tr_jawaban_personality J join ms_pertanyaan_personality P ON
P.no_soal = J.no_soal and P.id_kepribadian=concat('p',J.jawaban)
where J.user_id=$id_member and J.jawaban>0
group by P.kelompok, J.jawaban");
        while($personality->MoveNext()) {
            $tpl->assign($personality->Get("kelompok")."_".
$personality-
>Get("id_kepribadian"), $personality->Get("num"));
            ${"total_p"}.substr($personality->Get("id_kepribadian"), -1) +=
$personality->Get("num");
            if (${"total_p"}.${max_personality}<${"total_p"}.substr($personality-
>Get("id_kepribadian"), -1)) {
                $max_personality = substr($personality->Get("id_kepribadian"), -
1);
            }
        }
    }
}
```

```

// update member's personality
require_once "../../web/entities/MasterMember.php";
    $member = new MasterMember();
    $member->Set();
    $member->Set("result_personality_p1", $total_p1);
    $member->Set("result_personality_p2", $total_p2);
    $member->Set("result_personality_p3", $total_p3);
    $member->Set("result_personality_p4", $total_p4);
    $member->Set("result_personality",
"p".$max_personality);
    $member->UpdateById($id_member);
header("Location:
../Report/TestPersonalityRecomendation.php?action=send");
}
}

// Browse

if ($frm->getVar("action")=="browse") {

    // Select, Fetch, Assign List
    $jawaban_personality = new TrJawabanPersonality();
    $jawaban_personality->GetSoal($user->GetIdMember(),$frm-
>getVar("p"));
    $line_count = 0;
    while ($jawaban_personality->MoveNext ()) {
        $tpl->assign_list("list", array(
            "line_count"=>$line_count++,
            "no_soal"=>$jawaban_personality->Get("no_soal"),
            "no_urut_soal"=>$jawaban_personality-
>Get("no_urut_soal"),
            "pertanyaan"=>$jawaban_personality->Get("pertanyaan"),
        ));
        $tpl->assign("DataNotEmpty", true);
        $no_urut = $jawaban_personality->Get("no_urut");
        $idn = $jawaban_personality->Get("idn");
    }
    $tpl->assign("line_total", $line_count);
    $tpl->assign("p", $frm->getVar("p"));
    $tpl->assign("no_urut", $no_urut);
    $tpl->assign("idn", $idn);
    $tpl->register_list("list");
}
require_once "../../web/inc/end.php";
?>

```

TestEneagram.php
<pre> <?php require_once "../../web/inc/begin.php"; \$user->ValidatePageAccess('member,admin'); require_once "../../web/entities/MsKepribadian.php"; require_once "../../web/entities/TrJawabanEneagram.php"; \$kepribadian = new MsKepribadian(); // Next Question if (\$frm->getVar("test_next")) { </pre>


```

        "no_soal"=>$jawaban_eneagram->Get ("no_soal"),
        "keterangan"=>n12br ($jawaban_eneagram-
>Get ("keterangan")),
        );
        $tpl->assign("DataNotEmpty", true);
    }
    $tpl->assign("line_total", $line_count);
    $tpl->assign("p", $frm->getVar("p"));
    $tpl->assign("pt", $paging->get_total_pages());
    $tpl->register_list("list");
}
require_once "../..../web/inc/end.php";
?>

```

MyPersonality.php
<pre> <?php require_once "../..../web/inc/begin.php"; \$tpl->set_page_template("Utama"); require_once "../..../web/entities/MsKepribadian.php"; require_once "../..../web/entities/TrJawabanPersonality.php"; \$tpl->assign("K1_p1", "0"); \$tpl->assign("K1_p2", "0"); \$tpl->assign("K1_p3", "0"); \$tpl->assign("K1_p4", "0"); \$tpl->assign("K2_p1", "0"); \$tpl->assign("K2_p2", "0"); \$tpl->assign("K2_p3", "0"); \$tpl->assign("K2_p4", "0"); \$total_p1 = 0; \$total_p2 = 0; \$total_p3 = 0; \$total_p4 = 0; \$uid_member = \$user->GetIdMember(); \$personality = new TrJawabanPersonality(); \$max_personality = 0; \$personality->Execute("select P.kelompok, P.id_kepribadian, J.jawaban, count(J.idn) as num from tr_jawaban_personality J join ms_pertanyaan_personality P ON P.no_soal = J.no_soal and P.id_kepribadian=concat ('p',J.jawaban) where J.user_id=\$uid_member and J.jawaban>0 group by P.kelompok, J.jawaban"); while(\$personality->MoveNext ()) { \$tpl->assign(\$personality->Get("kelompok")."_" . \$personality- >Get("id_kepribadian"), \$personality->Get("num")); \${"total_p"}.substr(\$personality->Get("id_kepribadian"), -1) + += \$personality->Get("num"); if (\${"total_p"}.{\$max_personality}<\${"total_p"}.substr(\$personality- >Get("id_kepribadian"), -1)) { max_personality = substr(\$personality->Get("id_kepribadian"), -1); } } \$tpl->assign("total_p1", \$total_p1); \$tpl->assign("total_p2", \$total_p2); \$tpl->assign("total_p3", \$total_p3); </pre>

```

$tpl->assign("total_p4", $total_p4);
$tpl->assign("persen_p1", sprintf("%01.0f",
$total_p1/40*100)."%");
$tpl->assign("persen_p2", sprintf("%01.0f",
$total_p2/40*100)."%");
$tpl->assign("persen_p3", sprintf("%01.0f",
$total_p3/40*100)."%");
$tpl->assign("persen_p4", sprintf("%01.0f",
$total_p4/40*100)."%");

// Get Dominant Personality
$member1 = new MasterMember();
$member1->Select("result_personality");

$dominantPersonality = $member1->GetDominantPersonality($user-
>GetIdMember());

$targetPersonality = array();
foreach ($dominantPersonality as $pers) {
    $targetPersonality[] = $member1-
>GetTargetPersonality($pers);
}

require_once "../..../web/entities/MsKepribadian.php";
$kepribadian = new MsKepribadian();

foreach($dominantPersonality as $pers=>$score) {
    $kepribadian->SelectById($pers);

    $tpl->assign_list("list", array(
        "personality_name" => $kepribadian->Get("nama"),
        "personality_description" => $kepribadian-
>Get("keterangan")
    ));
}
require_once "../..../web/inc/end.php";
?>

```

MyEneagram.php
<?php require_once "../..../web/inc/begin.php"; \$tpl->set_page_template("Utama"); require_once "../..../web/entities/MasterMember.php"; require_once "../..../web/entities/TrJawabanEneagram.php"; \$member = new MasterMember(); \$member->Select("", array("id_member"=>\$user->GetIdMember())); \$tpl->assign("score_e1", \$member->Get("result_eneagram_e1") / 20 * 100); \$tpl->assign("score_e2", \$member->Get("result_eneagram_e2") * 5); \$tpl->assign("score_e3", \$member->Get("result_eneagram_e3") * 5); \$tpl->assign("score_e4", \$member->Get("result_eneagram_e4") * 5); \$tpl->assign("score_e5", \$member->Get("result_eneagram_e5") * 5); \$tpl->assign("score_e6", \$member->Get("result_eneagram_e6") * 5); \$tpl->assign("score_e7", \$member->Get("result_eneagram_e7") * 5); \$tpl->assign("score_e8", \$member->Get("result_eneagram_e8") * 5); \$tpl->assign("score_e9", \$member->Get("result_eneagram_e9") * 5);

```

$member1 = new MasterMember();
$member1->Select("result_eneagram");

$dominantEneagram = $member1->GetDominantEneagram($user->GetIdMember());

$targetEneagram = array();
foreach ($dominantEneagram as $pers) {
    $targetEneagram[] = $member1->GetTargetEneagram($pers);
}

require_once "../..../web/entities/MsKepribadian.php";
$kepribadian = new MsKepribadian();

foreach($dominantEneagram as $pers=>$score) {
    $kepribadian->SelectById($pers);

    $tpl->assign_list("list", array(
        "eneagram_name" => $kepribadian->Get("nama"),
        "eneagram_description" => $kepribadian->Get("keterangan")
    ));
}
require_once "../..../web/inc/end.php";
?>

```

```

CariPasanganPersonality.php
require_once "../..../web/inc/begin.php";
$tpl->set_page_template("Utama");
require_once "../..../web/entities/MsKepribadian.php";
require_once "../..../web/entities/TrJawabanPersonality.php";

$arrayPersonality['p1'] = "Sanguinis";
$arrayPersonality['p2'] = "Koleris";
$arrayPersonality['p3'] = "Melankolis";
$arrayPersonality['p4'] = "Plegmatis";

// Cari Pasangan
$tpl->assign("target_personality",
$option->generate_input_option("target_personality", $arrayPersonality,
$frm->getVar("target_personality")));

$target_personality = $frm->getVar("target_personality");
if ($target_personality) {

    require_once "../..../web/entities/MasterMember.php";
    $member = new MasterMember();

    // get user's gender
    $member->Select("jk", array("id_member"=>$user->GetIdMember()));
    $my_gender = $member->Get("jk");
    $partner_gender = ($my_gender=="L") ? "P" : "L";

    // set filter untuk cari pasangan: personality & gender
    $sgn_poas->SetSearch("result_personality", $frm->getVar("target_personality"));
}

```

```

$sgn_poas->SetSearch("jk", $partner_gender);
    // $sgn_poas->SetSearch(array("jk"=>$partner_gender,
"result_personality"=>$frm->getVar("target_personality")));
    $_order = $sgn_poas->GetOrder();
    $_where = $sgn_poas->GetSearch(true);

    // Paging Setup
    $total_record = $member->GetSelectCount($_where);
    $current_page = $frm->getVar("p");
    $row_per_page = BROWSE_PERPAGE;
$paging = new SgnPaging($total_record, $current_page,
$row_per_page);
$member->Select("", $_where, $_order, $row_per_page, $paging-
>get("offset"));
    $line_count = 0;
    while ($member->MoveNext()) {
        // calculate umur
        $time_now = time();
        $time_birth = strtotime($member->Get("tgl_lhr"));
        $time_diff = $time_now - $time_birth;
        $umur = date("Y", $time_diff) - 1970;
        $tpl->assign_list("list", array(
            "line_count"=>$line_count++,
            "id_member"=>$member->Get("id_member"),
            "username"=>$member->Get("username"),
            "nama"=>$member->Get("nama"),
            "jk"=>$member->Get("jk"),
            "umur1"=>$umur,
            "tggi_bdn"=>$member->Get("tggi_bdn"),
            "Provinsi"=>$member->Get("Provinsi"),
            "ket_pribadi"=>$member->Get("ket_pribadi"),
            "brt_bdn"=>$member->Get("brt_bdn"),
            "hobi"=>$member->Get("hobi"),
            "foto"=>$member->Get("Photo")
        )
    );
    $tpl->assign("DataNotEmpty", true);
}
$tpl->assign("line_total", $line_count);
$tpl->register_list("list");
// keterangan pasangan
require_once "../../../web/entities/MsPasanganPersonality.php";
$pasanganPersonality = new MsPasanganPersonality();

$member1 = new MasterMember();
$member1->Select("result_personality",
array("id_member"=>$user->GetIdMember()));
$kepribadian1 = $member1->Get("result_personality");
$kepribadian2 = $target_personality;

$pasanganPersonality->Select("keterangan",
array("kepribadian1"=>$kepribadian1,
"kepribadian2"=>$kepribadian2));
$tpl->assign("keterangan_pasangan", $pasanganPersonality-
>Get("keterangan"));

// nama kepribadian
require_once "../../../web/entities/MsKepribadian.php";
$kepribadian = new MsKepribadian();

```

```

$kepribadian->Select("nama",
array("id_kepribadian"=>$kepribadian1));
$tpl->assign("kepribadian1", $kepribadian->Get("nama"));
$kepribadian->Select("nama",
array("id_kepribadian"=>$kepribadian2));
$tpl->assign("kepribadian2", $kepribadian->Get("nama"));
require_once "../..../web/inc/end.php";
?>

```

```

TestPersonalityRecomendation.php
<?php
require_once "../..../web/inc	begin.php";

$tpl->set_page_template("Utama"); // template

require_once "../..../web/entities/MsKepribadian.php";
require_once "../..../web/entities/TrJawabanPersonality.php";

$arrayPersonality['p1'] = "Sanguinis";
$arrayPersonality['p2'] = "Koleris";
$arrayPersonality['p3'] = "Melankolis";
$arrayPersonality['p4'] = "Plegmatis";

// Get Dominant Personality
$member1 = new MasterMember();
$member1->Select("result_personality");
$dominantPersonality = $member1->GetDominantPersonality($user->GetIdMember());
$targetPersonality = array();
foreach ($dominantPersonality as $pers=>$score) {
    $targetPersonality[] = $member1->GetTargetPersonality($pers);
}
// Cari Pasangan

$tpl->assign("target_personality", $option->generate_input_option("target_personality", $arrayPersonality, $frm->getVar("target_personality")));

if (true) {

    require_once "../..../web/entities/MasterMember.php";
    $member = new MasterMember();

    // get user's gender & personality
    $member->Select("jk, result_personality", array("id_member"=>$user->GetIdMember()));
    $my_gender = $member->Get("jk");
    $target_gender = ($my_gender=="L") ? "P" : "L";
    $target_personality = $member->GetTargetPersonality($member->Get("result_personality"));

    // Select, Fetch, Assign List
    $member->Execute("SELECT * FROM ms_member WHERE
jk='$target_gender' AND
result_personality='$target_personality'");
    $line_count = 0;
}

```

```

while ($member->MoveNext ()) {

    // send message: jika action=='send'
    if ($frm->getVar("action")=='send') {
        require_once "../web/entities/TrMessage.php";
        $message = new TrMessage();

$str_message = "Lihat profile <a
href=\"../Member/Profile.php?id=".$user-
>GetIdMember()."\">".$user->GetUsername()."</a>";
        $message->Set ();
        $message->Set ("waktu", date("Y-m-d H:i"));
        $message->Set ("msgfrom", 1);
        $message->Set ("msgto", $member-
>Get("id_member"));
        $message->Set ("subject", "Pasangan yang cocok untuk kamu");
        $message->Set ("message", $str_message);
        $message->Set ("flag", "N");
        $message->Insert ();
    }

    $time_now = time();
    $time_birth = strtotime($member->Get("tgl_lhr"));
    $time_diff = $time_now - $time_birth;
    $umur = date("Y", $time_diff)-1970;
    $tpl->assign_list("list", array(
        "id_member"=>$member->Get("id_member"),
        "nama"=>$member->Get("nama"),
        "umur1"=>$umur,
        "foto"=>$member->Get("Photo"),
        "tggeri_bdn"=>$member->Get("tggeri_bdn"),
        "Provinsi"=>$member->Get("Provinsi"),
        "hobi"=>$member->Get("hobi"),
        "brt_bdn"=>$member->Get("brt_bdn"),
        "ket_pribadi"=>$member->Get("ket_pribadi")
    ));
    $tpl->assign("DataNotEmpty", true);
}

$tpl->assign("line_total", $line_count);
$tpl->register_list("list");

if ($frm->getVar("action")=='send') {
    header("Location:
../Report/TestPersonalityRecomendation.php");
    exit;
}

require_once "../web/entities/MsKepribadian.php";
$kepribadian = new MsKepribadian();

foreach($dominantPersonality as $pers=>$score) {
    $kepribadian->SelectById($pers);

    $tpl->assign_list("list1", array(
        "kepribadian" => $kepribadian->Get("nama"),
        "keterangan" => $kepribadian->Get("keterangan")
    ));
}

// keterangan pasangan

```

```

require_once "../../web/entities/MsPasanganPersonality.php";
$pasanganPersonality = new MsPasanganPersonality();

$member1 = new MasterMember();
$member1->Select("result_personality", array("id_member"=>$user->GetIdMember()));
$kepribadian1 = $member1->Get("result_personality");
$kepribadian2 = $target_personality;

$pasanganPersonality->Select("keterangan",
array("kepribadian1"=>$kepribadian1,
"kepribadian2"=>$kepribadian2));
$tpl->assign("keterangan_pasangan", $pasanganPersonality->Get("keterangan"));

// nama kepribadian
require_once "../../web/entities/MsKepribadian.php";
$kepribadian = new MsKepribadian();
$kepribadian->Select("nama",
array("id_kepribadian"=>$kepribadian));
$tpl->assign("kepribadian1", $kepribadian->Get("nama"));
$kepribadian->Select("nama",
array("id_kepribadian"=>$kepribadian2));
$tpl->assign("kepribadian2", $kepribadian->Get("nama"));
else {
$tpl->register_list("list");
}

$str_dominant_personality = "";
$separator = "";
foreach ($dominantPersonality as $persId=>$persScore) {
    $str_dominant_personality .= $separator . $kepribadian->GetNamaById($persId) . " (".$persScore.")";
    $separator = " dan ";
}
$tpl->assign("dominant_personality", $str_dominant_personality);

$str_target_personality = "";
$separator = "";

foreach ($targetPersonality as $persId) {
    $str_target_personality .= $separator . $kepribadian->GetNamaById($persId);
    $separator = " dan ";
}
$tpl->assign("target_personality", $str_target_personality);
require_once "../../web/inc/end.php";
?>

```

TestEneagramRecomendation.php
<?php require_once "../../web/inc/begin.php"; \$tpl->set_page_template("Utama"); // template require_once "../../web/entities/MsKepribadian.php"; require_once "../../web/entities/TrJawabanEneagram.php"; \$arrayEneagram['e1'] = "Perfeksionis";

```

$arrayEneagram['e2'] = "Penolong";
$arrayEneagram['e3'] = "Pengejar Prestasi";
$arrayEneagram['e4'] = "Romantis";
$arrayEneagram['e5'] = "Pengamat";
$arrayEneagram['e6'] = "Pencemas";
$arrayEneagram['e7'] = "Petualang";
$arrayEneagram['e8'] = "Pejuang";
$arrayEneagram['e9'] = "Pendamai";

// Get Dominant Eneagram
$member1 = new MasterMember();
$member1->Select ("result_eneagram");

$dominantEneagram = $member1->GetDominantEneagram ($user->GetIdMember ());

$targetEneagram = array();
foreach ($dominantEneagram as $pers=>$score) {
    $targetEnagram[] = $member1->GetTargetEneagram($pers);
}

require_once "../web/entities/MsKepribadian.php";
$kepribadian = new MsKepribadian();

foreach ($dominantEneagram as $pers=>$score) {
    $kepribadian->SelectById($pers);

    $tpl->assign_list("list1", array(
        "eneagram_name" => $kepribadian->Get ("nama"),
        "eneagram_description" => $kepribadian->Get ("keterangan")
    ));
}

// Cari Pasangan
$tpl->assign("target_eneagram", $option->generate_input_option("target_eneagram", $arrayE, $frm->getVar("target_eneagram")));

$member = new MasterMember();
$member->GetPasanganEneagram ($user->GetIdMember ());
while ($member->MoveNext ()) {

    // send message: jika action=='send'
    if ($frm->getVar("action")=='send') {
        require_once "../web/entities/TrMessage.php";
        $message = new TrMessage();
        $str_message = "Lihat profile <a href=\"../Member/Profile.php?id=".$user->GetIdMember()."\">".$user->GetUsername()."</a>";
        $message->Set ();
        $message->Set ("waktu", date("Y-m-d H:i"));
        $message->Set ("msgfrom", 1);
        $message->Set ("msgto", $member->Get ("id_member"));
        $message->Set ("subject", "Pasangan yang cocok untuk kamu");
        $message->Set ("message", $str_message);
        $message->Set ("flag", "N");
        $message->Insert ();
    }
}

```

```

// calculate umur
    $time_now = time();
    $time_birth = strtotime($member->Get("tgl_lhr"));
    $time_diff = $time_now - $time_birth;
    $umur = date("Y", $time_diff)-1970;
    $tpl->assign_list("list", array(
        "id_member"=>$member->Get("id_member"),
        "nama"=>$member->Get("nama"),
        "umur1"=>$umur,
        "foto"=>$member->Get("Photo"),
        "tgsi_bdn"=>$member->Get("tgsi_bdn"),
        "Provinsi"=>$member->Get("Provinsi"),
        "hobi"=>$member->Get("hobi"),
        "brt_bdn"=>$member->Get("brt_bdn"),
        "ket_pribadi"=>$member->Get("ket_pribadi")
    ));
    $tpl->assign("DataNotEmpty", true);
}
$tpl->register_list("list");

// redirect untuk menampilkan halaman ini tanpa send
if ($frm->getVar("action")=='send') {
header("Location:
../Test/TestEneagramRecomendation.php?action=send");
    exit;
}

require_once "../..../web/entities/MsKepribadian.php";
$kepribadian = new MsKepribadian();

$str_dominant_eneagram = "";
$separator = "";
foreach ($dominantEneagram as $persId=>$persScore) {
    $str_dominant_eneagram .= $separator . $kepribadian-
>GetNamaById($persId) . " (".$persScore.")";
    $separator = " dan ";
}
$tpl->assign("dominant_eneagram", $str_dominant_eneagram);

$str_target_eneagram = "";
$separator = "";
foreach ($targetEneagram as $persId) {
    $str_target_eneagram .= $separator . $kepribadian-
>GetNamaById($persId);
    $separator = " dan ";
}
$tpl->assign("target_eneagram", $str_target_eneagram);
require_once "../..../web/inc/end.php";
?>
```

Login.php
<pre> <?php require_once "../..../web/inc/begin.php"; if (\$frm->getVar("Logout")==1) { \$_SESSION['User_username'] = ""; \$_SESSION['User_password'] = ""; header("Location: Login.php"); exit; } if (\$frm->getVar("submit_login")) { \$username = \$frm->getVar("username"); \$password = \$frm->getVar("password"); \$login_user = new SgnUserCJ(); if (\$login_user->Authenticate(\$username,\$password)) { \$tpl->assign("message", "Username atau Password benar.", "Message"); \$tpl->assign("message_type_class", "MsgError", "Message"); \$_SESSION['User_username'] = \$username; \$_SESSION['User_password'] = SgnUser::SgnUserEncrypt(\$password); header("Location: ../Public/MenuUtama.php"); exit; } else { \$tpl->assign("message", "Username atau Password salah.", "Message"); \$tpl->assign("message_type_class", "MsgError", "Message"); } } \$tpl->assign("username", ""); \$tpl->assign("password", ""); \$tpl->assign("@UserBox", "", \$tpl->_master_template); require_once "../..../web/inc/end.php"; ?></pre>

ChangePassword.php
<pre> <?php require_once "../..../web/inc/begin.php"; if (\$frm->getVar("action")=='submit_chpwd') { \$password_old = \$frm->getVar("password_old");</pre>

```

$password_new1 = $frm->getVar("password_new1");

if
(SgnUser::SgnUserEncrypt ($password_old) !=$_SESSION['User_password']
]) {
    $tpl->assign("message", "Password lama tidak cocok",
"Message");
    $tpl->assign("message_type_class", "MsgError", "Message");

} else {
    if ($user->ChangePassword($password_new1)) {
    $tpl->assign("message", "Password sudah diubah", "Message");
    $tpl->assign("message_type_class", "MsgInfo", "Message");

$_SESSION['User_password'] =
SgnUser::SgnUserEncrypt ($password_new1);
    } else {
    $tpl->assign("message", "Password tidak dapat diubah.", "Message");
    $tpl->assign("message_type_class", "MsgError", "Message");
    }

}
}

$tpl->assign("username", "");
$tpl->assign("password", "");
require_once "../..../web/inc/end.php";

?>

```