

DAFTAR PUSTAKA

- Besser R.E., Griffin P.M., Slutsker L. 1999. Escherichia coli O157:H7 gastroenteritis and the hemolytic uremic syndrome: An emerging infectious disease. *Annu. Rev. Med.* 50: 355-67.
- Boerlin P., McEwen S.A., Boerli-Petzold F., Wilson J.B., Johnson R.P., Gyles C.L. 1999. Associations between virulence factors of Shiga toxin-producing Escherichia coli and disease in humans. *J. Clin. Microbiol.* 37: 497-503.
- Bruder W., Schmidt H., Frosch M., Karch H. 1999. The large plasmid of Shiga-toxin-producing Escherichia coli (STEC) are highly variablegenetic elements. *Microbiology*. 145: 1005-14.
- Canil C., Rosenshine I., Ruschkowski S., Donnenberg M.S., Kaper J.B., Finlay B.B. 1993. Enteropathogenic Escherichia coli decreases the transepithelial electrical resistance of polarized epithelial monolayers. *Infect.Immun.* 61: 2755-62.
- Collington G.K., Booth I.W., Knutton S. 1998. Rapid modulation of electrolyte transport in Caco-2 cell monolayers by enteropathogenic Escherichia coli (EPEC) infection. *Gut*. 42: 200-7.
- Crane J.K., Oh J.S. 1997. Activation of host cells protein kinase C by enteropathogenic Escherichia coli. *Infect. Immun.* 65: 3277-85.
- Deibel C., Kramer S., Chakraborty T., Ebel F. 1998. EspE, a novel secreted protein of attaching and effacing bacteria, is directly translocated into infected host cells, where it appears as a tyrosine-phosphorylated 90 kDa protein. *Mol. Microbiol.* 28: 463-74.
- DeVinney R., Gauthier A., Abe A., Finlay B.B. 1999. Enteropathogenic Escherichia coli: A pathogen that insrts its own receptor into host cells. *Cell. Mol. Life Sci.* 55: 961-76.
- _____, Knoechel D.G., Finlay B.B. 1999. Enteropathogenic Escherichia coli: Cellular harassment. *Curr. Opin. Microbiol.* 2: 83-8.
- _____, Stein M., Reinscheid D., Abe A., Ruschkowski S., Finlay B.B. 1999. Enterohemorrhagic Escherichia coli O157:H7 produces Tir, which is translocated to the host cell membrane but is not tyrosine phosphorylated. *Infect. Immun.* 67: 2389-98.

- Djafari F., Ebel F., Deibel C., Kramer S., Hudel M., Chakraborty T. 1997. Characterization of an exported protease from Shiga toxin-producing *Escherichia coli*. *Mol. Microbiol.* 25: 771-84.
- Elias Jr.W.P., Czeczulin J.R., Henderson I.R., Trabulsi L.R., Nataro J.P. 1999. Organization of biogenesis genes for aggregative adherence fimbria II defines a virulence gene cluster in enteroaggregative *Escherichia coli*. *J. Bacteriol.* 181: 1779-85.
- Frankel G., Phillips A.D., Rosenshine I., Dougan G., Kaper J.B., Knutton S. 1998. Enteropathogenic and enterohemorrhagic *Escherichia coli*: More subversive elements. *Mol. Microbiol.* 30: 911-21.
- Hecht G., Marrero J.A., Danilkovich A., Matkowskyj K.A., Savkovic S.D., Koutsouris A., et all. 1999. Pathogenic *Escherichia coli* increase Cl⁻ secretion from intestinal epithelia by upregulating galanin-1 receptor expression. *J. Clin. Invest.* 104: 253-62.
- Henderson I.R., Czeczulin J.R., Eslava C., Noriega F., Nataro J.P. 1999. Characterization of pic, a secreted protease of *Shigella flexneri* and enteroaggregative *Escherichia coli*. *Infect Immun.* 67: 5587-96.
- Hueck C.J. 1998 Type III protein secretion systems in bacterial pathogens of animals and plants. *Microbiol. Mol. Biol.* 62:379-433.
- Ieda H., Naruse S., Kitagawa M., Ishiguro H., Hayakawa T. 1999. Effects of guanylin and uroguanylin on rat jejunal fluid and electrolyte transport: Comparison with heat-stable enterotoxin. *Regul. Pept.* 79: 165-71.
- Ismaili A., Philpott D.J., Dytoc M.T., Sherman P.M. 1995. Signal transduction responses following adhesion of verocytotoxin-producing *Escherichia coli*. *Infect. Immun.* 63: 3316-26.
- Jacewics M.S., Acheson D.W., Binion D.G., West G.A., Lincicome L.L., Fiocchi C., et all. 1999. Respons of human intestinal microvascular endothelial cells to Shiga toxins 1 and 2 and pathogenesis of hemorrhagic colitis. *Infect. Immun.* 67: 1439-44.
- Kresse A.U., Rohde M., Guzman C.A. 1999. The EspD protein of enterohemorrhagic *Escherichia coli* is required for the formation of bacterial surface appendages and is incorporated in the cytoplasmic membranes of target cells. *Infect. Immune.* 67: 4834-42.

- Lai L.C., Wainwright L.A., Stone K.D., Donnenberg M.S. 1997. A third secreted protein that is encoded by the enteropathogenic *Escherichia coli* pathogenicity island is required for transduction of signals and for attaching and effacing activities in host cells. *Infect. Immun.* 65: 2211-7.
- Lindenthal C., Elsinghorst E.A. 1999. Identification of a glycoprotein produced by enterotoxigenic *Escherichia coli*. *Infect. Immun.* 67: 4084-91.
- Matsushiro A., Sato K., Miyamoto H., Yamamura T., Honda T. 1999. Induction of prophages of enterohemorrhagic *Escherichia coli* O157:H7 with norfloxacin. *J. Bacteriol.* 181: 2257-60.
- Melton-Celsa A.R., O'Brien A.D. 1998. Structure, biology and relative toxicity of shiga toxin family members for cells and animals. In: J.B. Kaper, A.D. O'Brien, editor: *Escherichia coli O157:H7 and Other Shiga Toxin-Producing E. coli Strains*. Washington DC: American Society for Microbiology. pp.121-8.
- Nair G.B., Takeda Y. 1998. The heat-stable enterotoxins. *Microb. Pathogen.* 24: 123-31.
- Nataro J.P., Kaper J.B. 1998. Diarrheagenic *Escherichia coli*. *Clin. Microbiol. Rev.* 11: 142-201.
- _____, Steiner T., Guerrant R.L. 1998. Enteroaggregative *Escherichia coli*. *Emerg. Infect. Dis.* 4: 251-61.
- Navarro-Garcia F., Sears C., Eslava C., Cravioto A., Nataro J.P. 1999. Cytoskeletal effects induced by Pet, the serine protease enterotoxin of enteroaggregative *Escherichia coli*. *Infect. Immun.* 67: 2187-92.
- Parsot C., Sansonetti P.J. 1996. Invasion and the pathogenesis of *Shigella* infections. *Curr. Topics Microbiol. Immunol.* 209: 25-42.
- Pickering L.K., Obrig T.G., Stapleton F.B. 1994. Hemolytic-uremic syndrome and enterohemorrhagic *Escherichia coli*. *Pediatr. Infect. Dis. J.* 13: 459-75.
- Rode C.K., Melkerson-Watson L.J., Johnson A.T., Bloch C.A. 1999. Type-specific contributions to chromosome size differences in *Escherichia coli*. *Infect. Immun.* 67: 230-6.
- Rousset E., Harel J., Dubreuil D.J. 1998. Binding characteristics of *Escherichia coli* enterotoxin b (STb) to the pig jejunum and partial characterization of the molecule involved. *Microb. Pathogen.* 24: 277-88.

- Sakellaris H., Penumalli V.R., Scott J.R. 1999. The level of expression of the minor pilin subunit, CooD, determines the number of CS1 pili assembled on the cell surface of *Escherichia coli*. *J. Bacteriol.* 181: 1694-7.
- Schmidt H., Bielaszewska M., Karch H. 1999. Transduction of enteric *Escherichia coli* isolates with derivatives of Shiga toxin 2-encoding bacteriophage phi3538 isolated from *Escherichia coli* O157:H7. *Appl. Environ. Microbiol.* 65:3855-61.
- Stathopoulos C., Provence D.L., Curtiss III R. 1999. Characterization of the avian pathogenic *Escherichia coli* hemagglutinin Tsh, a member of immunoglobulin A protease-type family of autotransporters> *Infect. Immun.* 67: 772-81.
- Suzuki T., Miki H., Takenawa T., Sasakawa C. 1998. Neural Wiskott-Aldrich syndrome protein is implicated in the actin-based motility of *Shigella flexneri*. *EMBO J.* 17: 2767-76.
- Tobe T., Hayashi T., Han C.G., Schoolnik G.K., Ohtsubo E., Sasakawa C. 1999. Complete DNA sequence and structural analysis of the enteropathogenic *Escherichia coli* adherence factor plasmid. *Infect. Immun.* 67: 5455-62.
- Wachter C., Beinke C., Mattes M., Schmidt M.A. 1999. Insertion of EspD into epithelial target cell membranes by infecting enteropathogenic *Escherichia coli*. *Mol. Microbiol.* 31: 1695-707.
- Weikel C.S., Nellans H.N., Guerrant R.L. 1986. In vivo and in vitro effects of a novel enterotoxin, STb, produced by *Escherichia coli*. *J. Infect. Dis.* 153: 893-901.
- Yuhan R., Koutsouris A., Savkovic S.S., Hecht G. 1997. Enteropathogenic *Escherichia coli*-induced myosin light chain phosphorylation alters intestinal epithelial permeability. *Gastroenterology*. 113: 1873-82.