



LAMPIRAN

Lampiran 1


Gambar hasil pemeriksaan pap smear.




. Trichomonas vaginalis



Candida. spp.



Actinomyces




Cocobacilli




A. SEL PARABASAL (SEL BASAL EKSTERNA).


Sel parabasal.




NILM (Negative Intraepithelial Lesion or Malignancy)




ASC-US




ASC-H




LSIL



HSIL



Squamous Cell Carcinoma keratinizing



Squamous Cell Carcinoma Non Keratinizing.

Lampiran 2: Perhitungan Statistik.

TABEL FREKUENSI UNTUK DATA TAHUN 2005

PENGULANGAN & ADEKUAT

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1480	88.2	88.2	88.2
pengulangan	111	6.6	6.6	94.8
Tdk Adekuat	87	5.2	5.2	100.0
Total	1678	100.0	100.0	

KATEGORI USIA

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid < 20 thn	10	.6	.6	.6
20- 29 thn	187	11.1	11.1	11.7
30 - 39 thn	593	35.3	35.3	47.1
40 - 49 thn	625	37.2	37.2	84.3
50 - 59 THN	216	12.9	12.9	97.2
60 - 69 thn	41	2.4	2.4	99.6
> 70 thn	6	.4	.4	100.0
Total	1678	100.0	100.0	

KATEGORI PARITAS

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid P-0	118	7.0	7.0	7.0
P-1 sampai dengan P-2	870	51.8	51.8	58.9
P-3 sampai dengan P-4	584	34.8	34.8	93.7
>P-5	106	6.3	6.3	100.0
Total	1678	100.0	100.0	

MIKROORAGNISME

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	actinomyces	62	3.7	3.7	3.7
	candida	51	3.0	3.0	6.7
	coccen	148	8.8	8.8	15.6
	cocobacilli	168	10.0	10.0	25.6
	duderlein	31	1.8	1.8	27.4
	hpv	10	.6	.6	28.0
	negatif	1176	70.1	70.1	98.1
	strepto	1	.1	.1	98.2
	trichomonas	31	1.8	1.8	100.0
	Total	1678	100.0	100.0	

HASIL PAPSMEAR (NILM)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak ada	290	17.3	17.3	17.3
	ada	1388	82.7	82.7	100.0
	Total	1678	100.0	100.0	

HASIL PAPSMEAR (ASC-US)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak ada	1527	91.0	91.0	91.0
	Ada	151	9.0	9.0	100.0
	Total	1678	100.0	100.0	

HASIL PAPSMEAR (ASC-H)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak ada	1652	98.5	98.5	98.5
	Ada	26	1.5	1.5	100.0
	Total	1678	100.0	100.0	

HASIL PAPSMEAR (LSIL)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak ada	1666	99.3	99.3	99.3
	Ada	12	.7	.7	100.0
	Total	1678	100.0	100.0	

HASIL PAPSMEAR (HSIL)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak ada	1675	99.8	99.8	99.8
	Ada	3	.2	.2	100.0
	Total	1678	100.0	100.0	

HASIL PAPSMEAR (SEL GL ATIPIK)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak ada	1669	99.5	99.5	99.5
	Ada	9	.5	.5	100.0
	Total	1678	100.0	100.0	

HASIL PAPSMEAR (ADENO CA)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak ada	1678	100.0	100.0	100.0

HASIL PAPSMEAR (CA SKUOMOSA INVASIF)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak ada	1676	99.9	99.9	99.9
	Ada	2	.1	.1	100.0
	Total	1678	100.0	100.0	

**CROSSTAB PERBANDINGAN ANTARA KATEGORI USIA DENGAN
ABNORMALITAS SEL EPITEL**

KATEGORI USIA * HASIL PAPSMEAR (NILM) Crosstabulation

			HASIL PAPSMEAR (NILM)		Total
			Tidak ada	ada	
KATEGORI USIA	< 20 thn	Count		10	10
		% of Total		.6%	.6%
	20- 29 thn	Count	28	159	187
		% of Total	1.7%	9.5%	11.1%
	30 - 39 thn	Count	116	477	593
		% of Total	6.9%	28.4%	35.3%
	40 - 49 thn	Count	109	516	625
		% of Total	6.5%	30.8%	37.2%
	50 - 59 THN	Count	34	182	216
		% of Total	2.0%	10.8%	12.9%
	60 - 69 thn	Count	3	38	41
		% of Total	.2%	2.3%	2.4%
	> 70 thn	Count		6	6
		% of Total		.4%	.4%
Total		Count	290	1388	1678
		% of Total	17.3%	82.7%	100.0%

KATEGORI USIA * HASIL PAPSMEAR (ASC-US) Crosstabulation

			HASIL PAPSMEAR (ASC-US)		Total
			Tidak ada	Ada	
KATEGORI USIA	< 20 thn	Count	10		10
		% of Total	.6%		.6%
	20- 29 thn	Count	173	14	187
		% of Total	10.3%	.8%	11.1%
	30 - 39 thn	Count	531	62	593
		% of Total	31.6%	3.7%	35.3%
	40 - 49 thn	Count	567	58	625
		% of Total	33.8%	3.5%	37.2%
	50 - 59 THN	Count	201	15	216
		% of Total	12.0%	.9%	12.9%
	60 - 69 thn	Count	39	2	41
		% of Total	2.3%	.1%	2.4%
	> 70 thn	Count	6		6
		% of Total	.4%		.4%
Total		Count	1527	151	1678
		% of Total	91.0%	9.0%	100.0%

KATEGORI USIA * HASIL PAPSMEAR (ASC-H) Crosstabulation

			HASIL PAPSMEAR (ASC-H)		Total
			Tidak ada	Ada	
KATEGORI USIA	< 20 thn	Count	10		10
		% of Total	.6%		.6%
	20- 29 thn	Count	187		187
		% of Total	11.1%		11.1%
	30 - 39 thn	Count	586	7	593
		% of Total	34.9%	.4%	35.3%
	40 - 49 thn	Count	613	12	625
		% of Total	36.5%	.7%	37.2%
	50 - 59 THN	Count	209	7	216
		% of Total	12.5%	.4%	12.9%
	60 - 69 thn	Count	41		41
		% of Total	2.4%		2.4%
	> 70 thn	Count	6		6
		% of Total	.4%		.4%
Total	Count	1652	26	1678	
	% of Total	98.5%	1.5%	100.0%	

KATEGORI USIA * HASIL PAPSMEAR (LSIL) Crosstabulation

			HASIL PAPSMEAR (LSIL)		Total
			Tidak ada	Ada	
KATEGORI USIA	< 20 thn	Count	10		10
		% of Total	.6%		.6%
	20- 29 thn	Count	186	1	187
		% of Total	11.1%	.1%	11.1%
	30 - 39 thn	Count	589	4	593
		% of Total	35.1%	.2%	35.3%
	40 - 49 thn	Count	620	5	625
		% of Total	36.9%	.3%	37.2%
	50 - 59 THN	Count	215	1	216
		% of Total	12.8%	.1%	12.9%
	60 - 69 thn	Count	40	1	41
		% of Total	2.4%	.1%	2.4%
	> 70 thn	Count	6		6
		% of Total	.4%		.4%
Total	Count	1666	12	1678	
	% of Total	99.3%	.7%	100.0%	

KATEGORI USIA * HASIL PAPSMEAR (HSIL) Crosstabulation

			HASIL PAPSMEAR (HSIL)		Total
			Tidak ada	Ada	
KATEGORI USIA	< 20 thn	Count	10		10
		% of Total	.6%		.6%
	20- 29 thn	Count	187		187
		% of Total	11.1%		11.1%
	30 - 39 thn	Count	593		593
		% of Total	35.3%		35.3%
	40 - 49 thn	Count	622	3	625
		% of Total	37.1%	.2%	37.2%
	50 - 59 THN	Count	216		216
		% of Total	12.9%		12.9%
	60 - 69 thn	Count	41		41
		% of Total	2.4%		2.4%
	> 70 thn	Count	6		6
		% of Total	.4%		.4%
Total	Count	1675	3	1678	
	% of Total	99.8%	.2%	100.0%	

KATEGORI USIA * HASIL PAPSMEAR (SEL GL ATIPK) Crosstabulation

			HASIL PAPSMEAR (SEL GL ATIPIK)		Total
			Tidak ada	Ada	
KATEGORI USIA	< 20 thn	Count	10		10
		% of Total	.6%		.6%
	20- 29 thn	Count	187		187
		% of Total	11.1%		11.1%
	30 - 39 thn	Count	589	4	593
		% of Total	35.1%	.2%	35.3%
	40 - 49 thn	Count	622	3	625
		% of Total	37.1%	.2%	37.2%
	50 - 59 THN	Count	214	2	216
		% of Total	12.8%	.1%	12.9%
	60 - 69 thn	Count	41		41
		% of Total	2.4%		2.4%
	> 70 thn	Count	6		6
		% of Total	.4%		.4%
Total		Count	1669	9	1678
		% of Total	99.5%	.5%	100.0%

KATEGORI USIA * HASIL PAPSMEAR (ADENO CA) Crosstabulation

			HASIL PAPSMEAR (ADENO CA)	Total
			Tidak ada	
KATEGORI USIA	< 20 thn	Count	10	10
		% of Total	.6%	.6%
	20- 29 thn	Count	187	187
		% of Total	11.1%	11.1%
	30 - 39 thn	Count	593	593
		% of Total	35.3%	35.3%
	40 - 49 thn	Count	625	625
		% of Total	37.2%	37.2%
	50 - 59 THN	Count	216	216
		% of Total	12.9%	12.9%
	60 - 69 thn	Count	41	41
		% of Total	2.4%	2.4%
	> 70 thn	Count	6	6
		% of Total	.4%	.4%
Total	Count	1678	1678	
	% of Total	100.0%	100.0%	

KATEGORI USIA * HASIL PAPSMEAR (CA SKUOMOSA INVASIF) Crosstabulation

			HASIL PAPSMEAR (CA SKUOMOSA INVASIF)		Total
			Tidak ada	Ada	
KATEGORI USIA	< 20 thn	Count	10		10
		% of Total	.6%		.6%
	20- 29 thn	Count	187		187
		% of Total	11.1%		11.1%
	30 - 39 thn	Count	593		593
		% of Total	35.3%		35.3%
	40 - 49 thn	Count	624	1	625
		% of Total	37.2%	.1%	37.2%
	50 - 59 THN	Count	215	1	216
		% of Total	12.8%	.1%	12.9%
	60 - 69 thn	Count	41		41
		% of Total	2.4%		2.4%
	> 70 thn	Count	6		6
		% of Total	.4%		.4%
Total	Count	1676	2	1678	
	% of Total	99.9%	.1%	100.0%	

CROSSTAB PERBANDINGAN ANTARA KATEGORI PARITAS DENGAN ABNORMALITA SEL EPITEL

KATEGORI PARITAS * HASIL PAPSMEAR (NILM) Crosstabulation

			HASIL PAPSMEAR (NILM)		Total
			Tidak ada	ada	
KATEGORI PARITAS	P-0	Count	24	94	118
		% of Total	1.4%	5.6%	7.0%
	P-1 sampai dengan P-2	Count	153	717	870
		% of Total	9.1%	42.7%	51.8%
	P-3 sampai dengan P-4	Count	98	486	584
		% of Total	5.8%	29.0%	34.8%
	>P-5	Count	15	91	106
		% of Total	.9%	5.4%	6.3%
	Total	Count	290	1388	1678
		% of Total	17.3%	82.7%	100.0%

KATEGORI PARITAS * HASIL PAPSMEAR (ASC-US) Crosstabulation

			HASIL PAPSMEAR (ASC-US)		Total
			Tidak ada	Ada	
KATEGORI PARITAS	P-0	Count	106	12	118
		% of Total	6.3%	.7%	7.0%
	P-1 sampai dengan P-2	Count	785	85	870
		% of Total	46.8%	5.1%	51.8%
	P-3 sampai dengan P-4	Count	538	46	584
		% of Total	32.1%	2.7%	34.8%
	>P-5	Count	98	8	106
		% of Total	5.8%	.5%	6.3%
	Total	Count	1527	151	1678
		% of Total	91.0%	9.0%	100.0%

KATEGORI PARITAS * HASIL PAPSMEAR (ASC-H) Crosstabulation

			HASIL PAPSMEAR (ASC-H)		Total
			Tidak ada	Ada	
KATEGORI PARITAS	P-0	Count	117	1	118
		% of Total	7.0%	.1%	7.0%
	P-1 sampai dengan P-2	Count	857	13	870
		% of Total	51.1%	.8%	51.8%
	P-3 sampai dengan P-4	Count	575	9	584
		% of Total	34.3%	.5%	34.8%
	>P-5	Count	103	3	106
		% of Total	6.1%	.2%	6.3%
	Total	Count	1652	26	1678
		% of Total	98.5%	1.5%	100.0%

KATEGORI PARITAS * HASIL PAPSMEAR (LSIL) Crosstabulation

			HASIL PAPSMEAR (LSIL)		Total
			Tidak ada	Ada	
KATEGORI PARITAS	P-0	Count	118		118
		% of Total	7.0%		7.0%
	P-1 sampai dengan P-2	Count	866	4	870
		% of Total	51.6%	.2%	51.8%
	P-3 sampai dengan P-4	Count	576	8	584
		% of Total	34.3%	.5%	34.8%
	>P-5	Count	106		106
		% of Total	6.3%		6.3%
	Total	Count	1666	12	1678
		% of Total	99.3%	.7%	100.0%

KATEGORI PARITAS * HASIL PAPSMEAR (HSIL) Crosstabulation

			HASIL PAPSMEAR (HSIL)		Total
			Tidak ada	Ada	
KATEGORI PARITAS	P-0	Count	118		118
		% of Total	7.0%		7.0%
	P-1 sampai dengan P-2	Count	870		870
		% of Total	51.8%		51.8%
	P-3 sampai dengan P-4	Count	581	3	584
		% of Total	34.6%	.2%	34.8%
	>P-5	Count	106		106
		% of Total	6.3%		6.3%
	Total	Count	1675	3	1678
		% of Total	99.8%	.2%	100.0%

KATEGORI PARITAS * HASIL PAPSMEAR (SEL GL ATIPK) Crosstabulation

			HASIL PAPSMEAR (SEL GL ATIPK)		Total
			Tidak ada	Ada	
KATEGORI PARITAS	P-0	Count	118		118
		% of Total	7.0%		7.0%
	P-1 sampai dengan P-2	Count	865	5	870
		% of Total	51.5%	.3%	51.8%
	P-3 sampai dengan P-4	Count	581	3	584
		% of Total	34.6%	.2%	34.8%
	>P-5	Count	105	1	106
		% of Total	6.3%	.1%	6.3%
	Total	Count	1669	9	1678
		% of Total	99.5%	.5%	100.0%

KATEGORI PARITAS * HASIL PAPSMEAR (ADENO CA) Crosstabulation

			HASIL PAPSMEAR (ADENO CA)	Total
			Tidak ada	
KATEGORI PARITAS	P-0	Count	118	118
		% of Total	7.0%	7.0%
	P-1 sampai dengan P-2	Count	870	870
		% of Total	51.8%	51.8%
	P-3 sampai dengan P-4	Count	584	584
		% of Total	34.8%	34.8%
	>P-5	Count	106	106
		% of Total	6.3%	6.3%
	Total	Count	1678	1678
		% of Total	100.0%	100.0%

KATEGORI PARITAS * HASIL PAPSMEAR (CA SKUOMOSA INVASIF) Crosstabulation

			HASIL PAPSMEAR (CA SKUOMOSA INVASIF)		Total
			Tidak ada	Ada	
KATEGORI PARITAS	P-0	Count	118		118
		% of Total	7.0%		7.0%
	P-1 sampai dengan P-2	Count	870		870
		% of Total	51.8%		51.8%
	P-3 sampai dengan P-4	Count	583	1	584
		% of Total	34.7%	.1%	34.8%
	>P-5	Count	105	1	106
		% of Total	6.3%	.1%	6.3%
	Total	Count	1676	2	1678
		% of Total	99.9%	.1%	100.0%

**CROSSTAB PERBANDINGAN ANTARA MIKROORGANISME DENGAN
ABNORMALITA SEL EPITEL**

MIKROORAGNISME * HASIL PAPSMEAR (NILM) Crosstabulation

			HASIL PAPSMEAR (NILM)		Total
			Tidak ada	ada	
MIKROORAGNISME	actinomyces	Count	10	52	62
		% of Total	.6%	3.1%	3.7%
	candida	Count	7	44	51
		% of Total	.4%	2.6%	3.0%
	coccen	Count	36	112	148
		% of Total	2.1%	6.7%	8.8%
	cocobacilli	Count	23	145	168
		% of Total	1.4%	8.6%	10.0%
	duderlein	Count		31	31
		% of Total		1.8%	1.8%
	hpv	Count	8	2	10
		% of Total	.5%	.1%	.6%
Total	negatif	Count	199	977	1176
		% of Total	11.9%	58.2%	70.1%
	strepto	Count	1		1
		% of Total	.1%		.1%
	trichomonas	Count	6	25	31
		% of Total	.4%	1.5%	1.8%
Total			Count	290	1388
			% of Total	17.3%	82.7%
					100.0%

MIKROORAGNISME * HASIL PAPSMEAR (ASC-US) Crosstabulation

			HASIL PAPSMEAR (ASC-US)		Total
			Tidak ada	Ada	
MIKROORAGNISME	actinomyces	Count	57	5	62
		% of Total	3.4%	.3%	3.7%
	candida	Count	48	3	51
		% of Total	2.9%	.2%	3.0%
	coccen	Count	124	24	148
		% of Total	7.4%	1.4%	8.8%
	cocobacilli	Count	153	15	168
		% of Total	9.1%	.9%	10.0%
	duderlein	Count	31		31
		% of Total	1.8%		1.8%
	hvp	Count	8	2	10
		% of Total	.5%	.1%	.6%
	negatif	Count	1077	99	1176
		% of Total	64.2%	5.9%	70.1%
	strepto	Count	1		1
		% of Total	.1%		.1%
	trichomonas	Count	28	3	31
		% of Total	1.7%	.2%	1.8%
Total		Count	1527	151	1678
		% of Total	91.0%	9.0%	100.0%

MIKROORAGNISME * HASIL PAPSMEAR (ASC-H) Crosstabulation

			HASIL PAPSMEAR (ASC-H)		Total
			Tidak ada	Ada	
MIKROORAGNISME	actinomyces	Count	61	1	62
		% of Total	3.6%	.1%	3.7%
	candida	Count	50	1	51
		% of Total	3.0%	.1%	3.0%
	coccen	Count	144	4	148
		% of Total	8.6%	.2%	8.8%
	cocobacilli	Count	165	3	168
		% of Total	9.8%	.2%	10.0%
	duderlein	Count	31		31
		% of Total	1.8%		1.8%
	hvp	Count	10		10
		% of Total	.6%		.6%
negatif	Count	1160	16	1176	
	% of Total	69.1%	1.0%	70.1%	
strepto	Count	1		1	
	% of Total	.1%		.1%	
trichomonas	Count	30	1	31	
	% of Total	1.8%	.1%	1.8%	
Total		Count	1652	26	1678
		% of Total	98.5%	1.5%	100.0%

MIKROORAGNISME * HASIL PAPSMEAR (LSIL) Crosstabulation

			HASIL PAPSMEAR (LSIL)		Total
			Tidak ada	Ada	
MIKROORAGNISME	actinomyces	Count	60	2	62
		% of Total	3.6%	.1%	3.7%
	candida	Count	51		51
		% of Total	3.0%		3.0%
	coccen	Count	147	1	148
		% of Total	8.8%	.1%	8.8%
	cocobacilli	Count	168		168
		% of Total	10.0%		10.0%
	duderlein	Count	31		31
		% of Total	1.8%		1.8%
	hpv	Count	6	4	10
		% of Total	.4%	.2%	.6%
Total	negatif	Count	1171	5	1176
		% of Total	69.8%	.3%	70.1%
	strepto	Count	1		1
		% of Total	.1%		.1%
	trichomonas	Count	31		31
		% of Total	1.8%		1.8%
Total		Count	1666	12	1678
		% of Total	99.3%	.7%	100.0%

MIKROORAGNISME * HASIL PAPSMEAR (HSIL) Crosstabulation

			HASIL PAPSMEAR (HSIL)		Total
			Tidak ada	Ada	
MIKROORAGNISME	actinomyces	Count	62		62
		% of Total	3.7%		3.7%
	candida	Count	51		51
		% of Total	3.0%		3.0%
	coccen	Count	147	1	148
		% of Total	8.8%	.1%	8.8%
	cocobacilli	Count	167	1	168
		% of Total	10.0%	.1%	10.0%
	duderlein	Count	31		31
		% of Total	1.8%		1.8%
	hpv	Count	10		10
		% of Total	.6%		.6%
Total	negatif	Count	1175	1	1176
		% of Total	70.0%	.1%	70.1%
	strepto	Count	1		1
		% of Total	.1%		.1%
	trichomonas	Count	31		31
		% of Total	1.8%		1.8%
Total			Count	3	1678
			% of Total	.2%	100.0%

MIKROORAGNISME * HASIL PAPSMEAR (SEL GL ATIPIK) Crosstabulation

			HASIL PAPSMEAR (SEL GL ATIPIK)		Total
			Tidak ada	Ada	
MIKROORAGNISME	actinomyces	Count	62		62
		% of Total	3.7%		3.7%
	candida	Count	50	1	51
		% of Total	3.0%	.1%	3.0%
	coccen	Count	148		148
		% of Total	8.8%		8.8%
	cocobacilli	Count	168		168
		% of Total	10.0%		10.0%
	duderlein	Count	31		31
		% of Total	1.8%		1.8%
	hpv	Count	10		10
		% of Total	.6%		.6%
Total	negatif	Count	1169	7	1176
		% of Total	69.7%	.4%	70.1%
	strepto	Count		1	1
		% of Total		.1%	.1%
	trichomonas	Count	31		31
		% of Total	1.8%		1.8%
Total			Count	9	1678
			% of Total	.5%	100.0%

MIKROORAGNISME * HASIL PAPSMEAR (ADENO CA) Crosstabulation

			HASIL PAPSMEAR (ADENO CA)	
			Tidak ada	Total
MIKROORAGNISME	actinomyces	Count	62	62
		% of Total	3.7%	3.7%
	candida	Count	51	51
		% of Total	3.0%	3.0%
	coccen	Count	148	148
		% of Total	8.8%	8.8%
	cocobacilli	Count	168	168
		% of Total	10.0%	10.0%
	duderlein	Count	31	31
		% of Total	1.8%	1.8%
	hvp	Count	10	10
		% of Total	.6%	.6%
Total	negatif	Count	1176	1176
		% of Total	70.1%	70.1%
	strepto	Count	1	1
		% of Total	.1%	.1%
	trichomonas	Count	31	31
		% of Total	1.8%	1.8%

MIKROORAGNISME * HASIL PAPSMEAR (CA SKUOMOSA INVASIF) Crosstabulation

			HASIL PAPSMEAR (CA SKUOMOSA INVASIF)		Total
			Tidak ada	Ada	
MIKROORAGNISME	actinomyces	Count	62		62
		% of Total	3.7%		3.7%
	candida	Count	51		51
		% of Total	3.0%		3.0%
	coccen	Count	148		148
		% of Total	8.8%		8.8%
	cocobacilli	Count	168		168
		% of Total	10.0%		10.0%
	duderlein	Count	31		31
		% of Total	1.8%		1.8%
	hpv	Count	8	2	10
		% of Total	.5%	.1%	.6%
negatif	Count	1176		1176	
	% of Total	70.1%		70.1%	
strepto	Count	1		1	
	% of Total	.1%		.1%	
trichomonas	Count	31		31	
	% of Total	1.8%		1.8%	
Total		Count	1676	2	1678
		% of Total	99.9%	.1%	100.0%

CROSSTAB PERBANDINGAN ANTARA MIKROORGANISME DENGAN USIA

KATEGORI USIA * MIKROORAGNISME Crosstabulation

			MIKROORAGNISME									
			actinomyces	candida	coccen	cocobacilli	duderlein	hvp	negatif	strepto	trichomonas	Total
KATEGORI USIA	< 20 thn	Count		3		1	1		5			10
		% of Total		.2%		.1%	.1%		.3%			.6%
	20- 29 thn	Count	3	9	14	20	9	1	126		5	187
		% of Total	.2%	.5%	.8%	1.2%	.5%	.1%	7.5%		.3%	11.1%
	30 - 39 thn	Count	15	20	57	64	9	2	415		11	593
		% of Total	.9%	1.2%	3.4%	3.8%	.5%	.1%	24.7%		.7%	35.3%
	40 - 49 thn	Count	39	12	59	72	9	5	413	1	15	625
		% of Total	2.3%	.7%	3.5%	4.3%	.5%	.3%	24.6%	.1%	.9%	37.2%
	50 - 59 THN	Count	5	5	15	9	3	2	177			216
		% of Total	.3%	.3%	.9%	.5%	.2%	.1%	10.5%			12.9%
	60 - 69 thn	Count		2	3	1			35			41
		% of Total		.1%	.2%	.1%			2.1%			2.4%
	> 70 thn	Count				1			5			6
		% of Total				.1%			.3%			.4%
Total	Count	62	51	148	168	31	10	1176	1	31	1678	
	% of Total	3.7%	3.0%	8.8%	10.0%	1.8%	.6%	70.1%	.1%	1.8%	100.0%	

Lampiran 3 : Formulir Hasil pemeriksaan Pap smear (Bethesda System)

No Sitologi :

Tgl. Diterima:

Tgl. Dijawab:

HASIL PEMERIKSAAN PAP SMEAR (BETHESDA SYSTEM)

YTH. :

Nama pasien :

Alamat.:

Umur :

Alamat :

No. RM :

ADEKUASI BAHAN PEMERIKSAAN

☐ Memenuhi Syarat Evaluasi

☐
.....

KATEGORI UMUM

☐ Negatif intraepithelial & keganasan

☐ Kategori lain

☐ Abnormalitas sel epitel

☐ Lain lain

INTERPRETASI		
NEGATIF LESI INTRAEPITHELIAL DAN KEGANASAN <u>Organisme</u> ☐ Trichomonas ☐ Fungi – Candida spp. ☐ Shift in flora suggestive of bacterial vaginosis. ☐ Bakteri ☐ Virus <u>Non neoplastik lain</u> ☐ Perubahan reaktif ☐ Inflamasi ☐ Radiasi ☐ IUD ☐ Sel epitel kelenjar post Histerektomi ☐ Atrofi KATEGORI LAIN Sel endometrium > 40 th	ABNORMALITAS EPITEL Sel skuamosa ☐ Sel skuamosa atipik - O ASC-US(Atypical Squamous Cell of Undetermined Significance) - O ASC-H(Atypical Squamous Cell cannot Exclude HSIL) ☐ <u>Lesi Intraepithelial Derajat Rendah (LSIL)</u> - O HPV - O Displasia Ringan (CIN 1) ☐ <u>Lesi Intraepithelial Derajat Tinggi (HSIL)</u> - O Displasia sedang (CIN 2) - O Displasia Berat (CIN 3) - O Karsinoma In Situ (CIS) - O Kecurigaan invasi - O <u>Karsinoma sel skuamosa</u> <u>Sel Glandular</u> ☐ <u>Atipik</u> - O <u>Endoserviks</u> - O <u>Endometrium</u> - O <u>Glandular</u> ☐ <u>Adenokarsinoma in situ</u> ☐ <u>Adenokarsinoma</u> - O <u>Endoserviks</u> - O <u>Endometrium</u> - O <u>Ekstrauterin</u> - O <u>NOS</u>	NEOPLASMA GANAS LAIN
KESIMPULAN : SARAN :		