

LAMPIRAN 1

Perhitungan dosis

Perhitungan dosis Testosteron Undekanoat

Kandungan Testosteron Undekanoat (1 tablet) = 40 mg

→ dikonversikan ke dosis mencit

80 mg / laki-laki dengan berat badan 70 kg

$$= 80 \times 0.0026 = 0.208 \text{ mg / mencit 20 gram}$$

Range mencit yang digunakan adalah mencit yang berusia 3 minggu dan mempunyai interval berat badan sekitar 24 – 30 gram (rata-rata = 27 gram)

Perhitungan dosis yang dibutuhkan

$$\frac{27}{20} \times 0.208 = 0.2808 \text{ mg / mencit 27 gram / 0.5 ml}$$

20

$$= 10,4 \text{ mg /kg BB mencit / 0,5 ml}$$

Cara pengenceran = 0.2808 mg / 0.5 ml (Jumlah dosis yang dibutuhkan)

$$= 5.616 \text{ mg / 10 ml}$$

$$= 5.6 \text{ mg / 10 ml}$$

$$= 0.5616 \text{ mg / ml}$$

$$\boxed{40 \text{ mg / tablet}} \rightarrow 40 \text{ mg / 10 ml}$$

$$\downarrow \begin{array}{l} = \frac{5.6}{40} \times 10 \text{ ml} = 1.4 \text{ ml} \end{array}$$

1 tablet suspensikan dalam 10 ml CMC 1 %

→ 40 mg / 10 ml → ambil 1.4 ml Testosteron Undekanoat dalam Na- CMC 1%
tambahkan 8.6 ml larutan Na-CMC 1%

Cara Kerja :

1 tablet Testosteron Undekanoat digerus / dipecah dan ditambah 100 mg serbuk Na-
CMC 1% kemudian ditambahkan akuades hingga 10 ml, lalu homogenkan →
kemudian disondekan ke mencit jantan sebanyak 0.5 ml untuk setiap penyondean.

Perhitungan dosis ekstrak etanol bunga cengkeh (Caryophylli Flos)

Dosis efektif pada mencit = 500 mg/kgBB (Tajuddin *et al*, 2003)

Mencit yang digunakan dalam percobaan adalah 25 gram

Volume lambung mencit ± 0.5 ml

Perhitungan :

Dosis yang digunakan :

Ekstrak etanol bunga cengkeh dosis 1 = 500 mg/kgBB mencit

Ekstrak etanol bunga cengkeh dosis 2 = 700 mg/kgBB mencit

Perhitungan Dosis 1

$$\begin{aligned}
 &= 500 \text{ mg/kgBB mencit} \\
 &= \frac{25}{1000} \times 500 \text{ mg} \\
 &= 12.5 \text{ mg/mencit 25 gram}
 \end{aligned}$$

Perhitungan Dosis 2

$$\begin{aligned}
 &= 700 \text{ mg/kgBB mencit} \\
 &= \frac{25}{1000} \times 700 \text{ mg} \\
 &= 17.5 \text{ mg/mencit 25 gram}
 \end{aligned}$$

Untuk awal kita membuat dosis 2 terlebih dahulu, dan untuk mendapatkan dosis1 kita menggunakan prinsip pengenceran

Dosis 2 = 17.5 mg / mencit 25 gram / 0.5 ml (per satu kali sonde)

35 mg / mencit 25 gram / ml

350 mg / 10 ml Na-CMC 1 %

1% Na- CMC = 1 gram Na-CMC / 100 ml akuades

0.1 gr / 10 ml

(100 mg)

Cara Kerja

→ Timbang 350 mg ekstrak etanol cengkeh + 100 mg Na-CMC 1%



Digerus dan ditambahkan akuades

sampai 10 ml



Dosis 2

Dosis 1 = $\frac{500}{700} \times 10 \text{ ml} = 7.14 \text{ ml}$

700

$\frac{500}{700} \times 5 \text{ ml} = 3.57 \text{ ml Dosis 2}$

700

= 3.6 ml Dosis 2 + 1.4 ml CMC 1%

= 5 ml (Dosis 1)

LAMPIRAN 2

Prosedur Ekstraksi Bunga Cengkeh

1. Bunga cengkeh yang sudah waktunya panen dikeringkan
2. Simplisia cengkeh (bahan yang sudah digiling halus) dimasukkan ke dalam wadah simplisia pada alat ekstraksi (mesin ekstraktor) dengan perbandingan 1;3 w/v dalam 50 % etanol, prosesnya dilakukan secara kontinyu sehingga semua senyawa dalam simplisianya telah terekstraksi sempurna selama 5 jam, kemudian diperoleh ekstrak cair.
3. Ekstrak cair tersebut diambil kemudian dimasukkan ke dalam lemari pengering atau oven selama 48 jam dengan suhu 50⁰C hingga diperoleh ekstrak kering.
4. Ekstrak tersebut kemudian digiling sampai halus.

LAMPIRAN 3

Data Kasar Penelitian Pengaruh Ekstrak Etanol Bunga Cengkeh Terhadap Perilaku Seksual

Tabel 3.1 Frekuensi introduksi dari keempat kelompok perlakuan pada 15 menit pertama dan 15 menit kedua (hari ke-5 dan hari ke-7)

Kelompok perlakuan (n=6)	Introducing 15 menit pertama (hari ke-5)	Introducing 15 menit kedua (hari ke 5)	Rerata Introducing Hari ke-5	Introducing 15 menit pertama (hari ke-7)	Introducing 15 menit kedua (hari ke-7)	Rerata Introducing Hari ke-7
Kelompok I	15	2	8,50	18	8	13,00
	19	5	12,00	16	6	11,00
	7	3	5,00	14	5	9,50
	5	4	4,50	17	4	10,50
	9	4	6,50	19	6	12,50
	11	6	8,50	13	9	11,00
Kelompok II	29	10	19,50	28	25	26,50
	33	11	22,00	18	18	18,00
	25	11	18,00	23	21	22,00
	36	10	23,00	20	17	18,50
	27	14	20,50	29	22	25,50
	31	16	23,50	27	23	25,00
Kelompok III	8	8	8,00	0	0	0,00
	15	13	14,00	17	5	11,00
	11	7	9,00	10	6	8,00
	8	13	10,50	17	8	12,50
	10	5	7,50	10	6	8,00
	9	10	9,50	7	3	5,00
Kelompok IV	18	3	10,50	0	2	1,00
	24	19	21,50	36	16	26,00
	37	25	31,00	10	10	10,00
	27	22	24,50	24	13	18,50

30	15	22,50	18	15	16,50
10	17	13,50	30	25	27,50

Tabel 3.2 Frekuensi Penungangan (*Mounting*) dari keempat kelompok perlakuan pada 15 menit pertama dan 15 menit kedua (hari ke-5 dan hari ke-7)

Kelompok perlakuan (n=6)	<i>Mounting</i> 15 menit pertama (hari ke-5)	<i>Mounting</i> 15 menit kedua (hari ke 5)	Rerata <i>Mounting</i> hari ke-5	<i>Mounting</i> 15 menit pertama (hari ke-7)	<i>Mounting</i> 15 menit kedua (hari ke-7)	Rerata <i>Mounting</i> Hari ke-7
Kelompok I	2	0	1,00	2	0	1,00
	5	1	3,00	4	3	3,50
	4	1	2,50	3	3	3,00
	3	2	2,50	0	0	0,00
	4	1	2,50	3	0	1,50
	3	0	1,50	4	1	2,50
Kelompok II	23	5	16,50	4	3	3,50
	25	3	19,50	12	9	10,50
	19	6	14,00	5	0	2,50
	21	2	17,00	6	4	5,00
	16	4	12,00	8	5	6,50
Kelompok III	20	2	15,50	7	4	5,50
	0	0	0,00	0	1	0,50
	17	5	11,00	5	2	3,50
	10	6	8,00	0	0	0,00
	17	8	12,50	2	0	1,00
	10	6	8,00	3	5	4,00
Kelompok IV	7	3	5,00	1	0	0,50
	14	8	11,00	2	2	2,00
	13	7	10,00	21	6	13,50
	22	12	17,00	3	4	3,50
	8	4	6,00	2	4	3,00
	21	14	17,50	18	13	15,50
	10	7	13,50	17	25	21,00

LAMPIRAN 4

Uji Statistik

4.1 Frekuensi *Introducing* Hari kelima 15 menit pertama**Oneway****Descriptives***Introducing* Hari kelima 15 menit Pertama

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum	Maximum
					Lower Bound	Upper Bound		
<i>Introducing</i> Ekstrak Etanol Bunga Cengkeh dosis 1	6	11,00	5,215	2,129	5,53	16,47	5	19
<i>Introducing</i> Ekstrak Etanol Bunga Cengkeh dosis 2	6	30,17	4,021	1,641	25,95	34,39	25	36
<i>Introducing</i> Kontrol	6	10,17	2,639	1,078	7,40	12,94	8	15
<i>Introducing</i> Pembanding	6	24,33	9,438	3,853	14,43	34,24	10	37
Total	24	18,92	10,358	2,114	14,54	23,29	5	37

Test of Homogeneity of Variances*Introducing* Hari kelima 15 menit Pertama

Levene Statistic	df1	df2	Sig.
2,511	3	20	,088

ANOVA*Introducing* Hari kelima 15 menit Pertama

	Sum of Squares	Df	Mean Square	F	Sig.
Between Groups	1770,833	3	590,278	16,938	,000
Within Groups	697,000	20	34,850		
Total	2467,833	23			

Post Hoc Tests

Multiple Comparisons

Dependent Variable: Introducing Hari kelima 15 menit Pertama

Tukey HSD

(I) Kelompok	(J) Kelompok	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
					Lower Bound	Upper Bound
Introducing Ekstrak Etanol Bunga Cengkeh dosis 1	Introducing Ekstrak Etanol Bunga Cengkeh dosis 2	-19,167*	3,408	,000	-28,71	-9,63
	Introducing Kontrol	,833	3,408	,995	-8,71	10,37
	Introducing Pembanding	-13,333*	3,408	,004	-22,87	-3,79
Introducing Ekstrak Etanol Bunga Cengkeh dosis 2	Introducing Ekstrak Etanol Bunga Cengkeh dosis 1	19,167*	3,408	,000	9,63	28,71
	Introducing Kontrol	20,000*	3,408	,000	10,46	29,54
	Introducing Pembanding	5,833	3,408	,344	-3,71	15,37
Introducing Kontrol	Introducing Ekstrak Etanol Bunga Cengkeh dosis 1	-,833	3,408	,995	-10,37	8,71
	Introducing Ekstrak Etanol Bunga Cengkeh dosis 2	-20,000*	3,408	,000	-29,54	-10,46
	Introducing Pembanding	-14,167*	3,408	,003	-23,71	-4,63
Introducing Pembanding	Introducing Ekstrak Etanol Bunga Cengkeh dosis 1	13,333*	3,408	,004	3,79	22,87
	Introducing Ekstrak Etanol Bunga Cengkeh dosis 2	-5,833	3,408	,344	-15,37	3,71
	Introducing Kontrol	14,167*	3,408	,003	4,63	23,71

*. The mean difference is significant at the .05 level.

Homogeneous Subsets

Introducing Hari kelima 15 menit Pertama

Tukey HSD

Kelompok	N	Subset for alpha = .05	
		1	2
<i>Introducing Kontrol</i>	6	10,17	
<i>Introducing Ekstrak Etanol Bunga Cengkeh dosis 1</i>	6	11,00	
<i>Introducing Pembanding</i>	6		24,33
<i>Introducing Ekstrak Etanol Bunga Cengkeh dosis 2</i>	6		30,17
Sig.		,995	,344

Means for groups in homogeneous subsets are displayed.

a Uses Harmonic Mean Sample Size = 6,000.

4.2 Frekuensi *Introducing* Hari kelima 15 menit kedua**Oneway****Descriptives***Introducing* Hari Kelima 15 menit Kedua

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum	Maximum
					Lower Bound	Upper Bound		
<i>Introducing</i> Ekstrak Etanol Bunga Cengkeh dosis 1	6	4,00	1,414	,577	2,52	5,48	2	6
<i>Introducing</i> Ekstrak Etanol Bunga Cengkeh dosis 2	6	12,00	2,449	1,000	9,43	14,57	10	16
<i>Introducing</i> Kontrol	6	9,33	3,266	1,333	5,91	12,76	5	13
<i>Introducing</i> Pemandang	6	16,83	7,653	3,124	8,80	24,86	3	25
Total	24	10,54	6,262	1,278	7,90	13,19	2	25

Test of Homogeneity of Variances*Introducing* Hari Kelima 15 menit Kedua

Levene Statistic	df1	df2	Sig.
2,600	3	20	,081

ANOVA*Introducing* Hari Kelima 15 menit Kedua

	Sum of Squares	Df	Mean Square	F	Sig.
Between Groups	515,792	3	171,931	8,904	,001
Within Groups	386,167	20	19,308		
Total	901,958	23			

Post Hoc Tests

Multiple Comparisons

Dependent Variable: Introducing Hari Kelima 15 menit Kedua

Tukey HSD

(I) Kelompok	(J) Kelompok	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
					Lower Bound	Upper Bound
Introducing Ekstrak Etanol Bunga Cengkeh dosis 1	Introducing Ekstrak Etanol Bunga Cengkeh dosis 2	-8,000*	2,537	,024	-15,10	-,90
	Introducing Kontrol	-5,333	2,537	,186	-12,43	1,77
	Introducing Pembanding	-12,833*	2,537	,000	-19,93	-5,73
Introducing Ekstrak Etanol Bunga Cengkeh dosis 2	Introducing Ekstrak Etanol Bunga Cengkeh dosis 1	8,000*	2,537	,024	,90	15,10
	Introducing Kontrol	2,667	2,537	,722	-4,43	9,77
	Introducing Pembanding	-4,833	2,537	,257	-11,93	2,27
Introducing Kontrol	Introducing Ekstrak Etanol Bunga Cengkeh dosis 1	5,333	2,537	,186	-1,77	12,43
	Introducing Ekstrak Etanol Bunga Cengkeh dosis 2	-2,667	2,537	,722	-9,77	4,43
	Introducing Pembanding	-7,500*	2,537	,036	-14,60	-,40
Introducing Pembanding	Introducing Ekstrak Etanol Bunga Cengkeh dosis 1	12,833*	2,537	,000	5,73	19,93
	Introducing Ekstrak Etanol Bunga Cengkeh dosis 2	4,833	2,537	,257	-2,27	11,93
	Introducing Kontrol	7,500*	2,537	,036	,40	14,60

*. The mean difference is significant at the .05 level.

Homogeneous Subsets

Introducing Hari Kelima 15 menit Kedua

Tukey HSD

Kelompok	N	Subset for alpha = .05		
		1	2	3
<i>Introducing Ekstrak Etanol Bunga Cengkeh dosis 1</i>	6	4,00		
<i>Introducing Kontrol</i>	6	9,33	9,33	
<i>Introducing Ekstrak Etanol Bunga Cengkeh dosis 2</i>	6		12,00	12,00
<i>Introducing Pembanding</i>	6			16,83
Sig.		,186	,722	,257

Means for groups in homogeneous subsets are displayed.

a Uses Harmonic Mean Sample Size = 6,000.

4.3 Frekuensi rerata *Introducing* Hari kelima**Oneway****Descriptives***Rerata Introducing*

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum	Maximum
					Lower Bound	Upper Bound		
<i>Introducing</i> Ekstrak Etanol Bunga Cengkeh dosis 1	6	7,5000	2,77489	1,13284	4,5879	10,4121	4,50	12,00
<i>Introducing</i> Ekstrak Etanol Bunga Cengkeh dosis 2	6	21,0833	2,13112	,87003	18,8469	23,3198	18,00	23,50
<i>Introducing</i> Kontrol	6	9,7500	2,33987	,95525	7,2945	12,2055	7,50	14,00
<i>Introducing</i> Pemandang	6	20,5833	7,48610	3,05619	12,7272	28,4395	10,50	31,00
Total	24	14,7292	7,45709	1,52217	11,5803	17,8780	4,50	31,00

Test of Homogeneity of Variances*Rerata Introducing*

Levene Statistic	df1	df2	Sig.
4,151	3	20	,019

ANOVA*Rerata Introducing*

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	910,198	3	303,399	16,454	,000
Within Groups	368,792	20	18,440		
Total	1278,990	23			

Post Hoc Tests

Multiple Comparisons

Dependent Variable: Rerata Introducing
Tukey HSD

(I) Kelompok	(J) Kelompok	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
					Lower Bound	Upper Bound
Introducing Ekstrak Etanol Bunga Cengkeh dosis 1	Introducing Ekstrak Etanol Bunga Cengkeh dosis 2	-13,58333*	2,47922	,000	-20,5225	-6,6442
	Introducing Kontrol	-2,25000	2,47922	,801	-9,1892	4,6892
	Introducing Pembanding	-13,08333*	2,47922	,000	-20,0225	-6,1442
Introducing Ekstrak Etanol Bunga Cengkeh dosis 2	Introducing Ekstrak Etanol Bunga Cengkeh dosis 1	13,58333*	2,47922	,000	6,6442	20,5225
	Introducing Kontrol	11,33333*	2,47922	,001	4,3942	18,2725
	Introducing Pembanding	,50000	2,47922	,997	-6,4392	7,4392
Introducing Kontrol	Introducing Ekstrak Etanol Bunga Cengkeh dosis 1	2,25000	2,47922	,801	-4,6892	9,1892
	Introducing Ekstrak Etanol Bunga Cengkeh dosis 2	-11,33333*	2,47922	,001	-18,2725	-4,3942
	Introducing Pembanding	-10,83333*	2,47922	,002	-17,7725	-3,8942
Introducing Pembanding	Introducing Ekstrak Etanol Bunga Cengkeh dosis 1	13,08333*	2,47922	,000	6,1442	20,0225
	Introducing Ekstrak Etanol Bunga Cengkeh dosis 2	-,50000	2,47922	,997	-7,4392	6,4392
	Introducing Kontrol	10,83333*	2,47922	,002	3,8942	17,7725

*. The mean difference is significant at the .05 level.

Homogeneous Subsets

Rerata Introducing

Tukey HSD

Kelompok	N	Subset for alpha = .05	
		1	2
Introducing Ekstrak Etanol Bunga Cengkeh dosis 1	6	7,5000	
Introducing Kontrol	6	9,7500	
Introducing Pembanding	6		20,5833
Introducing Ekstrak Etanol Bunga Cengkeh dosis 2	6		21,0833
Sig.		,801	,997

Means for groups in homogeneous subsets are displayed.

a Uses Harmonic Mean Sample Size = 6,000.

4.4 Frekuensi *Introducing* Hari ketujuh 15 menit pertama**Oneway****Descriptives***Introducing* Hari Ketujuh 15 menit Pertama

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum	Maximum
					Lower Bound	Upper Bound		
<i>Introducing</i> Ekstrak Etanol Bunga Cengkeh dosis 1	6	16,17	2,317	,946	13,74	18,60	13	19
<i>Introducing</i> Ekstrak Etanol Bunga Cengkeh dosis 2	6	24,17	4,535	1,851	19,41	28,93	18	29
<i>Introducing</i> Kontrol	6	10,17	6,432	2,626	3,42	16,92	0	17
<i>Introducing</i> Pemandang	6	19,67	13,231	5,402	5,78	33,55	0	36
Total	24	17,54	8,944	1,826	13,76	21,32	0	36

Test of Homogeneity of Variances*Introducing* Hari Ketujuh 15 menit Pertama

Levene Statistic	df1	df2	Sig.
4,724	3	20	,012

ANOVA*Introducing* Hari Ketujuh 15 menit Pertama

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	628,125	3	209,375	3,456	,036
Within Groups	1211,833	20	60,592		
Total	1839,958	23			

Post Hoc Tests

Multiple Comparisons

Dependent Variable: Introducing Hari Ketujuh 15 menit Pertama

Tukey HSD

(I) Kelompok	(J) Kelompok	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
					Lower Bound	Upper Bound
Introducing Ekstrak Etanol Bunga Cengkeh dosis 1	Introducing Ekstrak Etanol Bunga Cengkeh dosis 2	-8,000	4,494	,312	-20,58	4,58
	Introducing Kontrol	6,000	4,494	,552	-6,58	18,58
	Introducing Pembanding	-3,500	4,494	,863	-16,08	9,08
Introducing Ekstrak Etanol Bunga Cengkeh dosis 2	Introducing Ekstrak Etanol Bunga Cengkeh dosis 1	8,000	4,494	,312	-4,58	20,58
	Introducing Kontrol	14,000*	4,494	,026	1,42	26,58
	Introducing Pembanding	4,500	4,494	,750	-8,08	17,08
Introducing Kontrol	Introducing Ekstrak Etanol Bunga Cengkeh dosis 1	-6,000	4,494	,552	-18,58	6,58
	Introducing Ekstrak Etanol Bunga Cengkeh dosis 2	-14,000*	4,494	,026	-26,58	-1,42
	Introducing Pembanding	-9,500	4,494	,183	-22,08	3,08
Introducing Pembanding	Introducing Ekstrak Etanol Bunga Cengkeh dosis 1	3,500	4,494	,863	-9,08	16,08
	Introducing Ekstrak Etanol Bunga Cengkeh dosis 2	-4,500	4,494	,750	-17,08	8,08
	Introducing Kontrol	9,500	4,494	,183	-3,08	22,08

*. The mean difference is significant at the .05 level.

Homogeneous Subsets

Introducing Hari Ketujuh 15 menit Pertama

Tukey HSD

Kelompok	N	Subset for alpha = .05	
		1	2
<i>Introducing Kontrol</i>	6	10,17	
<i>Introducing Ekstrak Etanol Bunga Cengkeh dosis 1</i>	6	16,17	16,17
<i>Introducing Pembanding</i>	6	19,67	19,67
<i>Introducing Ekstrak Etanol Bunga Cengkeh dosis 2</i>	6		24,17
Sig.		,183	,312

Means for groups in homogeneous subsets are displayed.

a Uses Harmonic Mean Sample Size = 6,000.

4.5 Frekuensi *Introducing* Hari ketujuh 15 menit kedua**Oneway****Descriptives***Introducing* Hari Ketujuh 15 menit Kedua

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum	Maximum
					Lower Bound	Upper Bound		
<i>Introducing</i> Ekstrak Etanol Bunga Cengkeh dosis 1	6	6,33	1,862	,760	4,38	8,29	4	9
<i>Introducing</i> Ekstrak Etanol Bunga Cengkeh dosis 2	6	21,00	3,033	1,238	17,82	24,18	17	25
<i>Introducing</i> Kontrol	6	4,67	2,805	1,145	1,72	7,61	0	8
<i>Introducing</i> Pembanding	6	13,50	7,556	3,085	5,57	21,43	2	25
Total	24	11,38	7,784	1,589	8,09	14,66	0	25

Test of Homogeneity of Variances*Introducing* Hari Ketujuh 15 menit Kedua

Levene Statistic	df1	df2	Sig.
2,083	3	20	,135

ANOVA*Introducing* Hari Ketujuh 15 menit Kedua

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	1005,458	3	335,153	17,268	,000
Within Groups	388,167	20	19,408		
Total	1393,625	23			

Post Hoc Tests

Multiple Comparisons

Dependent Variable: Introducing Hari Ketujuh 15 menit Kedua

Tukey HSD

(I) Kelompok	(J) Kelompok	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
					Lower Bound	Upper Bound
Introducing Ekstrak Etanol Bunga Cengkeh dosis 1	Introducing Ekstrak Etanol Bunga Cengkeh dosis 2	-14,667*	2,544	,000	-21,79	-7,55
	Introducing Kontrol	1,667	2,544	,912	-5,45	8,79
	Introducing Pemandang	-7,167*	2,544	,048	-14,29	-,05
Introducing Ekstrak Etanol Bunga Cengkeh dosis 2	Introducing Ekstrak Etanol Bunga Cengkeh dosis 1	14,667*	2,544	,000	7,55	21,79
	Introducing Kontrol	16,333*	2,544	,000	9,21	23,45
	Introducing Pemandang	7,500*	2,544	,037	,38	14,62
Introducing Kontrol	Introducing Ekstrak Etanol Bunga Cengkeh dosis 1	-1,667	2,544	,912	-8,79	5,45
	Introducing Ekstrak Etanol Bunga Cengkeh dosis 2	-16,333*	2,544	,000	-23,45	-9,21
	Introducing Pemandang	-8,833*	2,544	,012	-15,95	-1,71
Introducing Pemandang	Introducing Ekstrak Etanol Bunga Cengkeh dosis 1	7,167*	2,544	,048	,05	14,29
	Introducing Ekstrak Etanol Bunga Cengkeh dosis 2	-7,500*	2,544	,037	-14,62	-,38
	Introducing Kontrol	8,833*	2,544	,012	1,71	15,95

*. The mean difference is significant at the .05 level.

Homogeneous Subsets

Introducing Hari Ketujuh 15 menit Kedua

Tukey HSD

Kelompok	N	Subset for alpha = .05		
		1	2	3
Introducing Kontrol	6	4,67		
Introducing Ekstrak Etanol Bunga Cengkeh dosis 1	6	6,33		
Introducing Pemandang	6		13,50	
Introducing Ekstrak Etanol Bunga Cengkeh dosis 2	6			21,00
Sig.		,912	1,000	1,000

Means for groups in homogeneous subsets are displayed.

a Uses Harmonic Mean Sample Size = 6,000.

4.6 Frekuensi rerata *Introducing* hari ketujuh**Oneway****Descriptives***Rerata Introducing*

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum	Maximum
					Lower Bound	Upper Bound		
<i>Introducing</i> Ekstrak Etanol Bunga Cengkeh dosis 1	6	11,2500	1,29422	,52836	9,8918	12,6082	9,50	13,00
<i>Introducing</i> Ekstrak Etanol Bunga Cengkeh dosis 2	6	22,5833	3,67990	1,50231	18,7215	26,4452	18,00	26,50
<i>Introducing</i> Kontrol	6	7,4167	4,47679	1,82764	2,7186	12,1148	,00	12,50
<i>Introducing</i> Pembanding	6	16,5833	9,97706	4,07312	6,1131	27,0536	1,00	27,50
Total	24	14,4583	7,95766	1,62435	11,0981	17,8186	,00	27,50

Test of Homogeneity of Variances*Rerata Introducing*

Levene Statistic	df1	df2	Sig.
4,003	3	20	,022

ANOVA*Rerata Introducing*

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	782,458	3	260,819	7,739	,001
Within Groups	674,000	20	33,700		
Total	1456,458	23			

Post Hoc Tests

Multiple Comparisons

Dependent Variable: Rerata Introducing
Tukey HSD

(I) Kelompok	(J) Kelompok	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
					Lower Bound	Upper Bound
Introducing Ekstrak Etanol Bunga Cengkeh dosis 1	Introducing Ekstrak Etanol Bunga Cengkeh dosis 2	-11,33333*	3,35162	,014	-20,7143	-1,9524
	Introducing Kontrol	3,83333	3,35162	,668	-5,5476	13,2143
	Introducing Pembanding	-5,33333	3,35162	,406	-14,7143	4,0476
Introducing Ekstrak Etanol Bunga Cengkeh dosis 2	Introducing Ekstrak Etanol Bunga Cengkeh dosis 1	11,33333*	3,35162	,014	1,9524	20,7143
	Introducing Kontrol	15,16667*	3,35162	,001	5,7857	24,5476
	Introducing Pembanding	6,00000	3,35162	,307	-3,3810	15,3810
Introducing Kontrol	Introducing Ekstrak Etanol Bunga Cengkeh dosis 1	-3,83333	3,35162	,668	-13,2143	5,5476
	Introducing Ekstrak Etanol Bunga Cengkeh dosis 2	-15,16667*	3,35162	,001	-24,5476	-5,7857
	Introducing Pembanding	-9,16667	3,35162	,057	-18,5476	,2143
Introducing Pembanding	Introducing Ekstrak Etanol Bunga Cengkeh dosis 1	5,33333	3,35162	,406	-4,0476	14,7143
	Introducing Ekstrak Etanol Bunga Cengkeh dosis 2	-6,00000	3,35162	,307	-15,3810	3,3810
	Introducing Kontrol	9,16667	3,35162	,057	-,2143	18,5476

*. The mean difference is significant at the .05 level.

Homogeneous Subsets

Rerata Introducing

Tukey HSD

Kelompok	N	Subset for alpha = .05	
		1	2
<i>Introducing</i> Kontrol	6	7,4167	
<i>Introducing</i> Ekstrak Etanol Bunga Cengkeh dosis 1	6	11,2500	
<i>Introducing</i> Pembanding	6	16,5833	16,5833
<i>Introducing</i> Ekstrak Etanol Bunga Cengkeh dosis 2	6		22,5833
Sig.		,057	,307

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 6,000.

4.7 Frekuensi *Mounting* Hari kelima 15 menit pertama**Oneway****Descriptives***Mounting* Hari Kelima 15 menit Pertama

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum	Maximum
					Lower Bound	Upper Bound		
<i>Mounting</i> Ekstrak Etanol Bunga Cengkeh dosis 1	6	3,50	1,049	,428	2,40	4,60	2	5
<i>Mounting</i> Ekstrak Etanol Bunga Cengkeh dosis 2	6	20,67	3,141	1,282	17,37	23,96	16	25
<i>Mounting</i> Kontrol	6	10,17	6,432	2,626	3,42	16,92	0	17
<i>Mounting</i> Pemandangan	6	14,67	5,715	2,333	8,67	20,66	8	22
Total	24	12,25	7,719	1,576	8,99	15,51	0	25

Test of Homogeneity of Variances*Mounting* Hari Kelima 15 menit Pertama

Levene Statistic	df1	df2	Sig.
2,863	3	20	,062

ANOVA*Mounting* Hari Kelima 15 menit Pertama

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	945,500	3	315,167	14,831	,000
Within Groups	425,000	20	21,250		
Total	1370,500	23			

Post Hoc Tests

Multiple Comparisons

Dependent Variable: Mounting Hari Kelima 15 menit Pertama

Tukey HSD

(I) kelompok	(J) kelompok	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
					Lower Bound	Upper Bound
Mounting Ekstrak Etanol Bunga Cengkeh dosis 1	Mounting Ekstrak Etanol Bunga Cengkeh dosis 2	-17,167*	2,661	,000	-24,62	-9,72
	Mounting Kontrol	-6,667	2,661	,090	-14,12	,78
	Mounting Pemanding	-11,167*	2,661	,002	-18,62	-3,72
Mounting Ekstrak Etanol Bunga Cengkeh dosis 2	Mounting Ekstrak Etanol Bunga Cengkeh dosis 1	17,167*	2,661	,000	9,72	24,62
	Mounting Kontrol	10,500*	2,661	,004	3,05	17,95
	Mounting Pemanding	6,000	2,661	,143	-1,45	13,45
Mounting Kontrol	Mounting Ekstrak Etanol Bunga Cengkeh dosis 1	6,667	2,661	,090	-,78	14,12
	Mounting Ekstrak Etanol Bunga Cengkeh dosis 2	-10,500*	2,661	,004	-17,95	-3,05
	Mounting Pemanding	-4,500	2,661	,354	-11,95	2,95
Mounting Pemanding	Mounting Ekstrak Etanol Bunga Cengkeh dosis 1	11,167*	2,661	,002	3,72	18,62
	Mounting Ekstrak Etanol Bunga Cengkeh dosis 2	-6,000	2,661	,143	-13,45	1,45
	Mounting Kontrol	4,500	2,661	,354	-2,95	11,95

*. The mean difference is significant at the .05 level.

Homogeneous Subsets

Mounting Hari Kelima 15 menit Pertama

Tukey HSD

kelompok	N	Subset for alpha = .05		
		1	2	3
Mounting Ekstrak Etanol Bunga Cengkeh dosis 1	6	3,50		
Mounting Kontrol	6	10,17	10,17	
Mounting Pemanding	6		14,67	14,67
Mounting Ekstrak Etanol Bunga Cengkeh dosis 2	6			20,67
Sig.		,090	,354	,143

Means for groups in homogeneous subsets are displayed.

a Uses Harmonic Mean Sample Size = 6,000.

4.8 Frekuensi *Mounting* Hari kelima 15 menit kedua**Oneway****Descriptives***Mounting* Hari Kelima 15 menit Kedua

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum	Maximum
					Lower Bound	Upper Bound		
<i>Mounting</i> Ekstrak Etanol Bunga Cengkeh dosis 1	6	,83	,753	,307	,04	1,62	0	2
<i>Mounting</i> Ekstrak Etanol Bunga Cengkeh dosis 2	6	10,83	2,317	,946	8,40	13,26	8	14
<i>Mounting</i> Kontrol	6	4,67	2,805	1,145	1,72	7,61	0	8
<i>Mounting</i> Pembanding	6	10,33	4,844	1,978	5,25	15,42	4	17
Total	24	6,67	5,105	1,042	4,51	8,82	0	17

Test of Homogeneity of Variances*Mounting* Hari Kelima 15 menit Kedua

Levene Statistic	df1	df2	Sig.
5,834	3	20	,005

ANOVA*Mounting* Hari Kelima 15 menit Kedua

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	413,000	3	137,667	14,776	,000
Within Groups	186,333	20	9,317		
Total	599,333	23			

Post Hoc Tests

Multiple Comparisons

Dependent Variable: Mounting Hari Kelima 15 menit Kedua

Tukey HSD

(I) kelompok	(J) kelompok	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
					Lower Bound	Upper Bound
Mounting Ekstrak Etanol Bunga Cengkeh dosis 1	Mounting Ekstrak Etanol Bunga Cengkeh dosis 2	-10,000*	1,762	,000	-14,93	-5,07
	Mounting Kontrol	-3,833	1,762	,164	-8,77	1,10
	Mounting Pemandang	-9,500*	1,762	,000	-14,43	-4,57
Mounting Ekstrak Etanol Bunga Cengkeh dosis 2	Mounting Ekstrak Etanol Bunga Cengkeh dosis 1	10,000*	1,762	,000	5,07	14,93
	Mounting Kontrol	6,167*	1,762	,011	1,23	11,10
	Mounting Pemandang	,500	1,762	,992	-4,43	5,43
Mounting Kontrol	Mounting Ekstrak Etanol Bunga Cengkeh dosis 1	3,833	1,762	,164	-1,10	8,77
	Mounting Ekstrak Etanol Bunga Cengkeh dosis 2	-6,167*	1,762	,011	-11,10	-1,23
	Mounting Pemandang	-5,667*	1,762	,021	-10,60	-,73
Mounting Pemandang	Mounting Ekstrak Etanol Bunga Cengkeh dosis 1	9,500*	1,762	,000	4,57	14,43
	Mounting Ekstrak Etanol Bunga Cengkeh dosis 2	-,500	1,762	,992	-5,43	4,43
	Mounting Kontrol	5,667*	1,762	,021	,73	10,60

*. The mean difference is significant at the .05 level.

Homogeneous Subsets

Mounting Hari Kelima 15 menit Kedua

Tukey HSD

kelompok	N	Subset for alpha = .05	
		1	2
<i>Mounting Ekstrak Etanol Bunga Cengkeh dosis 1</i>	6	,83	
<i>Mounting Kontrol</i>	6	4,67	
<i>Mounting Pemandang</i>	6		10,33
<i>Mounting Ekstrak Etanol Bunga Cengkeh dosis 2</i>	6		10,83
Sig.		,164	,992

Means for groups in homogeneous subsets are displayed.

a Uses Harmonic Mean Sample Size = 6,000.

4.9 Frekuensi rerata *Mounting* hari kelima**Oneway****Descriptives***Rerata Mounting*

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum	Maximum
					Lower Bound	Upper Bound		
<i>Mounting</i> Ekstrak Etanol Bunga Cengkeh dosis 1	6	2,1667	,75277	,30732	1,3767	2,9567	1,00	3,00
<i>Mounting</i> Ekstrak Etanol Bunga Cengkeh dosis 2	6	15,7500	2,58360	1,05475	13,0387	18,4613	12,00	19,50
<i>Mounting</i> Kontrol	6	7,4167	4,47679	1,82764	2,7186	12,1148	,00	12,50
<i>Mounting</i> Pemanding	6	12,5000	4,40454	1,79815	7,8777	17,1223	6,00	17,50
Total	24	9,4583	6,15191	1,25575	6,8606	12,0561	,00	19,50

Test of Homogeneity of Variances*Rerata Mounting*

Levene Statistic	df1	df2	Sig.
3,031	3	20	,053

ANOVA*Rerata Mounting*

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	637,042	3	212,347	18,195	,000
Within Groups	233,417	20	11,671		
Total	870,458	23			

Post Hoc Tests

Multiple Comparisons

Dependent Variable: Rerata Mounting

Tukey HSD

(I) kelompok	(J) kelompok	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
					Lower Bound	Upper Bound
Mounting Ekstrak Etanol Bunga Cengkeh dosis 1	Mounting Ekstrak Etanol Bunga Cengkeh dosis 2	-13,58333*	1,97238	,000	-19,1039	-8,0628
	Mounting Kontrol	-5,25000	1,97238	,066	-10,7706	,2706
	Mounting Pemanding	-10,33333*	1,97238	,000	-15,8539	-4,8128
Mounting Ekstrak Etanol Bunga Cengkeh dosis 2	Mounting Ekstrak Etanol Bunga Cengkeh dosis 1	13,58333*	1,97238	,000	8,0628	19,1039
	Mounting Kontrol	8,33333*	1,97238	,002	2,8128	13,8539
	Mounting Pemanding	3,25000	1,97238	,376	-2,2706	8,7706
Mounting Kontrol	Mounting Ekstrak Etanol Bunga Cengkeh dosis 1	5,25000	1,97238	,066	-,2706	10,7706
	Mounting Ekstrak Etanol Bunga Cengkeh dosis 2	-8,33333*	1,97238	,002	-13,8539	-2,8128
	Mounting Pemanding	-5,08333	1,97238	,078	-10,6039	,4372
Mounting Pemanding	Mounting Ekstrak Etanol Bunga Cengkeh dosis 1	10,33333*	1,97238	,000	4,8128	15,8539
	Mounting Ekstrak Etanol Bunga Cengkeh dosis 2	-3,25000	1,97238	,376	-8,7706	2,2706
	Mounting Kontrol	5,08333	1,97238	,078	-,4372	10,6039

*. The mean difference is significant at the .05 level.

Homogeneous Subsets

Rerata Mounting

Tukey HSD

kelompok	N	Subset for alpha = .05		
		1	2	3
Mounting Ekstrak Etanol Bunga Cengkeh dosis 1	6	2,1667		
Mounting Kontrol	6	7,4167	7,4167	
Mounting Pemanding	6		12,5000	12,5000
Mounting Ekstrak Etanol Bunga Cengkeh dosis 2	6			15,7500
Sig.		,066	,078	,376

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 6,000.

4.10 Frekuensi *Mounting* Hari ketujuh 15 menit pertama**Oneway****Descriptives***Mounting* Hari Ketujuh 15 menit Pertama

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum	Maximum
					Lower Bound	Upper Bound		
<i>Mounting</i> Ekstrak Etanol Bunga Cengkeh dosis 1	6	2,67	1,506	,615	1,09	4,25	0	4
<i>Mounting</i> Ekstrak Etanol Bunga Cengkeh dosis 2	6	7,00	2,828	1,155	4,03	9,97	4	12
<i>Mounting</i> Kontrol	6	1,83	1,941	,792	-,20	3,87	0	5
<i>Mounting</i> Pemanding	6	10,50	9,050	3,695	1,00	20,00	2	21
Total	24	5,50	5,794	1,183	3,05	7,95	0	21

Test of Homogeneity of Variances*Mounting* Hari Ketujuh 15 menit Pertama

Levene Statistic	df1	df2	Sig.
38,576	3	20	,000

ANOVA*Mounting* Hari Ketujuh 15 menit Pertama

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	292,333	3	97,444	4,063	,021
Within Groups	479,667	20	23,983		
Total	772,000	23			

Post Hoc Tests

Multiple Comparisons

Dependent Variable: Mounting Hari Ketujuh 15 menit Pertama

Tukey HSD

(I) Kelompok	(J) Kelompok	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
					Lower Bound	Upper Bound
Mounting Ekstrak Etanol Bunga Cengkeh dosis 1	Mounting Ekstrak Etanol Bunga Cengkeh dosis 2	-4,333	2,827	,438	-12,25	3,58
	Mounting Kontrol	,833	2,827	,991	-7,08	8,75
	Mounting Pemanding	-7,833	2,827	,053	-15,75	,08
Mounting Ekstrak Etanol Bunga Cengkeh dosis 2	Mounting Ekstrak Etanol Bunga Cengkeh dosis 1	4,333	2,827	,438	-3,58	12,25
	Mounting Kontrol	5,167	2,827	,290	-2,75	13,08
	Mounting Pemanding	-3,500	2,827	,611	-11,41	4,41
Mounting Kontrol	Mounting Ekstrak Etanol Bunga Cengkeh dosis 1	-,833	2,827	,991	-8,75	7,08
	Mounting Ekstrak Etanol Bunga Cengkeh dosis 2	-5,167	2,827	,290	-13,08	2,75
	Mounting Pemanding	-8,667*	2,827	,029	-16,58	-,75
Mounting Pemanding	Mounting Ekstrak Etanol Bunga Cengkeh dosis 1	7,833	2,827	,053	-,08	15,75
	Mounting Ekstrak Etanol Bunga Cengkeh dosis 2	3,500	2,827	,611	-4,41	11,41
	Mounting Kontrol	8,667*	2,827	,029	,75	16,58

*. The mean difference is significant at the .05 level.

Homogeneous Subsets

Mounting Hari Ketujuh 15 menit Pertama

Tukey HSD

Kelompok	N	Subset for alpha = .05	
		1	2
<i>Mounting</i> Kontrol	6	1,83	
<i>Mounting</i> Ekstrak Etanol Bunga Cengkeh dosis 1	6	2,67	2,67
<i>Mounting</i> Ekstrak Etanol Bunga Cengkeh dosis 2	6	7,00	7,00
<i>Mounting</i> Pemanding	6		10,50
Sig.		,290	,053

Means for groups in homogeneous subsets are displayed.

a Uses Harmonic Mean Sample Size = 6,000

4.11 Frekuensi *Mounting* Hari ketujuh 15 menit kedua**Oneway****Descriptives***Mounting* Hari Ketujuh 15 menit Kedua

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum	Maximum
					Lower Bound	Upper Bound		
<i>Mounting</i> Ekstrak Etanol Bunga Cengkeh dosis 1	6	1,17	1,472	,601	-,38	2,71	0	3
<i>Mounting</i> Ekstrak Etanol Bunga Cengkeh dosis 2	6	4,17	2,927	1,195	1,10	7,24	0	9
<i>Mounting</i> Kontrol	6	1,33	1,966	,803	-,73	3,40	0	5
<i>Mounting</i> Pembanding	6	9,00	8,718	3,559	-,15	18,15	2	25
Total	24	3,92	5,492	1,121	1,60	6,24	0	25

Test of Homogeneity of Variances*Mounting* Hari Ketujuh 15 menit Kedua

Levene Statistic	df1	df2	Sig.
5,607	3	20	,006

ANOVA*Mounting* Hari Ketujuh 15 menit Kedua

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	240,833	3	80,278	3,544	,033
Within Groups	453,000	20	22,650		
Total	693,833	23			

Post Hoc Tests

Multiple Comparisons

Dependent Variable: Mounting Hari Ketujuh 15 menit Kedua

Tukey HSD

(I) Kelompok	(J) Kelompok	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
					Lower Bound	Upper Bound
Mounting Ekstrak Etanol Bunga Cengkeh dosis 1	Mounting Ekstrak Etanol Bunga Cengkeh dosis 2	-3,000	2,748	,698	-10,69	4,69
	Mounting Kontrol	-,167	2,748	1,000	-7,86	7,52
	Mounting Pembeding	-7,833*	2,748	,045	-15,52	-,14
Mounting Ekstrak Etanol Bunga Cengkeh dosis 2	Mounting Ekstrak Etanol Bunga Cengkeh dosis 1	3,000	2,748	,698	-4,69	10,69
	Mounting Kontrol	2,833	2,748	,734	-4,86	10,52
	Mounting Pembeding	-4,833	2,748	,321	-12,52	2,86
Mounting Kontrol	Mounting Ekstrak Etanol Bunga Cengkeh dosis 1	,167	2,748	1,000	-7,52	7,86
	Mounting Ekstrak Etanol Bunga Cengkeh dosis 2	-2,833	2,748	,734	-10,52	4,86
	Mounting Pembeding	-7,667	2,748	,051	-15,36	,02
Mounting Pembeding	Mounting Ekstrak Etanol Bunga Cengkeh dosis 1	7,833*	2,748	,045	,14	15,52
	Mounting Ekstrak Etanol Bunga Cengkeh dosis 2	4,833	2,748	,321	-2,86	12,52
	Mounting Kontrol	7,667	2,748	,051	-,02	15,36

*. The mean difference is significant at the .05 level.

Homogeneous Subsets

Mounting Hari Ketujuh 15 menit Kedua

Tukey HSD

Kelompok	N	Subset for alpha = .05	
		1	2
Mounting Ekstrak Etanol Bunga Cengkeh dosis 1	6	1,17	
Mounting Kontrol	6	1,33	1,33
Mounting Ekstrak Etanol Bunga Cengkeh dosis 2	6	4,17	4,17
Mounting Pembeding	6		9,00
Sig.		,698	,051

Means for groups in homogeneous subsets are displayed.

a Uses Harmonic Mean Sample Size = 6,000.

4.12 Frekuensi rerata *Mounting* hari ketujuh**Oneway****Descriptives**

<i>Rerata Mounting</i>								
	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum	Maximum
					Lower Bound	Upper Bound		
<i>Mounting</i> Ekstrak Etanol Bunga Cengkeh dosis 1	6	1,9167	1,31972	,53877	,5317	3,3016	,00	3,50
<i>Mounting</i> Ekstrak Etanol Bunga Cengkeh dosis 2	6	5,5833	2,80030	1,14322	2,6446	8,5221	2,50	10,50
<i>Mounting</i> Kontrol	6	1,5833	1,71513	,70020	-,2166	3,3833	,00	4,00
<i>Mounting</i> Pemandang	6	9,7500	7,97966	3,25768	1,3759	18,1241	2,00	21,00
Total	24	4,7083	5,28928	1,07967	2,4749	6,9418	,00	21,00

Test of Homogeneity of Variances

<i>Rerata Mounting</i>				
Levene Statistic	df1	df2	Sig.	
17,369	3	20	,000	

ANOVA

<i>Rerata Mounting</i>					
	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	262,458	3	87,486	4,592	,013
Within Groups	381,000	20	19,050		
Total	643,458	23			

Post Hoc Tests

Multiple Comparisons

Dependent Variable: Rerata Mounting
Tukey HSD

(I) Kelompok	(J) Kelompok	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
					Lower Bound	Upper Bound
Mounting Ekstrak Etanol Bunga Cengkeh dosis 1	Mounting Ekstrak Etanol Bunga Cengkeh dosis 2	-3,66667	2,51992	,482	-10,7198	3,3864
	Mounting Kontrol	,33333	2,51992	,999	-6,7198	7,3864
	Mounting Pemanding	-7,83333*	2,51992	,026	-14,8864	-,7802
Mounting Ekstrak Etanol Bunga Cengkeh dosis 2	Mounting Ekstrak Etanol Bunga Cengkeh dosis 1	3,66667	2,51992	,482	-3,3864	10,7198
	Mounting Kontrol	4,00000	2,51992	,408	-3,0531	11,0531
	Mounting Pemanding	-4,16667	2,51992	,373	-11,2198	2,8864
Mounting Kontrol	Mounting Ekstrak Etanol Bunga Cengkeh dosis 1	-,33333	2,51992	,999	-7,3864	6,7198
	Mounting Ekstrak Etanol Bunga Cengkeh dosis 2	-4,00000	2,51992	,408	-11,0531	3,0531
	Mounting Pemanding	-8,16667*	2,51992	,020	-15,2198	-1,1136
Mounting Pemanding	Mounting Ekstrak Etanol Bunga Cengkeh dosis 1	7,83333*	2,51992	,026	,7802	14,8864
	Mounting Ekstrak Etanol Bunga Cengkeh dosis 2	4,16667	2,51992	,373	-2,8864	11,2198
	Mounting Kontrol	8,16667*	2,51992	,020	1,1136	15,2198

*. The mean difference is significant at the .05 level.

Homogeneous Subsets

Rerata Mounting

Tukey HSD

Kelompok	N	Subset for alpha = .05	
		1	2
Mounting Kontrol	6	1,5833	
Mounting Ekstrak Etanol Bunga Cengkeh dosis 1	6	1,9167	
Mounting Ekstrak Etanol Bunga Cengkeh dosis 2	6	5,5833	5,5833
Mounting Pemanding	6		9,7500
Sig.		,408	,373

Means for groups in homogeneous subsets are displayed.
a. Uses Harmonic Mean Sample Size = 6,000.