

DAFTAR PUSTAKA

Chen, P.S., Pressley, J.C., et al. 1992. New observations on atrial fibrillation before and after surgical treatment in patient with the Wolff-Parkinson-White syndrome. *J Am Coll Cardiol*, 974-981.

Coplen, S.E., Antman, E.M., et al. 1990. Efficacy and safety of quinidine therapy for maintenance of sinus rhythm after cardioversion: a meta-analysis of randomized control trials. *Circulation*, 1106-1116.

Coumel, P. 1989. *The Atrium in Health and Disease*. Mount Kisco, New York: Futura Publishing Co.

Ellenbogen, K.A., Dias, V.C., et al. 1991. A placebo-controlled trial of continuous intravenous diltiazem infusion for 24-hour heart rate control during atrial fibrillation and atrial flutter: a multicenter study. *J Am Coll Cardiol*. 891-897

Ezekowitz, M.D., Bridgers, S.L., et al. 1992. Warfarin in prevention of stroke associated with nonrheumatic atrial fibrillation. *NEngl J Med*, 1406-1412.

Fananapazir, L., Packer, D.L., et al. 1988. Procainamide infusion test: inability to identify patient with Wolff-Parkinson-White syndrome who are potentially at risk of sudden death. *Circulation*, 520-527.

Furberg, C.D., Psaty, B.M., et al. 1994. Prevalence of atrial fibrillation in elderly subjects. *Am J Cardiol*, 236-241.

Goldman, M.J. 1982. *Principles of Clinical Electrocardiography*. Lange Medical Publications. California.

Gosselink, A.T., Crijns, H.J., et al. 1992. Low-dose amiodarone for maintenance of sinus ~~rhythm~~ after cardioversion of atrial fibrillation or flutter. *JAMA*, 3289-3293.

Grogan, M., Smith, H.C., et al. 1992. Left ventricular dysfunction due to atrial fibrillation in patients initially believed to have idiopathic dilated cardiomyopathy. *Am J Cardiol*, 1570-1573.

Guyton, A.C. 1994. *Buku Ajar Fisiologi Kedokteran* Penerbit buku kedokteran EGC. Jakarta.

Hamson's. 1998. *Principles of internal medicine* Mc-Graw Hill Companies. Inc New York

<http://www.americanheart.org/arrhythmia/patient/risk.jsp>.

Julian, D.G., Cowan. J.C. 1992. *Cardiology* Great Britain by Mackays of Chatham PLC, Chatham Kent.

Myerburg, K.J., Kessler, K.M., et al. 1994. *Hurst's: The Heart*. Mc-Graw Hill. New York.

Petersen, P., Kastrup, J., et al. 1989. Cerebral blood flow before and after cardioversion of atrial fibrillation. *J Cereb Blood Flow Metab*. 422-425.

Prystowsky, E.N. 1995. *Atrial Arrhythmias: State of the Art*. Armonk, New York:Futura Publishing Co.

Reimold, S.C., Cantillon, C.O., et al. 1993. Propafenone versus sotalol for suppression of recurrent symptomatic atrial fibrillation. *JAm Coll Cardiol*, 558-563.

Salerno, D.M., Dias, V.C., et al. 1989. Efficacy and safety of intravenous diltiazem for treatment of atrial fibrillation and atrial flutter. *Am J Cardiol*, 1046-1051.

Till, J., Wren, C. 1992. Atrial flutter in the fetus and young infant. *Br Heart J*. 80-83.

Wolf, P.A., Abbott, R.D. et al. 1991. Atrial fibrillation as an independent risk factor for stroke. *Stroke*. 983-988.