

## DAFTAR PUSTAKA

- adam, J. (2009). *Dislipidemia* (V ed.). Jakarta: Interna Publishing.
- Anonim. (2010). *Serial Data Ilmiah Terkini Tumbuhan Obat : Rosela*. Jakarta: Direktorat Obat Asli Indonesia Badan POM RI.
- Arthur C Guyton, J. E. (2008). *Metabolisme Lipid*. Jakarta: EGC.
- Carvajal-Zarrabal, O., Hayward, J., Orta-Flores, Z., & Nolasco-Hipolito, C. (2009). The consumption of Hibiscus sabdariffa dried calyx ethanolic extract reduced lipid profile in rats. *Plant Foods for Human Nutrition*, 1-5.
- Da-Costa-Rocha, I., Bonnlaender, B., Sievers, H., Pischel, I., & Heinrich, M. (2014). Hibiscus sabdariffa L. - A phytochemical and pharmacological review. *Food chemistry*, 425-427.
- Erwinanto, d. (2013). PEDOMAN TATALAKSANA DISLIPIDEMIA. *Jurnal Kardiologi Indonesia*, 1.
- F.D., S., & Tony Handoko, S. (2004). Hipolipidemik. In G. G. Sulistia, *Farmakologi dan Terapi FK-UI* (pp. 364-379). Jakarta: Gaya Baru.
- Fodor, G. (2011, mei 15). [www.aafp.org](http://www.aafp.org). (BMJ Publishing group) Retrieved 9 5, 2015, from [www.aafp.org/afp/2011/0515/p1207.html](http://www.aafp.org/afp/2011/0515/p1207.html)
- Ganong, W. F. (2003). *Buku Ajar Fisiologi kedokteran*. Jakarta: EGC.
- Gruenwald, J. d. (2000). *PDR for Herbal Medicines*. Montvale: Medical Economics Company, Inc.
- Guyton, A. C. (2006). *buku ajar fisiologi kedokteran* (11 ed.). jakarta: elsevier.
- Hirunpanich, Utaipat, Morales, Bunyaphatsara, Sato, Herunsale, et al. (2006). Hypocholesterolemic and Antioxidant Effects of Aqueous Extracts from The Dried Calyx of Hibiscus sabdariffa L. in Hypercholesterolemic Rats. *Journal of Ethnopharmacology*, 103, 252-260 .
- Hutapea, D. R. (2001). *INVENTARIS TANAMAN OBAT INDONESIA (I) JILID 2*. Jakarta: Bakti Husada.
- III, N.-A. (2001). Executive Summary of The Third Report of The National Cholesterol Education Program (NCEP) Expert Panel on Detection,

- Evaluation, And Treatment of High Blood Cholesterol In Adults (Adult Treatment Panel III). *JAMA*, 285, 2486–2497.
- Kathleen M. Botham, P. &. (2009). *Sintesis, Transpor, & Ekskresi Kolesterol*. Jakarta: EGC.
- Kathleen, M. B. (2009). Pengangkutan & Penyimpanan Lipid. In K. R. Murray, *Bioikimia Harper* (p. 225). Jakarta: EGC.
- Lee, M. J., Chou, F. P., Tseng, T. H., Hsieh, M. H., Lin, M. C., & Wang, C. J. (2002). Hibiscus procatechuic acid or esculetin can inhibit oxidative LDL induced by either copper ion or nitric oxide donor. *Journal of agricultural and food chemistry*, 2130-2136.
- Mills, S., & Bone, K. (2000). *PRINCIPLES AND PRACTICES OF PHYTOTHERAPY MODERN HERBAL MEDICINE*. CHURCHILL LIVINGSTONE.
- Murray, R. K., Granner, D. K., & Rodwell, V. W. (2009). *biokimia harper* (27 ed.). Jakarta: Mc Graw Hill.
- Nica, M. B., Linda E., & Murray, W. H. (2003, June 27). <http://diabetes.diabetesjournals.org/content/52/10/2554.long#F1>. Retrieved from diabetesjournals.org.
- Octavia, S. K. (2013). Pengaruh Infusa Kelopak Bunga Rosella Terhadap Kadar Kolesterol Total Tikus Hiperkolesterolemik.
- Pratama, M. F. (2010). Pengaruh Pemberian Seduhan Kelopak Kering Bunga Rosella (*Hibiscus sabdariffa*) Terhadap Kadar Kolesterol HDL Serum Tikus Sprague Dawley Hiperkolesterolemik.
- Safitri, Y. (2010). *Formulasi Sediaan Lipstik Dengan Ekstrak Kelopak Bunga Rosela Sebagai Pewarna*. Retrieved from <http://repository.usu.ac.id/handle/123456789/20792>
- Services, U. D. (2001, May). ATP III Guidelines At-A-Glance Quick Desk Reference.
- Vander. (2001). *Human Physiology - The Mechanism of Body Function*. amerika: McGraw-Hill.

WHO. (2015). <http://www.who.int/mediacentre/factsheets/fs317/en/>. Retrieved  
oktober 24, 2015, from  
<http://www.who.int/mediacentre/factsheets/fs317/en/>

