

LAMPIRAN 1 **HASIL STATISTIK HARI KE-0**

Oneway

Descriptives

hasil perlakuan

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum	Maximum
					Lower Bound	Upper Bound		
kontrol T0	6	10.31167	15.311450	6.250873	-5.75671	26.38005	.000	34.526
CCI4 T0	6	46.13550	29.305384	11.963873	15.38139	76.88961	20.416	100.868
CS T0	6	3.29800	5.109240	2.085838	-2.06382	8.65982	.000	9.894
CCL4+CS T0	6	39.74117	9.715078	3.966164	29.54582	49.93652	21.470	50.632
Total	24	24.87158	24.823448	5.067065	14.38956	35.35361	.000	100.868

ANOVA

hasil perlakuan

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	8104.016	3	2701.339	8.903	.001
Within Groups	6068.666	20	303.433		
Total	14172.682	23			

Post Hoc Tests

Multiple Comparisons						
hasil perlakuan Tukey HSD						
(I) kelompok perlakuan	(J) kelompok perlakuan	Mean Difference (I- J)	Std. Error	Sig.	95% Confidence Interval	
					Lower Bound	Upper Bound
kontrol T0	CCI4 T0	-35.823833 [*]	10.057059	.010	-63.97290	-7.67477
	CS T0	7.013667	10.057059	.897	-21.13540	35.16273
	CCL4+CS T0	-29.429500 [*]	10.057059	.038	-57.57857	-1.28043
CCI4 T0	kontrol T0	35.823833 [*]	10.057059	.010	7.67477	63.97290
	CS T0	42.837500 [*]	10.057059	.002	14.68843	70.98657
	CCL4+CS T0	6.394333	10.057059	.919	-21.75473	34.54340
CS T0	kontrol T0	-7.013667	10.057059	.897	-35.16273	21.13540
	CCI4 T0	-42.837500 [*]	10.057059	.002	-70.98657	-14.68843
	CCL4+CS T0	-36.443167 [*]	10.057059	.008	-64.59223	-8.29410
CCL4+CS T0	kontrol T0	29.429500 [*]	10.057059	.038	1.28043	57.57857
	CCI4 T0	-6.394333	10.057059	.919	-34.54340	21.75473
	CS T0	36.443167 [*]	10.057059	.008	8.29410	64.59223

*. The mean difference is significant at the 0.05 level.

Homogeneous Subsets

hasil perlakuan

Tukey HSD^a

kelompok perlakuan	N	Subset for alpha = 0.05	
		1	2
CS T0	6	3.29800	39.74117 46.13550
kontrol T0	6	10.31167	
CCL4+CS T0	6		
CCI4 T0	6		
Sig.		.897	.919

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 6,000.

LAMPIRAN 2

HASIL STATISTIK HARI KE-7

Oneway

Descriptives

hasil perlakuan

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum	Maximum
					Lower Bound	Upper Bound		
kontrol T6	6	.01667	.040825	.016667	-.02618	.05951	.000	.100
CCl4 T6	6	92.43833	9.234240	3.769863	82.74759	102.12907	84.002	100.868
CS T6	6	1.64900	4.039209	1.649000	-2.58989	5.88789	.000	9.894
CCL4+CS T6	6	36.78700	17.726592	7.236851	18.18408	55.38992	15.396	57.576
Total	24	32.72275	39.444793	8.051635	16.06667	49.37883	.000	100.868

ANOVA

hasil perlakuan

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	33706.409	3	11235.470	108.080	.000
Within Groups	2079.101	20	103.955		
Total	35785.510	23			

Post Hoc Tests

Multiple Comparisons

hasil perlakuan
Tukey HSD

		Mean Difference (I- J)	Std. Error	Sig.	95% Confidence Interval	
(I) kelompok perlakuan	(J) kelompok perlakuan				Lower Bound	Upper Bound
kontrol T6	CCI4 T6	-92.421667 [*]	5.886568	.000	-108.89779	-75.94554
	CS T6	-1.632333	5.886568	.992	-18.10846	14.84379
	CCL4+CS T6	-36.770333 [*]	5.886568	.000	-53.24646	-20.29421
CCI4 T6	kontrol T6	92.421667 [*]	5.886568	.000	75.94554	108.89779
	CS T6	90.789333 [*]	5.886568	.000	74.31321	107.26546
	CCL4+CS T6	55.651333 [*]	5.886568	.000	39.17521	72.12746
CS T6	kontrol T6	1.632333	5.886568	.992	-14.84379	18.10846
	CCI4 T6	-90.789333 [*]	5.886568	.000	-107.26546	-74.31321
	CCL4+CS T6	-35.138000 [*]	5.886568	.000	-51.61413	-18.66187
CCL4+CS T6	kontrol T6	36.770333 [*]	5.886568	.000	20.29421	53.24646
	CCI4 T6	-55.651333 [*]	5.886568	.000	-72.12746	-39.17521
	CS T6	35.138000 [*]	5.886568	.000	18.66187	51.61413

*. The mean difference is significant at the 0.05 level.

Homogeneous Subsets

hasil perlakuan

Tukey HSD^a

kelompok perlakuan	N	Subset for alpha = 0.05		
		1	2	3
kontrol T6	6	.01667		
CS T6	6	1.64900		
CCL4+CS T6	6		36.78700	
CCI4 T6	6			92.43833
Sig.		.992	1.000	1.000

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 6.000.

LAMPIRAN 3

PERHITUNGAN DOSIS

- **Dosis *Cordyceps sinensis***

Dosis *Cordyceps sinensis* pada manusia 16 kapsul @ 500 mg

Konversi dosis *Cordyceps sinensis* dari manusia ke mencit = 0,0026 (Paget & Barnes, 1964)

Maka: 16 kapsul @ 0,5 gram (500 mg)

= 8 gram (8000 mg)

= $8 \times 0.0026 = 0.0208$ gram = 20.8 mg/mencit

(dalam kg) = $1000/22,66 \times 20.8 = 917,92$ mg/kgBB mencit


LAMPIRAN 4
FOTO ALAT DAN BAHAN



Pengadaptasian mencit



Timbangan



Penindikan mencit




- *Cordyceps sinensis*



Sonde, spuit 5ml, spuit tuberkulin



Pemberian obat peroral dengan sonde




Pengambilan darah



Sentrifugasi darah



Pengambilan serum



Serum disimpan pada suhu -20°C



Microplate & ELISA Kit



ELISA Reader

RIWAYAT HIDUP

Nama : Ellen Gunawan
NRP : 0510041
Tempat dan tanggal lahir : Situbondo, 12 Februari 1988
Alamat : Jl. Dangdeur Indah III no.18, Bandung
Alamat libur : Jl. Pemuda No. 128, Situbondo

Riwayat Pendidikan :

- SD Kristen IMANUEL, Situbondo, 1999
- SLTP Kristen IMANUEL, Situbondo, 2002
- SMU Kristen Petra 2, Surabaya, 2005