

DAFTAR PUSTAKA

- Alves CRR, Tessaro VH, Teixeira LAC, Murakava K, Roschel H, Gualano B, et al. 2014. Influence of Acute High-Intensity Aerobic Interval Exercise Bout on Selective Attention and Short-Term Memory Tasks. *Percept Mot Skills*, 1(118): 63-72.
- Aston-Jones G, Bloom FE. 1981. Nonrepinephrine-containing locus coeruleus neurons in behaving rats exhibit pronounced responses to non-noxious environmental stimuli. *J Neurosci*, 1(8): 887-900.
- Babraj J a, Vollard NBJ, Keast C, Guppy FM, Cottrell G, Timmons J a. 2009. Extremely Short Duration High Intensity Interval Training Substantially Improves Insulin Action in Young Healthy Males. *BMC Endocr Disord*, 9:3.
- Begleiter H, Porjesz B, Chou CL, Aunon JI. 1983. P3 and stimulus incentive values. *Psychophysiology*, 20(1): 95-101.
- Berstein DA, Penner LA, Clarke-Stewart A, Roy EJ. 2008. Psychology. 6th ed. Boston: Houghton Mifflin Company.
- Bherer L, Erickson KI, Liu-Ambrose T. 2013. A Review of the Effects of Physical Activity and Exercise on Cognitive and Brain Functions in Older Adults. *J Aging Res*, 2013: 657508.
- Cahill L, Alkire MT. 2003. Epinephrine Enhancement of Human Memory Consolidation: Interaction with Arousal at Encoding. *Neurobiol Learn Mem*, 79(2): 194-198.
- Davies, DR.; Parasuraman, R. 1982. The psychology of vigilance. London: Academic Press.
- Dietrich A, Audiffren M. 2011. The Reticular-Activating Hypofrontality (RAH) Model of Acute Exercise. *Neurosci Biobehav Rev*, 35(6): 1305-1325.
- Ferris LT, Williams JS, Shen C-L. 2007. The Effect of Acute Exercise on Serum Brain-Derived Neurotrophic Factor Levels and Cognitive Function. *Med Sci Sports Exerc*, 39(4): 728-734.
- Fletcher GF, Blair SN, Blimenthal J, Caspersen C, Chaitman B, Epstein S, et al. 1992. Statement of Exercise: Benefits and Recommendations for Physical

- Activity Programs for All Americans: A Statement for Health Professionals by the Committee on Exercis and Cardiac Rehabilitation of the Concil on Clinical Cardiology, American Heart Association. *Circulation*, 86: 340-344.
- Guyton AC, Hall JE. 2006. Textbook of Medical Physiology. 11th ed. Philadelphia: Elsevier Inc.
- Hansen JT, Netter FH, Machado CAG, Craig JA, Perkins JA. 2014. Netter's Clinical Anatomy. 3rd ed. Philadelphia: Elsevier Inc.
- Hogan CL, Mata J, Carstensen LL. 2013. Exercise Holds Immediate Benefits for Affect and Cognition in Younger and Older Adults. *Psychol Aging*, 28(2): 587-594.
- Hömberg V, Grnewald G, Grnewald-Zuberbier E. 1981. The variation of p300 amplitude in a money winning paradigm in children. *Psychophysiology*, 18(3): 258–262.
- Kim Y. 2015. The Effect of Regular Taekwondo Exercise on Brain-Derived Neurotrophic Factor and Stroop Test in Undergraduate Student. *J Exerc Nutr Biochem*, 19(2): 73-79.
- Klika B, Jordan C. 2013. High-Intensity Circuit Training Using Body Weight: Maximum Results With Minimal Investment. *ACSM'S Health & Fitness Journal*, 17(3): 8-13.
- Lugaresi E. 1992. The Thalamus and Insomnia. *Neurology*, 42(7): 28–33.
- Lyons WE, Mamounas LA, Ricaurte GA, Coppola V, Reid SW, Borta SH, et al. 1999. Brain-Derived Neurotrophic Factor-Deficient Mice Develop Aggressiveness and Hyperphagia in Conjunction with Brain Serotonergic Abnormalities. *Proceeding of the National Academy of Science*, 96(26): 15239-15244.
- MacLeod, CM. 1991. Half a century of research on the Stroop effect: an integrative review. *Psychol. Bull*, 109: 163–203.
- Martini FH, Timmons MJ, Tallitsch RB. 2015. Human Anatomy. 8th ed. Glenview [IL]: Pearson Education Inc.
- Musen G, Jacobson AM, Bolo NR, et al. 2012. Resting-State Brain Functional Connectivity is Altered in Type 2 Diabetes. *Diabetes*, 61: 2375-2379.

- Oken BS, Salinsky MC, Elsas SM. 2006. Vigilance, alertness, or sustained attention: physiological basis and measurement. *Clin Neurophysiol*, 117(9): 1885–1901.
- Pace-Schott E, Hobson J. 2002. The neurobiology of sleep: genetics, cellular physiology and subcortical networks. *Nat Rev Neurosci*, 3: 591–605.
- Parasuraman, R.; Warm, JS.; See, JE. 1998. Brain systems of vigilance. In: Parasuraman, R., editor. *The attentive brain*. Cambridge, MA: The MIT Press. p. 221-256.
- PERDOSSI. 2008. Modul Neurobehavior Bagian 1 Program Pendidikan Dokter Speialis Neurologi. Jakarta.
- Rios M, Fan G, Fekete C, Kelly J, Bates B, Kuehn R, et al. 2001. Conditional Deletion of Brain-Derived Neurotrophic Factor in Postnatal Brain Leads to Obesity and Hyperactivity. *Molecular Endocrinology*, 15(10): 1748-1757.
- Robbins TW, Everitt BJ. 1996. Neurobehavioral mechanisms of reward and motivation. *Curr Opin Neurobiol*, 6: 228–236.
- Roy BA. 2013. High-Intensity Interval Training: Efficient, Effective, and a Fun Way to Exercise: Brought to You by the American College of Sports Medicine. *ACSM'S Health & Fitness Journal*, 17(3): 3.
- Sforza E, Montagna P, Tinuper P, Cortelli P, Avoni P, Ferrillo F, et al. 1995. Sleep-wake cycle abnormalities in fatal familial insomnia. Evidence of the role of the thalamus in sleep regulation. *Electroenceph Clin Neurophysiol*, 94(6): 398–405.
- Shibuya K-I, Tanaka J, Kuboyama N, Ogaki T. 2004. Cerebral Oxygenation During Intermittent Supramaximal Exercise. *Respir Physiol Neurobiol*. 140(2): 165-172.
- Steriade M, Oakson G, Ropert N. 1982. Firing rates and patterns of midbrain reticular neurons during steady and transitional states of the sleep-waking cycle. *Exp Brain Res*, 46: 37–51.
- Tigner, Robert B. 1999. Putting Memory Research to Good Use: Hints from Cognitive Psychology. *Journal of College Teaching*, 47: 149-152

WHO. 2010. Global Recommendations on Physical Activity for Health. Geneva:
WHO Press.

