

## DAFTAR PUSTAKA

- [1] Li, S. Z., and Jain, A. K. 2005. *Hand Book Of Face Recognition*. 2<sup>nd</sup> Edition. Springer
- [2] Belhumeur, P. N., Hespanha, J. P., and Kriegman, D. J. 1997. Eigenfaces vs fisherfaces: recognition using class specific linear projection, *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol.19,no.7, pp. 711–720
- [3] Ahonen, T., and Pietikainen, M. 2006. Face description with local binary patterns: application to face recognition, *IEEE Transactions on Pattern Analysis and Machine Intelligence.*, vol.28, no. 12, pp. 2037–2041
- [4] Zhang, W., Shan, S., Gao, W., Chen, X., and Zhang, H. 2005. Local Gabor binary pattern histogram sequence (LGBPHS): a novel non-statistical model for face representation and recognition. In *Proceeding. IEEE ICCV*. Beijing, China. pp. 786–791
- [5] Chen.S., and Yan.Y 2015. Discriminative local difference patterns for robust face recognition, *Electronics Letters*, vol. 51, no. 25, pp. 2108-2109
- [6] Putra, D. 2010. *Pengolahan Citra Digital*. Yogyakarta: ANDI
- [7] Gonzalez, R. C., R. E. Woods. 2001. *Digital Image Processing*. 2<sup>nd</sup> Edition. Prentice Hall
- [8] Dougherty, G. 2013. *Pattern Recognition and Classification*. New York: Springer Science.
- [9] Struc, T., J. Zibert and N. Pavescic. 2009. Histogram Remapping as a Preprocessing Step for Robust Face Recognition, *Issue 3*, vol. 6, March.
- [10] Lowe, D. 2004. Distinctive image features from scale-invariant keypoints, In *International Journal of Computer Vision*, vol. 60, no.2, pp. 91–110
- [11] Zhen, L., Pietikainen, M., and Stan, Z. 2014. Learning discriminant face descriptor, *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol.36, no.2, pp. 289–302
- [12] Nguyen, H. V., Bai, L. 2010. Cosine Similarity Metric Learning for Face Verification, In *Proceeding Computer Vision - ACCV*, vol.6493, pp. 707-720