

DAFTAR PUSTAKA

1. Kementerian Kesehatan RI. Profil Kesehatan Indonesia 2015. 2016. 403 p.
2. World Health Organization. Global Report on Diabetes. Isbn [Internet]. 2016;978:88. Available from: http://www.who.int/about/licensing/%5Cnhttp://apps.who.int/iris/bitstream/10665/204871/1/9789241565257_eng.pdf
3. Fernandes J da R, Ogurtsova K, Linnenkamp U, Guariguata L, Seuring T, Zhang P, et al. IDF Diabetes Atlas estimates of 2014 global health expenditures on diabetes. *diabetes Res Clin Pract.* 2016;117:48–54.
4. Litbangkes Kemenkes RI. Riset Kesehatan Dasar. 2013;1–306.
5. Barazzoni R, Zanetti M, Davanzo G, Kiwanuka E, Carraro P, Tiengo A, et al. Increased fibrinogen production in type 2 diabetic patients without detectable vascular complications: Correlation with plasma glucagon concentrations. *J Clin Endocrinol Metab.* 2000;85(9):3121–5.
6. Stec JJ, Silbershatz H, Tofler GH, Matheney TH, Sutherland P, Lipinska I, et al. Association of fibrinogen with cardiovascular risk factors and cardiovascular disease in the Framingham Offspring Population. *Circulation.* 2000;102(14):1634–8.
7. Meade TW. Fibrinogen and cardiovascular disease. *J Clin Pathol* [Internet]. 1997;50(1):13–5. Available from: <http://jcp.bmj.com/cgi/doi/10.1136/jcp.50.1.13>
8. Aprijadi H, Sumantri R, Heri T, Irani P, Oehadian A, Arifin AYL. Hypercoagulable State dan Diabetes Melitus Tipe 2 : Korelasi antara Fibrinogen dan HbA1c. 2010;46(1):48–51.
9. Gupta P, Bhambani P, Narang S. Study of plasma fibrinogen level and its relation to glycemic control in type-2 diabetes mellitus patients attending diabetes clinic at a tertiary care teaching hospital in Madhya Pradesh , India. 2016;4(9):3748–54.
10. Rikarni, Lillah, Yoesri. Hubungan Kadar Fibrinogen Plasma dan Mikroalbuminuria Pada Penderita Diabetes Mellitus Tipe 2. *Indones J Clin Pathol Med Lab.* 2007;14(1):11–5.
11. Sihombing RK, Lubis Z, Kaoy IN, Klinik DP, Kardiologi D. Kadar fibrinogen pada penderita penyakit jantung koroner yang dilakukan angiografi. 2013;85:19–22.

12. Perkeni. Pengelolaan dan pencegahan diabetes melitus tipe 2 di indonesia 2015. Pengurus Besar Perkumpulan Endokrinologi Indonesia (PB Perkeni). 2015. 93 p.
13. Cameron F. Standards of Medical Care in Diabetes - 2016. Aust Fam physician. 2006;35(6):386–90.
14. Philippa D. Darbre. ENDOCRINE DISRUPTION AND HUMAN HEALTH. 1st ed. Mclaughlin M, editor. United States: Mica Haley; 2015.
15. Mcpherson RA, Pincus MR. Henry 's Clinical Diagnosis and Management by Laboratory Methods. Vol. 14. 2011. 2250 p.
16. Fallis A. Harrison's Principles of Internal Medicine. J Chem Inf Model. 2015;II(9):1689–99.
17. Wallach's Interpretation of Diagnostic Tests, 10E 2014 [PDF][[Dr.Carson] VRG.pdf.
18. Guyton AC, Hall JE. Effect of Estrogen on Bone. Textbook of Medical Physiology. 2006. 1011-1018 p.
19. Festa A, D'Agostino R, Mykkanen L, Tracy RP, Zaccaro DJ, Hales CN, et al. Relative contribution of insulin and its precursors to fibrinogen and PAI-1 in a large population with different states of glucose tolerance. The Insulin Resistance Atherosclerosis Study (IRAS). Arterioscler Thromb Vasc Biol. 1999;19(3):562–8.
20. Article O. PLASMA FIBRINOGEN LEVEL IN DIABETIC S WITH DIABETICS COMPLICATI ONS – A PROSPECTIVE STUDY COMPLICATIONS. 2005;(2):2–4.
21. Kafle DR, Shrestha P. Study of fibrinogen in patients with diabetes mellitus. Nepal Med Coll J. 2010;12(1):34–7.
22. Bahrin U, Sennang N, Klinik KK, Studi P, Universitas B, Ilmu B, et al. Gambaran Kadar Fibrinogen Pada Penderita Diabetes Melitus Tipe 2. JST Kesehat. 2016;6(3):393–8.
23. Bembde AS. A study of plasma fibrinogen level in type-2 diabetes mellitus and its relation to glycemic control. Indian J Hematol Blood Transfus. 2012;28(2):105–8.

24. Bimandama MA, Soleha TU, Kedokteran F, Lampung U. Hubungan Sindrom Metabolik dengan Penyakit Kardiovaskular. *Majority*. 2016;5(2):49–55.
25. Ali MS. Activity assay of plasma fibrinogen in patients with diabetes. *Kerbala J Pharm Sci*. 2013;2(6):1–5.
26. Mahendra J V, D SK, Anuradha TS, Talikoti P, Nagaraj RS, Vishali V. Plasma Fibrinogen in Type 2 Diabetic Patients with Metabolic Syndrome and its Relation with Ischemic Heart Disease (IHD) and Retinopathy. 2015;9(1).
27. Tripodi A, Branchi A, Chantarangkul V, Clerici M, Merati G, Artoni A, et al. Hypercoagulability in patients with type 2 diabetes mellitus detected by a thrombin generation assay. *J Thromb Thrombolysis*. 2011;31(2):165–72.
28. Dhawale S, Jayant S, Gupta AK. Serum fibrinogen level in type 2 diabetes mellitus patients. 2016;3(1):83–7.
29. Purushothaman A, Premaletha TK. Plasma Fibrinogen Levels in Uncontrolled Diabetes Mellitus Abstract : 2016;15(12):12–7.

