

1. PROTECTIVE EFFECT OF ETHANOL EXTRACT PURWOCENG TO PHONE ELECTROMAGNETIC WAVE EXPOSURE AS A RISK FACTOR FOR ANDROPAUSE

by Diana Krisanti Jasaputra, Heddy Herdiman, Elvin

Submission date: 27-Jan-2020 04:12PM (UTC+0700)

Submission ID: 1247038932

File name: 1._8_JMP_Okt_2012_dr._Diana_1_Ready.pdf (285.84K)

Word count: 1938

Character count: 11182

Research Article

5

PROTECTIVE EFFECT OF ETHANOL EXTRACT PURWOCENG TO PHONE ELECTROMAGNETIC WAVE EXPOSURE AS A RISK FACTOR FOR ANDROPAUSE

Diana Krisanti Jasaputra, Heddy Herdiman, Elvin

Faculty of Medicine, Maranatha Christian University, Bandung

E mail: dianakjasaputra@yahoo.com

ABSTRACT

7

Introduction: Andropause is now well accepted that serum testosterone (T) levels decline progressively with aging in men and circumstances related to exposure to free radicals, including exposure from mobile phone. Purwoceng been used by communities for generations to enhance virility. **Objective:** to assess protective effect of purwoceng in overcoming the negative impact of the concentration of cell phones from the concentration of spermatozoa. **Method:** The research method used is true experimental design in laboratory with completely randomized design. This research used 24 male mice divided into 4 groups (n = 6), namely: Group I as negative control; Group II, mice were given only the phone electromagnetic waves; Group III, mice were given 32 mg / kg Purwoceng extracts; Group IV, mice were given 32 mg / kg Purwoceng extracts and providing mobile phone electromagnetic waves. Parameters which are measured were concentration of spermatozoa. The analysis data by one-way ANOVA and Tukey HSD test with $\alpha = 0.05$. **Result:** the average concentration of spermatozoa (million/mm³) in group I (3.97), group II (0.37), group III (6.43), and group IV (4.4). Group II and III are significantly different than the control group with $p < 0.05$, while the fourth group is not significant compared with the negative control group. **Conclusion:** an electromagnetic wave radiation cell phone decrease the sperm concentrations and extracts Purwoceng has protective effect to cell phone electromagnetic waves radiation though spermatozoa concentration parameters. And this study indicates that Purwoceng has a positive effect in reducing the symptoms of andropause.

Keyword: Purwoceng, cell phone electromagnetic wave, sperm, andropause.

Already presented at The National Symposium and Workshop on Anti-Aging Medicine (NASWAAM) Denpasar Bali, March 22nd-24th, 2013

Research Article

9

EFEK PROTEKTIF EKSTRAK ETANOL PURWOCENG TERHADAP PAPARAN GELOMBANG ELEKTROMAGNETIK PONSEL SEBAGAI SALAH SATU FAKTOR RISIKO ANDROPAUSE

Diana Krisanti Jasaputra, Heddy Herdiman, Elvin

Fakultas Kedokteran, Universitas Kristen Maranatha, Bandung.

E mail: dianakjasaputra@yahoo.com

ABSTRAK

Pendahuluan: Andropause terjadi berhubungan dengan berkurangnya kadar testosteron (T) yang terjadi secara progresif pada pria yang mengalami aging dan sebagai akibat paparan radikal bebas, termasuk radikal bebas yang dihasilkan oleh ponsel. Purwoceng telah digunakan masyarakat dari generasi ke generasi untuk meningkatkan stamina. **Tujuan:** untuk menilai efek protektif ekstrak etanol purwoceng terhadap paparan gelombang elektromagnetik ponsel dengan parameter konsentrasi spermatozoa. **Metode:** Penelitian ini merupakan eksperimental sungguhan di laboratorium dengan rancangan acak lengkap yang menggunakan 24 mencit yang dibagi menjadi 4 kelompok (n=6) yaitu: kelompok I sebagai kontrol negatif; Kelompok II, mencit yang hanya diberi gelombang elektromagnetik ponsel Kelompok III, mencit yang diberi 32 mg / kg Ekstrak Etanol Purwoceng; Kelompok IV, mencit yang diberi 32 mg / kg Ekstrak Etanol Purwoceng dan paparan gelombang elektromagnetik ponsel. Parameter yang diukur adalah konsentrasi spermatozoa. Analisis data menggunakan ANOVA satu arah dan Tukey HSD dengan $\alpha = 0.05$. **Hasil :** Rerata konsentrasi spermatozoa (juta/mm³) pada kelompok I (3.97), kelompok II (0.37), kelompok III (6.43), dan kelompok IV (4.4). Kelompok II dan III berbeda bermakna dengan kelompok kontrol negatif dan kelompok IV dengan $p < 0.05$, sedangkan kelompok IV tidak berbeda bermakna dengan kontrol negatif. **Simpulan:** Gelombang elektromagnetik ponsel menurunkan konsentrasi spermatozoa dan Ekstrak Etanol Purwoceng mempunyai efek protektif terhadap paparan gelombang elektromagnetik ponsel dengan parameter konsentrasi spermatozoa, dan penelitian ini mengindikasikan bahwa Purwoceng memiliki efek positif dalam mengurangi gejala andropause.

Kata kunci: Purwoceng, gelombang elektromagnetik ponsel, spermatozoa, andropause

INTRODUCTION

2

Getting older comes with its drawbacks; loss of energy, erectile dysfunction, lower sex drive, and mood changes. These symptoms have always been considered nothing more than the natural changes that come with age. Recent studies show that these symptoms may not be such an organic part of our lifecycle; instead they seem to be the side effects of a condition known as "andropause."¹

8

Andropause is a term also used commonly by experts in the field and by lay persons because it retains some analogy to menopause in women. Andropause has also been referred to by some as "androgen deficiency in the aging male (ADAM)," "partial androgen deficiency in the aging male (PADAM)," or "aging-associated androgen deficiency (AAAD)."¹

6

Research Article

Andropause is now well accepted that ⁷ serum testosterone (T) levels decline progressively with aging in men.¹ Multiple defects have been identified in the steroidogenic pathway of old Leydig cells, including reductions in each of LH-stimulated cAMP production, the cholesterol transport proteins steroidogenic acute regulatory protein (StAR) and peripheral benzodiazepine receptor (also referred to as translocator protein), and downstream steroidogenic enzymes of the mitochondria and smooth endoplasmic reticulum. Although the mechanism(s) by which age-related defects in the Leydig cell steroidogenic pathway occur remains uncertain, there is correlative evidence that changes in the oxidant/antioxidant status of the cells is involved. Thus, the antioxidant defense molecules superoxide dismutase-1 and -2, glutathione peroxidase, and glutathione (GSH) are significantly reduced as Leydig cells age.²

The reduction of antioxidant defense molecules are due to free radical exposure. The tremendous development and use of mobile telecommunication services in the last decade has drastically increased the amount of radiofrequency electromagnetic wave (RFEMW) exposure in our daily lives. As the use of cell phones has increased, so have concerns regarding the harmful effects of cell phone exposure on human health. As part of its charter to protect public health, the World Health Organization (WHO) established the International EMF Project in 1996 to assess the scientific evidence of possible health effects of ³ electromagnetic frequencies in the range of 30 Hz to 300 GHz. The hypothesis of mechanism ³ the harmful effects of cell phone exposure on human health is cell phone radiation (talk mode) disturbs free radical metabolism in human by increasing free radical formation, by decreasing antioxidants, or by both mechanisms.³ The negative impact of free radicals in addition to effect on testosterone levels, also affects the number of sperm.

Recent epidemiologic (cross-sectional or prospective) studies have highlighted the role of cell phone exposure on sperm motility, morphology, and viability, suggesting a reduction in male fertilization potential. Purwoceng been used by communities for generations to enhance virility. The objective of this study was to assess protective effect of purwoceng in overcoming the negative impact of the concentration of cell phones from the concentration of spermatozoa.

METHOD

The research method used is true experimental design in laboratory with completely randomized design.

Research Article

This study used test material Purwoceng Herbs. The taxonomy of Purwoceng herb is division: Spermatophyta; Subdivision: Angiospermae; Classis: Dicotyledoneae; Family: Umbelliflorae; Ordo: Umbelliferae; Genus: Pimpinella; Species: Pimpinella alpina



Figure 1. Purwoceng

This research used 24 male mice divided into 4 groups ($n = 6$), namely:

Group I as negative control;

Group II, mice were given only the phone electromagnetic waves;

Group III, mice were given 32 mg / kg Purwoceng extracts;

Group IV, mice were given 32 mg / kg Purwoceng extracts and providing mobile phone electromagnetic waves.

Purwoceng ethanol extract administered for 7 days. Induction electromagnetic waves use phonecell given 40 times each for 37 seconds. calculation of the sample using a formulation Sukhatme, which is to determine the value of F can only be counted if the error degree of freedom size 15 or more. $(t-1)(r-1) \geq 15$. t = treatment ($t = 4$) ; r = replication (n), and $n = 6$ is qualified. Parameters which are measured were concentration of spermatozoa. The analysis of the data by one-way ANOVA and followed by Tukey HSD test with $\alpha = 0.05$.

RESULT

5

Protective effect of ethanol extract purwoceng to the phone electromagnetic waves seen in this study of mice spermatozoid concentration (table 1).

Research Article

Table 1. The sperm concentration in the various groups

Mice	Negative Control (Aquadest) Million / mm ³	Positive Control (RFEMW) Million / mm ³	Ethanol extract Purwoceng Million / mm ³	Ethanol extract Purwoceng + RFEMW Million / mm ³
1	3.0	0.0	8.0	5.2
2	4.0	0.6	7.0	4.0
3	3.4	1.0	5.4	4.2
4	5.8	0.0	6.0	5.0
5	3.6	0.2	6.4	3.8
6	4.0	0.4	5.8	4.2
Average	3.97	0.37	6.43	4.4

p < 0,05

Differences between treatment groups were statistically tested using oneway ANOVA and Tukey HSD. Differences between treatment groups are shown in Table 2

Table 2 Differences between treatment groups

Treatment groups	Negative Control	Positive Control (RFEMW)	Ethanol extract Purwoceng	Ethanol extract Purwoceng + RFEMW
Negative Control (Aquadest) (3.97 Million/mm ³)		*	*	NS
Positive Control (RFEMW) (0.37 Million/mm ³)			*	*
Ethanol extract Purwoceng (6.43 Million / mm ³)				*
Ethanol extract Purwoceng + RFEMW (4.4 Million / mm ³)				

* : significant (*p* < 0.05)

NS : Non significant

DISCUSSION

This research shows there is decrease in the concentration of spermatozoa in the provision of mobile phone electromagnetic waves. Decrease in the concentration of spermatozoa caused by the presence of oxidative stress because of increasing free radicals. Damage to the DNA in the cells that lead to apoptosis in cells that are dividing. Cell damage caused by free radicals is not only the spermatozoa, but also on all cells including testosterone-producing Leydig cells. Radiation also damages blood testis barrier, resulting in nutritional deficiencies and testosterone production.

The treatment group were given Purwoceng ethanol extract showed an increased concentration of spermatozoa in comparison to the negative controls were given distilled water.

Research Article

This is because the content contained in Purwoceng, that particular steroid stigmasterol derivatives that are like testosterone and stimulates spermatogenesis. Purwoceng also contain vitamin E and antioxidant flavonoids that effect that will reduce the negative impact of free radicals.

The treatment group were given ethanol extract Purwoceng and electromagnetic waves showed an increase in sperm concentration compared to the positive control given electromagnetic waves. This suggests a protective effect of ethanol extract Purwoceng to radiation of electromagnetic waves mobile phones. As a result of exposure to radiation of electromagnetic waves will increase ROS which then cause damage to the Sertoli cells and leydig cell that produce testosterone and Purwoceng ethanol extract can reduce the negative impact due to the effect Purwoceng contains antioxidants.

CONCLUSION

The conclusions of this research is an electromagnetic wave radiation cell phone decrease the sperm concentrations and extracts Purwoceng has protective effect to cell phone electromagnetic waves radiation though spermatozoa concentration parameters. And this study indicates that Purwoceng has a positive effect in reducing the symptoms of andropause

REFERENCE

1. Matsumoto, A. M. Andropause: Clinical Implications of the Decline in Serum Testosterone Levels With Aging in Men. Journal of Gerontology: MEDICAL SCIENCES In the Public Domain 2002, Vol. 57A, No. 2, M76–M99.
2. Chen H., Pechenino. A. S , Liu. J., Beattie, M.C., Brown, T.R., Zirkin, B.R., Effect of Glutathione Depletion on Leydig Cell Steroidogenesis in Young and Old Brown Norway Rats. Endocrinology. 2008 May; 149(5): 2612–2619.
3. Agarwal, A., Desai, N. R., Makker, K., Varghese, A., Mouradi, R., Sabanegh, E., Sharma, R., Effects of radiofrequency electromagnetic waves (RF-EMW) from cellular phones on human ejaculated semen: an in vitro pilot study. Fertility and Sterility_ Vol. 92, No. 4, October 2009. Copyright ©2009 American Society for Reproductive Medicine, Published by Elsevier Inc.

1. PROTECTIVE EFFECT OF ETHANOL EXTRACT PURWOCENG TO PHONE ELECTROMAGNETIC WAVE EXPOSURE AS A RISK FACTOR FOR ANDROPAUSE

ORIGINALITY REPORT

23%

SIMILARITY INDEX

22%

INTERNET SOURCES

16%

PUBLICATIONS

18%

STUDENT PAPERS

PRIMARY SOURCES

1

www.wifiinschools.org.uk

Internet Source

5%

2

www.askmen.com

Internet Source

3%

3

www.clevelandclinic.org

Internet Source

3%

4

Submitted to School of Business and
Management ITB

Student Paper

3%

5

majour.maranatha.edu

Internet Source

2%

6

www.trainergize.com

Internet Source

2%

7

biomed.gerontologyjournals.org

Internet Source

1%

8

biomedgerontology.oxfordjournals.org

Internet Source

1%

F Arjadi, W Siswandari, Y Wibowo, D Krisnansari, Alfi Muntafiah. " Purwoceng Roots Ethanol Extract Make no Improvement in Leydig Cells Activity to Male White Rats () Exposed by Paradoxical Sleep Deprivation (Psd) Stress Models ", IOP Conference Series: Earth and Environmental Science, 2019

Publication

Exclude quotes Off

Exclude matches Off

Exclude bibliography On