

DAFTAR PUSTAKA

1. Kementerian Kesehatan RI. Situasi Filariasis di Indonesia tahun 2015. 2016
2. World Health Organization. Lymphatic filariasis. 2018 [Cited 2018 July 11]. Available from: <http://www.who.int/news-room/fact-sheets/detail/lymphatic-filariasis>
3. World Health Organization. Progress report 2000-2009 and Strategic Plan 2010-2020 of The Global Programme to Eliminate Lymphatic Filariasis: Halfway Towards Eliminating Lymphatic Filariasis. 2010.
4. Bhattacharya S, Basu P, Sajal Bhattacharya C. The Southern House Mosquito, *Culex quinquefasciatus*: profile of a smart vector. *J Entomol Zool Stud JEZS*. 2016;73(42):73–81.
5. Service M. Medical Entomology For Students, fourth edition. Medical Entomology for Students, Fourth Edition. 2008. 54-82 p.
6. Edra Esy; Nugraha, Dimas P AM. The Comparison of Larvicidal Effects of Ethanol Extract of Cinnamon (*Cinnamomum burmanni*) and Temephos Against *Aedes aegypti* mosquitoes. 2014;(Vol 1, No 2 (2014))
7. Rawani A, Banerjee A, Chandra G. Mosquito larvicidal and biting deterency activity of bud of *Polianthes tuberosa* plants extract against *Anopheles stephensi* and *Culex quinquefasciatus*. *J Commun Dis*. 2012;44(2):79–89.
8. Warta Penelitian dan Pengembangan Pertanian. Ragam Bunga Sedap Malam di Indonesia. 2009. Volume 31, No 5:10–2.
9. Maiti S, Moon UR, Bera P, Samanta T, Mitra A. The In Vitro Antioxidant Capacities of *Polianthes tuberosa* L. Flower Extracts. *Acta Physiol Plant*. 2014;36(10):2597–605.
10. Ahmadian M, Ahmadi N, Babaei A, Naghavi MR, Ayyari M. Comparison of Volatile Compounds at Various Developmental Stages of tuberose (*Polianthes tuberosa* L. cv. Mahallati) flower with Different Extraction Methods. 2018;2905:1–10.
11. Hudayya A, Jayanti H. Pengelompokan Pestisida Berdasarkan Cara Kerjanya (Mode of Action). 2012. 7 p.
12. Wardhani AP, Adhianata H, Amir NA. Phytchemical Screenings and Antioxidant Activity Assay of Sedap Malam Flower Syrup (*Polianthes*

tuberosa Linn.). 2018;1–11.

13. Perumalsamy H, Jang MJ, Kim JR, Kadarkarai M, Ahn YJ. Larvicidal Activity and Possible Mode of Action of Four Flavonoids and Two Fatty Acids Identified in *Millettia Pinnata* Seed Toward Three mosquito species. *Parasites and Vectors*. 2015;8(1):1–14.
14. Khanikor B, Parida P, Yadav RNS, Bora D. Comparative Mode of Action of Some Terpene Compounds Against Octopamine Receptor and Acetyl Cholinesterase of Mosquito and Human System by the Help of Homology Modeling and Docking Studies. *J Appl Pharm Sci*. 2013;3(2):6–12.
15. Rattan RS. Mechanism of Action of Insecticidal Secondary Metabolites of Plant Origin. *Crop Prot*. 2010;29(9):913–20.
16. BASF. Insecticide Mode of Action Technical Training Manual Insecticide Mode of Action Technical Training Manual. 2016.
17. World Health Organization. Lymphatic Filariasis Practical Entomology. Glob Program to Elimination Lymphatic Filariasis. 2013;1–107.
18. National Center for Biotechnology Information. *Culex*. 2018. Available from: <http://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?mode=Info&id=53527&lvl=3&lin=f&keep=1&srchmode=1&unlock>
19. Sukendra DM, Shidqon MA. Gambaran Perilaku Menggigit Nyamuk *Culex* sp Sebagai Vektor Penyakit Filariasis *Wuchereria bancrofti*. Vol. 6, *Jurnal Pena Medika*. 2016. 19-33 p.
20. Mullen GR, Durden LA. *Medical and Veterinary Entomology*. Elsevier Science: USA; 2002.
21. World Health Organization. Global Programme to Eliminate Lymphatic Filariasis: Managing Morbidity and Preventing Disability. WHO. 2013;1–69.
22. Departemen Kesehatan Republik Indonesia. Japanese Encephalitis Berkorelasi dengan Banyaknya Area Persawahan, Peternakan Babi dan Burung Rawa. 2017; Available from: <http://www.depkes.go.id/article/view/17040400003/japanese-encephalitis-disease-correlates-with-numbers-of-rice-field-area-pig-farms-and-wading-birds.html>
23. World Health Organization. Japanese Encephalitis. Available from: <http://www.who.int/news-room/fact-sheets/detail/japanese-encephalitis>
24. Center for Disease and Prevention. Saint Louis Encephalitis. 2018. Available

from: <https://www.cdc.gov/sle/index.html>

25. Ekawasti F, Martindah E. Pengendalian Vektor pada Penyakit Zoonotik Virus Arbo di Indonesia (Vector Control of Zoonotic Arbovirus Disease in Indonesia). 2016;26(4):151–62.
26. World Health Organization. Rift Valley Fever. 2018. Available from: <http://www.who.int/news-room/fact-sheets/detail/rift-valley-fever>
27. Bahri S, Syafriati T. Mewaspadai Munculnya Beberapa Penyakit Hewan Menular Strategis di Indonesia Terkait dengan Pemanasan Global dan Perubahan Iklim. Wartazoa. 2011;21(1):25–39.
28. Kemenkes RI. Peraturan Menteri Kesehatan Republik Indonesia Nomor: 374/Menkes/Per/III/2010 Tentang Pengendalian Vektor. 2012;1–94.
29. Buletin Teknik Pertanian. Karakterisasi Bunga Sedap Malam (*Polianthes tuberosa*) Asal Pasuruan, Jawa Timur. 2007;12(1):24–6.
30. Chintihia T. Efek Larvasida Ekstrak Daun Cengkeh (*Syzygium aromaticum* L.) Terhadap *Aedes aegypti*. 2015
31. Cania E, Setyaningrum E. Uji Efektivitas Larvisida Ekstrak Daun Legundi (*Vitex trifolia*) Terhadap Larva *Aedes aegypti*. 2013;2(4):52–60.
32. Amilah IS. Aktivitas Larvisida Ekstrak Daun Bandotan (*Ageratum conyzoides* L.) dan Bunga Kenanga (*Cananga odorata* L.) Terhadap Nyamuk Demam Berdarah (*Aedes Aegypti* L.). 2014;07(02):24–7.
33. Octavia N. Efek Minyak Atsiri Daun Cengkeh. 2010; Available from: <https://eprints.uns.ac.id/8733/1/126760308201008051.pdf>
34. Rahmaisni, Alisia. Aplikasi Minyak Atsiri Pada Produk Gel Pengharum Ruangan Anti Serangga. 2011
35. Fuadzy H, Hodijah DN, Jajang A, Widawati M, Litbang L, Ciamis P, et al. Kerentanan Larva *Aedes aegypti* Terhadap Temefos Di Tiga Kelurahan Endemis Demam Berdarah Dengue Kota Sukabumi. 2015;43(1):41–6.