

LAMPIRAN 1

SURAT IZIN PENELITIAN



PEMERINTAH KABUPATEN CIREBON
RUMAH SAKIT UMUM DAERAH WALED
 Jalan Kesehatan No. 4 Telp. 661126 - 661275
CIREBON

Waled, 31 Mei 2011

Nomor : 445/1670/RSU WLD/2011
 Lampiran : -
 Perihal : Pemberian Izin Penelitian

Kepada :
 Yth. Dekan Universitas Kristen
 Maranatha
 di-
Bandung

Sesuai dengan surat Dekan Universitas Kristen Maranatha No : 366/FK-UKM/IV/2011 perihal Surat Permohonan untuk penyusunan Karya Tulis Ilmiah (KTI) Untuk Menyelesaikan Program Sarjana Kedokteran, atas nama :

N a m a : **FIERSA FAUZIA NURSYAF**
 N I M : 0810127
 Judul Penelitian : Hubungan Faktor Risiko Pada Ibu Hamil Dengan Kejadian Kematian Ibu di RSUD Waled Tahun 2008-2010


Sehubungan dengan hal tersebut, pada dasarnya kami tidak berkeberatan untuk memberikan izin Penelitian dan pengambilan data antara lain :

1. Data Rekam-Medis Ibu Melahirkan Tahun 2008-2010
2. Data Rekam Medis Ibu Melahirkan yang Mengalami Kematian Tahun 2008-2010

Selama melaksanakan Penelitian mahasiswa tersebut harus mentaati peraturan / tata tertib yang berlaku pada Instansi kami.

Demikian untuk menjadi maklum dan tahu adanya.

Menyetujui,
 Wadiv Pelayanan
 RSUD Waled Kab. Cirebon


Dr. H.M. Nursyaf Kaelani, MH.Kes
 NIP 19570215 198901 1 001

LAMPIRAN 2

HASIL ANALISIS STATISTIK FAKTOR RISIKO IBU HAMIL BERDASARKAN RIWAYAT ANEMIA DENGAN KEJADIAN KEMATIAN MATERNAL

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
anemia * kematianmaterna 1	78	100.0%	0	.0%	78	100.0%

anemia * kematianmaternal Crosstabulation

			kematianmaternal		Total
			Hidup	meninggal	hidup
anemia tidak	Count	35	25	60	
	Expected	30.0	30.0	60.0	
anemia	Count	4	14	18	
	Expected	9.0	9.0	18.0	
Total	Count	39	39	78	
	Expected	39.0	39.0	78.0	
	Count				

LAMPIRAN 3

**HASIL ANALISIS STATISTIK
HUBUNGAN ANEMIA DENGAN KEMATIAN MATERNAL**

Chi-Square Tests

	Value	df	Asymp. Sig. (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	7.222(b)	1	.007		
Continuity Correction(a)	5.850	1	.016		
Likelihood Ratio	7.558	1	.006		
Fisher's Exact Test				.014	.007
Linear-by-Linear Association	7.130	1	.008		
N of Valid Cases	78				

a Computed only for a 2x2 table

b 0 cells (.0%) have expected count less than 5. The minimum expected count is 9.00

Risk Estimate

	Value	95% Confidence Interval	
	Lower	Upper	Lower
Odds Ratio for anemia (tidak anemia / anemia)	4.900	1.441	16.664
For cohort			
kematianmaternal = hidup	2.625	1.078	6.394
For cohort			
kematianmaternal = meninggal	.536	.363	.790
N of Valid Cases	78		

LAMPIRAN 4

HASIL ANALISIS STATISTIK FAKTOR RISIKO IBU HAMIL BERDASARKAN ADANYA KOMPLIKASI KEHAMILAN

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
komplikasi kehamilan * kematian maternal	78	100.0%	0	.0%	78	100.0%

komplikasi kehamilan * kematian maternal Crosstabulation

			kematian maternal		Total
			hidup	meninggal	hidup
Komplikasi kehamilan	tanpa komplikasi	Count	33	30	63
		Expected	31.5	31.5	63.0
	dengan komplikasi	Count	6	9	15
		Expected	7.5	7.5	15.0
Total		Count	39	39	78
		Expected	39.0	39.0	78.0

LAMPIRAN 5

HASIL ANALISIS STATISTIK HUBUNGAN KOMPLIKASI KEHAMILAN DENGAN KEMATIAN MATERNAL

Chi-Square Tests

	Value	Df	Asymp. Sig. (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	.743(b)	1	.389		
Continuity Correction(a)	.330	1	.566		
Likelihood Ratio	.747	1	.387		
Fisher's Exact Test				.567	.283
Linear-by-Linear Association	.733	1	.392		
N of Valid Cases	78				

a Computed only for a 2x2 table

b 0 cells (.0%) have expected count less than 5. The minimum expected count is 7.50.

Risk Estimate

	Value	95% Confidence Interval	
	Lower	Upper	Lower
Odds Ratio for komplikasikehamila n (tanpa komplikasi / dengan komplikasi)	1.650	.525	5.186
For cohort kematianmaternal = hidup	1.310	.675	2.541
For cohort kematianmaternal = meninggal	.794	.487	1.292
N of Valid Cases	78		

LAMPIRAN 6

HASIL ANALISIS STATISTIK FAKTOR RISIKO IBU HAMIL BERDASARKAN ADANYA KOMPLIKASI PERSALINAN

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
komplikasipersalinan * kematianmaternal	78	100.0%	0	.0%	78	100.0%

komplikasipersalinan * kematianmaternal Crosstabulation

			kematianmaternal		Total
			hidup	meninggal	hidup
Komplikasipersalinan	tanpa perdarahan	Count	34	28	62
		Expected	31.0	31.0	62.0
	dengan perdarahan	Count	5	11	16
		Expected	8.0	8.0	16.0
Total		Count	39	39	78
		Expected	39.0	39.0	78.0

LAMPIRAN 7

**HASIL ANALISIS STATISTIK
HUBUNGAN KOMPLIKASI PERSALINAN DENGAN KEMATIAN
MATERNAL**

Chi-Square Tests

	Value	Df	Asymp. Sig. (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	2.831(b)	1	.092		
Continuity Correction(a)	1.966	1	.161		
Likelihood Ratio	2.888	1	.089		
Fisher's Exact Test				.160	.080
Linear-by-Linear Association	2.794	1	.095		
N of Valid Cases	78				

a Computed only for a 2x2 table

b 0 cells (.0%) have expected count less than 5. The minimum expected count is 8.00.

Risk Estimate

	Value	95% Confidence Interval	
	Lower	Upper	Lower
Odds Ratio for komplikasipersalinan (tanpa perdarahan / dengan perdarahan)	2.671	.830	8.603
For cohort kematianmaternal = hidup	1.755	.820	3.756
For cohort kematianmaternal = meninggal	.657	.428	1.009
N of Valid Cases	78		

LAMPIRAN 8

HASIL ANALISIS STATISTIK FAKTOR RISIKO IBU HAMIL BERDASARKAN USIA DAN HUBUNGAN USIA DENGAN KEMATIAN MATERNAL

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
usia * kematianmaternal	78	100.0%	0	.0%	78	100.0%

usia * kematianmaternal Crosstabulation

			Kematianmaternal		Total
			hidup	Meninggal	Hidup
Usia >35 tahun	Count	18	8	26	
	Expected	13.0	13.0	26.0	
< 20 tahun	Count	2	2	4	
	Expected	2.0	2.0	4.0	
20-35 tahun	Count	19	29	48	
	Expected	24.0	24.0	48.0	
Total	Count	39	39	78	
	Expected	39.0	39.0	78.0	

Chi-Square Tests

	Value	Df	Asymp. Sig. (2-sided)
Pearson Chi-Square	5.929(a)	2	.052
Likelihood Ratio	6.046	2	.049
Linear-by-Linear Association	5.651	1	.017
N of Valid Cases	78		

a. 2 cells (33.3%) have expected count less than 5. The minimum expected count is 2.00.

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
usia *	30	100.0%	0	.0%	30	100.0%
kematianmaternal						

usia * kematianmaternal Crosstabulation

			kematianmaternal		Total
			hidup	meningga 1	hidup
Usia >35 tahun	Count	18	8	26	
	% within usia	69.2%	30.8%	100.0%	
< 20 tahun	Count	2	2	4	
	% within usia	50.0%	50.0%	100.0%	
Total	Count	20	10	30	
	% within usia	66.7%	33.3%	100.0%	

Chi-Square Tests

	Value	Df	Asymp. Sig. (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	.577(b)	1	.448		
Continuity Correction(a)	.036	1	.849		
Likelihood Ratio	.549	1	.459		
Fisher's Exact Test				.584	.407
Linear-by-Linear Association	.558	1	.455		
N of Valid Cases	30				

a Computed only for a 2x2 table

b 2 cells (50.0%) have expected count less than 5. The minimum expected count is 1.33.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for usia (>35 tahun / < 20 tahun)	2.250	.267	18.925
For cohort kematianmaternal = hidup	1.385	.503	3.813
For cohort kematianmaternal = meninggal	.615	.197	1.918
N of Valid Cases	30		

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
usia * kematianmaternal	74	100.0%	0	.0%	74	100.0%

usia * kematianmaternal Crosstabulation

			Kematianmaternal		Total
			hidup	Meningg al	hidup
Usia >35 tahun	Count	18	8	26	
	% within usia	69.2%	30.8%	100.0%	
20-35 tahun	Count	19	29	48	
	% within usia	39.6%	60.4%	100.0%	
Total	Count	37	37	74	
	% within usia	50.0%	50.0%	100.0%	

Chi-Square Tests

	Value	Df	Asymp. Sig. (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	5.929(b)	1	.015		
Continuity Correction(a)	4.803	1	.028		
Likelihood Ratio	6.046	1	.014		
Fisher's Exact Test				.027	.014
Linear-by-Linear Association	5.849	1	.016		
N of Valid Cases	74				

a Computed only for a 2x2 table

b 0 cells (.0%) have expected count less than 5. The minimum expected count is 13.00.

Risk Estimate

	Value	95% Confidence Interval	
	Lower	Upper	Lower
Odds Ratio for usia (>35 tahun / 20-35 tahun)	3.434	1.246	9.467
For cohort kematianmaternal = hidup	1.749	1.134	2.698
For cohort kematianmaternal = meninggal	.509	.274	.947
N of Valid Cases	74		

LAMPIRAN 9

ANALISIS STATISTIK FAKTOR RISIKO IBU HAMIL BERDASARKAN PARITAS DAN HUBUNGAN PARITAS DENGAN KEMATIAN MATERNAL

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
paritas * kematianmaterna 1	78	100.0%	0	.0%	78	100.0%

paritas * kematianmaternal Crosstabulation

		kematianmaternal		Total
		Hidup	meningga 1	hidup
paritas >4	Count	12	7	19
	Expected	9.5	9.5	19.0
</=1	Count	13	14	27
	Expected	13.5	13.5	27.0
2-4	Count	14	18	32
	Expected	16.0	16.0	32.0
Total	Count	39	39	78
	Expected	39.0	39.0	78.0

Chi-Square Tests

	Value	Df	Asymp. Sig. (2- sided)
Pearson Chi-Square	1.853(a)	2	.396
Likelihood Ratio	1.870	2	.393
Linear-by-Linear Association	1.235	1	.266
N of Valid Cases	78		

a 0 cells (.0%) have expected count less than 5. The minimum expected count is 9.50.

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
paritas * kematianmaterna 1	46	100.0%	0	.0%	46	100.0%

paritas * kematianmaternal Crosstabulation

		kematianmaternal		Total
		Hidup	meninggal 1	hidup
paritas >4	Count	12	7	19
	% within paritas	63.2%	36.8%	100.0%
<=1	Count	13	14	27
	% within paritas	48.1%	51.9%	100.0%
Total	Count	25	21	46
	% within paritas	54.3%	45.7%	100.0%

Chi-Square Tests

	Value	Df	Asymp. Sig. (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	1.013(b)	1	.314		
Continuity Correction(a)	.498	1	.480		
Likelihood Ratio	1.020	1	.312		
Fisher's Exact Test				.377	.241
Linear-by-Linear Association	.991	1	.320		
N of Valid Cases	46				

a Computed only for a 2x2 table

b 0 cells (.0%) have expected count less than 5. The minimum expected count is 8.67

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for paritas (>4 / <=1)	1.846	.556	6.126
For cohort kematianmaterna 1 = hidup	1.312	.779	2.208
For cohort kematianmaterna 1 = meninggal	.711	.356	1.419
N of Valid Cases	46		

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
paritas * kematianmaterna 1	51	100.0%	0	.0%	51	100.0%

paritas * kematianmaternal Crosstabulation

		kematianmaternal		Total
		Hidup	meningga 1	hidup
paritas >4	Count	12	7	19
	% within paritas	63.2%	36.8%	100.0%
2-4	Count	14	18	32
	% within paritas	43.8%	56.3%	100.0%
Total	Count	26	25	51
	% within paritas	51.0%	49.0%	100.0%

Chi-Square Tests

	Value	Df	Asymp. Sig. (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	1.797(b)	1	.180		
Continuity Correction(a)	1.104	1	.293		
Likelihood Ratio	1.813	1	.178		
Fisher's Exact Test				.249	.147
Linear-by-Linear Association	1.762	1	.184		
N of Valid Cases	51				

a Computed only for a 2x2 table

b 0 cells (.0%) have expected count less than 5. The minimum expected count is 9.31.

Risk Estimate

	Value	95% Confidence Interval	
	Lower	Upper	Lower
Odds Ratio for paritas (>4 / 2-4)	2.204	.688	7.065
For cohort kematianmaterna	1.444	.857	2.433
1 = hidup			
For cohort kematianmaterna	.655	.337	1.271
1 = meninggal			
N of Valid Cases	51		

LAMPIRAN 10

HASIL ANALISIS STATISTIK FAKTOR RISIKO IBU HAMIL BERDASARKAN STATUS PEKERJAAN

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
statuspekerjaan * kematianmaterna 1	78	100.0%	0	.0%	78	100.0%

statuspekerjaan * kematianmaternal Crosstabulation

			kematianmaternal		Total
			Hidup	meninggal	hidup
Statuspekerjaan	tidak	Count	33	25	58
	bekerja	Expected	29.0	29.0	58.0
	bekerja	Count	6	14	20
		Expected	10.0	10.0	20.0
Total		Count	39	39	78
		Expected	39.0	39.0	78.0
		Count			

LAMPIRAN 11

HASIL ANALISIS STATISTIK HUBUNGAN STATUS PEKERJAAN DENGAN KEMATIAN MATERNAL

Chi-Square Tests

	Value	Df	Asymp. Sig. (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	4.303(b)	1	.038		
Continuity Correction(a)	3.295	1	.069		
Likelihood Ratio	4.398	1	.036		
Fisher's Exact Test				.068	.034
Linear-by-Linear Association	4.248	1	.039		
N of Valid Cases	78				

a Computed only for a 2x2 table

b 0 cells (.0%) have expected count less than 5. The minimum expected count is 10.00.

Risk Estimate

	Value	95% Confidence

	Interval		
	Lower	Upper	Lower
Odds Ratio for statuspekerjaan (tidak bekerja / bekerja)	3.080	1.037	9.146
For cohort kematianmaternal = hidup	1.897	.936	3.842
For cohort kematianmaternal = meninggal	.616	.408	.930
N of Valid Cases	78		

RIWAYAT HIDUP

Nama : Fiersa Fauzia Nursyaf
NRP : 0810127
Tempat dan Tanggal Lahir : Bandung, 15 Juni 1990
Alamat : Griya Sunyaragi Permai, Jl. Cendana Raya
B4, Cirebon.

Riwayat Pendidikan :

1. SD Negri Ciledug Kulon, Cirebon, 1996
2. SD Islam Al – Azhar 03, Cirebon, 1999
3. SMP Negri 1, Cirebon, 2002
4. SMA Negri 2, Cirebon, 2005
5. 2008 – sekarang, Mahasiswa Fakultas Kedokteran Universitas Kristen Maranatha, Bandung