

**LAMPIRAN I****DATA HASIL PERLAKUAN TERHADAP MENCIT**

## Hasil Pengukuran Berat Badan (Gram) Mencit

Kontrol +	Kontrol -	Daun dewa topikal	Daun dewa infusa
27.05	26.54	26.80	27.31
27.24	26.65	27.06	26.56
26.15	27.04	27.20	27.12
28.36	27.16	28.12	28.02
26.48	26.44	26.14	27.16
27.54	28.02	26.76	26.76
27.05	27.55	28.04	27.02
26.86	26.75	27.34	27.55
26.92	27.05	27.53	27.85

## Kelompok Kontrol (Panjang Luka dalam mm)

Hari Mencit	1	2	3	4	5	6	7	8	9
1	8	7,30	6,20	5,45	3,90	2,35	1,00	<b>0</b>	0
2	8	7,40	6,70	5,30	4,20	3,00	2,15	0,80	0
3	8	7,00	5,80	4,40	3,50	2,25	1,00	<b>0</b>	0
4	8	6,90	5,45	4,20	2,80	1,30	<b>0</b>	<b>0</b>	0
5	8	7,50	6,10	5,00	3,75	2,35	1,10	<b>0</b>	0
6	8	7,60	6,60	5,40	4,50	3,65	2,40	1,10	0
7	8	7,15	5,90	5,00	3,80	2,50	0,90	<b>0</b>	0
8	8	7,20	5,75	4,45	3,20	2,00	0,60	<b>0</b>	0

Kelompok Pembanding dengan *povidone iodine* (Panjang Luka dalam mm)

Hari	1	2	3	4	5	6	7	8	9
Mencit									
1	8	6,15	5,00	3,70	2,60	1,30	0,10	0	0
2	8	6,20	5,25	3,50	2,45	0,90	0	0	0
3	8	6,95	5,10	3,40	2,20	0,80	0	0	0
4	8	6,65	5,05	3,45	2,20	0,90	0	0	0
5	8	6,40	5,75	3,55	2,45	1,00	0	0	0
6	8	6,30	5,00	2,90	1,70	0	0	0	0
7	8	6,25	4,95	3,00	2,10	0,50	0	0	0
8	8	6,10	5,05	2,95	2,00	0,70	0	0	0

Pembanding dengan *daun dewa topikal* (Panjang Luka dalam mm)

Hari	1	2	3	4	5	6	7	8	9
Mencit									
1	8	5,05	3,45	1,00	0	0	0	0	0
2	8	5,25	3,70	1,70	0,25	0	0	0	0
3	8	5,10	3,55	1,30	0	0	0	0	0
4	8	5,45	3,85	1,55	0	0	0	0	0
5	8	5,20	3,35	0,90	0	0	0	0	0
6	8	5,20	3,50	1,30	0	0	0	0	0
7	8	5,05	3,30	1,55	0	0	0	0	0
8	8	5,00	3,15	0,90	0	0	0	0	0

Kelompok Pembanding dengan *daun dewa infusa* (Panjang Luka dalam mm)

Hari	1	2	3	4	5	6	7	8	9
Mencit									
1	8	6,10	4,95	3,00	1,90	0	0	0	0
2	8	6,30	4,85	2,90	1,95	0	0	0	0
3	8	6,55	5,20	3,60	2,30	0,80	0	0	0
4	8	6,45	4,90	2,85	1,70	0	0	0	0
5	8	6,30	5,10	3,55	2,25	1,00	0	0	0
6	8	6,30	5,35	3,70	2,60	1,25	0	0	0
7	8	6,20	5,00	3,40	2,00	0	0	0	0
8	8	6,25	5,10	3,30	1,80	0	0	0	0

## LAMPIRAN II

One Way Analysis of Variance

Data source: Data 1 in Notebook

Normality Test: Failed ( $P = <0.001$ )

Test execution ended by user request, ANOVA on Ranks begun

Kruskal-Wallis One Way Analysis of Variance on Ranks

Data source: Data 1 in Notebook

Group	N	Missing
Col 1	7	0
Col 2	7	0
Col 3	7	0
Col 4	7	0

Group	Median	25%	75%
Col 1	5.000	5.000	5.000
Col 2	6.000	6.000	7.000
Col 3	7.000	7.000	7.000
Col 4	8.000	8.000	8.750

$H = 22.201$  with 3 degrees of freedom. ( $P = <0.001$ )

The differences in the median values among the treatment groups are greater than would be expected by chance; there is a statistically significant difference ( $P = <0.001$ )

To isolate the group or groups that differ from the others use a multiple comparison procedure.

All Pairwise Multiple Comparison Procedures (Student-Newman-Keuls Method) :

Comparison	Diff of Ranks	p	q	$P < 0.05$
Col 4 vs Col 1	137.500	4	6.318	Yes
Col 4 vs Col 2	79.000	3	4.812	Yes
Col 4 vs Col 3	49.500	2	4.472	Yes
Col 3 vs Col 1	88.000	3	5.360	Yes
Col 3 vs Col 2	29.500	2	2.665	No
Col 2 vs Col 1	58.500	2	5.286	Yes

## **RIWAYAT HIDUP**

Nama : Dian Apriliani Gunawan  
Nomor Pokok Mahasiswa : 0810143  
Tempat dan tanggal lahir : Bandung, 28 April 1990  
Alamat : Jln. Aksan no 60. Bandung  
Riwayat Pendidikan :  
1996-2002 : SDK 6 BPK Penabur Bandung  
2002-2005 : SMP THI BPK Penabur Bandung  
2005-2008 : SMAK 1 BPK Penabur Bandung  
2008- sekarang : Mahasiswi Fakultas Kedokteran Kedokteran  
Universitas Kristen Maranatha Bandung