

LAMPIRAN 1 *OUTPUT* SPSS

Crosstabs

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Usia * Ante Natal Care	2170	97,6%	54	2,4%	2224	100,0%
Usia * Abortus	1088	48,9%	1136	51,1%	2224	100,0%
Usia * Usia Kehamilan (minggu)	1054	47,4%	1170	52,6%	2224	100,0%
Usia * Penyulit Kehamilan	172	7,7%	2052	92,3%	2224	100,0%
Usia * Indikasi SC (PTM)	437	19,6%	1787	80,4%	2224	100,0%
Usia * Indikasi SC (GJ)	435	19,6%	1789	80,4%	2224	100,0%
Usia * Indikasi SC (CPD)	435	19,6%	1789	80,4%	2224	100,0%
Usia * APGAR	1048	47,1%	1176	52,9%	2224	100,0%
Usia * Berat Badan Lahir	1052	47,3%	1172	52,7%	2224	100,0%

Usia * Ante Natal Care

Crosstab

			Ante Natal Care		Total
			< 4	>= 4	
Usia	Normal	Count	54	1878	1932
		Expected Count	73,0	1859,0	1932,0
		% within Usia	2,8%	97,2%	100,0%
	Muda	Count	28	210	238
		Expected Count	9,0	229,0	238,0
		% within Usia	11,8%	88,2%	100,0%
Total		Count	82	2088	2170
		Expected Count	82,0	2088,0	2170,0
		% within Usia	3,8%	96,2%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	46,887 ^b	1	,000		
Continuity Correction ^a	44,453	1	,000		
Likelihood Ratio	32,847	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	46,865	1	,000		
N of Valid Cases	2170				

a. Computed only for a 2x2 table

b. 0 cells (,0%) have expected count less than 5. The minimum expected count is 8,99.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Usia (Normal / Muda)	,216	,134	,348
For cohort Ante Natal Care = < 4	,238	,154	,367
For cohort Ante Natal Care = >= 4	1,102	1,051	1,155
N of Valid Cases	2170		

Usia * Abortus

Crosstab

			Abortus		Total
			Prematur	Normal	
Usia	Normal	Count	94	874	968
		Expected Count	118,3	849,7	968,0
		% within Usia	9,7%	90,3%	100,0%
	Muda	Count	39	81	120
		Expected Count	14,7	105,3	120,0
		% within Usia	32,5%	67,5%	100,0%
Total		Count	133	955	1088
		Expected Count	133,0	955,0	1088,0
		% within Usia	12,2%	87,8%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	51,676 ^b	1	,000		
Continuity Correction ^a	49,574	1	,000		
Likelihood Ratio	39,795	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	51,629	1	,000		
N of Valid Cases	1088				

a. Computed only for a 2x2 table

b. 0 cells (,0%) have expected count less than 5. The minimum expected count is 14,67.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Usia (Normal / Muda)	,223	,144	,346
For cohort Abortus = Prematur	,299	,217	,412
For cohort Abortus = Normal	1,338	1,179	1,517
N of Valid Cases	1088		

Usia * Usia Kehamilan (minggu)

Crosstab

			Usia Kehamilan (minggu)		Total
			Prematur	Normal	
Usia	Normal	Count	93	848	941
		Expected Count	117,8	823,2	941,0
		% within Usia	9,9%	90,1%	100,0%
	Muda	Count	39	74	113
		Expected Count	14,2	98,8	113,0
		% within Usia	34,5%	65,5%	100,0%
	Total	Count	132	922	1054
		Expected Count	132,0	922,0	1054,0
		% within Usia	12,5%	87,5%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	55,865 ^b	1	,000	,000	,000
Continuity Correction ^a	53,639	1	,000		
Likelihood Ratio	42,616	1	,000		
Fisher's Exact Test					
Linear-by-Linear Association	55,812	1	,000		
N of Valid Cases	1054				

a. Computed only for a 2x2 table

b. 0 cells (,0%) have expected count less than 5. The minimum expected count is 14,15.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Usia (Normal / Muda)	,208	,134	,324
For cohort Usia Kehamilan (minggu) = Prematur	,286	,208	,394
For cohort Usia Kehamilan (minggu) = Normal	1,376	1,202	1,576
N of Valid Cases	1054		

Usia * Penyulit Kehamilan**Crosstab**

			Penyulit Kehamilan		Total
			Preeklamsi & Eklamas	Lain-lain	
Usia	Normal	Count	51	105	156
		Expected Count	54,4	101,6	156,0
		% within Usia	32,7%	67,3%	100,0%
	Muda	Count	9	7	16
		Expected Count	5,6	10,4	16,0
		% within Usia	56,3%	43,8%	100,0%
Total		Count	60	112	172
		Expected Count	60,0	112,0	172,0
		% within Usia	34,9%	65,1%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3,545 ^b	1	,060	,095	,057
Continuity Correction ^a	2,584	1	,108		
Likelihood Ratio	3,366	1	,067		
Fisher's Exact Test					
Linear-by-Linear Association	3,525	1	,060		
N of Valid Cases	172				

a. Computed only for a 2x2 table

b. 0 cells (,0%) have expected count less than 5. The minimum expected count is 5,58.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Usia (Normal / Muda)	,378	,133	1,072
For cohort Penyulit Kehamilan = Preeklamsi & Eklamas	,581	,357	,946
For cohort Penyulit Kehamilan = Lain-lain	1,538	,873	2,710
N of Valid Cases	172		

Usia * Indikasi SC (CPD)**Crosstab**

			Indikasi SC (CPD)		Total
			CPD	Lain-lain	
Usia	Normal	Count	68	321	389
		Expected Count	76,9	312,1	389,0
		% within Usia	17,5%	82,5%	100,0%
	Muda	Count	18	28	46
		Expected Count	9,1	36,9	46,0
		% within Usia	39,1%	60,9%	100,0%
Total		Count	86	349	435
		Expected Count	86,0	349,0	435,0
		% within Usia	19,8%	80,2%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	12,156 ^b	1	,000	,001	,001
Continuity Correction ^a	10,829	1	,001		
Likelihood Ratio	10,438	1	,001		
Fisher's Exact Test					
Linear-by-Linear Association	12,128	1	,000		
N of Valid Cases	435				

a. Computed only for a 2x2 table

b. 0 cells (,0%) have expected count less than 5. The minimum expected count is 9,09.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Usia (Normal / Muda)	,330	,172	,630
For cohort Indikasi SC (CPD) = CPD	,447	,293	,680
For cohort Indikasi SC (CPD) = Lain-lain	1,356	1,071	1,717
N of Valid Cases	435		

Usia * APGAR**Crosstab**

			APGAR		Total
			Asfiksia	Non Asfiksia	
Usia	Normal	Count	51	885	936
		Expected Count	56,3	879,7	936,0
		% within Usia	5,4%	94,6%	100,0%
	Muda	Count	12	100	112
		Expected Count	6,7	105,3	112,0
		% within Usia	10,7%	89,3%	100,0%
Total	Count	63	985	1048	
	Expected Count	63,0	985,0	1048,0	
	% within Usia	6,0%	94,0%	100,0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	4,909 ^b	1	,027	,035	,029
Continuity Correction ^a	4,021	1	,045		
Likelihood Ratio	4,144	1	,042		
Fisher's Exact Test					
Linear-by-Linear Association	4,904	1	,027		
N of Valid Cases	1048				

a. Computed only for a 2x2 table

b. 0 cells (,0%) have expected count less than 5. The minimum expected count is 6,73.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Usia (Normal / Muda)	,480	,248	,931
For cohort APGAR = Asfiksia	,509	,280	,924
For cohort APGAR = Non Asfiksia	1,059	,991	1,131
N of Valid Cases	1048		

Usia * Berat Badan Lahir**Crosstab**

			Berat Badan Lahir		Total
			Rendah	Cukup	
Usia	Normal	Count	137	802	939
		Expected Count	155,3	783,7	939,0
		% within Usia	14,6%	85,4%	100,0%
	Muda	Count	37	76	113
		Expected Count	18,7	94,3	113,0
		% within Usia	32,7%	67,3%	100,0%
Total		Count	174	878	1052
		Expected Count	174,0	878,0	1052,0
		% within Usia	16,5%	83,5%	100,0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	24,079 ^b	1	,000	,000	,000
Continuity Correction ^a	22,781	1	,000		
Likelihood Ratio	20,400	1	,000		
Fisher's Exact Test					
Linear-by-Linear Association	24,056	1	,000		
N of Valid Cases	1052				

a. Computed only for a 2x2 table

b. 0 cells (,0%) have expected count less than 5. The minimum expected count is 18,69.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Usia (Normal / Muda)	,351	,228	,541
For cohort Berat Badan Lahir = Rendah	,446	,328	,605
For cohort Berat Badan Lahir = Cukup	1,270	1,114	1,448
N of Valid Cases	1052		