

DAFTAR PUSTAKA

1. Tamura S, Shimomura I. Contribution of adipose tissue and denovo lipogenesis to nonalcoholic fatty liver disease. *J Clin Invest.* 2005; 115(5): 1139– 42. [Cited 2017 Desember 6], Available from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1087181/>
2. Dabhi AS, Brahmhatt KJ, Pandya TP, Thorat PB, Shah MC. Non Alcoholic Fatty Liver (NAFLD). *JIACM.* 2008; 9(1). [Cited 2017 Desember 7], Available from <http://medind.nic.in/jac/t08/i1/jact08i1p36.pdf>
3. Madan K, Batra Y, Gupta SD, Chander B, Rajan KDA, Tewatia MS, Panda SK, Acharya SK. Non-alcoholic fatty liver disease may not be a severe disease at presentation among Asian Indians. *World J Gastroenterol.* 2006; 12(21): 3400– 5. [Cited 2017 Desember 10], Available from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4065995/>
4. Dowman JK, Tomlinson JW, Newsome PN. Systematic review: the diagnosis and staging of non-alcoholic fatty liver disease and non-alcoholic steatohepatitis. *Aliment Pharmacol Ther.* 2011; 33: 525-40. [Cited 2017 Desember 7], Available from <https://www.ncbi.nlm.nih.gov/pubmed/21198708>
5. Anggarini C. Pengaruh pemberian jangka panjang fraksi heksa-etanol dari ekstrak methanol-air daun *Macaranga tanarius L* terhadap kadar albumin pada tikus betina galur wistar terinduksi karbon tetraklorida. 2015. [Cited 2017 Desember 9], Available from <https://repository.usd.ac.id/7824/>
6. Arsana PM, Manaf A, Roslandi R, Budhiarta AAG, Permana H, Sucipta KW, dkk. Panduan Pengelolaan Dislipidemia di Indonesia. Edisi 1. Jakarta: PERKENI; 2015. p.4-7, 15-8
7. Gabriella ACS. Penyakit perlemakan hati non- alkoholik pada sindroma metabolik, 2012. [Cited 2017 Desember 11], Available from <http://download.portalgaruda.org/article.php?article=73708&val=4695>
8. Katzung BG. Farmakologi Dasar dan Klinik. Edisi 12. Jakarta : EGC; 2012. p.708-9
9. Mahley RW, Bersot, TP. Terapi Obat untuk Hiperkolesterolemia dan Dislipidemia. Dasar Farmakologi Terapi. Edisi 10. Jakarta : EGC.; 2003. p. 943-66

10. Khan AW, Kotta S, Ansari SH, Sharma RK, Kumar A, Ali J. Formulation development, optimization and evaluation of aloe vera gel for wound healing. *Pharmacogn Mag.* 2013; 9(Supp1): 6-10. [Cited 2017 Desember 13], Available from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3798142/>
11. Rajasekaran S, Ravi K, Sivagnaman K, Subramania S. Beneficial effects of *Aloe vera* leaf gel extract on lipid profile status in rats with streptozotocin diabetes. *Clin Exp Pharmacol Physiol.* 2006; 33:232-37. [Cited 2017 Desember 14] Available from <https://www.ncbi.nlm.nih.gov/pubmed/16487267>
12. Mulay S, Amol B, Archana B, Anubha K. *Aloe vera* - A Review. *Int. J. Pharm. Phytopharmacol. Res.* 2013; 3 (3): 203-11. [Cited 2017 Desember 13] Available from <https://www.eijppr.com/upload/eIJPPR-2013-VOL3-ISS3/143-284-1-SM.pdf>
13. Istiadi H. Pengaruh jus lidah buaya (*Aloe Vera linn*) terhadap kadar kolesterol tikus hiperlipidemia. 2010; p. 1-8. [Cited 2017 Desember 15], Available from <http://eprints.undip.ac.id/20391/>
14. Kotiah U. Pengaruh pemberian ekstrak lidah buaya terhadap kadar kolesterol HDL dan LDL serum tikus putih hiperkolesterolemi. 2007. [Cited 2017 Desember 15], Available from <http://lib.unnes.ac.id/1729/>
15. Sianpar Y, Isnawati M . Pengaruh pemberian jus lidah buaya (*Aloe vera*) terhadap kadar kolesterol Low Density Lipoprotein (LDL) dan High Density Lipoprotein (HDL). 2012; p. 8-17. [Cited 2017 Desember 15] Available from http://eprints.undip.ac.id/38455/1/472_Yulika_Y_Sianpar_G2C007070.pdf
16. Salvamani S, Gunasekaran B, Shaharuddin NA, Ahmad SA, Shukor MY. Antiartherosclerotic effects of plant flavonoids. *BioMed Research International.* 2014;2014:480258. doi:10.1155/2014/480258. [Cited 2017 Desember 16], Available from <https://www.hindawi.com/journals/bmri/2014/480258/>
17. Marrelli M, Filomena C, Fabrizio A, Giancarlo AS. Effects of saponin on lipid metabolism : A review of potential health benefits in the treatment of obesity. *Molecules.* 2016. [Cited 2017 Desember 16], Available from <https://www.ncbi.nlm.nih.gov/pubmed/27775618>

18. Brauner R, Johannes C, Ploessl F, Bracher F, L L (2012) Phy-
tosterols reduce cholesterol absorption by inhibition of 27-hydroxycholesterol generation,
liver X receptor activation, and expression of the basolateral sterol
exporter ATP-binding cassette A1 in caco-2 enterocytes. *J Nutr*
142(6):981–99, Available from
<https://www.ncbi.nlm.nih.gov/pubmed/22535758>

19. Wibowo D, Paryana W. *Anatomi Tubuh Manusia*. Singapore: Elsevier; 2009.
p. 347-52

20. Drake R. *Gray's Anatomy: Basic Anatomy*. Edisi 1. New York: Elsevier; 2012.
p. 164-7

21. Botham KM, Peter AM. *Biokimia Harper*. Edisi 29. Jakarta : EGC; 2012.
p. 158-9, 256-7, 264-9

22. Hasan I. Perlemakan hati Non Alkoholik. Dalam Sudoyo AW, Setiyohadi B,
Alwi I, Simadibrata KM, Setiati S, editor. *Buku Ajar Ilmu Penyakit
Dalam*. Jilid I. Edisi 5. Jakarta : Balai penerbit FKUI; 2014. p. 2002-7

23. Hasan I, Gani RA, Machmud R et al. Prevalence and risk factors for non-
alcoholic fatty liver in Indonesia. *J Gastroenterol Hepatol*. 2002;17
(Suppl): A154. [Cited 2017 Mei 16], Available from
<https://www.ncbi.nlm.nih.gov/pubmed/22741595>

24. Catrath H, Vuppalanchi R, Chalasani N. Dyslipidemia in patients with non
alcoholic fatty liver disease. 2012. [Cited 2018 Mei 20], Available from
<https://www.ncbi.nlm.nih.gov/pubmed/22418885>

25. Syafitri V, Arnelis, Efrida. Gambaran profil lipid pasien perlemakan hati non-
alkoholik. *Jurnal Kesehatan Andalas*. 2015; 4(1). [Cited 2018 Mei 22],
Available from <http://jurnal.fk.unand.ac.id/index.php/jka/article/view/234>

26. Adiwinata R, Andi K, Finna C, Timoteus R, Daniel E. Tatalaksana terkini
perlemakan hati non alkoholik. 2015. p. 53-9. [Cited 2017 Mei 24],
Available from
<http://jurnalpenyakitdalam.ui.ac.id/index.php/jpdi/article/view/65/61>

27. Grundy SM, Becker D, Clark LT. Detection, evaluation, and treatment of high blood cholesterol in adults (Adult Treatment Panel III). *Circulation*. 106(25):3143-421. 2004. [Cited 2017 Juni 4], Available from https://www.researchgate.net/publication/279690790_Detection_evaluation_and_treatment_of_high_blood_cholesterol_in_adults_Adult_Treatment_Panel_III
28. Adam JMF. Dislipidemia. Buku Ajar Ilmu Penyakit Dalam. Jilid I. Edisi 6. Jakarta:Balai Penerbit FKUI; 2014. p. 2551-8
29. Go AS, Mozaffarian D, Roger VL. Heart disease and stroke statistic - 2014 update : a report from the american heart association. *Circulation*. 2014; 29(3):e28-e292. [Cited 2017 Juni 6], Available from <https://www.ncbi.nlm.nih.gov/pubmed/24352519>
30. Badan penelitian dan pengembangan kesehatan kementerian kesehatan RI tahun 2013. Laporan nasional riset kesehatan dasar (RISKESDAS) 2013. 2014. [Cited 2017 Juni 8], Available from <http://www.depkes.go.id/resources/download/general/Hasil%20Riskesdas%202013.pdf>
31. Sasmito E. Imunomodulator Bahan Alami. Yogyakarta : Rapha Publishing; 2017. p. 32-6
32. Noormindhawati, Lely. Raja Obat Alami Aloe Vera Khasiat A-Z. Yogyakarta : Rapha Publishing; 2016. P. 4-13
33. Rahayu, Liswidyawati. Budidaya Lidah Buaya. Bandung : CV ARFINO RAYA; 2011. p. 1-11
34. Arifin, Jamal. Intesnsif Budidaya Lidah Buaya, Usaha Dengan Prospek yang Kian Berjaya. Yogyakarta : Pustaka Baru Press; 2014. p. 1-13, 18-26, 91-6
35. Surjushe A, Vasani R, Saple DG. Aloe vera : a short review. *Indian J Dermatol*. 2008;53(4):163-6. doi:10.4103/0019-5154.44785. [Cited 2017 Juni 19], Available from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2763764/>
36. Anand S, Muthusamy VS, Sujatha S, Sangeetha KN, Raja RB, Sudhagar S, Devi NP, Lakshmi BS. Aloe emodin glycosides stimulates glucose transport and glycogen storage through PI3K dependent mechanism in L6 myotubes and inhibits adipocyte differentiation in 3T3L1 adipocytes. *FEBS Lett*. 2010; 584(14):3170-8. [Cited 2017 Juni 19], Available from <https://www.ncbi.nlm.nih.gov/pubmed/20541550>

37. Ishii Y, Tanizawa H, Takino Y. Studies of aloe. V: Mechanism of cathartic effect. *Biol Pharm Bull.* 1994;17:651–3. [Cited 2017 Juni 22], Available from <https://www.ncbi.nlm.nih.gov/pubmed/2159853>
38. Yeh GY, Eisenberg DM, Kaptchuk TJ, Phillips RS. Systematic review of herbs and dietary supplements for glycemic control in diabetes. *Diabetes Care.* 2003;26(4):1277–94. [Cited 2017 Juni 19], Available from <https://www.ncbi.nlm.nih.gov/pubmed/12663610>
39. Chithra R Sajithlal GB, Chandrakasan G. Influence of aloe vera on collagen characteristics in healing dermal wounds in rats. *Mol Cell Biochem.* 1998;181:71–6. [Cited 2017 Juni 24], Available from <https://www.ncbi.nlm.nih.gov/pubmed/9562243>
40. C. J. Chang, T.-F. Tzeng, S.-S. Liou, Y.-S. Chang, and I.- M. Liu, Myricetin increases hepatic peroxisome proliferator- activated receptor protein expression and decreases plasma lipids and adiposity in rats. *Evid Base Complement Alternat Med.* 2012; 2012 : 11. [Cited 2017 Juli 1], Available from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3310287/>
41. Vinarova L, ZAhari V, Vasil A, Ivayla P, Slavka T, Nikolai D, Simeon S. Lowering of cholesterol bioaccessibility and serum concentrations by saponins: in vitro and in vivo studies. *Food Funct.* 2015; 6, 501. [Cited 2017 Juli 1], Available from https://dce.uni-sofia.bg/files/publications/2015/2015-03-Food_Function_LV_ZV.pdf
42. Keithley JK, Swanson B, Mikolaitis SL, et al. Safety and Efficacy of Glucomannan for Weight Loss in Overweight and Moderately Obese Adults. *Journal of obesity.* 2013;2013:1-7. doi:10.1155/2013/610908. [Cited 2017 Juli 2], Available from <https://www.hindawi.com/journals/job/2013/610908/>
43. Budijanto D. *Populasi, Sampling, dan Besar Sample.* 2013. [Cited 2017 Desember 13], Available from : <http://www.risbinkes.litbang.depkes.go.id/>