

[HOME](#) [ABOUT](#) [LOGIN](#) [REGISTER](#) [SEARCH](#) [CURRENT](#) [ARCHIVES](#) [ANNOUNCEMENTS](#)

[Home](#) > [Archives](#) > **Vol 16, No 6**

## Vol 16, No 6

December 2018

DOI: <http://dx.doi.org/10.12928/telkomnika.v16i6>

### Table of Contents

Design and Analysis of Broadband Elliptical Microstrip Patch Antenna for Wireless Communication [PDF](#)

*Ali Khalid Jassim, Raad H. Thaher*

2492-2499

Optimization a Scheduling Algorithm of CA in LTE ADV [PDF](#)

*Sarmad K. Ibrahim, Nasser N. Khamiss*

2514-2521

Performance Evaluation of Low-Cost GPS Time Server Based on NTP [PDF](#)

*Heri Andrianto, Yohana Susanthi, Denny Suryadi*

2528-2535

Hybrid Filter Scheme for Optimizing Indoor Mobile Cooperative Tracking System [PDF](#)

*Rafina Destiarti Ainul, Prima Kristalina, Amang Sudarsono*

2536-2548

A Compact Reconfigurable Dual Band-Notched Ultra-Wideband Antenna using Varactor Diodes [PDF](#)

*Sam Weng Yik, Zahriladha Zakaria, Herwansyah Lago, Noor Azwan Shairi*

2557-2562

RS Codes for Downlink LTE System over LTE-MIMO Channel [PDF](#)

*Ghasan Ali Hussain, Lukman Audah*

2563-2569

A Two-stages Microstrip Power Amplifier for WiMAX Applications [PDF](#)

*Amine Rachakh, Larbi El Abdellaoui, Jamal Zbitou, Ahmed Errkik, Abdelali Tajmouati, Mohamed Latrach*

2500-2506

#### USER

Username

Password

Remember me

#### TEMPLATE



#### ONLINE SUBMISSION

[Submit Paper](#)

#### QUICK LINKS

- Author Guideline
- Editorial Boards
- Reviewers
- **Online Submission**
- Abstracting and Indexing
- Scopus: Add missing document
- Publication Ethics
- Visitor Statistics
- Contact Us

#### JOURNAL CONTENT

Search

Electromagnetic Characteristics Measurement of Organic Material Absorber <i>Reza Septiawan, Sardjono Trihatmo, Juliati Junde, Dody A. Winarto, Arief Rufiyanto, Erik Madyo Putro, Budi Sulisty, Arky Astarari</i>	<a href="#">PDF</a> 2507-2513
Loss Quantization of Reflectarray Antenna Based on Organic Substrate Materials <i>H. I Malik, M. Y Ismail, Sharmiza Adnan, S. R Masrol</i>	<a href="#">PDF</a> 2570-2577
Comparison of Raindrop Size Distribution Characteristics Across the Southeast Asia Region <i>Manhal Alhilali, Lam Hong Yin, Jafri Din</i>	<a href="#">PDF</a> 2522-2527
Proposed Model for Interference Estimation in Code Division Multiple Access <i>Dalal Kanaan Taher, Adheed Hassan Sallomi</i>	<a href="#">PDF</a> 2549-2556
A Novel Structure of a Wideband Zero-Bias Power Limiter for ISM Band <i>Khalifa Echchakhaoui, Elhassane Abdelmounim, Jamal Zbitou, Hamid Bennis, Ahmed Errkik, Angel Mediavilla Sanchez</i>	<a href="#">PDF</a> 2481-2491
Multiuser Detection with Decision-Feedback Detectors and PIC in MC-CDMA System <i>Leila Sahraoui, Djemil Messadeg, Saliha e Hariz, Nouredine Doghmane</i>	<a href="#">PDF</a> 2578-2587
Different Multilayer Substrate Approaches to Improve Array Antenna Characteristics for Radar Applications <i>N. Chater, T. Mazri, M. Benbrahim</i>	<a href="#">PDF</a> 2588-2596
Analysis Predicted Location of Harmonic Distortion in RF Upconverter Structure <i>Sirmayanti Sirmayanti, Mike Faulkner</i>	<a href="#">PDF</a> 2608-2615
Performance Enhancement of Wideband Reflectarray Antennas Embedded on Paper Substrate Materials <i>M. Y. Ismail, H. I. Malik</i>	<a href="#">PDF</a> 2616-2621
Proposed P-shaped Microstrip Antenna Array for Wireless Communication Applications <i>Raad H. Thaher, Noor Baqir Hassan</i>	<a href="#">PDF</a> 2597-2607
Underwater Image De-nosing using Discrete Wavelet Transform and Pre-Whitening Filter <i>Mohanad Najm Abdulwahed, Ali Kamil Ahmed</i>	<a href="#">PDF</a> 2622-2629
Implementation of Integration VaaMSN and SEMAR for Wide Coverage Air Quality Monitoring <i>Yohanes Yohanie Fridelin Panduman, Adnan Rachmat Anom Besari, Sritrusta Sukaridhoto, Rizqi Putri Nourma Budiarti, Rahardhita Widyatra Sudibyo, Funabiki Nobuo</i>	<a href="#">PDF</a> 2630-2642
Secure Code Generation for Multi-Level Mutual Authentication <i>Gregor Alexander Aramice, Jaafar Qassim Kadhim</i>	<a href="#">PDF</a> 2643-2650

Search Scope

All ▼

**Browse**

- By Issue
- By Author
- By Title
- Other Journals

Modified DCT-based Audio Watermarking Optimization using Genetics Algorithm	<a href="#">PDF</a>
<i>Ledya Novamizanti, Gelar Budiman, Irma Safitri</i>	2651-2660
Numerical Method for Evaluating E-Cash Security	<a href="#">PDF</a>
<i>Dany Eka Saputra, Sarwono Sutikno, Suhono Harso Supangkat</i>	2668-2675
Statistical Tuning Chart for Mapping Porosity Thickness: a Case Study of Channel Sand Bodies in the Kutei Basin Reservoir	<a href="#">PDF</a>
<i>Abdul Haris, Agus Riyanto, Sri Mardiyati</i>	2676-2682
Repair and Replacement Strategy for Optimizing Cost and Time of Warranty Process using Integer Programming	<a href="#">PDF</a>
<i>Ardy Januantoro, Rivanarto Sarno</i>	2683-2691
Determining Strategies on Playing Badminton using the Knuth-Morris-Pratt Algorithm	<a href="#">PDF</a>
<i>Lala Septem Riza, Muhammad Irfan Firmansyah, Herbert Siregar, Dian Budiana, Alejandro Rosales-Pérez</i>	2763-2770
Towards Adaptive Sensor-cloud for Internet of Things	<a href="#">PDF</a>
<i>I Made Murwantara, Hendra Tjahyadi, Pujianto Yugopuspito, Arnold Aribowo, Irene A. Lazarusli</i>	2771-2781
Design Mobile App for Increase the Visitor Museum using Gamification Method	<a href="#">PDF</a>
<i>Novian Adi Prasetyo, Suyoto Suyoto</i>	2791-2798
A New Framework for Information System Development on Instant Messaging for Low Cost Solution	<a href="#">PDF</a>
<i>I Made Sukarsa, I Ketut Gede Darma Putra, Nyoman Putra Sastra, Lie Jasa</i>	2799-2808
Using Alpha-cuts and Constraint Exploration Approach on Quadratic Programming Problem	<a href="#">PDF</a>
<i>Yosza Dasril, Zahriladha Zakaria, Ismail Bin Mohd</i>	2782-2790
Message Oriented Middleware For Library's Metadata Exchange	<a href="#">PDF</a>
<i>Ni Wayan Wiswani, I Wayan Kandi Wijaya</i>	2756-2762
Fuzzy Rule-based Classification Systems for the Gender Prediction from Handwriting	<a href="#">PDF</a>
<i>Lala Septem Riza, Aldi Zainafif, Rasim Rasim, Shah Nazir</i>	2725-2732
Speech Recognition Application for the Speech Impaired using the Android-based Google Cloud Speech API	<a href="#">PDF</a>
<i>Nenny Anggraini, Angga Kurniawan, Luh Kesuma Wardhani, Nashrul Hakiem</i>	2733-2739
Integrated Analytical Hierarchy Process and Objective Matrix in Balanced Scorecard Dashboard Model for Performance Measurement	<a href="#">PDF</a>
<i>Okfalisa Okfalisa, Septia Anugrah, Wresni Anggraini, Muhammad Absor, S.S.M. Fauzi, Saktioto</i>	2703-2711

Saktioto

Reinforced Island Model Genetic Algorithm to Solve University Course Timetabling	<a href="#">PDF</a>
<i>Alfian Akbar Gozali, Shigeru Fujimura</i>	2747-2755
The Readiness of Palm Oil Industry in Enterprise Resource Planning	<a href="#">PDF</a>
<i>Darius Antoni, Deni Fikari, Muhamad Akbar, Ferry Jie</i>	2692-2702
A Review of Energy-aware Cloud Computing Surveys	<a href="#">PDF</a>
<i>Azlan Ismail, Nor Adzlan Jamaludin, Suzana Zambri</i>	2740-2746
Thermodynamic Performance and Wave Propagation Sensor System of Fiber Bragg Grating in Liquid Media	<a href="#">PDF</a>
<i>Romi F. Syahputra, Ridho Kurniawan, Yunita I. Lubis, Mesra Sania, Okfalisa Okfalisa, Saktioto Saktioto</i>	2661-2667
Image Analysis using Color Co-occurrence Matrix Textural Features for Predicting Nitrogen Content in Spinach	<a href="#">PDF</a>
<i>Yusuf Hendrawan, Indah Mustika Sakti, Yusuf Wibisono, Muchnuria Rachmawati, Sandra Malin Sutan</i>	2712-2724
Assessment of Internet Banking Services Continued Use: Role of Socio-Cognitive and Relational View	<a href="#">PDF</a>
<i>Mira Kartiwi, Ali Rfieda</i>	2817-2827
Anomaly Detection based on Control-flow Pattern of Parallel Business Processes	<a href="#">PDF</a>
<i>Hendra Darmawan, Riyanarto Sarno, Adhatus Solichah Ahmadiyah, Kelly Rossa Sungkono, Cahyaningtyas Sekar Wahyuni</i>	2809-2816
Development of a Modular Unit of a Higher Level Framework or Tool for Basic Programming Course Teaching Through E-Learning Mode	<a href="#">PDF</a>
<i>Radhika Pathi, G.V. Rao, P. Rama Krishna, P. Bharath Kumar</i>	2828-2834
Stochastic Computing Correlation Utilization in Convolutional Neural Network Basic Functions	<a href="#">PDF</a>
<i>Hamdan Abdellatef, Mohamed Khalil Hani, Nasir Shaikh Husin, Sayed Omid Ayat</i>	2835-2843
Design of Dual Band Microstrip Antenna for Wi-Fi and WiMax Applications	<a href="#">PDF</a>
<i>Raad H. Thaher, Zainab S. Jamil</i>	2864-2870
An Adaptive Internal Model for Load Frequency Control Using Extreme Learning Machine	<a href="#">PDF</a>
<i>Adelhard Beni Rehiara, He Chongkai, Yutaka Sasaki, Naoto Yorino, Yoshifumi Zoka</i>	2879-2887
Sub-1 GHz Wireless Nodes Performance Evaluation for Intelligent Greenhouse System	<a href="#">PDF</a>
<i>I Nyoman Kusuma Wardana, Ngakan Nyoman Kutha Krisnawijaya, I Wayan Aditya Suranata</i>	2888-2895

Voltage Regulation of Boost Converter using Observer based Sliding Mode Controller	<a href="#">PDF</a>
<i>Ramadhani Kurniawan Subroto, Sapriesty Nainy Sari, Zainul Abidin, Kuo Lung Lian</i>	2896-2904
Application of EMG and Force Signals of Elbow Joint on Robot-assisted Arm Training	<a href="#">PDF</a>
<i>Riky Tri Yunardi, Eva Inaiyah Agustin, Raisalatul Latifah, Winarno Winarno</i>	2913-2920
Performance Evaluation of Centralized Reconfigurable Transmitting Power Scheme in Wireless Network-on-chip	<a href="#">PDF</a>
<i>M. S. Rusli, A. A. H. Ab Rahman, U. U. Sheikh, N. Shaikh Husin, Michael L. P. Tan, T. Andromeda, M. N. Marsono</i>	2844-2854
Radial Derivative and Radial Inversion for Interpreting 4D Gravity Anomaly Due to Fluids Injection Around Reservoir	<a href="#">PDF</a>
<i>Muhammad Zuhdi, Sismanto Sismanto, Ari Setiawan, Jarot Setyowiyoto, Adi Susilo, Muhammad Sarkowi</i>	2855-2863
The Application of General MOS Gas Sensors for Discriminating Formalin Content	<a href="#">PDF</a>
<i>Arief Sudarmaji, Budi Gunawan, Shoufika Hilyana, Henry Fernando, Agus Margiwiyatno</i>	2905-2912
A Small RLSA Antenna Utilizing the Specification of Back Fires 17 dBi LAN Antennas	<a href="#">PDF</a>
<i>Teddy Purnamirza, Prayoga Budikesuma, Imran M. Bin Ibrahim, Depriwana Rahmi, Rika Susanti</i>	2871-2878
Low-Cost Fiber Optic Chemical Sensor Development for Fishpond Application	<a href="#">PDF</a>
<i>Budi Mulyanti, Yuski Maolid Rizki Faozan, Ajuni B. Pantjawati, Roer Eka Pawinanto, Lilik Hasanah, Wahyu Sasongko Putro</i>	2921-2929
Sensorless Control of a Fault-Tolerant Multi-Level PMSM Drive	<a href="#">PDF</a>
<i>Kamel Saleh, Mark Sumner</i>	2930-2942
Modified SEPIC Converter Performance for Grid-connected PV Systems under Various Conditions	<a href="#">PDF</a>
<i>Rizky Ajie Aprilianto, Subiyanto Subiyanto, Tole Sutikno</i>	2943-2953
Bank of Extended Kalman Filters for Faults Diagnosis in Wind Turbine Doubly Fed Induction Generator	<a href="#">PDF</a>
<i>Imane Idrissi, Houcine Chafouk, Rachid El Bachtiri, Maha Khanfara</i>	2954-2966
Transient Power Quality Performance of Multi Photovoltaics using MPPT P and O/MPPT Fuzzy	<a href="#">PDF</a>
<i>Amirullah Amirullah, Agus Kiswantono, Ontoseno Penangsang, Adi Soeprijanto</i>	2967-2979
Developing Fuzzy Inference System of the Observed Albireo Star's Trail using Surface Meteorological Parameter over ITERA Astronomical Observatory (IAO)	<a href="#">PDF</a>
<i>Wahyu Sasongko Putro, Wirid Birastri, Robiatul Muztaba, Anissa Novia Indra Putri, Nindhita Pratiwi, Hakim Luthfi Malasan</i>	2980-2987
Solar Panel Control System Using an Intelligent Control: T2FSMC and Firefly	<a href="#">PDF</a>

**Algorithm***Mardlijah Mardlijah, Zainullah Zuhri*

2988-2998

[PDF](#)**Particle Filter with Integrated Multiple Features for Object Detection and Tracking***Muhammad Attamimi, Takayuki Nagai, Djoko Purwanto*

3008-3015

[PDF](#)**Optimal Control for Torpedo Motion based on Fuzzy-PSO Advantage Technical***Viet Dung Do, Xuan Kien Dang*

2999-3007

**Inclined Image Recognition for Aerial Mapping using Deep Learning and Tree based Models***Muhammad Attamimi, Ronny Mardiyanto, Astria Nur Irfansyah*

3034-3044

[PDF](#)**PID Control Design for Biofuel Furnace using Arduino***Agus Budianto, Wahyu S. Pambudi, Sumari Sumari, Andik Yulianto*

3016-3023

**Transfer Function, Stabilizability, and Detectability of Non-autonomous Riesz-spectral Systems***Sutrima Sutrima, Christiana Rini Indrati, Lina Aryati*

3024-3033

**TELKOMNIKA Telecommunication, Computing, Electronics and Control**

ISSN: 1693-6930, e-ISSN: 2302-9293

Universitas Ahmad Dahlan, 4th Campus

Jl. Ringroad Selatan, Kragilan, Tamanan, Banguntapan, Bantul, Yogyakarta, Indonesia 55191

Phone: +62 (274) 563515, 511830, 379418, 371120 ext. 4902, Fax: +62 274 564604

**02462902**[View TELKOMNIKA Stats](#)



SJR

Scimago Journal &amp; Country Rank

Enter Journal Title, ISSN or Publisher Name

[Home](#)[Journal Rankings](#)[Country Rankings](#)[Viz Tools](#)[Help](#)[About Us](#)

## Konsultan Pembangkit Listrik

Konsultan Jasa Engineering Pembangkit Listrik (Power Plant Engineering Service)

indopowerinternational.co.id

BUKA

# Telkomnika

<b>Country</b>	Indonesia -  SCIMAGO INSTITUTIONS RANKINGS
<b>Subject Area and Category</b>	Engineering Electrical and Electronic Engineering
<b>Publisher</b>	Institute of Advanced Engineering and Science (IAES)
<b>Publication type</b>	Journals
<b>ISSN</b>	16936930, 2087278X
<b>Coverage</b>	2011-2020
<b>Scope</b>	TELKOMNIKA (Telecommunication Computing Electronics and Control) is a peer reviewed International Journal in English published four issues per year (March, June, September and December). The aim of TELKOMNIKA is to publish high-quality articles dedicated to all aspects of the latest outstanding developments in the field of electrical engineering. Its scope encompasses the engineering of

# 18

H Index

signal processing, electrical (power), electronics, instrumentation & control, telecommunication, computing and informatics which covers, but not limited to, the following scope: Signal Processing[...] Electronics[...] Electrical[...] Telecommunication[...] Instrumentation & Control[...] Computing and Informatics[...]



[Homepage](#)

[How to publish in this journal](#)

[Contact](#)



[Join the conversation about this journal](#)



## research paper publication

Call for Paper, Referred Journal, Low Cost

JETIR Research Journal

OPEN



## research paper publication

Call for Paper, Referred Journal, Low Cost







JETIR Research Journal





OPEN

Quartiles









**Telkomnika**

Q3

Electrical and Electronic Engineering

best quartile

**SJR 2019**

0.21

powered by scimagojr.com

← Show this widget in your own website

Just copy the code below and paste within your html code:

```
<a href="https://www.scimagojr.com/journalsearch.php?q=21100256101&tip=sid&clean=0
```

Metrics based on Scopus® data as of April 2020



Loading comments...

Developed by:



Powered by:



Follow us on @ScimagoJR

EST MODUS IN REBUS

Horatio (Satire 1.1.106)

## Performance Evaluation of Low-cost GPS Time Server based on NTP

Heri Andrianto\*, Yohana Susanthi, Denny Suryadi

Electrical Engineering Departement, Faculty of Engineering, Universitas Kristen Maranatha  
Prof. Drg. Surya Sumantri Street, M.P.H No.65, Bandung, Indonesia

\*Corresponding author, e-mail: heri.andrianto@eng.maranatha.edu

### Abstract

Time synchronization is required to maintain a precise clock. In this paper, a low-cost GPS NTP server has been realized using inexpensive arduino, GPS receiver, and ethernet shield. The performance of low cost GPS NTP server has been compared with the performance of commercial GPS NTP server (TM1000A). The results showed that both time server has synchronization success rate of 100% with average clock offset -8,69 ms for low cost GPS NTP server and -10,1538 ms for TM1000A. However, TM1000A have better clock offset deviation area compared with low cost GPS NTP server. TM1000A has a smaller clock offset deviation area, which is between -8 ms to -12 ms while low cost GPS NTP server has larger clock offset deviation area, which is between -20 ms to +10 ms. With production costs of less than 29 USD, we offer cheap GPS NTP servers as an alternative GPS NTP server for time synchronization on computer networks.

**Keywords:** arduino, GPS time server, low cost, time synchronization

**Copyright © 2018 Universitas Ahmad Dahlan. All rights reserved.**

### 1. Introduction

In a computer network based systems, time is very important [1]. All of the activity or process requires the correct timing reference [2]. Reliable and accurate time is required for distribution systems, transportation, financial and legal transactions, and many other applications involving widely distributed resources [3–7]. Although every computer has an internal clock, but many of them are imprecise and have a time shift. In addition, these clocks is prone to errors and improper resets [8]. It causes a time difference on each computer. The difference in clock rate can reach 40 microseconds per second [9]. Therefore, time synchronization is required for computers in computer network to maintain a precise clock in an accurate time needing system.

Global positioning system (GPS) has been widely used both in scientific study activities as well as in business activities, such as navigating for accurate traffic flow prediction, surveys for errors in road measurements, high altitude UAV tracking and surveillance, mobile operation, interfacing with GPRS as wireless data collection and more [10]. GPS is a global satellite navigation system that provides three main functions such as positioning, time transfer and speed measurement [11]. Time synchronization based on satellite navigation systems has become an effective means [12]. GPS satellites can be used as an very accurate clock source because equipped with multiple atomic clocks. Calculation of GPS receiver locations can be done when the GPS receiver locks the signals from at least four GPS satellites. With the GPS receiver's ability to receive highly accurate data from GPS satellites, accurate information about position and time can be obtained anywhere [13]. By using GPS system, every hour on local computer can be synchronized to GPS clock [14].

Network Time Protocol (NTP) is a protocol that allows the exchange of time data between server and client in computer network. NTP has been widely used on the Internet to synchronize clocks on computers, more recently, on a wide variety of handheld devices [15]. NTP is used to handle computer networks with large and varied message delays. In LANs, the accuracy of time provided by NTP is submillisecond, and tens of milliseconds in the WAN [16]. An NTP implementation operates as a primary server, secondary server or client. A primary server is synchronized to a reference clock directly traceable to UTC (e.g., Galileo, GPS, etc). A

client synchronizes to one or more upstream servers. In order to maintain synchronization, the time difference between server and client is less than 128 ms [17].

The focus of time synchronization research from most researchers is on the use of hardware and software, offset calculation, compensation for clock drifts and message exchange design to achieve time synchronization [16], but less attention to the development of inexpensive GPS NTP server and performance evaluation of GPS NTP server. Several studies have been conducted to develop a low cost GPS based time synchronization board. Refan [8] proposed a simple and low cost GPS based computer network time synchronization board, using NTP Protocol. Refan [18] proposes time synchronization boards that are able to synchronize computer network time using NTP with redundant schemes embedded in the board to provide more reliability. The board has been tested by connecting it to a computer that installed Windows XP via an Ethernet cable. The board also tested using in the virtual network consisting of three Computers using "Sun virtual box" freeware, NTP server successfully synchronized them all [8, 18]. However, the performance of low-cost GPS NTP server compared to commercial GPS NTP server has not been reported in previous research conducted by Refan [8, 18]. This study is primarily interested in developing a cheap GPS time server based on NTP as a stratum 1- NTP server for time synchronization using arduino, ethernet shield [19] and GPS receiver [20]. The performance of a low-cost GPS time server is also compared to more expensive GPS time server (TM1000A), with a cost fraction - USD 29 compared to USD 299.9.

## 2. Research Method

The research method has four stages. The first stage is designing a time synchronization system architecture. Time synchronization systems architecture based on GPS consists of two main parts, namely the low-cost GPS NTP server and NTP client. Architecture of the system is depicted in Figure 1. Time data comes from United States GPS satellites and received by GPS receiver (u-Blox GPS module Neo 6M). GPS receiver uses a GPS antenna to receive signals from GPS satellites. The time data from GPS receiver processed by Arduino Mega 2560. If there is a client requesting time data, then Arduino Mega 2560 will send time data to the client via Ethernet.




Figure 1. GPS based time synchronization system architecture

The second stage is developing a low-cost GPS NTP server by integrating the arduino, ethernet shield, and u-Bblox GPS module Neo 6M. The third stage is testing the low cost GPS NTP server and commercial GPS NTP server (TM1000A) that has been available in the market using NetTime application. The fourth stage is evaluating the performance of low cost GPS NTP server and TM1000A.

### 2.1. GPS NTP Server Flowchart

Figure 2 describes the flowchart of main program, which starts from enabling Ethernet shield and UDP function as data communication channel. The GPS receiver checks the incoming data. If the GPS receiver has received data from the GPS satellites, the data will be converted into time data (year, month, date, hour, minute, and second), and if the time data is valid then proceed to the process of compiling and sending NTP message to the client. If the data received by the GPS receiver is invalid, then back again to the data checking process performed by the GPS receiver.

Figure 3 describes the flowchart of process NTP, which begins with the checking of the NTP client request received via ethernet shield. If the request of the NTP client does not exist, it will return to the main program. If there is a request from the NTP client, then continued with the process of reading the IP address and NTP port number. The next step is filling NTP message that contains time data. Then NTP message is sent to the client who has made the request, via IP address and NTP port number. The next process is returned to the main program, which is the process of checking the data from the GPS receiver.




Figure 2. Flowchart of main program




Figure 3. Flowchart of process NTP

### 2.2. Developing a Low-cost GPS NTP Server

Arduino is an open source platform for hardware and software that can be used to create various devices. The arduino board contains a microcontroller, which can be

programmed using the Arduino programming language, which is similar to the C++ programming language [21]. Design of low cost GPS NTP server by integrating the arduino, ethernet shield, and u-Blox GPS module Neo 6M. Connection between arduino and ethernet shield via ICSP (In-Circuit Serial Programming) or ISP (In-System Programming). While the connection between arduino and GPS receiver through UART (Universal Asynchronous Receiver Transmitter). The connection between the components is depicted in Table 1. Figure 4 shows the realization of NTP GPS Server based on Arduino Mega 2560.

Table 1. Connections Among Devices

Arduino Mega 2560 pin	Devices pin
Pin 18 Tx	Rx GPSreceiver module
Pin 19 Rx	Tx GPS receiver module
Pin 50 MOSI	D12 Ethernet Shield
Pin 51 MOSI	D11 Ethernet Shield
Pin 52 SCK	D13 Ethernet Shield
Pin 53 SS	D10 Ethernet Shield




Figure 4. GPS NTP server based on arduino mega 2560

### 3. Results and Discussion

#### 3.1. Performance Evaluation of Low Cost GPS NTP Server

In this study, low cost GPS NTP server has been tested using eight computers as NTP client that is connected to a low-cost GPS NTP server via computer network. The experiment has been done in 3 stages. The first stage is observing the time on eight computers when the GPS NTP server is showing of time at 02:30:00 pm. Table 2 shows a time difference on each client. The second stage, eight computer units make a request to the GPS NTP server almost at the same time when the GPS NTP Server showing the time at 02:32:00 pm. The third stage is observing the time on eight computers when the GPS NTP Server showing the time at 02:40:00 pm. Table 3 shows the test results, that the low-cost GPS NTP server successfully synchronizes all clients, these results in accordance with other reports [8, 18]. However, the GPS NTP server testing of this research is better than the previous research because it was tested using eight real computers on a computer network.

Table 2. Before Time Synchronization

Client	IP Address	Time
Computer 1	192.168.0.2	02:30:01 pm
Computer 2	192.168.0.3	02:29:46 pm
Computer 3	192.168.0.4	02:30:00 pm
Computer 4	192.168.0.5	02:30:05 pm
Computer 5	192.168.0.6	02:29:53 pm
Computer 6	192.168.0.7	02:30:02 pm
Computer 7	192.168.0.8	02:29:57 pm
Computer 8	192.168.0.9	02:29:54 pm

Table 3. After Time Synchronization

Client	IP Address	Time
Computer 1	192.168.0.2	02:40:00 pm
Computer 2	192.168.0.3	02:40:00 pm
Computer 3	192.168.0.4	02:40:00 pm
Computer 4	192.168.0.5	02:40:00 pm
Computer 5	192.168.0.6	02:40:00 pm
Computer 6	192.168.0.7	02:40:00 pm
Computer 7	192.168.0.8	02:40:00 pm
Computer 8	192.168.0.9	02:40:00 pm

#### 3.2. Clock Offset

One of the variables obtained from the relationship between client and server for the estimation system used by NTP is the clock offset [22]. Figure 5 shows NTP time synchronization packet exchange between client and server. Clock offset, is the time difference between the client's local time to server time that becomes variable in making corrections to the time in the client. This correction will be brought in sync between the two devices. The clock offset is computed as (1) [23].



$$Clock\ Offset = \frac{(T_2 - T_1) + (T_3 - T_4)}{2} \tag{1}$$

Defining  $T_1$  as the Client transmit time,  $T_2$  as the Server receive time,  $T_3$  as the Server transmit time, and  $T_4$  as the Client receive time. In this study, testing TM1000A and low-cost GPS NTP servers has been tested using NetTime application with interval pooling every 10 minutes.




Figure 5. NTP time synchronization packet exchange between client and server [22]

**3.2.1. Testing the TM1000A**

Figure 6 shows, TM1000A GPS NTP server. Testing the TM1000A began on Tuesday, September 20, 2016 at 03:14:49 pm until Wednesday, September 21, 2016 at 03:14:41 pm. As shown in Figure 7, time synchronization has been done only for one day because the results are shown that TM1000A has been stable over time synchronizing with average clock offset -10,1538 ms. Figure 7 shows, all synchronization process can take place properly. The success rate of synchronization is 100%, because there are no failures in the synchronization process. Most clock offset deviations are in the area between -8 ms to -12 ms. Only two times outside that area, which occurred at the beginning of synchronization.



Figure 6. TM1000A




Figure 7. Testing the TM1000A

**3.2.2. Testing the Low-Cost GPS NTP Server**

Time synchronization testing using the low-cost GPS NTP server and a computer has been done in four days, with interval pooling every 10 minutes and in case of failure, it will do retry

process. The first day starts on Thursday, October 6, 2016 at 01:57:17 pm until Friday, October 7, 2016 at 01:48:26 pm. The second day starts on Friday, October 7, 2016 at 01:57:17 pm until Saturday, October 8, 2016 at 01:53:02 pm. The third day starts on Saturday, October 8, 2016 at 02.03.11 pm until Sunday, October 9, 2016 at 01.48.26 pm. The fourth day starts on Sunday, October 9, 2016 at 02.04.29 pm until Monday, October 10, 2016 at 01.55.38 pm.

As shown in Figure 8, Figure 9, Figure 10, Figure 11, the success rate of clock synchronization is 100%, because there are no failures in the synchronization process. Low cost GPS NTP server has been fairly stable over time synchronizing. Most clock offset deviations are in the area between -20 ms to +10 ms. Figure 8 shows the average clock offset on the first day of -9,4 ms. Only three times offset outside the area between -20 ms to +10 ms, which occurred twice at the beginning of synchronization and once during synchronization. Figure 9 shows the average clock offset on the second day of -8,83 ms. Figure 10 shows the average clock offset on the third day of -8,03 ms. Only three times offset outside the area between -20 ms to +10 ms, which occurred during synchronization. Figure 11 shows the average clock offset on the first day of -8,47 ms. Only one times offset outside the area between -20 ms to +10 ms, which occurred during synchronization.




Figure 8. The first day of low cost GPS NTP server testing




Figure 9. The second day of low cost GPS NTP server testing




Figure 10. The third day of low cost GPS NTP server testing




Figure 11. The fourth day GPS NTP server testing

#### 4. Conclusion and Future Work

We have successfully developed a low-cost GPS NTP server for time synchronization using a low-cost arduino, ethernet shield and GPS receiver module. We have also compared the performance of low-cost GPS NTP servers with TM1000A performance. Both GPS NTP server can work well in synchronizing time with a success rate of 100%. However, the clock offset deviation area of TM1000A is better than low cost GPS NTP server because TM1000A has a smaller clock offset deviation area. In our future work, this research will be further developed to reduce clock offset deviation area on low-cost GPS NTP servers.

#### Acknowledgements

This work was supported by Maranatha Christian University (Grants No. 135-R/LPPM/UKM/VI/2016).

## References

- [1] Johannessen S. Time Synchronization in a Local Area Network. *IEEE Control Systems Magazine*. 2004: 61–69.
- [2] Veitch D, Ridoux J, Korada SB. Robust Synchronization of Absolute and Difference Clocks Over Networks. *IEEE/ACM Transactions on Networking*. 2009; 17(2): 417–430.
- [3] Mills DL. Internet Time Synchronization: The Network Time Protocol. *IEEE Transactions on Communications*. 1991; 39(10): 1482–1493.
- [4] Son S, Kim N, Lee B, Cho CH, Chong JW. A Time Synchronization Technique for CoAP-based Home Automation Systems. *IEEE Transactions on Consumer Electronics*. 2016; 62(1): 10–16.
- [5] Melvin H, Murphy L. Time Synchronization for VoIP Quality of Service. *IEEE Internet Computing*. 2002; 6(3): 57–63.
- [6] Lasassmeh SM, Conrad JM. *Time Synchronization in Wireless Sensor Networks: A Survey*. Proceedings of the IEEE SoutheastCon 2010. Concord. 2010: 242–245.
- [7] Zhang X, Tang X, Chen J. Time synchronization of hierarchical real-time networked CNC system based on ethernet / internet. *The International Journal of Advanced Manufacturing Technology*. 2008; 36(11–12): 1145–1156.
- [8] Refan MH, Valizadeh H. *Design and Implementation of a GPS Based DCS Network Time Synchronization Board*. The 3rd Conference on Thermal Power Plants. Tehran. 2011: 1–6.
- [9] Generiwal S, Kumar R, Srivastava MB. *Timing-sync Protocol for Sensor Networks*. SenSys '03 Proceedings of the 1st international conference on Embedded networked sensor systems. Los Angeles. 2003: 138–149.
- [10] Abu M, Sidik B, Qamarul M, Rusli A, Adzis Z, Arief YZ, et al. Arduino-Uno Based Mobile Data Logger with GPS Feature. *TELKOMNIKA Telecommunication Computing Electronics and Control*. 2015; 13(1): 250–259.
- [11] Wu J, Hu Y, He Z. *The study of GPS Time Transfer Based on Extended Kalman Filter*. Joint European Frequency and Time Forum & International Frequency Control Symposium (EFTF/IFC). Prague. 2013: 819–822.
- [12] Zuohu L, Jinming H, Jianwen L. *High Precision Clock Synchronization and Control Based on GPS*. International Conference on Electrical and Control Engineering. Wuhan. 2010: 1125–1128.
- [13] Mazur DC, Entzminger RA, Kay JA, Morell PA. Time Synchronization Mechanisms for the Industrial Marketplace. *IEEE Transactions on Industry Applications*. 2017; 53(1): 39–46.
- [14] Vito L De, Rapuano S, Tomaciello L. One-Way Delay Measurement: State of the Art. *IEEE Transactions on Instrumentation and Measurement*. 2008; 57(12): 2742–2750.
- [15] Corcoran BP. A Matter of Timing. *IEEE Consumer Electronics Magazine*. 2013: 20–25.
- [16] Liu Y, Yang H. Precise Clock Synchronization Algorithm for Distributed Control Systems. *TELKOMNIKA Telecommunication Computing Electronics and Control*. 2013; 11(7).
- [17] Lee J, Jeong Y, Nam K. *Time synchronization method of Network Testing system by Standard Wave*. 16th International Conference on Advanced Communication Technology. Pyeongchang: IEEE. 2014: 1136–1139.
- [18] Refan MH, Valizadeh H. *Redundant GPS Time Synchronization Boards for Computer Networks*. 19th Telecommunications Forum (TELFOR). Belgrade: IEEE. 2011: 904–907.
- [19] Kusriyanto M. *Smart Home Using Local Area Network (LAN) Based Arduino Mega 2560*. 2nd International Conference on Wireless and Telematics (ICWT). Yogyakarta. 2016: 127–131.
- [20] Odolinski R. Low-cost , high-precision , single-frequency GPS – BDS RTK positioning. *GPS Solutions*. 2017; 21(3): 1315–1330.
- [21] Jidin AZ, Yusof NM, Sutikno T. Arduino Based Paperless Queue Management System. 2016; 14(3): 839–45.
- [22] Jie X, Liang X, Lian D, Delin Z. *Research on network timing system based on NTP*. 13th IEEE International Conference on Electronic Measurement & Instruments (ICEMI). Yangzhou. 2017: 356–360.
- [23] Helsby N, Dean W. *Portable Instrumentation for Time Source Verification and Analysis*. IEEE International Frequency Control Symposium Joint with the 21st European Frequency and Time Forum. Geneva: IEEE. 2007: 854–857.