




JOURNAL OF NATURAL REMEDIES

Dedicated to Medicinal Plant Research

ISSN : 0972 - 5547





Editorial Board

Editor-In-Chief

Dr. M. K. Mohan Maruga Raja

Senior Scientist, TanBio R&D Solution, Penyar Technology Business Incubator, Periyar Maniammal University, Thanjavur, Tamil Nadu

Co-Editors

Dr. D. Prashanth

Natural Remedies, Bangalore

Balu Ranganathan

Palms Connect LLC, Sandy, Utah, USA

Dr. M. K. Kathiravan

Department of Pharmaceutical Chemistry, SRM University, Kattankulathur, Tamil Nadu

Dr. Jollus Gimbut

Deputy Director of Centre of Excellence for Advanced Research in Fluid Flow (CARIFF), Assoc. Professor, Faculty of Chemical and Natural Resources Engineering, The Gimbut Group, Universiti Malaysia Pahang, Gambang, Pahang, Malaysia

Editorial Board Members

Dr. Acharya Sanjeev R.

Institute of Pharmacy, Nirma University, Ahmedabad

Dr. Akula Chinapolaiah

ICAR Indian Council of Agricultural Research, Anand Gujarat

Dr. Anant Bhandarkar

Goa College of Pharmacy, Govt. of Goa

Dr. Anil Kumar Uttamchand Tatiya

R.C.Patel College of Pharmacy Shirgur

Dr. Arun B. Joshi

Goa College of Pharmacy, Panaji, Goa

Dr. Chandrashekar K. S.

Manipal College of Pharmaceutical Sciences, Manipal University, Manipal

Dr. Dayanand M. Kamur

SCCES S.Indira College of Pharmacy, Pune

Dr. Deepak Kumar Semwal

Uttarakhand Ayurved University, Dehradun

Dr. Kuntal Das

Krupanidhi College of Pharmacy, Bangalore

Dr. Laxminarayana Baiyy

Kasturba Medical College, Manipal

Dr. Madhavan V.

M.S.Ramaiah College of Pharmacy, Bangalore

Dr. Manik Ghosh

Birla Institute of Technology, Mesra, Ranchi

Dr. Manjunath Shetty

Manipal College of Pharmaceutical Sciences, Manipal University, Manipal

Dr. Mohd. Yaseen

Central Institute of Medicinal and Aromatic Plants(CIMAP), Lucknow

Dr. Mruthunjaya K.

JSS College of Pharmacy, Mysore

Dr. Nagarajan A.

PSG College of Pharmacy, Coimbatore

Dr. Peter Achunike Akah

University of Nigeria, Nsukka, Nigeria

Dr. Rajendra Gyawali

Department of Pharmacy, Kathmandu

Dr. Sathianarayanan S.

Amrita School of Pharmacy Amrita Vishwavidyapeetram University, Kochi

Dr. Shailendra S. Gurav

Goa College of Pharmacy, Panaji, Goa

Dr. Sinha B. N.

Birla Institute of Technology, Mesra, Ranchi

Dr. Subhash C Mandal

Jadavpur University, Kolkata

Dr. Vasantha Kumar

ICAR, Indian Institute of Horticultural Research, Bengaluru

Dr. Vidhu Aeri

Jamia Hamdard Deemed University, New Delhi

Dr. Vikram Chauhan

Planet Ayurveda Clinic and Krishna Herbal Company, Mohali, India

Dr. Vimal Kumar

Institute of Pharmacy, Nirma University, Ahmedabad

Dr. Padmaa M Paarakh

Pharmacognosical, Phytochemical and Pharmacological studies, Banaras Hindu University, Varanasi

Prof.(Dr.) R. S. Tomar

Director, Amity Institute of Biotechnology, Madhya Pradesh

Manish K. R. Singh

Department of Poultry Science, Duvasu, Mathura, Uttar Pradesh

Dr. N. Kasthuri Bai

Interdisciplinary Institute of Indian System of Medicine, Tamil Nadu, India

Dr. Mani Ganesh

Hansoo University, Chungcheongnam-do, South Korea

Editorial Manager

Kavitha Kumar

Informatics Publishing Ltd.

Journal Coordinator

Priyadarshini C

Informatics Publishing Ltd.

Quick Links

- [Abstracting and Indexing](#)
- [Instructions to Authors](#)
- [Pre-submission checklist](#)
- [Publication Fees](#)
- [Journal Policies and Ethics](#)
- [Submission Process](#)
- [Information for Reviewers](#)
- [Email Alerts](#)
- [CrossMark Policy](#)

Archives

[Expand All]

[2019](#)

[2018](#)

[2017](#)

[2016](#)

[2015](#)

[2014](#)

[2013](#)

[2012](#)

[More..](#)

Volume 18, Issue 2, April 2018

Table of Contents

Articles

Mangosteen Peel Extract (*Garcinia mangostana* L.) and its Constituents to Lower Lipid Content on Adipogenesis Cells Model (3T3-L1)

Wahyu Widowati, Lusiana Darsono, Jo Suherman, Ervi Afifah, Rizal Rizal, Yukko Arinta, Rismawati Laila Odariah, Tjandrawati Mozef, Tri Suciati

DOI: 10.18311/jnr/2018/18654, Pagination: 41-48

Full-Text PDF

Abstract Views: | Pdf Views:

Dayak Onions (*Eleutherine bulbosa* (Mill.) Urb.) Bulbs Extracts Reduce the Blood Pressure of Ovariectomized Rats

Anton Bahtiar, Delvika Yessi Chumala

DOI: 10.18311/jnr/2018/21556, Pagination: 49-54

Full-Text PDF

Abstract Views: | Pdf Views:

Phase II Pilot Clinical Study of the Use of *Uncaria tomentosa* (Cat's Claw) Combined with *Paullinia cupana* (Guarana) for the Treatment of Symptoms in Terminal Cancer Patienna (Guarana) for the Treatment of Symptoms in Terminal Cancer Patients

Lais Beltrão Magalhães, Fernando Fonseca, Daniel Cubero, Auro del Giglio

DOI: 10.18311/jnr/2018/21665, Pagination: 55-62

Full-Text PDF

Abstract Views: | Pdf Views:

Microstructural Characterization of the *Garcinia mangostana* Fruit at Different Maturity Level

Marisca Evalina Gondokesumo, Bambang Pardjianto, Sutiman Bambang Sumitro, Wahyu Widowati, Arbi Dimiyati

DOI: 10.18311/jnr/2018/20936, Pagination: 63-70

Full-Text PDF

Abstract Views: | Pdf Views:

Quick Links

- Abstracting and Indexing
- Instructions to Authors
- Pre-submission checklist
- Publication Fees
- Journal Policies and Ethics
- Submission Process
- Information for Reviewers
- Email Alerts
- CrossMark Policy

Archives

[\[Expand All\]](#)

2019

2018

2017

2016

2015

2014

2013

2012

[More...](#)

Current Issue

INFO	1.0
RES	2.0
RES	1.0



Microstructural Characterization of the *Garcinia mangostana* Fruit at Different Maturity Level

Marisca Evalina Gondokesumo^{1*}, Bambang Pardjianto², Sutiman Bambang Sumitro³, Wahyu Widowati⁴ and Arbi Dimiyati⁵

¹Faculty of Medicine, Brawijaya University, Malang, Indonesia; mariscaevalina@gmail.com

²Department of Plastic Surgery, Saiful Anwar General Hospital, Faculty of Medicine, Brawijaya University, Malang, Indonesia

³Department of Biology, Faculty of Sciences, Brawijaya University, Malang, Indonesia

⁴Faculty of Medicine, Maranatha Christian University, Bandung, Indonesia

⁵Center for Science and Technology of Advanced Materials, PSTBM-BATAN, Indonesia

Abstract

Mangosteen (*Garcinia mangostana* L.) is one of the most popular fruits which has been widely used medicinally. The major constituents are mostly found in the pericarp particularly, xanthones, which are tricyclic isoprenylated polyphenols. Xanthones have been reported for its anti-oxidant, anti-inflammatory, anti-bacterial, anti-proliferative, proapoptotic and anti-carcinogenic activities. In this study, the mangosteen pericarps in various maturity levels were investigated using various characterization techniques such as PSA (Particle Size Analyzer), Scanning Electron Microscope (SEM), X-ray Diffraction (XRD), and X-ray Fluorescence (XRF). The results revealed the characteristic of mangosteen at various maturity levels.

Keywords: Mangosteen, Particle Size, SEM, Xanthone, X-ray Diffraction, XRD

1. Introduction

Plants and their fruits have been used since ancient time as supplement and medicine to treat diseases. Approximately two-third of world population uses plant based products as their main medicine¹. *Garcinia mangostana* L. (Clusiaceae), commonly known as mangosteen, have been used as a traditional medicine in Southeastern Asia for the treatment of diarrhea, dysentery, inflammation, ulcers and wound healing^{2,3}. Mangosteen is cultivated mainly in Indonesia, Malaysia, Philipina and Thailand⁴⁻⁶. Medicinal properties of *G. mangostana* are associated with its bioactive compounds, xanthone. Xanthone is a tricyclic isoprenylated polyphenol. Previous investigation shows







that xanthone are antioxidant^{5,7}, anti-bacterial, anti-proliferative, proapoptotic, anti-carcinogen⁸⁻¹⁰ and anti-inflammatory properties¹¹.

Xanthone can be found in every part of mangosteen, mainly in fruit pericarp. Mangosteen contains 17% of pericarp¹², which contains 62.05% of water, 0.63% of fat, 0.71% of protein, 1.17% of total sugar and 35.61% of carbohydrate¹³. Xanthone content of mangosteen pericarp is about 108 to 124 mg per 100 g^{14,15}. The ripeness level significantly affects the xanthone content of mangosteen¹⁶. In this study, we investigated the physical and chemical properties of mangosteen pericarps depending on the maturity level¹⁷ (Table 1), using various characterization techniques such as PSA (Particle Size Analyzer), Scanning Electron Microscope (SEM), X-ray Diffraction (XRD),

*Author for correspondence

and X-ray Fluorescence (XRF). The study aims to get insight into the microstructure of mangosteen pericarp in accordance to their maturity level and xanthone content. Furthermore, it can give insight to maximize the yield of xanthones.

Table 1. Maturity level classification of mangosteen

Maturity Level	Properties
 Level 1	Green yellowish, high mucus content. The inner part of fruit cannot be separated from the flesh.
 Level 2	Yellow reddish with distribution of red colored fleck. Lower mucus content. The inner part of the fruit still cannot be separated from flesh.
 Level 3	Red brownish. Mucus still exists. The inner part of fruit can be separated from the flesh.
 Level 4	The color becomes red purple. The mucus is lesser. The inner part of fruit can be separated from the flesh and the fruit can be consumed.
 Level 5	Purple reddish. Fruit starts to ripe. The mucus disappears, and the fruit can be easily separated.
 Level 6	Purple blackish. The fruit is riped and can be eaten immediately.

2. Methods

2.1 Extraction

The extraction of mangosteen pericarp was performed following maceration method. Mangosteen pericarp was obtained from Bandung, West Java. Mangosteen was air dried until the water content was about 5% prior to crushing in an electrical blender. Briefly 700 g of mangosteen pericarp mass was macerated using 96% ethanol (1 : 5)

for 5 days and stirred every 3 hours. The filtrate was dried using evaporator and freeze dried to obtain the powder. The powder was stored in desiccators until used.

2.2 Characterization

The mangosteen extract in various maturity levels were subjected to microstructure characterization using PSA, SEM, XRD and XRF. For SEM analysis, the mangosteen extract was poured homogenously onto the carbon double tip on the SEM sample holder stub. For the elemental composition in SEM, an energy dispersive X-ray (EDX) detector attached on SEM (SEM JEOL JSEM2650LV) was used. For XRD analysis Imperian with Cu source was used. The XRD results were analyzed using Ritveld Refinement to derive information about the phase and crystals may occur.

3. Results

PSA measurement of the mangosteen extract in various maturity levels is presented in Figure 1 and Table 2. Particle of mangosteen powder at level 5 exhibited the smallest size, whereas those at level 3 exhibited the highest size.

Table 2. Particle size of mangosteen pericarp extract as measured by PSA

Mangosteen level	Size (nm)
1	81.8 ± 21.1
2	72.6 ± 20.4
3	1244.1 ± 341.0
4	1112.2 ± 256.5
5	57.0 ± 14.5
6	199.2 ± 58.9

Data are presented in Mean ± Standard Deviation

Figure 2 shows the SEM image of the microstructure of mangosteen pericarp extract at the maturity levels 1-6 which generally showed granular and plate like structure composing of large coagulates. Sample of maturity levels 3 and 6 have shown clearly smaller powder grains than those of the sample of maturity levels 1, 2, 4 and 5. It was distinguished by the contrast deficiency by the sample with fine grain size. It is almost impossible to measure single grain on the sample 1, 2, 4 and 5 because the sample forms large block of particle agglomerations.






Figure 1. Particle size distribution of Mangosteen pericarp; a. level 1; b. level 2 c. level 3; d. level 4; e. level 5; f. level 6.



The corresponding EDX spectrums are also represented in Figure 2 on the right side revealing the elemental composition of the samples. Mainly the samples contain C, O, Cl and K. The mangosteen pericarp level 1 revealed the elemental content C, O, Cl, K and Si about 64.20%, 34.52%, 0.22%, 0.72% and 0.33% respectively. Mangosteen pericarp level 2 was crystalline in nature containing Al 0.1%, whilst Si was not detected. Level of C, O, Cl and K about 65.32%, 33.96%, 0.17% and 0.45% respectively. Mangosteen pericarp level 3 showed globular form, softer than mangosteen pericarp level 1 and 2 which was about 5 μm , as shown in EDX results. Level of C, O, Cl and K about

61.38%, 36.49%, 0.48% and 1.65% respectively. Mangosteen pericarp level 4 has granule size of 20 μm , crystalline and its level of C, O, Cl and K was 65.42%, 34.20%, 0.10% and 0.28%. Mangosteen pericarp level 5 showed granules form and also combined form. Its granule were between 5-50 μm , crystalline and mainly composed by C, O, Cl and K with 61,18%, 37,94%; 0,19% and 0,69% respectively. Mangosteen pericarp level 6 showed granules form and also combined form. Granule was 10 μm , crystalline. Main components of Mangosteen pericarp level 6 were C, O, Cl, and K with 62,41%, 36,67%; 0,23% and 0,68% respectively.




Figure 3. XRD analysis of mangosteen pericarp extract, a. Mangosteen pericarp level 1; b. Mangosteen pericarp level 2; c. Mangosteen pericarp level 3; d. Mangosteen pericarp level 4; e. Mangosteen pericarp level 5; f. Mangosteen pericarp level 6.

Table 3. Elemental concentration of mangosteen pericarp extract analyzed with X-ray fluorescence (%)

Elements	Concentrations mangosteen pericarp level (%)					
	1	2	3	4	5	6
Potassium (K)	50.96	50.59	50.38	50.21	51.22	52.03
Chloride (Cl)	12.20	11.18	12.83	9.61	11.90	13.45
Calcium (Ca)	4.92	8.10	1.48	8.56	5.90	4.67
Phosphor (P)	1.78	1.68	1.67	1.50	1.39	1.75
Sulfur (S)	1.01	1.25	2.06	1.25	1.01	2.20
Sodium (Na)	1.37	1.27	1.08	1.67	1.77	1.22
Cadmium (Cd)	1.50	0.77	1.89	0.91	1.18	1.11
Silver (Ag)	1.33	2.01	3.20	1.31	1.52	–
Iron (Fe)	0.924	0.836	0.821	1.05	1.986	0.920
Zinc (Zn)	0.879	0.386	0.257	0.482	0.712	0.988
Molybdenum (Mo)	0.712	–	0.854	0.678	–	0.575
Rubidium (Rb)	0.75	0.873	0.88	0.985	1.18	0.523
Magnesium (Mg)	0.410	0.425	0.290	0.315	0.392	0.431
Silicon (Si)	0.295	0.294	0.249	0.280	0.569	0.401
Zirconium (Zr)	0.239	0.209	0.125	0.219	0.167	0.249
Argon (Ar)	0.291	0.254	0.339	0.246	0.203	0.203
Manganese (Mn)	0.218	0.218	0.156	0.453	0.195	0.293
Titanium (Ti)	0.115	0.115	–	–	0.089	0.504
Barium (Ba)	–	–	0.80	–	0.84	–
Gold (Au)	–	–	0.74	–	–	–

The XRD patterns of mangosteen pericarp extract are shown in Figure 3. As shown in XRD analysis, mangosteen maturity 1, 2 and 3 were amorphous. Although sample 2 was previously seen as crystalline, it was mainly amorphous based on XRD results. Lowest peak in samples 4, 5 and 6 indicates carbon crystal and indicates high xanthone concentration.

XRF is X-ray method similar to EDX, yet it measures smaller element above 11 atomic number. XRF was performed to confirm results obtained from EDX and XRD analysis. Results of XRF are shown in Table 3. Most of elements were in accordance to previous results analyzed with EDX and there were also several more elements found. Elements K, Cl, Ca, P, S, Na, Cd, Fe, Zn, Rb, Mg, Si, Zr, Ar and Mn were detected in all samples. Meanwhile, Ag, Mo and Ti were found in mangosteen pericarp level 1. Similarly, Ag and Ti were detected in mangosteen pericarp level 2; Ag, Mo, Ba and Au were detected in mangosteen pericarp level 3; Ag and Mo were detected in mangosteen pericarp level 4; Ag, Ti and

Ba were detected in mangosteen pericarp level 5; Mo and Ti were detected in mangosteen pericarp level 6.

4. Discussion

Dehydration is an efficient alternative for fruit storage in which reduction of water is associated with the decline of chemical and enzymatic reactions that can damage foods. Gentle drying techniques, such as osmodehydration or lyophilisation (freeze drying), have been used as new alternative for the commercialization of tropical fruits to reduce the difficulties for its handling and transport and to acquire added value solids products¹⁸. In this study, we evaluated microstructure of freeze dried mangosteen pericarp extract at various maturity levels. The structural studies of the fruit powders were done using PSA, SEM, XRD and XRF.

In the present study, particle size of the mangosteen pericarp extract was clearly heterogeneous. Particle of mangosteen pericarp extract at level 5 exhibited the

smallest size, whereas those at level 3 exhibited the highest size. Particle size distribution does not follow a typical ideal Gauss bell form. Additionally, it seems that the maturity level were not in correlation with the particle size. The particle size may depend on the processing method. This can be also originated from the coagulation of mangosteen particles.

SEM technique is a powerful tool for determining and observing the caking phenomenon on the powder surface. The corresponding EDX spectrums revealing the elemental composition of the samples, exhibited component C, O, Cl and K in samples. XRF is X-ray method similar to EDX, yet it measures smaller element above 11 atomic numbers. XRF was performed to confirm results obtained from EDX and XRD analysis. Most of elements were in accordance to previous results analyzed with EDX and there were also several more elements found.

Crystallization is essential for the stability of powdered juice and can be investigated through XRD analysis. Amorphous state is indicated with diffused and large peaks in which the molecules are disorderly displayed producing disperse bands, whereas crystalline materials yield sharp and defined peaks since they are presented in a highly ordered state¹⁸. In this study, mangosteen pericarp level 1, 2 and 3 were amorphous, whilst mangosteen pericarp level 4, 5 and 6 indicates carbon crystal.

This present study, found that in mangosteen pericarp contain elements of K, Cl, Ca, P, S, Na, Cd, Fe, Zn, Rb, Mg, Si, Zr, Ar, and Mn. Other studies also mention that in the mangosteen fruit contain Na, K, Mg, Ca, Fe, Mn, Zn, and Cu¹⁹.

Fe, Ca, Zn, Cu, and Mn are present in wound fluid, indicating that these elements at the right concentration can be helpful in the wound healing process. Fe concentrations decrease in wound fluids after a day or two days, because most of the Fe has been used in the wound healing process. Ca is also required in various physiological processes such as blood coagulation, neuromuscular excitability, cellular adhesiveness, maintenance structural integrity and functions of cell membranes²⁰.

Zn has a very important role in wound healing, Zn capable to enhance platelet activity and aggregation. Zn deficiency will increase the production of inflammatory cytokines and oxidative stress, obstruct PMN chemotaxis

and compromises Neutrophil extracellular traps. Lack of Zn also disrupt monocytes adhesion. Zn plays a role in increasing T lymphocyte populations, and granulation tissue formation. Zn was shown to increase keratinocyte migration and also effective for in vivo angiogenesis²¹.

Mn is firmly associated with protein synthesis and widely distributed in mammalian tissue²⁰.

5. Conclusion

Mangosteen pericarp with highest xanthone concentration has crystalline structure and contains iron, calcium, zinc, and manganese, the elements which in the correct concentration can give benefit for wound healing processes. These findings provide information regarding characteristics of mangosteen peel that can be further used for the optimization of xanthone content.

6. Acknowledgment

This study was personally funded by authors. We would also like to thank Indonesian Institute of Life Science (LIPI) for its assistance and supervision.

7. Conflict of interest

Authors declare that there is no conflict of interest.

8. Reference

1. Suksamrarn S, Suwannapoch N, Ratananukul P, Aroonlerk N, Suksamrarn A. Xanthones from the Green Fruit Hulls of *Garcinia mangostana*. J Nat Prod. 2002; 65(5):761–3. PMID: 12027762. Crossref.
2. Moongkarndi P, Kosem N, Kaslungka S, Luanratana O, Pongpan N, Neungton N. Anti-proliferation, anti-oxidation and induction of apoptosis by *Garcinia mangostana* (mangosteen) on SKBR3 human breast cancer cell line. J Ethnopharmacol. 2004 Jan 1; 90(1):161–6. PMID: 14698525. Crossref.
3. Farnsworth NR, Bunapraphatsara N. Thai medicinal plants recommended for primary health care system. Medicinal Plant Information Center; 1992.
4. Ramasamy S, Mazlan NA, Ramli NA, Rasidi WN, Manickam S. Bioactivity and stability studies of anthocyanin-containing extracts from *Garcinia mangostana* L. and *Etilingera elatior* Jack. Sains Malaysiana. 2016; 45(4):559–65.

5. Tjahjani S, Widowati W, Khiong K, Suhendra A, Tjokropranoto R. Antioxidant properties of *Garcinia mangostana* L (mangosteen) rind. *Procedia Chemist*. 2014; 13:198–203. Crossref.
6. Aminah LN, Leong ST, Wong YS, Ong SA, Kairulazam CK. Biodiesel production of *Garcinia mangostana* Linn seeds by two-phase solvent extraction and alkali-catalyzed transesterification. *Int J Chem Eng Appl*. 2013; 4(3):92–5. Crossref.
7. Zarena AS, Sankar KU. A study of antioxidant properties from *Garcinia mangostana* L. pericarp extract. *Acta Sci Pol Technol Aliment*. 2009; 8(1):23–34.
8. Seesom W, Jaratrungtawee A, Suksamrarn S, Mekseepralard C, Ratananukul P, Sukhumsirichart W. Antileptospiral activity of xanthones from *Garcinia mangostana* and synergy of gamma-mangostin with penicillin G. *BMC Complement Altern Med*. 2013; 13(1):182. PMID: 23866810 PMCID: PMC3734031. Crossref.
9. Shan T, Ma Q, Guo K, Liu J, Li W, Wang F, Wu E. Xanthones from mangosteen extracts as natural chemopreventive agents: Potential anticancer drugs. *Curr Mol Med*. 2011; 11(8):666–77. PMID: 21902651 PMCID: PMC3237908. Crossref.
10. Akao Y, Nakagawa Y, Nozawa Y. Anti-cancer effects of xanthones from pericarps of mangosteen. *Int J Mol Sci*. 2008; 9(3):355–70. PMID: 19325754 PMCID: PMC2635669. Crossref.
11. Widowati W, Darsono L, Suherman J, Fauziah N, Maesaroh M, Erawijantari PP. Anti-inflammatory effect of mangosteen (*Garcinia mangostana* L.) peel extract and its compounds in LPS-induced RAW264. 7 cells. *Nat Prod Sci*. 2016; 22(3):147–53. Crossref.
12. Chaovanalikit A, Mingmuang A, Kitbunluewit T, Choldumrongkool N, Sondee J, Chupratum S. Anthocyanin and total phenolics content of mangosteen and effect of processing on the quality of mangosteen products. *Int Food Res J*. 2012; 19(3):1047–53.
13. Yunitasari L. *Gempur 41 Penyakit dengan Buah Manggis*. Yogyakarta: Pustaka Baru Press; 2011.
14. Yatman E. Kulit Buah Manggis Mengandung Xanton yang Berkhasiat Tinggi. *Widya*. 2012; 29:2–9.
15. Iswari, K., Harnel and Afdi E. *Kajian Teknologi Pengolahan Manggis Mendukung Agribisnis Manggis di Sumbar*. Research Report of BPTP West Sumatera; 2006.
16. Kurniawati A. Character, xanthone content and antioxidant properties of mangosteen fruit's hull (*Garcinia mangostana* L.) at Several Fruit Growth Stadia. *Indones J Agron*. 2017; 39(3):188–92.
17. Palapol Y, Ketsa S, Stevenson D, Cooney JM, Allan AC, Ferguson IB. Color development and quality of mangosteen (*Garcinia mangostana* L.) fruit during ripening and after harvest. *Postharvest Biol Technol*. 2009; 51(3):349–53. Crossref.
18. Athmaselvi KA, Kumar C, Balasubramanian M, Roy I. Thermal, structural and physical properties of freeze dried tropical fruit powder. *J Food Process*. 2014; 2014.
19. Haruenkit R, Poovarodom S, Leontowicz H, Leontowicz M, Sajewicz M, Kowalska T, Delgado-Licon E, Rocha-Guzmán NE, Gallegos-Infante JA, Trakhtenberg S, Gorinstein S. Comparative study of health properties and nutritional value of durian, mangosteen, and snake fruit: experiments in vitro and in vivo. *Journal of Agricultural and Food Chemistry*. 2007 Jul 11; 55(14):5842–9.
20. Liyanage JA, Rodrigo I, Wijeratne M. Influence of nutritional factors upon the variation of essential metal concentrations on wound healing. *Chemical Speciation & Bioavailability*. 2006 Jan 1; 18(2):57–60.
21. Lin PH, Sermersheim M, Li H, Lee PH, Steinberg SM, Ma J. Zinc in Wound Healing Modulation. *Nutrients*. 2017 Dec 24; 10(1):16.

**LEMBAR HASIL PENILAIAN
SEJAWAT SEBIDANG atau PEER REVIEW**

KARYA ILMIAH : JURNAL ILMIAH

Judul Karya Ilmiah (Artikel) : Microstructural Characterization of the Garcinia mangostana Fruit at Different Maturity Level

Jumlah Penulis : 5 orang

Nama-nama Penulis : Marisca Evalina Gondokesumo, Bambang Pardjiyanto, Sutiman Bambang Sumitro, **Wahyu Widowati**, Arbi Dimiyati

Status Penulis : ~~Penulis Pertama~~ / Penulis ke 4 / ~~Penulis Korespondensi~~ **)

Identitas Jurnal Ilmiah : a. Nama jurnal : Journal of Natural Remedies
 b. Nomor ISSN : 09725547, 23203358.
 c. Vol., No., Bulan, Tahun : Vol. 18, No. 2, 2018
 d. Penerbit : Informatics Publishing Limited
 e. DOI Artikel (jika ada) : 10.18311/jnr/2018/20936
 f. Alamat Web Jurnal : <http://www.informaticsjournals.com/index.php/jnr/article/view/20936>
 g. Terindeks di : Scopus Q4, SJR 0.154

Kategori Publikasi Jurnal Ilmiah: ~~Jurnal Ilmiah Internasional~~ / Internasional Bereputasi **)

(beri tanda ✓ yang dipilih)

Jurnal Ilmiah Nasional Terakreditasi

Jurnal Ilmiah Nasional / Nasional terindeks ***)

HASIL PENILAIAN (Peer Review) :

No	Komponen Yang Dinilai	Nilai Maksimal JURNAL ILMIAH			Nilai Akhir Yang Diperoleh *)
		Internasional / Bereputasi	Nasional Terakreditasi	Nasional ***)	
		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a.	Kelengkapan unsur isi karya (10%)	4			3,7
b.	Ruang lingkup dan kedalaman pembahasan (30%)	12			11,8
c.	Kecukupan dan kemutakhiran data/informasi dan metodologi (30%)	12			11,5
d.	Kelengkapan unsur dan kualitas penerbitan (30%)	12			11,7
	Total	40			38,7

Catatan Penilaian ARTIKEL oleh Reviewer :

- a. Kelengkapan dan kesesuaian unsur.....
Paper ditulis dengan baik, runtun mengikuti kaidah penulisan karya ilmiah internasional bereputasi
- b. Ruang lingkup & kedalaman pembahasan.....
Penelitian tentang karakterisasi buah manggis meliputi particle size, XRD, kadar mineral
- c. Kecukupan & kemutakhiran data serta metodologi.....
Sumber pustaka mutakhir, hasil penelitian membahas karakter berbagai tingkat kematangan buah manggis
- d. Kelengkapan unsur dan kualitas penerbit.....
Jurnal JNR terindeks scopus Q4 SJR 0,154. Penerbit Informatics Publishing Limited

c. Indikasi plagiasi

Similarity index 18% tidak terdapat indikasi plagiarisme atau self plagiarisme

f. Kesesuaian bidang ilmu

Paper bidang kimia kurang sesuai dengan bidang Ilmu penulis.

REVIEWER 1



(Prof. Dr. Chrismis Novalinda Ginting, M.Kes)

NIK : 0115127801

UNIVERSITAS PRIMA INDONESIA

LEMBAR HASIL PENILAIAN
SEJAWAT SEBIDANG atau *PEER REVIEW*

KARYA ILMIAH : JURNAL ILMIAH

Judul Karya Ilmiah (Artikel) : Microstructural Characterization of the Garcinia mangostana Fruit at Different Maturity Level

Jumlah Penulis : 5 orang

Nama-nama Penulis : Marisca Evalina Gondokesumo, Bambang Pardjianto, Sutiman Bambang Sumitro, **Wahyu Widowati**, Arbi Dimiyati

Status Penulis : ~~Penulis Pertama~~ / Penulis ke 4 / ~~Penulis Korespondensi~~ **)

Identitas Jurnal Ilmiah :

- a. Nama jurnal : Journal of Natural Remedies
- b. Nomor ISSN : 09725547, 23203358.
- c. Vol., No., Bulan, Tahun : Vol. 18, No. 2, 2018
- d. Penerbit : Informatics Publishing Limited
- e. DOI Artikel (jika ada) : 10.18311/jnr/2018/20936
- f. Alamat Web Jurnal : <http://www.informaticsjournals.com/index.php/jnr/article/view/20936>
- g. Terindeks di : Scopus Q4, SJR 0.154

Kategori Publikasi Jurnal Ilmiah: ~~Jurnal Ilmiah Internasional~~ / Internasional Bereputasi **)

(beri tanda \surd yang dipilih)

Jurnal Ilmiah Nasional Terakreditasi

Jurnal Ilmiah Nasional / Nasional terindeks ***)

HASIL PENILAIAN (*Peer Review*) :

No	Komponen Yang Dinilai	Nilai Maksimal JURNAL ILMIAH			Nilai Akhir Yang Diperoleh *)
		Internasional / Bereputasi	Nasional Terakreditasi	Nasional ***)	
		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a.	Kelengkapan unsur isi karya (10%)	4			3,8
b.	Ruang lingkup dan kedalaman pembahasan (30%)	12			11,5
c.	Kecukupan dan kemutakhiran data/informasi dan metodologi (30%)	12			11,7
d.	Kelengkapan unsur dan kualitas penerbitan (30%)	12			11,9
	Total	100%			38,8

Catatan Penilaian ARTIKEL oleh Reviewer :

- a. Kelengkapan dan kesesuaian unsur
Jurnal ini sudah cukup lengkap dan sesuai dengan jurnal internasional bereputasi
- b. Ruang lingkup & kedalaman pembahasan
Ruang lingkup bahasan sudah memadai dan lengkap, kemutakhiran data sudah terpenuhi juga
- c. Kecukupan & kemutakhiran data serta metodologi
Secara umum metodologi masih terbatas dan belum sepenuhnya
- d. Kelengkapan unsur dan kualitas penerbit
Kualitas penerbit sudah memenuhi kriteria dan kualitas jurnal masuk ke dalam kategori bereputasi yang baik

c. Indikasi plagiasi

Belum terdapat adanya unsur indikasi plagiasi.

f. Kesesuaian bidang ilmu

Jurnal ini sudah sesuai dengan bidang ilmu yang diteliti penulis

REVIEWER 2



(Prof. Dr. Ermi Girsang, M. Kes)

NIK : 0117057501

UNIVERSITAS PRIMA INDONESIA

LEMBAR HASIL PENILAIAN
SEJAWAT SEBIDANG atau PEER REVIEW

KARYA ILMIAH : JURNAL ILMIAH

Judul Karya Ilmiah (Artikel) : Microstructural Characterization of the Garcinia mangostana Fruit at Different Maturity Level

Jumlah Penulis : 5 orang

Nama-nama Penulis : Marisca Evalina Gondokesumo, Bambang Pardjianto, Sutiman Bambang Sumitro, **Wahyu Widowati**, Arbi Dimiyati

Status Penulis : ~~Penulis Pertama~~ / Penulis ke 4 / ~~Penulis Korespondensi~~ **)

Identitas Jurnal Ilmiah :

- a. Nama jurnal : Journal of Natural Remedies
- b. Nomor ISSN : 09725547, 23203358.
- c. Vol., No., Bulan, Tahun : Vol. 18, No. 2, 2018
- d. Penerbit : Informatics Publishing Limited
- e. DOI Artikel (jika ada) : 10.18311/jnr/2018/20936
- f. Alamat Web Jurnal : <http://www.informaticsjournals.com/index.php/jnr/article/view/20936>
- g. Terindeks di : Scopus Q4, SJR 0.154

Kategori Publikasi Jurnal Ilmiah: Jurnal Ilmiah Internasional / Internasional Bereputasi **)

(beri tanda yang dipilih)

Jurnal Ilmiah Nasional Terakreditasi

Jurnal Ilmiah Nasional / Nasional terindeks ***)

HASIL PENILAIAN (Peer Review) :

No	Komponen Yang Dinilai	Nilai Maksimal JURNAL ILMIAH			Nilai Akhir Yang Diperoleh *)
		Internasional / Bereputasi	Nasional Terakreditasi	Nasional ***)	
		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
a.	Kelengkapan unsur isi karya (10%)	4			3,75
b.	Ruang lingkup dan kedalaman pembahasan (30%)	12			11,25
c.	Kecukupan dan kemutakhiran data/informasi dan metodologi (30%)	12			11,6
d.	Kelengkapan unsur dan kualitas penerbitan (30%)	12			11,75
	Total	40			38,75

Catatan Penilaian ARTIKEL oleh Reviewer :

- a. Kelengkapan dan kesesuaian unsur.....
Paper ditulis dengan baik, runtun mengikuti kaidah penulisan karya ilmiah internasional bereputasi.
Jurnal ini sudah cukup lengkap dan sesuai dengan jurnal internasional bereputasi.
- b. Ruang lingkup & kedalaman pembahasan.....
Penelitian tentang karakterisasi buah manggis meliputi particle size, XRD, kadar mineral.

Ruang lingkup bahasan sudah memadai dan lengkap, kemutakhiran data sudah terpenuhi juga

c. Kecukupan & kemutakhiran data serta metodologi

Sumber pustaka mutakhir, hasil penelitian membahas karakter berbagai tingkat kematangan buah manggis.

Secara umum metodologi masih terbatas dan belum sepenuhnya.

d. Kelengkapan unsur dan kualitas penerbit

Jurnal JMR terindeks scopus Q4 SJR 0,179 Penerbit Informatics Publishing Limited.

Kualitas penerbit sudah memenuhi kaidah dan kualitas jurnal masuk ke dalam kategori bereputasi yang baik.

e. Indikasi plagiasi

Similarity Index 18% tidak terdapat indikasi plagiarisme atau self-plagiarism

Belum terlihat adanya unsur indikasi plagiasi

f. Kesesuaian bidang ilmu

Paper bidang kimia kurang sesuai dengan bidang ilmu penulis.

Jurnal ini sudah sesuai dengan bidang ilmu yang diteliti penulis.

Medan,
Reviewer 2

(Prof. Dr. Ermi Girsang, M.Kes)

NIK : 0117057501

UNIVERSITAS PRIMA INDONESIA

Medan,
Reviewer 1

(Prof. Dr. Chrismis Novalinda Ginting, M.Kes)

NIK : 0115127801

UNIVERSITAS PRIMA INDONESIA