

DAFTAR PUSTAKA

- 1 Kementerian Kesehatan Republik Indonesia. Indonesia Masuki Periode Aging Population. 2019. [Cited : October, 26th 2019] Available from <https://www.kemkes.go.id/article/view/19070500004/indonesia-masuki-periode-aging-population.html>
- 2 WHO - World Health Organization. World Health Statistics 2017 : Health situation and trend assessment. 2017. [Cited : June, 22nd 2019] Available from http://www.searo.who.int/entity/health_situation_trends/data/chi/elderly-population/en/
- 3 Kim T, Choi K. Sarcopenia: Definition, Epidemiology, and Pathophysiology. *Essential Physical Medicine Rehabilitation*. 2006; 175–90.
- 4 Doherty T. Invited review: Aging and sarcopenia. *Journal of Musculoskeletal & Neuronal Interactions*. 2007.
- 5 Baumgartner R, Koehler K, Gallagher D, Romero L, Heymsfield S, Ross R et al. Epidemiology of sarcopenia among the elderly in New Mexico. *American Journal of Epidemiology*. 1998.
- 6 Narici M, Maffulli N. Sarcopenia: Characteristics, mechanisms and functional significance. *British Medical Bulletin*. 2010; 95: 139–59.
- 7 Brown J. Dietary Reference Intakes (DRIs): Recommended Intakes for Individuals, Vitamins Food and Nutrition Board, Institute of Medicine, National Academies. 2011.
- 8 Marjan A, Marliyati S. Hubungan Antara Pola Konsumsi Pangan dan Aktivitas Fisik Dengan Kejadian Osteoporosis pada Lansia di Panti Werdha Bogor. 2013; 8(2): 123–8.
- 9 Deutz N, Bauer J, Barazzoni R, Biolo G, Boirie Y, Bosy-Westphal A et al. Protein Intake and Exercise for Optimal Muscle Function With Aging: Recommendations from the ESPEN Expert Group. *Nutrition in Clinical Practice*. 2014; 33: 929–36.
- 10 Setiati S, Dwipa L, Harimurti K, Dewiasty E, Istanti R, Mupangati YM et al. Profile of Food and Nutrient Intake Among Indonesian Elderly Population and Factors Associated with Energy Intake : a Multi-centre Study. *Acta Medica Indonesia*. 2014; 45: 265–74.
- 11 Velázquez Alva M del C, Irigoyen Camacho ME, Delgadillo Velázquez J, Lazarevich I. The Relationship Between Sarcopenia, Undernutrition, Physical Mobility and Basic Activities of Daily Living In a Group of Elderly Women of Mexico City. *Nutr Hosp* 2013; 28(2): 514–21.
- 12 Yoon M. mTOR as a Key Regulator in Maintaining Skeletal Muscle Mass. *Frontiers in Physiology*. 2017; 8: 1–9.
- 13 Bauer J, Biolo G, Cederholm T, Cesari M, Cruz-Jentoft AJ, Morley JE et al. Evidence-based Recommendations for Optimal Dietary Protein Intake in Older People: A Position Paper from the Prot-age Study Group. *Journal of*

- American Medical Directors Association. 2013; 14: 542–59.
- 14 Burd NA, Gorissen SH, Loon LJC Van. Anabolic Resistance of Muscle Protein Synthesis with Aging. *Exercise and Sport Sciences Reviews*. 2013; 41(3): 169–73.
 - 15 Halim R. Pengaruh Asupan Protein dan Asam Amino Rantai Cabang (AARC) Terhadap Kekuatan Otot pada Lansia. *JMJ*. 2017; 5(1): 41–8.
 - 16 Guyton, A. C., Hall, JE. *Buku Ajar Fisiologi Kedokteran*, edisi 12. Jakarta: EGC; 2014.
 - 17 Setiati S, Alwi I, Sudoyo, Aru W, K, Marcellus S, Setiyahadi B, Syam AF. *Buku Ajar Ilmu Penyakit Dalam Edisi VI Jilid III*. Jakarta: InternaPublishing; 2014.
 - 18 Utomo B. Hubungan antara Kekuatan Otot dan Daya Tahan Otot Anggota Gerak Bawah dengan Kemampuan Fungsional Lanjut Usia. 2010.
 - 19 Cruz-Jentoft AJ, Baeyens JP, Bauer JM, Boirie Y, Cederholm T, Landi F et al. Sarcopenia: European Consensus on Definition and Diagnosis. *Age Ageing*. 2010; 39: 412–23.
 - 20 Beasley JM, Shikany JM, Thomson CA. The Role of Dietary Protein Intake in the Prevention of Sarcopenia of Aging. *Nutrition in Clinical Practice*. 2013; 28(6): 684-90.
 - 21 Cruz-Jentoft AJ, Baeyens JP, Bauer JM, Boirie Y, Cederholm T, Landi F et al. Sarcopenia : European Consensus on Definition and Diagnosis. *Age and Ageing*. 2010; 39: 412–23.
 - 22 Cruz-Jentoft AJ, Bahat G, Bauer J, Boirie Y, Bruyère O, Cederholm T, et., al. Sarcopenia : Revised European Consensus on Definition and Diagnosis. 2018; 0: 1–16.
 - 23 Morley J, Malmstrom T. SARC-F : A Simple Questionnaire to Rapidly Diagnose Sarcopenia SARC-F: A Simple Questionnaire to Rapidly Diagnose Sarcopenia. *Journal of the American Medical Directors Association*. 2013; 14: 531–32.
 - 24 Ross AC, Caballero B, Cousins RJ, Tucker KJ, Ziegler TR. *Modern Nutrition in Health and Disease*, 11th ed. UK: Lippincott Williams & Wilkins: UK; 2014.
 - 25 Mann J, Truswell AS. *Buku Ajar Ilmu Gizi*. Jakarta: EGC; 2014.
 - 26 Gilbert J, Bendsen NT, Tremblay A, Astrup A. Effect of Proteins from Different Sources on Body Composition. *Nutrition Metabolism & Cardiovascular Disease*. 2011; 21: B16–31.
 - 27 Robinson SM, Reginster JY, Rizzoli R, Shaw SC, Kanis JA, Bautmans I. Does Nutrition Play a Role in the Prevention and Management of Sarcopenia?. *Clin Nutr*. 2019; 37(4): 1121–32.
 - 28 Sirajuddin, Surmita, Astuti T. *Survey Konsumsi Pangan*. Kementerian Kesehatan Republik Indonesia; 2018.
 - 29 Biben V, Padjadjaran U, Irawan G, Padjadjaran U. Prevalensi Sarkopenia pada Lansia di Komunitas (Community Dwelling) berdasarkan Dua Nilai Cut-off Parameter Diagnosis. *MKB*. 2016; 48(3): 164-70.
 - 30 Ju HJ, Bae WK, Jung SY, Yang JH, Song JK, Lee K et al. Association between Dietary Protein Intake and Sarcopenia in Korean Elderly. *Korean J*

- Fam Pract. 2017; 7(2): 258–63.
- 31 Houston DK, Nicklas BJ, Ding J, Harris TB, Tylavsky FA, Newman AB. Dietary Protein Intake is Associated With Lean Mass Change in Older, Community-Dwelling Adults: the Health, Aging, and Body Composition (Health ABC) Study. *Am J Clin Nutr.* 2018; 87: 150–5.
- 32 Lee DER. Children’s Protein Consumption in Southeast Asia : Consideration of Quality as Well as Quantity of Children’s Protein Consumption in Southeast Asia. *Wharton Research Scholars Journal.* 2014; : 115.
- 33 Campbell WW, Trappe TA, Wolfe RR, Evans WJ. The Recommended Dietary Allowance for Protein May Not Be Adequate for Older People To Maintain Skeletal Muscle. *Journals of Gerontology: MEDICAL SCIENCES.* 2001; 56(6): M373–80.

