

DAFTAR PUSTAKA

1. Moore, K. L., DalleyII, A. F., Agur, A. M. R. & D'Antoni, A. V. Clinically Oriented Anatomy, 7th Edition. Clinical Anatomy. 2014.
2. Menteri Kesehatan Republik Indonesia. Permenkes No. 5 Tahun 2014 tentang Panduan Praktik Klinis Dokter di FASYANKES Primer. 2014.
3. Tanto, C., Liwang, F., Hanifati, S. & Pradipta, eka adip. Ilmu Bedah, Kapita Selekta Kedokteran. in Kapita Selekta Kedokteran. 2014; 251–256.
4. Pujiisriyani, A. & Wardana, A. Epidemiology of Burn Injuries in Cipto Mangunkusumo Hospital from 2009 to 2010. J. Plast. Rekonstruksi 2010; 1: 2010–2013.
5. Burns WHO 2018. World Health Organisation. 2018. Available at: <https://www.who.int/news-room/fact-sheets/detail/burns>.
6. Masood, R. A., Wain, Z. N., Tariq, R., Asis, M. & Bashir, I. Burn Cases , Their Management and Complications : A Review. 2016; 5: 103–105.
7. Yasti, A. Ç. et al. Guideline and treatment algorithm for burn injuries. Pubmed 2015; 21.
8. Sanomed, T., Bv, M., Vandeputte, J., East, M. & Manufacturing, S. Natural healing with Innovative Versatile wound healing products. 2013; 1: 1–25.
9. Tshukudu, G. M., Walt, M. Van Der & Wessels, Q. Comparative in vitro study of honey based and silver based wound preparations on cell viability. Burns. 2010; 36: 1036–1041.
10. Rathod, H. & Mehta, D. Acta Scientifica International Journal of Pharmaceutical Science. 2015.
11. Rembulan, V. Effectiveness of honey in treatment of burn wounds. J M. 2015; 4: 105–112.
12. Malik, K. I., Malik, M. A. N. & Aslam, A. Honey compared with silver sulphadiazine in the treatment of superficial. 2010; 7: 413–417.
13. Alvarez-Suarez, J., Gasparrini, M., Forbes-Hernández, T., Mazzoni, L. & Giampieri, F. The Composition and Biological Activity of Honey: A Focus on Manuka Honey. Foods. 2014; 3: 420–432.

14. Putri, A. M. Perbandingan Efektivitas Madu Manuka dan Salep Mebo Terhadap Kecepatan Penyembuhan Luka Bakar Derajat IIA Makroskopis pada Tikus Wistar Jantan. 2018.
15. Keast, D., Forest-, L. & Forest-lalande, L. Basic Principles of Wound Healing. Wound Care Canada 2004; 9: 1–5.
16. Rowan, M. P. et al. Burn wound healing and treatment: review and advancements. Crit. Care. 2015; 1–12.
17. Pieper, B. Honey-based dressings and wound care: An option for care in the United States. J. Wound, Ostomy Cont. Nurs. 2009; 36: 60–66.
18. Fitria, N., Mohtar, N., Umar, S., Noviza, D. & Rineldi, S. Honey gel and film for burn wound. International Journal of Drug Delivery. 2014; 6: 01-06.
19. Martinotti, S. & Ranzato, E. Honey, wound repair and regenerative medicine. J. Funct. Biomater. 2018; 9.
20. Broussard, K. C. & Gloeckner, J. Wound Dressings : Selecting the Most Appropriate Type. 2013; 449–459.
21. Gethin, G. The significance of surface pH in chronic wounds. Wounds UK 2007; 3: 52–56.
22. Sharma., H. Y. M. A. S. Anatomy , Skin (Integument), Epidermis. Facial Plast. Surg. Clin. 2017.
23. Mescher, A. L. Junqueira's Basic Histology Text and Atlas 15th edition. 2018.
24. Kolarsick, P. A. J., Kolarsick, M. A. & Goodwin, C. Anatomy and Physiology of the Skin. J. Dermatology Nurses' Assoc. 2006.
25. Eroschenko, V. P. Difiore's Atlas of Histology with Functional Correlations. 2008.
26. Tortora, G. J. & Derrickson, B. Principles of Anatomy and Physiology 14th Edition. 2014.
27. Dhivya, S., Vijaya, V. & Santhini, E. Wound dressings. Biomedicine 2015; 5: 24–28.
28. Date, P. Definitions and Guidelines for Assessment of Wounds and Evaluation of Healing. Pubmed. 1994.

29. Story, V. S. World health organization report on child injury prevention. World Health Organization. 2008.
30. Ja, G., Vb, A., Eh, O., Ra, G. & Ba, A. Burns : Definition , Classification , Pathophysiology and Initial Approach General Medicine : Open Access. 2017; 5.
31. Hettiaratchy, S. & Dziewulski, P. Pathophysiology and types of burns. *Plast. Surg. Burn.* 2004; 1427–1429.
32. Foundation, C. & Division, T. Burn Clinical Practice Guideline. Trauma Acute Care Found. 2016.
33. Courtney M. Townsend, Jr., M. Sabiston Textbook of Surgery. 2017.
34. Desanti, L. Pathophysiology and Current Management of Burn Injury. 2005.
35. Anggowsito, J. L. Luka Bakar Sudut Pandang Dermatologi. 2014; 2: 115–120.
36. Welfare, F. Practical Handbook of Burns Management. *J. Eur. Wound Manag.* 2014.
37. Elnar, T. V & Ailey, T. B. The Wound Healing Process : an Overview of the Cellular and Molecular Mechanisms. 2009; 37: 1528–1542.
38. Guo, S. & Dipietro, L. A. Factors Affecting Wound Healing. 2010; 219–229.
39. Giri, J. K. Factors Affecting Wound Healing. 2019.
40. Agency, N. S. W. Burn Patient Management. 4th Edition. 2019; 6-9.
41. Practice, I. B. Best Practice Guidelines: Effective Skin and Wound Management of Non-complex Burns. *Wounds Int.* 2014.
42. Iv, G. Management of Burns. *World Heal. Organ.* 2007; 1–7.
43. Douglas, H. E., Dunne, J. A. & Rawlins, J. M. Management of burns. *Surgery.* 2017; 1–8.
44. Informed, A. N. & Publication, C. Wadding , Gauze , Bandages and Similar Articles. 2006.
45. Hospira, I. Sodium Chloride 0.9% irrigant. Daily Medicine. 2017.
46. Wodash, A. J. Wet-to-Dry Dressings Do Not Provide Moist Wound Healing. *J. Am. Coll. Clin. Wound Spec.* 2014; 4: 63–66.
47. Co.TM, N. Z. H. UMF Honey and the UMFHA. 2019. Available at:

- <https://www.umf.org.nz/umf-members/>. (Accessed: 17th July 2019)
- 48. UMF® UNIQUE MANUKA FACTOR. 2019. Available at: <https://manukahoneyorganic.com/what-is-umf/>. (Accessed: 17th July 2019)
 - 49. Chemistry, P. Identification of New Aromatic Compounds in the New Zealand Manuka Honey by Gas Chromatography-Mass Spectrometry. 2010; 7: 7–15.
 - 50. Maqbool, M. A., Mishra, M. K., Pathak, S., Kesharwani, A. & Kesharwani, A. Semisolid dosage forms manufacturing: Tools, critical process parameters, strategies, optimization and recent advances. Indo Am. J. Pharm. Res. 2017; 7: 882.
 - 51. Topical, D., The, M., Practice, G. M. & Preparations, S. Topical semi-solid dosage forms. 2019; 2–4.
 - 52. Wardiah, S. Perbandingan sifat fisik sediaan krim, gel, dan salep yang mengandung etil p- metoksisinamat dari ekstrak rimpang kencur. 2015.
 - 53. A, W. N. & Z, W. M. Sample Size Calculation in Animal Studies Using Resource Equation Approach. 2017; 24: 101–105.
 - 54. Christman, A. L., Selvin, E., Margolis, D. J., Lazarus, G. S. & Garza, L. A. Hemoglobin A1C predicts healing rate in diabetic wounds. J. Invest. Dermatol. 2011; 131: 2121–2127.
 - 55. Cai, E. Z. et al. Creation of consistent burn wounds: A rat model. Arch. Plast. Surg. 2014; 41: 317–324.
 - 56. Kaufman, T., Kalderon, N., Ullmann, Y. & Berger, J. Aloe Vera Gel Hindered Wound Healing of Experimental Second-Degree Burns: A Quantitative Controlled Study. 1988
 - 57. LSEBN. Burns Depth Assessment. 2015.
 - 58. Yüksel, E. B., Mustafa, A., J, Y. J., Bal, A. & Kuloglu, T. The Effect of Different Topical Agents (Silver Sulfadiazine , Povidone-Iodine , and Sodium Chloride 0 . 9 %) on Burn Injuries in Rats. 2014; 201: 1–7.
 - 59. Setiawan, I. A. Perbedaan Efektifitas Epitelisasi antara Perawatan Terbuka menggunakan MEBO dengan perawatan tertutup menggunakan NaCl 0,9% pada Luka Bakar Derajat II. 2014.

60. Zulfa, Z., Nurachmah, E. & Gayatri, D. Perbandingan Penyembuhan Luka Terbuka Menggunakan Balutan Madu atau Balutan Normal Salin-Povidone Iodine. J. Kesehat. Indones. 2008; 12: 34–39.

