

DAFTAR PUSTAKA

1. Li Y, Schellhorn HE. New developments and novel therapeutic perspectives for vitamin C. *J Nutr* 2007;137:2171-84.
2. Gershoff SN. Vitamin C (ascorbic acid): new roles, new requirements? *Nutr Rev* 1993;51:313-26.
3. Institute of Medicine. Food and Nutrition Board. Dietary Reference Intakes for Vitamin C, Vitamin E, Selenium, and Carotenoids. Washington, DC: National Academy Press, 2000.
4. Kemenkes. 2017. Hari Gizi Nasional 2017: Ayo Makan Sayur dan Buah Setiap Hari. <http://www.depkes.go.id/article/view/17012600002/hari-gizi-nasional-2017-ayo-makan-sayur-dan-buah-setiap-hari.html> [diakses pada 10 Desember 2018]
5. Schaefer A. 2016. Juicing vs. Blending: Which Is Better for Me? <http://www.healthline.com/health/food-nutrition/juicing-vs-blending-overlaySources> [diakses pada 13 Desember 2018]
6. Cempaka RA, Santoso S, Tanuwijaya LK. Pengaruh Metode Pengolahan (*Juicing Dan Blending*) Terhadap Kandungan Quercetin Berbagai Varietas Apel Lokal Dan Impor (*Malus Domestica*). *Indonesian Journal of Human Nutrition*. 2014; 1(1): 14-22.
7. Caroline H. 2018. 20 Foods That Are High in Vitamin C. <https://www.healthline.com/nutrition/vitamin-c-foods#section19> [diakses pada 5 Desember 2018]
8. King CG, Waugh WA. The chemical nature of vitamin C. *Science* 1932;75:357-8
9. Pyo Y-H, Jin Y-J, Hwang J-Y. Comparison of the Effect of Blending and Juicing on the Phytochemicals Content and Antioxidant Capacity of Typical Korean Kernel Fruit Juices. *Nutr Food Sci*. 2014; 19(2): 108-14.

10. Kim MJ, Jun JG, Park SY, Choi MJ, Park E, Kim JI, Kim MJ. Antioxidant activities of fresh grape juices prepared using various household processing methods. *Food Sci Biotechnol.* 2017;26(4):861-9.
11. Ditjen POM. 1995. Farmakope Indonesia Edisi IV. Jakarta: Departemen Kesehatan RI. h. 1133, 1135, 1164, 1168, 1215-6
12. Horwitz. W. 2002. Official Methods of Analysis of Association of Official Analytical Chemist International Edisi XVII. Maryland USA: AOAC international suite 500. h. 16-7
13. Winarno, F.G. 2002. Kimia Pangan dan Gizi. Jakarta: PT. Gramedia Pustaka Utama. h. 119, 132-3
14. Sudarmadji, S. 1989. Analisa Bahan Makanan dan Pertanian. Yogyakarta: Liberty Press. h.160, 166.
15. Andarwulan, N., dan Koswara, S. 1992. Kimia Vitamin. Jakarta: Rajawali Press. h. 32-5, 235.
16. Budiyanto, A.K. 2004. Dasar-Dasar Ilmu Gizi. Edisi III.Malang: UMM-Press. h. 52.
17. Naidu, Akhilender. 2003. *Vitamin C In Human Health And Disease Is Still A Mystery? An Overview.* Department of Biochemistry and Nutrition, Central Food Technological Research Institute, Mysore, India.
18. Silalahi, J. 1985. Some Aspect of Vitamin C Retention in Potato Crisps. The University of New South Wales School of Food Science and Technology. h. 5.
19. Guyton A.C. and J.E. Hall 2007. Buku Ajar Fisiologi Kedokteran. Edisi 9. Jakarta
20. Khomsan, A. 2010. Pangan dan Gizi untuk Kesehatan. Jakarta: PT. Raja Grafindo Persada.
21. Yuniastuti, A. 2008. Gizi dand Kesehatan. Yogyakarta: Graha Ilmu
22. Almatsier, Sunita. 2004. Prinsip Dasar Ilmu Gizi. PT Gramedia Pustaka Utama. Jakarta

23. Gandjar, I.G., dan Rohman, A. 2007. Kimia Farmasi Analisis. Yogyakarta: Pustaka Pelajar. h. 419, 425.
24. Djatmiko, H. 1985. *Pepaya*. Jakarta: CV Yasaguna.
25. Kharisma Y. Tinjauan Pemanfaatan Tanaman Pepaya dalam Kesehatan. 2013. h. 1-14.
26. Silva JA, Rashid Z, Nhut DT, Sivakumar D, Gera A, Jr., Manoel TS, Temnant PF. Papaya (*Carica papaya L.*) Biology and Biotechnology. Tree and Forestry Science and Biotechnology. 2007. h. 48-66.
27. Karyani, D. 2001. *Buku Pintar Terapi Pepaya*. Jakarta: Ladang Pustaka & Intimedia.
28. Tamam MB. Botani Pepaya. 2017. Ciri-ciri, Klasifikasi, dan Manfaat Tanaman Pepaya. <https://www.generasibiologi.com/2017/07/ciri-morfologi-klasifikasi-nama-ilmiah-manfaat-kandungan-deskripsi-tanaman-pohon-pepaya.html#Taksonomi>. [diakses 15 Juli 2019]
29. Kandungan Gizi Buah Pepaya per 100g. National Nutrient Database for Standard Reference, United States Department of Agriculture
30. Ferguson, A.R. (ed.). 1990. Kiwifruit: Science and Management. Wellington, New Zealand: New Zealand Society for Horticultural Science, h. 415-35
31. Rassam M1, Laing W. Variation in ascorbic acid and oxalate levels in the fruit of *Actinidia chinensis* tissues and genotypes. J Agric Food Chem. 2005 Mar 23;53(6):2322-6.
32. F.Mencarelli, R.Massantini, R.Botondi. Influence of impact surface and temperature on the ripening response of kiwifruit. Postharvest Biology and Technology. 1996;8(3):165-77
33. Neeraj Mishra, et all. Antimicrobial, Antioxidant and Chemopreventive Potential of Vitamin C in Rich Fruits. International Journal of Applied Biology and Pharmaceutical Technology. 2010;1(3)
34. Sherry Kao, Ming-Wei. 2006. A Comparative Study of Antioxidant and Physicochemical Properties of Blackberry and Kiwifruit. Auburn, Alabama

35. Shastri, K. V., Bhatia, V., Parikh, P. R., dan Chaphekar, V. N. (2012). *Actinidia Deliciosa: A Review*. International Journal of Pharmaceutical Sciences and Research. 3(10): 3543-9
36. Francesca Giampieri D.Sc, et all. 2012. The strawberry: Composition, nutritional quality and impact on human health.
37. Marcia da Silva Pinto, Franco Maria Lajolo, Maria Inés Genovese. 2007. Bioactive compounds and quantification of total ellagic acid in strawberry.
38. Ya Luo, et all. 2011. Antioxidant properties and involved antioxidant compounds of strawberry fruit at different maturity stages.
39. Emma S. Wirakusumah. 202 Jus Buah dan Sayuran 202 Jus buah dan sayuran: untuk Menjaga Kesehatan dan Kebugaran Anda. 2008: Penebar Swadaya
40. Perbedaan antara Juicer & Blender, Pilih Mana? <https://www.amazine.co/27003/perbedaan-antara-juicer-blender-pilih-mana/> [diakses 10 Maret 2019]
41. Ajibola VO, Babatunde OA, Suleiman S. 2009. The effect of storage method on the vitamin C content in some tropical fruit juices. Trends Appl. Sci. Res 4: 79-84