

## DAFTAR PUSTAKA

- 1 World Health Organization (WHO). Global Strategy on Diet, Physical Activity and Health Physical Activity [Internet]. 2018. 3–5. Available from : <https://www.who.int/dietphysicalactivity/pa/en/>
- 2 Badan Penelitian dan Pengembangan Kesehatan. Riset Kesehatan Dasar : RISKESDAS. Depkes RI 2013. 139–140.
- 3 Patel H, Alkhawam H, Madanieh R, Shah N, Kosmas CE, Vittorio TJ. Aerobic vs anaerobic exercise training effects on the cardiovascular system. 1980; 100: 134–138.
- 4 American Heart Association. American Heart Association Recommendations for Physical Activity in Adults and Kids. 2018. [Cited 2018 December 27] Available from : <https://www.heart.org/en/healthy-living/fitness/fitness-basics/aha-recs-for-physical-activity-in-adults>.
- 5 Grumati P, Bonaldo P. Autophagy in Skeletal Muscle Homeostasis and in Muscular Dystrophies. Cells 2012; 1: 325–345.
- 6 He C, Bassik MC, Moresi V, Sun K, Wei Y, Zou Z et al. Exercise-induced BCL2-regulated autophagy is required for muscle glucose homeostasis. Nature 2012; 481: 511–515.
- 7 McMillan EM, Paré MF, Baechler BL, Graham DA, Rush JWE, Quadrilatero J. Autophagic signaling and proteolytic enzyme activity in cardiac and skeletal muscle of spontaneously hypertensive rats following chronic aerobic exercise. PLoS One 2015; 10: 1–21.
- 8 Lira VA, Okutsu M, Zhang M, Greene NP, Laker RC, Breen DS et al. Autophagy is required for exercise training-induced skeletal muscle adaptation and improvement of physical performance. FASEB J 2013; 27: 4184–4193.
- 9 Jiang P, Mizushima N. LC3- and p62-based biochemical methods for the analysis of autophagy progression in mammalian cells. Methods 2015; 75: 13–18.
- 10 Zhang Z, Singh R, Aschner M. Methods for the detection of autophagy in

- mammalian cells. *Curr Protoc Toxicol* 2016; 2016: 1–26.
- 11 Vainshtein A, Hood DA. The regulation of autophagy during exercise in skeletal muscle. *J Appl Physiol* 2016; 120: 664–673.
  - 12 Ogura Y, Iemitsu M, Naito H, Kakigi R, Kakehashi C, Maeda S. Biochemical and Biophysical Research Communications Single bout of running exercise changes LC3-II expression in rat cardiac muscle. *Biochem Biophys Res Commun* 2011; 414: 756–760.
  - 13 Yoshii SR, Mizushima N. Monitoring and Measuring Autophagy. *Int J Mol Sci* 2017;18: 1–13.
  - 14 Drake, R. L., Vogl, W., Mitchell, A. W. M., Tibbitts, R., Richardson, P., & Horn, A. *Gray's basic anatomy*, 1st ed. Philadelphia: Elsevier/Churchill Livingstone. 2012. p.101-111.
  - 15 Snell, R.S. *Anatomi Klinis Berdasarkan Sistem*. Dialih bahasakan oleh Sugarto L. Jakarta : EGC, 2012.
  - 16 Hall, J. E., & Guyton, A. C. *Guyton and Hall textbook of medical physiology*. Philadelphia, PA: Saunders Elsevier. 2014. p101-103.
  - 17 Bers, DM. Excitation-Contraction Coupling. *Cardiac Electrophysiology : From Cell To Bedside*, 2018. doi:10.1016/B978-0-323-44733-1.00016-X.
  - 18 Seiler KS. What is best practice for training intensity and duration distribution in endurance athletes?. *Int J Sports Physiol Perform*. 2010;5(3):276–91.
  - 19 Palar, C. M., Wongkar, D., & Ticoalu, S. H. R. Manfaat Latihan Olahraga Aerobik Terhadap Kebugaran Fisik Manusia. *Jurnal E-Biomedik (eBm)*. 2015; 3(1) : 316–321.
  - 20 Evans DL. Cardiovascular adaptations to exercise and training. *Vet Clin North Am Equine Pract* 1985; 1: 513–531.
  - 21 Lesmana R, Iwasaki T, Iizuka Y, Amano I, Shimokawa N, Koibuchi N. The change in thyroid hormone signaling by altered training intensity in male rat skeletal muscle. *Endocr J* 2016; 63: 727–738.
  - 22 Lubis L, Setiawan S. Response of Long-Term Memory to Molecular Changes of BDNF in Hippocampus in Various Intensities of Physical

- Activity. *Int J Integr Heal Sci* 2016; 4: 67–72.
- 23 Swain DP. Moderate or vigorous intensity exercise: which is better for improving aerobic fitness? *Prev Cardiol* 2005; 8: 55–58.
  - 24 Ghosh R, Pattison JS. Macroautophagy and Chaperone-Mediated Autophagy in Heart Failure: The Known and the Unknown. *Oxid Med Cell Longev* 2018; 2018. doi:10.1155/2018/8602041.
  - 25 Lee E, Wei Y, Levine B, Amatruda JF, Koo Y, Cleaver O et al. Autophagy is essential for cardiac morphogenesis during vertebrate development. *Autophagy* 2014; 10: 572–587.
  - 26 Wang D, Peng Z, Ren G, Wang G. The different roles of selective autophagic protein degradation in mammalian cells. *Oncotarget* 2015; 6. doi:10.18632/oncotarget.5776.
  - 27 Lavandero, S., Chiong, M., Rothermel, B. A., Hill, J. A. Autophagy in cardiovascular biology. *Journal of Clinical Investigation* 2015; 125: 55–64.
  - 28 Runwal G, Stamatakou E, Siddiqi FH, Puri C, Zhu Y, Rubinsztein DC. LC3-positive structures are prominent in autophagy-deficient cells. *Sci Rep* 2019; 9: 10147.
  - 29 Journal I, Joshi M, Sciences M, Medicine C, Sciences M. *Polymerase Chain Reaction : Methods and Principles*. 2010.
  - 30 Dubey VK. Lecture 37: Polymerase Chain Reaction. *Proteomics & Genomics*. 1993. 1–9.
  - 31 American Physiological Society. *Exercise Protocols Using Rats and Mice*. 2006. doi:10.2460/ajvr.68.6.583.
  - 32 Wang Y, Zhang Y, Qian C, Cai M, Li Y, Li Z et al. GSK3 $\beta$ / $\beta$ -catenin signaling is correlated with the differentiation of glioma cells induced by Wogonin. *Toxicol Lett* 2013; 222: 212–223.
  - 33 Yin P, Wan C, He S, Xu X, Liu M, Song S et al. Transport stress causes damage in rats' liver and triggers liver autophagy. *Biotechnology* 2013; 8: 1561–1566.
  - 34 Fritzen AM, Madsen AB, Kleinert M, Treebak JT, Lundsgaard A, Jensen TE et al. Regulation of autophagy in human skeletal muscle : effects of exercise

- , exercise training and insulin stimulation. 2016; 3: 745–761.
- 35 Schwalm C, Jamart C, Benoit N, Naslain D, Prémont C, Prevet J et al. Activation of autophagy in human skeletal muscle is dependent on exercise intensity and AMPK activation. *FASEB J* 2015; 29: 3515–3526.
- 36 Tam BT, Pei XM, Yung BY, Yip SP, Chan LW, Wong CS et al. Autophagic Adaptations to Long-term Habitual Exercise in Cardiac Muscle. 2015;36: 526–534.

