

DAFTAR PUSTAKA

1. Islam SMS, Purnat TD, Phuong NTA, Mwingira U, Schacht K, Fröschl G. Non Communicable Diseases (NCDs) in developing countries: A symposium report. *Global Health.* 2014;10(1).
2. WHO. Non-communicable diseases [Internet]. 2018. Available from: <https://www.who.int/news-room/fact-sheets/detail/noncommunicable-diseases>
3. World Health Organization[WHO]. Hypertension [Internet]. 2019. Available from: <https://www.who.int/news-room/fact-sheets/detail/hypertension>
4. Flynn JT, Falkner BE. New clinical practice guideline for the management of high blood pressure in children and adolescents. *Hypertension.* 2017;70(4):683–6.
5. Sulastri D, Sidhi S. Faktor Risiko Hipertensi Pada Siswa Smu Adabiah Di Kota Padang. *Maj Kedokt Andalas.* 2011;35(2):147.
6. Chiolero A, Bovet P, Paradis G. Screening for elevated blood pressure in children and adolescents: A critical appraisal. *JAMA Pediatr.* 2013;167(3):266–73.
7. Spagnolo A, Giussani M, Ambruzzi AM, Bianchetti M, Maringhini S, Matteucci MC, et al. Focus on prevention, diagnosis and treatment of hypertension in children and adolescents. *Ital J Pediatr.* 2013;39(1):1–18.
8. De Moraes ACF, Carvalho HB, Siani A, Barba G, Veidebaum T, Tornaritis M, et al. Incidence of high blood pressure in children - Effects of physical activity and sedentary behaviors: The IDEFICS study: High blood pressure, lifestyle and children. *Int J Cardiol [Internet].* 2015;180:165–70. Available from: <http://dx.doi.org/10.1016/j.ijcard.2014.11.175>
9. Martinez-Gomez D, Tucker J, Heelan KA, Welk GJ, Eisenmann JC. Associations between sedentary behavior and blood pressure in young children. *Arch Pediatr Adolesc Med.* 2009;163(8):724–30.
10. Neil K. Kaneshiro, MD M. Screen time and children: MedlinePlus Medical

- Encyclopedia [Internet]. MedlinePlus; 2019. Available from: <http://www.nlm.nih.gov/medlineplus/ency/patientinstructions/000355.htm>
11. Nang EEK, Salim A, Wu Y, Tai ES, Lee J, Van Dam RM. Television screen time, but not computer use and reading time, is associated with cardio-metabolic biomarkers in a multiethnic Asian population: A cross-sectional study. *Int J Behav Nutr Phys Act.* 2013;10:1–10.
 12. Ullrich-French SC, Power TG, Daratha KB, Bindler RC, Steele MM. Examination of adolescents' screen time and physical fitness as independent correlates of weight status and blood pressure. *J Sports Sci.* 2010;28(11):1189–96.
 13. Grøntved A, Ried-Larsen M, Møller NC, Kristensen PL, Wedderkopp N, Froberg K, et al. Youth screen-time behaviour is associated with cardiovascular risk in young adulthood: The European Youth Heart Study. *Eur J Prev Cardiol.* 2014;21(1):49–56.
 14. Wyszyńska J, Podgórska-Bednarz J, Dereń K, Mazur A. The Relationship between Physical Activity and Screen Time with the Risk of Hypertension in Children and Adolescents with Intellectual Disability. *Biomed Res Int.* 2017;2017.
 15. Gopinath B, Baur LA, Wang JJ, Hardy LL, Teber E, Kifley A, et al. Influence of physical activity and screen time on the retinal microvasculature in young children. *Arterioscler Thromb Vasc Biol.* 2011;31(5):1233–9.
 16. DPR RI. Undang-Undang Republik Indonesia No 35 Tahun 2014. Undang Republik Indones. 2014;(1):1–5.
 17. MacPherson S. The Convention on the Rights of the Child. *Soc Policy Adm.* 1989;23(1):99–101.
 18. World Health Organization[WHO]. Who Definisi Young People.Pdf.
 19. Kementerian Kesehatan RI. Pedoman Pelaksanaan SDIDTKA. 2016;
 20. Saadah N, Suparji, Sulikah. Stimulasi Perkembangan oleh Ibu Melalui Bermain dan Rekreasi pada Anak Usia Dini. 2020. p. 36–7.
 21. John E. Hall. Buku Ajar Fisiologi Kedokteran Guyton dan Hall. Edisi 12.

2016. 247–248 p.
22. Vinay Kumar, Abul K. Abbas JCA. Buku Ajar Patologi Robbins. Edisi 9. Elsevier; 2013. 325–327 p.
 23. Ivan C-M, Jose S-C, Juan T-M, Manuel C-TJ. Exercise for Hypertension - Chapter 5. Fit Med. 2016;91–109.
 24. Ikatan Dokter Anak Indonesia (IDAI). Hipertensi Pada Anak. 2016; Available from: <https://www.idai.or.id/artikel/seputar-kesehatan-anak/hipertensi-pada-anak>
 25. Matthew R Alexander, MD P. Overview Practice Essentials. EmedicineMedscape [Internet]. 2018;1–35. Available from: <https://emedicine.medscape.com/article/241381-overview#a4>
 26. Kemenkes.RI. Pusdatin Hipertensi. Infodatin [Internet]. 2014;(Hipertensi):1–7. Available from: https://www.google.co.id/url?sa=t&rct=j&q=&esrc=s&source=web&cd=1&cad=rja&uact=8&ved=0ahUKEwjIzfDJsYPKAhVSA44KHUmSDasQFg gZMAA&url=http://www.depkes.go.id/download.php?file=download/pusd atin/infodatin/infodatin-hipertensi.pdf&usg=AFQjCNHWLiHieCeL1Ksg4Tr_yx
 27. Sherwood L. Sherwood's Introduction to Human Physiology 8th Ed Indonesia. 2013;8:399.
 28. Mehrdad Hamrahan MD S. Pathophysiology of Hypertension. Pathophysiol Hypertens [Internet]. 2017; Available from: <https://emedicine.medscape.com/article/1937383-overview#a3>
 29. American Heart Association (AHA). Know Your Risk Factors for High Blood Pressure | American Heart Association [Internet]. American Heart Association. 2017. Available from: <https://www.heart.org/en/health-topics/high-blood-pressure/why-high-blood-pressure-is-a-silent-killer/know-your-risk-factors-for-high-blood-pressure>
 30. Beth L. Abramson, MD, FACC; Kajenny Srivaratharajah, MD; Leslie L. Davis, NP, PhD, FACC; Biljana Parapid M. Women and Hypertension: Beyond the 2017 Guideline for Prevention, Detection, Evaluation, and

- Management of High Blood Pressure in Adults. Am Coll Cardiol [Internet]. 2018;1–10. Available from: <https://www.acc.org/latest-in-cardiology/articles/2018/07/27/09/02/women-and-hypertension>
31. Wang L, Li N, Yao X, Chang G, Zhang D, Heizhati M, et al. Detection of Secondary Causes and Coexisting Diseases in Hypertensive Patients: OSA and PA Are the Common Causes Associated with Hypertension. *Biomed Res Int.* 2017;2017.
 32. Gambardella J, Morelli MB, Wang XJ, Santulli G. Pathophysiological mechanisms underlying the beneficial effects of physical activity in hypertension. *J Clin Hypertens.* 2020;22(2):291–5.
 33. Rissardi G da GL, Cipullo JP, Moreira GC, Ciorlia LAS, Cesarino CB, Giollo Junior LT, et al. Prevalence of Physical Inactivity and its Effects on Blood Pressure and Metabolic Parameters in a Brazilian Urban Population. *International Journal of Cardiovascular Sciences.* 2018.
 34. Centers for Disease Control and Prevention (CDC). Know Your Risk for High Blood Pressure [Internet]. Centers for Disease Control and Prevention (CDC). 2020. p. 1. Available from: https://www.cdc.gov/bloodpressure/risk_factors.htm
 35. Husain K, Ansari RA, Ferder L. Alcohol-induced hypertension: Mechanism and prevention. *World J Cardiol.* 2014;6(5):245.
 36. World Health Organization[WHO]. Obesity and Overweight. 2020; Available from: <https://www.who.int/news-room/fact-sheets/detail/obesity-and-overweight>
 37. Rohokuswara TD, Syarif S. Hubungan Obesitas dengan Kejadian Hipertensi Derajat 1 di Pos Pembinaan Terpadu Penyakit Tidak Menular (Posbindu PTM) Kantor Kesehatan Pelabuhan Bandung Tahun 2016. *J Epidemiol Kesehat Indones.* 2017;1(2):13–8.
 38. American Heart Association. Managing Stress to Control High Blood Pressure [Internet]. Heart.Org. 2016. p. 19. Available from: <https://www.heart.org/en/health-topics/high-blood-pressure/changes-you-can-make-to-manage-high-blood-pressure/managing-stress-to-control-high->

- blood-pressure
39. Pardee PE, Norman GJ, Lustig RH, Preud'homme D, Schwimmer JB. Television Viewing and Hypertension in Obese Children. *Am J Prev Med.* 2007;33(6):439–43.
 40. Tikellis G, Anuradha S, Klein R, Wong TY. Association between physical activity and retinal microvascular signs: The atherosclerosis risk in communities (ARIC) study. *Microcirculation.* 2010;17(5):381–93.
 41. Wang JJ, Rochtchina E, Liew G, Tan AG, Wong TY, Leeder SR, et al. The long-term relation among retinal arteriolar narrowing, blood pressure, and incident severe hypertension. *Am J Epidemiol.* 2008;168(1):80–8.
 42. Mitchell P, Cheung N, De Haseth K, Taylor B, Rochtchina E, Islam FMA, et al. Blood pressure and retinal arteriolar narrowing in children. *Hypertension.* 2007;49(5):1156–62.
 43. Parati G, Esler M. The human sympathetic nervous system: Its relevance in hypertension and heart failure. *Eur Heart J.* 2012;33(9):1058–66.
 44. DIREKTORAT PENCEGAHAN DAN PENGENDALIAN PENYAKIT TIDAK MENULAR KEMENKES. Gejala Hipertensi. 2018;1–2. Available from: <http://www.p2ptm.kemkes.go.id/infographic-p2ptm/hipertensi-penyakit-jantung-dan-pembuluh-darah/page/30/gejala-hipertensi>
 45. Johanes AS. Diagnosis Dan Tatalaksana Terbaru Pada Dewasa. Cdk-274 [Internet]. 2019;46(3):172–8. Available from: <http://www.cdkjournal.com/index.php/CDK/article/view/503%0Adiakses pada tanggal 28 oktober 2020>
 46. Ponti M, Bélanger S, Grimes R, Heard J, Johnson M, Moreau E, et al. Screen time and young children: Promoting health and development in a digital world. *Paediatr Child Heal.* 2017;22(8):461–77.
 47. Kamus Besar Bahasa Indonesia (KBBI). KBBI GAWAI 7 APRIL 21 [Internet]. Available from: <https://kbbi.kemdikbud.go.id/entri/gawai>
 48. McCarthy C. Why we all really need Screen-Free Week this year. Harvard Heal Blog [Online] [Internet]. 2018;2021. Available from: <https://www.health.harvard.edu/blog/why-we-all-really-need-screen-free->

- week-this-year-2018050113752
49. LeBlanc AG, Katzmarzyk PT, Barreira T V., Broyles ST, Chaput JP, Church TS, et al. Correlates of total sedentary time and screen time in 9-11 year-old children around the world: The international study of childhood obesity, lifestyle and the environment. *PLoS One.* 2015;10(6):1–20.
 50. M S. The Impact of using Gadgets on Children. *J Depress Anxiety.* 2017;07(01):1–3.
 51. Przybylski AK, Weinstein N. Digital Screen Time Limits and Young Children's Psychological Well-Being: Evidence From a Population-Based Study. *Child Dev.* 2019;90(1):e56–65.
 52. Hill D, Ameenuddin N, Chassiakos YR, Cross C, Radesky J, Hutchinson J, et al. Media and Young Minds. *Pediatrics.* 2016;138(5).
 53. Jago R, Zahra J, Edwards MJ, Kesten JM, Solomon-Moore E, Thompson JL, et al. Managing the screen-viewing behaviours of children aged 5-6 years: A qualitative analysis of parental strategies. *BMJ Open.* 2016;6(3).
 54. Lauricella AR, Wartella E, Rideout VJ. Young children's screen time: The complex role of parent and child factors. *J Appl Dev Psychol [Internet].* 2015;36:11–7. Available from: <http://dx.doi.org/10.1016/j.appdev.2014.12.001>
 55. Chassiakos YR, Radesky J, Christakis D, Moreno MA, Cross C, Hill D, et al. Children and adolescents and digital media. *Pediatrics.* 2016;138(5).
 56. Kabali HK, Irigoyen MM, Nunez-Davis R, Budacki JG, Mohanty SH, Leister KP, et al. Exposure and use of mobile media devices by young children. *Pediatrics.* 2015;136(6):1044–50.
 57. World Health Organization[WHO]. WHO Guidelines on physical activity, sedentary behaviour [Internet]. World Health Organization. 2020. Available from: <https://www.who.int/publications/i/item/9789240015128>
 58. Neophytou E, Manwell LA, Eikelboom R. Effects of Excessive Screen Time on Neurodevelopment, Learning, Memory, Mental Health, and Neurodegeneration: a Scoping Review. *Int J Ment Health Addict.* 2019;
 59. Nelson C. Babies need humans, not screens [Internet]. 2020. p. 1–3.

- Available from: <https://www.unicef.org/parenting/child-development/babies-screen-time>
60. Chaput JP, Willumsen J, Bull F, Chou R, Ekelund U, Firth J, et al. 2020 WHO guidelines on physical activity and sedentary behaviour for children and adolescents aged 5–17 years: summary of the evidence. Vol. 17, International Journal of Behavioral Nutrition and Physical Activity. 2020.
 61. Nagata JM, Abdel Magid HS, Pettee Gabriel K. Screen Time for Children and Adolescents During the Coronavirus Disease 2019 Pandemic. *Obesity*. 2020;28(9):1582–3.
 62. Berentzen NE, Smit HA, Van Rossem L, Gehring U, Kerkhof M, Postma DS, et al. Screen time, adiposity and cardiometabolic markers: Mediation by physical activity, not snacking, among 11-year-old children. *Int J Obes*. 2014;38(July):1317–23.
 63. Gopinath B, Hardy LL, Baur LA, Teber E, Mitchell P. Influence of parental history of hypertension on screen time and physical activity in young offspring. *J Hypertens*. 2012;30(2):336–41.
 64. Ghobadi S, Faghih S. Eating breakfast and snacks while television viewing are associated with some cardio metabolic risk factors among Iranian children. *Diabetes Metab Syndr Clin Res Rev*. 2017;12(3):235–43.
 65. Zou Y, Xia N, Zou Y, Chen Z, Wen Y. Smartphone addiction may be associated with adolescent hypertension: A cross-sectional study among junior school students in China. *BMC Pediatr*. 2019;19(1):1–8.
 66. Väistö J, Eloranta AM, Viitasalo A, Tompuri T, Lintu N, Karjalainen P, et al. Physical activity and sedentary behaviour in relation to cardiometabolic risk in children: Cross-sectional findings from the Physical Activity and Nutrition in Children (PANIC) Study. *Int J Behav Nutr Phys Act*. 2014;11(1):1–10.
 67. Ho A, Cheung CY, Wong JS, Zhang Y, Tang FY, Kam KW, et al. Independent and synergistic effects of high blood pressure and obesity on retinal vasculature in young children: The Hong Kong children eye study. *J Am Heart Assoc*. 2021;10(3):1–11.

68. American Heart Association. Limit screen time among kids, experts caution. 2018;6–8. Available from: <https://www.heart.org/en/news/2018/08/06/limit-screen-time-among-kids-experts-caution>
69. B. Salanave, M. Vernaya, V. Deschamps, A. Malona, A. Oléko, S. Hercberg, C. K. Castetbona. Television viewing duration and blood pressure among 18–74-year-old adults. The French nutrition and health survey (ENNS, 2006–2007). *J Sci Med Sport*. 2015;1(1):1–6.
70. Bazzano LA, Green T, Harrison TN, Reynolds K. Dietary approaches to prevent hypertension. *Curr Hypertens Rep*. 2013;15(6):694–702.
71. Kementerian Kesehatan Republik Indonesia. Mengenal Diet DASH, Anjuran Pola Makan untuk Penderita Hipertensi. 2020;(6):1–9. Available from: <https://www.sehatq.com/artikel/mengenal-diet-dash-anjuran-pola-makan-untuk-penderita-hipertensi>