

DAFTAR PUSTAKA

1. Shahidi Bonjar AH. Syringe micro vibrator (SMV) a new device being introduced in dentistry to alleviate pain and anxiety of intraoral injections, and a comparative study with a similar device. *Annals of Surgical Innovation and Research*. 2011; 5: p.1–5.
2. Nasehi A, Bhardwaj S, Kamath AT, Gadicherla S, Pentapati KC. Clinical pain evaluation with intraoral vibration device during local anesthetic injections. *J Clin Exp Dent*. 2015; 7(1): p.23–27.
3. Chang H, Noh J, Lee J, Kim S, Koo K-T, Kim T-I, et al. Relief of Injection Pain During Delivery of Local Anesthesia by Computer-Controlled Anesthetic Delivery System for Periodontal Surgery: Randomized Clinical Controlled Trial. *J Periodontol*. 2016; 87(7): p.783–789.
4. Murat Y. Comparison of the Pain Levels of Computer- Controlled and Conventional Anesthesia. *J Appl Oral Sci*. 2009; 17(5): p.414–420.
5. Malamed SF. *Handbook of Local Anesthesia*. 7th ed. St. Louis, Missouri: Elsevier-Mosby, 2019; 26(9): p.81-85.
6. Pedersen C, Miller M, Xu KT, Carrasco L, Smith C, Richman PB. Regional Anesthesia and Acute Pain Use of a Dental Vibration Tool to Reduce Pain From Digital Blocks. 2017; 42(4): p.458–461.
7. Shaefer JR, Lee SJ, Anderson NK. A Vibration Device to Control Injection Discomfort. 2017; 38(6): p.25-29.

8. Versloot J, Veerkamp JSJ, Hoogstraten J. Computerized anesthesia delivery system vs. traditional syringe: Comparing pain and pain-related behavior in children. *Eur J Oral Sci.* 2005; 113(6) : p.488–493.
9. Jasmin L, Wu M V., Ohara PT. GABA puts a stop to pain. *Curr Drug Targets CNS Neurol Disord.* 2004; 3(6): p.487–490.
10. Schousboe A, Waagepetersen HS. Gamma-Aminobutyric Acid (GABA). 2009; 3(1): p. 151-158.
11. Humphries SA, Johnson MH, Long NR. An investigation of the gate control theory of pain using the experimental pain stimulus of potassium iontophoresis. *Percept Psychophys.* 1996; 58(5): p.693–703.
12. Moayedi M, Davis KD. Theories of pain: From specificity to gate control. *J Neurophysiol.* 2013; 109(1): p.5–19.
13. Kumar KH, Elavarasi P. Definition of pain and classification of pain disorders. *J Adv Clin Res Insights.* 2016; 3(6): p.87–90.
14. Bahrudin M. Patofisiologi Nyeri (Pain). *Saintika Med.* 2018; 13(1): p.7.
15. Steeds CE. The anatomy and physiology of pain. *Surgical (United Kingdom).* 2016; 34(2): p.55–59.
16. Kurosawa M. Physiology of pain. *Rigakuryoho Kagaku.* 2000; 15(3): p.73–79.
17. Baart JA, Brand HS. Local Anaesthesia in Dentistry. *Local Anaesthesia in Dentistry.* 2017. p.182–204.
18. Swieboda P, Filip R, Prystupa A, Drozd M. Assessment of pain: types, mechanism and treatment. *Ann Agric Environ Med.* 2013; 1(1): p.2–7.

19. Ballantyne JC, Fishman SM, Rathmell JP. *Bonica's Management of Pain* 5th edition. Lippincott. William & Wilkins Philadelphia. 2019; p.3-16
20. R Patil S. Pain Management in Dentistry: A Review and Update. *J Neuroinfectious Dis.* 2016; 07(01): p.1–4.
21. Yam MF, Loh YC, Tan CS, Adam SK, Manan NA, Basir R. General pathways of pain sensation and the major neurotransmitters involved in pain regulation. *Int J Mol Sci.* 2018; 19(8): p.125-129.
22. Wandner LD, Scipio CD, Hirsh AT, Torres CA, Robinson ME. The perception of pain in others: How gender, race, and age influence pain expectations. *Journal of Pain.* 2012; 13(3): p.220–227.
23. Suresh S, Soniya S, Rajendran G. Gender based comparison of impact of dental pain on the quality of life among out patients of a private dental college in Tamil Nadu. *Journal Indian Association Public Health Dental.* 2015; 13(4): p.486.
24. Van Dijk JFM, Kappen TH, Van Wijck AJM, Kalkman CJ, Schuurmans MJ. The diagnostic value of the numeric pain rating scale in older postoperative patients. *Journal Clinical Nurse.* 2012; 21(21–22): p.3018–3024.
25. Krebs EE, Carey TS, Weinberger M. Accuracy of the pain numeric rating scale as a screening test in primary care. *J Gen Intern Med.* 2007; 22(10): p.1453–1458.
26. Tomlinson D, Von Baeyer CL, Stinson JN, Sung L. A systematic review of faces scales for the self-report of pain intensity in children. *Pediatrics.*

- 2010; 126(5): p.256-259.
27. Arsyawina, Mardiyono S. Critical-Care Pain Observation Tool (CPOT) and Wong-Baker Faces Pain Rating Scale in Measuring Pain Level of Patient With Mechanical Ventilation. *J Keperawatan Kalimantan Timur*. 2014; 1(1): p.1–5.
28. Garra G, Singer AJ, Taira BR, Chohan J, Cardoz H, Chisena E, et al. Validation of the Wong-Baker FACES pain rating scale in pediatric emergency department patients. *Acad Emerg Med*. 2010;17(1):50–54.
29. Hicks CL, Von Baeyer CL, Spafford PA, Van Korlaar I, Goodenough B. The Faces Pain Scale - Revised: Toward a common metric in pediatric pain measurement. *Pain*. 2001;93(2): p.173–183.
30. Mun M, Debasish C. Pain Management in Dentistry: A Review. *Advance Clinical Pharmacol Toxicol Therapeutics*. 2019; p.1–3.
31. Ogle OE, Mahjoubi G. Advances in local anesthesia in dentistry. *Dental Clinical North America*. 2011; 55(3): p.481–499.
32. Kwak E-J, Pang N-S, Cho J-H, Jung B-Y, Kim K-D, Park W. Computer-controlled local anesthetic delivery for painless anesthesia: a literature review. *Journal Dental Anesthesia Pain Med*. 2016; 16(2): p.81.
33. Salgotra V, Agrawal R, Mandal S, Kohli S. New Gadgets in Local Anesthesia: A review. *IOSR J Dent Med Sci*. 2014; 13(3): p.62–66.
34. Dubey A. The Wand : A Mini Review of an Advanced Technique for Local Anesthesia Delivery in Dentistry. *Am J Adv Drug Deliv*. 2015; 03(14): p.1–6.

35. Iskrov GG, Jakovljevic MM, Stefanov RS. Budgetary Impact of Medicinal Therapies for Rare Diseases in Bulgaria. *Folia Medical (Plovdiv)*. 2018; 60(1): p.79–91.
36. Langthasa M, Yeluri R, Jain AA, Munshi AK. Comparison of the pain perception in children using comfort control syringe and a conventional injection technique during pediatric dental procedures. *J Indian Soc Pedod Prev Dent*. 2012; 30(4): p.323–328.
37. Bansal N. Pain Elimination during Injection with Newer Electronic Devices: A Comparative Evaluation in Children. *Int J Clin Pediatr Dent*. 2014; 7(2): p.71–76.
38. Saxena P, Chandra A, Gupta S, Newaskar V. Advances in dental local anesthesia techniques and devices: An update. *Natl J Maxillofac Surg*. 2013; 4(1): p.19.
39. Barolet D, Benohanian A. Current trends in needle-free jet injection: An update. *Clin Cosmet Investig Dermatol*. 2018; 11: p.231–238.
40. Sovatdy S, Vorakulpipat C, Kiattavorncharoen S, Saengsirinavin C, Wongsirichat N. Inferior alveolar nerve block by intraosseous injection with Quicksleeper[®] at the retromolar area in mandibular third molar surgery. *J Dent Anesth Pain Med*. 2018; 18(6): p.339.
41. Smaïl-Faugeron V, Muller-Bolla M, Sixou JL, Courson F. Evaluation of intraosseous computerized injection system (QuickSleeperTM) vs conventional infiltration anaesthesia in paediatric oral health care: A

- multicentre, single-blind, combined split-mouth and parallel-arm randomized controlled trial. *Int J Paediatr Dent*. 2019; 29(5): p.573–584.
42. Jung RM, Rybak M, Milner P, Lewkowicz N. Local anesthetics and advances in their administration – an overview. *J Pre-Clinical Clin Res*. 2017; 11(1): p.94–101.
43. Nieuwenhuizen J, Hembrecht EJ, Aartman IHA, Krikken J, Veerkamp JSJ. Comparison of two computerised anaesthesia delivery systems: Pain and pain-related behaviour in children during a dental injection. *Eur Arch Paediatr Dent*. 2013; 14(1): p.9–13.
44. Tom K, Aps J. Intraosseous Anesthesia as a Primary Technique for Local Anesthesia in Dentistry. *Clin Res Infect Dis*. 2015; 2(1):p.10-12.
45. Partido B, Nusstein J, Miller K, Lally M. Maxillary Lateral Incisor Injection Pain Using the Dentapen Electronic Syringe. *J Endod*. 2020; 46(11):1592–1596.
46. Chaudhry K, Shishodia M, Singh C, tuli A. Comparative evaluation of pain perception by vibrating needle (Vibraject™) and conventional syringe anesthesia during various dental procedures in pediatric patients: A short study. *Int Dent Med J Adv Res - Vol 2015*. 2015; 1(1): p.1–5.
47. Gadre KS, Nasti SA. Comparison of Vibraject with Conventional Syringe during Local Anesthesia Administration. 2019; 18(2): p.8–12.
48. Şermet Elbay Ü, Elbay M, Yıldırım Si, Kaya E, Kaya C, Uğurluel C, et al. Evaluation of the injection pain with the use of DentalVibe injection system during suprapariosteal anaesthesia in children: a randomised

- clinical trial. *Int J Paediatr Dent*. 2016; 26(5): p.336–345.
49. Ropero Peláez FJ, Taniguchi S. The gate theory of pain revisited: Modeling different pain conditions with a parsimonious neurocomputational model. *Neural Plast*. 2016;16(7): p.26-34.
50. Haas DA. An update on local anesthetics in dentistry. *J Can Dent Assoc*. 2002; 68(9): p.546–551.
51. Becker DE, Reed KL. Local anesthetics: review of pharmacological considerations. *Anesth Prog*. 2012; 59(2): p.90–102.
52. Lonergan HD. *Local anesthesia for the dental hygienist*, 2nd edition. Vol. 3, Elsevier Health Sciences. 2016; 2(5): p.156-163
53. Mathur VP, Kalra G. Insight to Newer Agents and Methods for Local Anesthesia in Pediatric Dentistry. *Indian J Pediatr*. 2020; 87(4): p.253–254.
54. Hjermsstad MJ, Fayers PM, Haugen DF, Caraceni A, Hanks GW, Loge JH, et al. Studies comparing numerical rating scales, verbal rating scales, and visual analogue scales for assessment of pain intensity in adults: A systematic literature review. *Journal Pain Symptom Management*. 2011; 41(6): p.1073–1093.
55. Alghadir AH, Anwer S, Iqbal A, Iqbal ZA. Test-retest reliability, validity, and minimum detectable change of visual analog, numerical rating, and verbal rating scales for measurement of osteoarthritic knee pain. *J Pain Res*. 2018; 11: p.851–856.
56. Campanella V, Libonati A, Nardi R, Angotti V, Gallusi G, Montemurro E,

- et al. Single tooth anesthesia versus conventional anesthesia: a cross-over study. *Clin Oral Investig.* 2018; 22(9): p.3205–3213.
57. Jälevik B, Klingberg G. Pain sensation and injection techniques in maxillary dento-alveolar surgery procedures in children - A comparison between conventional and computerized injection techniques (The Wand®). *Swed Dent J.* 2014; 38(2): p.67–75.
58. Chavhan P, Jawdekar A, Deshpande S, Chandak S, Niswade G, Bhondey A. Comparison of pain perception during the administration of local anaesthesia with computerized delivery system (WAND) and conventional technique in pediatric dental procedure using Visual Analogue scale-A randomised controlled trial. *Clin Epidemiol Glob Health.* 2020; 8(1): p.224–228.
59. Sharma S, Kochhar R, Kumari M. Clinical Comparative Evaluation of Pain Perception during Infiltration with the CCLAD or Conventional Syringe. *Int J Sci Res Publ.* 2019; 9(4): p.885.
60. Kumar DN, Babu J. A comparative study on pain encountered with a simulator vibrotactile device assisted LA administration, with topical la technique and conventional technique. *International Journal of Applied Dental Sciences* 2019; 5(1): p.13–16.
61. Ghorbanzadeh S, Alimadadi H, Zargar N, Dianat O. Effect of vibratory stimulation on pain during local anesthesia injections: a clinical trial. *Restor Dent Endod.* 2019; 44(4): p.1–10.
62. Sreenivasagan S, Sneha P, Ravi P, Vb KR. To Assess the Prevalence of

Dental Anxiety and Assess the Efficacy of Vibraject and to Assess Prevalence of Dental Phobia. *Dentistry, an open access journal*. 2018; (5): p.8–12.

63. Kulkarni N, Parakh A, Modi S, Mankare A, Fernandes G, College YMTD, et al. Painless Anaesthesia in Pediatric Dentistry : An Updated Review. *IOSR Journal of Dental and Medical Sciences*. 2019; 18(4): p.67–71.

