

Proceedings

	n Bandung, Indonesia		
	() EE:	Editors: Jong Seong Kang ¹ ; Hae Dong Jang ² ; Lawrence Young ³ ; Viroj Boon ⁴ Ratnadewi Ratnadewi ⁶	¹ ; Emmanuel Jean Francois ⁵ and
	** HIT BATIONAL COMERNIC ON HIT BATIONAL COMERNIC ON HIT BATIONAL COMERNIC ON HIT BATIONAL COMERNIC AND AND AND AND AND AND AND AND AND AND AND AND AND AND AND AND AND	 Affiliations: ¹ Chungnam National University, Korea, Republic of ; ² Hannam University of Warwick, United Kingdom ; ⁴ Chulalongkorn University, Thailand ⁶ Maranatha Christian University, Indonesia 	niversity, Korea, Republic of ; ³ ; ⁵ Ohio University, United States ;
	Editor Area land fan júligen hag	ISBN: 978-989-758-601-9	
	ti non karken Konder Non and Karken	DOI: 10.5220/0000147200003113	
	<u> </u>	Conference Link: https://event.maranatha.edu/icetes2021/	
	971000000.45100	s Jonan, former Minister of the Ministry of the Republic of ished keynote speakers, Prof. General Directorate of Post and ogy), Prof. John Silke, Dr. Ferry Martens, Dr. Dwinita Larasati, Prof. participants in the international o you all, and good evening to our University (MCU), Bandung,	
		Volumes:	
		Vol. 1 - 978-989-758-601-9	
Papers / Show All • What Is a S	Authors papers peech Chain and How Can 1	Fhis Concept Be Applied to the Various Areas of Speech Communicat	tion in an P. 5 - 8
Intelligent S Takayuki Arai	Society?		DOI:10.5220/0010743600003113
in a second s			
Exploration Ratnadewi Rat Christine Sutar	n of an Indonesian Currency tnadewi , Aan Darmawan Hangkawi ndi , Andrew Sebastian Lehman , Elt	Legality Detection System by Utilizing Image Intensity of RGB Mean idjaja , Agus Prijono , Rudy Wawolumaja , Kartika Suhada , Maria ty Sarvia and Kervin Lusiano	P. 9 - 17 DOI:10.5220/0010743700003113
Exploration Ratnadewi Rat Christine Sutar Comparativ Joseph Sanjaya	n of an Indonesian Currency tnadewi , Aan Darmawan Hangkawi ndi , Andrew Sebastian Lehman , Eli ve Study of Convolutional No a , Mewati Ayub and Hapnes Toba	Legality Detection System by Utilizing Image Intensity of RGB Mean idjaja , Agus Prijono , Rudy Wawolumaja , Kartika Suhada , Maria ty Sarvia and Kervin Lusiano eural Networks-based Algorithm for Fine-grained Car Recognition	P. 9 - 17 DOI:10.5220/0010743700003113 P. 18 - 25 DOI:10.5220/0010743800003113
Exploration Ratnadewi Rat Christine Sutar Comparativ Joseph Sanjaya Estimation Muliady Mulia	n of an Indonesian Currency tnadewi , Aan Darmawan Hangkawi ndi , Andrew Sebastian Lehman , Elf e Study of Convolutional N a , Mewati Ayub and Hapnes Toba of Paddy Leaf Nitrogen Stat dy , Tien Sze Lim , Voon Chet Koo a	Legality Detection System by Utilizing Image Intensity of RGB Mean idjaja , Agus Prijono , Rudy Wawolumaja , Kartika Suhada , Maria ty Sarvia and Kervin Lusiano eural Networks-based Algorithm for Fine-grained Car Recognition tus using a Single Sensor Multispectral Camera and Nathaniel Pius Winata	P. 9 - 17 DOI:10.5220/0010743700003113 P. 18 - 25 DOI:10.5220/0010743800003113 P. 26 - 31 DOI:10.5220/0010743900003113

Design and Implementation of a Path Finding Robot using Modified Trémaux Algorithm Semuil Tjiharjadi	DOI:10.5220/0010	P. 39 - 48 744100003113
Priority Petri Net Multimedia Model for Non-deterministic Events of Multimedia Presentations Marvin Chandra Wijaya	DOI:10.5220/0010	P. 49 - 57 744200003113
Anti-inflammatory Activities of Pineapple (Ananas comosus) Core Extract in Lipopolysaccharide-induced RA	AW264.7 Cell	P. 58 - 64
Hanna Sari Widya Kusuma , Hartini Tiono , Philips Onggowidjaja , Selonan Susang Obeng , Wahyu Widowati , Cintani Dewi Wahyuni , Cahyaning Riski Wijayanti , Muhamad Aldi Maulana , Tri Handayani and Rizal Rizal	DOI:10.5220/00107	744300003113
Potential of Black Tea (Camellia Sinensis (L.) O. Kuntze) Extract as Anti-oxidant and Skin Anti-aging Wahyu Widowati , Rita Tjokropranoto , Cindy Damayanti , Hanna Sari Widya Kusuma , Tri Handayani and Rizal Rizal	DOI:10.5220/00107	P. 65 - 73 744400003113
Luteolin Possess Anti-inflammatory Effect on LPS Induced RAW 264,7 Cell Lines Ervi Afifah , Hartini Tiono , Philips Onggowidjaja , Selonan Susang Obeng , Wahyu Widowati , Cintani Dewi Wahyuni , Cahyaning Riski Wijayanti , Muhammad Aldi Maulana , Tri Handayani and Rizal Rizal	DOI:10.5220/00107	P. 74 - 80 744500003113
The Effect of Different Intensities of Treadmill Exercise on FGF23 Gene Expression in Gastrocnemius and Sol Wistar Rats	leus Muscles of	P. 81 - 86
Julia Windi Gunadi , Diana Krisanti Jasaputra , Decky Gunawan , Ludovicus Edwinanto , Limdawati Kwee , Harijadi Pramono , Adrian Suhendra , Ghita Sariwidyantry , Hanna Goenawan and Ronny Lesmana	DOI:10.5220/00107	744600003113
Antioxidant Properties of Salacca zalacca (Gaertn.) Voss Peel Ethanolic Extract Compared to Chlorogenic Ac Ermi Girsang , Chrismis Novalinda Ginting , I Nyoman Ehrich Lister , Cahyaning Riski Wijayanti , Wahyu Widowati and Rizal Rizal	id DOI:10.5220/00107	P. 87 - 94 744700003113
Analyse Protein Model of the SARS-CoV-2 Virus using Data Mining Methods Tiur Gantini and Hans Christian	DOI:10.5220/0010	P. 95 - 103 744800003113
Antioxidant Properties of Curcuma longa L. and Curcuma xanthorriza Rhizomes Dian Ratih Laksmitawati , Diah Kartika Pratami , Wahyu Widowati , Hanna Sari Widya Kusuma , Cahyaning Riski Wijayanti , Cintani Dewi Wahyuni , Ervi Afifah and Rizal Rizal	DOI:10.5220/00107	P. 104 - 111 745300003113
The Effect of Agarwood Leaves Ethanol Extract on Porphyromonas gingivalis Growth Inhibition and in Vitro	Cytotoxicity	P. 112 - 121
Vinna Kurniawati Sugiaman , Henry Yonatan Mandalas , Ethan Yeshael Tanamal , Nathalia Cahya Calista and Natallia Pranata	DOI:10.5220/0010	745500003113
Comparison of Two Dental Age Estimation Methods: The London Atlas and the Schour & Massler Atlas in 3- Indonesian	-23 Years Old	P. 122 - 125
Aprianisa Obsidiany Daisy Tarigan , Hendra Polii and Rosalina Intan Saputri	DOI:10.5220/00107	745600003113
The Effect of Apple Vinegar as an Irrigation Solution to Dental Root Canal Microstructure Rudy Djuanda , Eliza Madyanty , Almira Anggarini Witjaksono , Vinna Kurniawati Sugiaman and Natallia Pranata	DOI:10.5220/0010	P. 126 - 130 745900003113
The Color Dissimilarity based Method among Other Segmentation Methods: A Comparison I Gede Made Karma , I Ketut Gede Darma Putra , Made Sudarma and Linawati	DOI:10.5220/00107	P. 131 - 141 746800003113
Safety Driving Behaviour of Adolescents Pre-owning Driving License (SIM) Sodikin and Hendramawat Aski Safarizki	DOI:10.5220/00107	P. 142 - 145 746900003113
Virtual Reality Stimulants of Motor Ability through the Virtual Reality-based Game Erwani Merry Sartika , Novie Theresia Br. Pasaribu , Richard Setiawan , Reynaldy Felicius Gunawan , Dion Melvern Siswanto , Che-Wei Lin and Febryan Setiawan	DOI:10.5220/00107	P. 146 - 152 747100003113
Design of Bilateral Hand Movement Device using Design Thinking and Quality Function Deployment to Incr Motoric Function of the Non-Dominant Hand	ease the	P. 153 - 158
Novie Theresia Br. Pasaribu , Vivi Arisandhy , Christina , Elty Sarvia , Rainisa Maini Heryanto , Erwani Merry Sartika , Audyati Gany , Olga Catherina Pattipawaej , Richard Setiawan and Jessica	DOI:10.5220/00107	747200003113

Experimental Design of Driving with Distractions at Urban Area using Simulator Driving

Experimental Design of Driving with Distractions at Orban Area using Simulator Driving Winda Halim, Rainisa Maini Hervanto, Santoso, Christina, Erwani Merry Sartika, Audvati Gany, Andrew	DOI:10.5220/0010747300003113
Sebastian Lehman , Anggie Ervany Haryono and Vieri Candhya Wigayha	D01.10.5220/0010747500005115
Experimental Study on Velocity Profiles Due to Ecological Barriers	P. 167 - 171
Robby Yussac Tallar and Teofilus Sawang	DOI:10.5220/0010747400003113
Experimental Study on Riprap Layer Design for Circular Bridge Pier	P. 172 - 175
Efferiki , Robby Yussac Tallar and Alexander Yovan Suwono	DOI:10.5220/0010747500003113
Comparative Study of Riprap Model Design for Scour Protection of Bridge Pier	P. 176 - 179
Cut Talitha Salsabila Nuraprili , Robby Yussac Tallar and Alexander Yovan Suwono	DOI:10.5220/0010747600003113
The Experimental Study of Optimum Thickness on Riprap Layer Design	P. 180 - 183
Dea Lidya , Robby Yussac Tallar and Alexander Yovan Suwono	DOI:10.5220/0010747700003113
The Effect of Seismic Masses in Calculation of a 17 Multi-story Concrete Structure	P. 184 - 189
Daud Rahmat Wiyono , Roi Milyardi , Yosafat Aji Pranata and Robby Y. Tallar	DOI:10.5220/0010747800003113
Identification of Risk Factors for Delayed Time Schedule in Summarecon Serpong Playfield Preschool Proje	ct P. 190 - 199
Deni Setiawan and Stefanny Abigail	DOI:10.5220/0010747900003113
Flood Risk Assessment of Heritage Building in Semarang City	P. 200 - 205
Roi Milyardi , Deni Setiawan and Tri Octaviani Sihombing	DOI:10.5220/0010748000003113
Identification of Risks in Making Decision for Overseas Expansion by Indonesian State-owned Construction Jeffrey Limas Lim , Ayomi Dita Rarasati and Mohammad Ichsan	Enterprise P. 206 - 212 DOI:10.5220/0010748100003113
Pull-out Resistance of Glued-in Rod Embedded Parallel to Grain in Laminated Bamboo with Two Edge Dista	Ance Variations P. 213 - 219
Widiya Anistiya K. Rumasoreng, Karyadi and Nindyawati	DOI:10.5220/0010748200003113
Experimental Study of Shear Strength of Purus Lobang Berkait (PLB): Masonry Wall	P. 220 - 226
Marwahyudi , Senot Sangadji , Halwan Alfisa Saifullah and Stefanus Adi Kristiawan	DOI:10.5220/0010748300003113
Engineering Education: Measuring the Relationship between Knowledge and Confidence to the Student Pe	erformance P. 227 - 232
Noek Sulandari , Cindrawaty Lesmana and Cindy Maria Setyana	DOI:10.5220/0010748400003113
Bio-cord as an Ecotechnological Wastewater Treatment for Productive and Attractive Urban Open Spaces Ferlina Sugata , Nathalia Yunita Sugiharto , Nina Nurviana , Seriwati Ginting , Isabella Isthipraya Andreas , Shirly Nathania Suhanjoyo , Andi A. Hamzah and Heddy Heryadi	P. 233 - 244 DOI:10.5220/0010748500003113
Relationship between Low Birth Weight (LBW), Birth Length, and Basic Immunization History with Stunting 9 - 60 Months in Kabupaten Purwakarta	g in Children Age P. 245 - 249
Application of Freeze-thaw Harvest for SARS-CoV-2 PCR EQA Panel Material Nur Ika Hariastuti , Nike Susanti , Hana Apsari Pawestri and Kartika Dewi Puspa	P. 250 - 253 DOI:10.5220/0010748800003113
Suicide and Narcissistic Personality Traits: A Review of Emerging Studies	P. 254 - 264
Charissa Lazarus and Khamelia Malik	DOI:10.5220/0010749500003113
Expected Attributes to Design Sleeping Facilities for the Elderly based on the Potential Stakeholders Point of Elty Sarvia , Elizabeth Wianto , Erwin Ardianto Halim and Elvira Natalia	of View P. 265 - 270 DOI:10.5220/0010749600003113
Wharton's Jelly Mesenchymal Stem Cells-secreted IDO as Candidate of Anti-inflammation Therapy Wahyu Widowati , Teresa Liliana Liliana Wargasetia , Fanny Rahardja , Rimonta F. Gunanegara , Hanna Sari Widya Kusuma , Seila Arumwardana , Cintani Dewi Wahyuni , Cahyaning Riski Wijayanti , Tri Handayani and Rizal Rizal	P. 271 - 278 DOI:10.5220/0010749700003113
Factors Affecting Success of Team Members in Indonesia Scrum Implementation	P. 279 - 285
Apriliana Fajri Wibowo and Yova Ruldeviyani	DOI:10.5220/0010751900003113

The Application of Digital Module Design of East Sumba Woven Fabric on Interior Accessories Erwin Ardianto Halim , Monica Hartanti , Maresha Caroline Wijanto , Hendra Setiawan , Yudita Royandi , Yunita Setyoningrum and Aulia Wara Arimbi Putri	DOI:10.5220/00107	P. 286 - 294 52600003113
The Use of Technology in Indonesian K-6 Education during Covid-19 Pandemic: A Review Bayu Rima Aditya , Dina Fitria Murad , Oscar Karnalim , Aditya Permadi , Andrisyah , Fathul Jannah and Irawan Nurhas	DOI:10.5220/00107	P. 295 - 304 52900003113
Build Software of Information Management Community Service Events Febrina Anastasha and Teddy Marcus Zakaria	DOI:10.5220/00107	P. 305 - 313 53000003113
User Interactions Analysis on a Moodle-based Online Learning Management System during Pandemic Bernard Renaldy Suteja and Wilfridus Bambang Triadi Handaya	DOI:10.5220/00107	P. 314 - 319 53100003113
Bioactivity of Soybean Tempeh against Diarrhea Associated Pathogen Is More Correlated with the Number than Specific Major Bacterial Phylum	of Total Bacteria	P. 320 - 327
T. E. Pramudito , E. G. A. Putri , E. G. A. Paluphi , G. Florencia , M. P. Gunawan , M. R. Pratiwi and Y. Yogiara	DOI:10.5220/00107	53500003113
Effects of Herbal Ingredients (Allium sativum, Punica granatum, Curcuma longa, Curcuma xanthorrhiza) on Expression in Aorta of High Fat Diet-fed Rats: A Preliminary Study	FATP3 Gene	P. 328 - 332
Diana Krisanti Jasaputra , Julia Windi Gunadi , Penny Setyawati Martioso , Larissa , Yenny Noor , Irna Permanasari Gani , Erik Dwikurnia Saiman , Desman Situmorang and Andi Haryanto	DOI:10.5220/00107	53800003113
Biochemical Characteristics of Ground Robusta Coffee under Various Postharvest Technologies and Process Sri Wulandari , Makhmudun Ainuri and Anggoro Cahyo Sukartiko	DOI:10.5220/00107	P. 333 - 343 53900003113
Substantially Improved Antioxidant Activity of Modified Polymeric Nanostructure Entrapping Curcumin Deni Rahmat , Wahyu Widowati , Etik Mardliyati , Eny Kusrini , Abdi Wira Septama , Yati Sumiyati , Mita Restinia , Sjaikhurrizal El Muttaqien , Cintani Dewi Wahyuni , Hanna Sari Widya Kusuma , Muhammad Aldi , Tri Handayani and Rizal Rizal	DOI:10.5220/00107	P. 344 - 350 54000003113
Breast Cancer Histopathological Image Classification using Progressive Resizing Approach Hendra Bunyamin, Hapnes Toba, Meyliana and Roro Wahyudianingsih	DOI:10.5220/00107	P. 351 - 357 54100003113
Multi-Objective Bees Algorithm for Feature Selection Natalia Hartono	DOI:10.5220/00107	P. 358 - 369 54200003113
Eye Abnormality Automatic Detection using Deep Learning based Model Audyati Gany , Meilan Jimmy Hasugian , Erwani Merry Sartika and Hannah Georgina	DOI:10.5220/00107	P. 370 - 375 54400003113



The Effect of Seismic Masses in Calculation of a 17 Multi-story Concrete Structure

Daud Rahmat Wiyono[®]^a, Roi Milyardi[®]^b, Yosafat Aji Pranata[®]^c and Robby Y. Tallar[®]^d Department of Civil Engineering, Maranatha Christian University, Jl. Surya Sumantri 65, Bandung, Indonesia

Keywords: Mass Source, Self and Specified Mass, from Loads, Equivalent Lateral Force, Story Shear, Story Drift.

Abstract: The seismic weight according to code will be used for seismic calculation and defined by mass source. The application in ETABS has a 3-ways to define seismic mass: 1. From self and specified mass, 2. From loads. 3. From self and specified mass and loads. If the mass source is not defined properly, seismic forces will not be calculated correctly and so the base shear value will also be incorrect. The purpose of this article is to obtain the mass source from 3-ways in ETABS which is near to the manually calculated Mass and its effects. The case study is a 17 multi-story building, and from the results of the analysis and discussion it is concluded that: the lowest time period, equivalent lateral force, story shear, story drift are the 'From self and specified mass and load with DL+0.5 LL', and the last is 'Self and specified mass and load with DL+LL'. The value of 'From load with DL+0.5 LL' is near to the manually calculated Mass with 'DL+LL', and thus corresponds to the recommendation by ASCE 7–10.

1 INTRODUCTION

Mass source is a seismic weight according to code and performed for seismic analysis. ASCE 7–10 requires the effective seismic weight including dead load and other load, in this case other load is LL reduction, so the value of reduction factor f is for LL is determined. The load here will be used for seismic calculations. In the application of software ETABS there are 3 ways to define seismic mass: 1. From self and specified mass, 2. From loads. 3. From self and specified mass and loads.

Each choice has different consequences in inputting Self weight, Dead load and Live load. For example if From loads is chosen then the load S can be assigned that refer to dead weight type (self-weight included) and also the live load cases as per code with the appropriate factor based on governing condition (Computers and Structures Inc., n.d.).

The purpose of this article is to obtain the mass source with a near to mass calculated manual from 3-

184

Wiyono, D., Milyardi, R., Pranata, Y. and Tallar, R.

DOI: 10.5220/0010747800003113

In Proceedings of the 1st International Conference on Emerging Issues in Technology, Engineering and Science (ICE-TES 2021), pages 184-189 ISBN: 978-989-758-601-9

Copyright (c) 2022 by SCITEPRESS - Science and Technology Publications, Lda. All rights reserved

ways option in ETABS. The case study is a 17 multistory building where until the 10^{th} story, the mass becomes one mass and from the 11^{th} to the 17^{th} story, the mass becomes 2-tower and the structure will be a dual system.

ASCE 7–10 use 'DL + 0.25 LL' for seismic masses, which LL for gravity combination can reduce with factor 0.5. The seismic weight/mass that is calculated using ETABS is then verified using an analytical method which is called Mass calculated manual. Self-weight has default of 'DL + f LL', Specified Load patterns must select 'DL + f LL', and additional mass due to surface loads line loads.

In ETABS consider full (100%) of dead load and 25% of live load (less than $3kN/m^2$), and if the live load exceeds $3kN/m^2$ then the mass source will be full (100%) of dead load and 50% of live load. Usually only full of dead load is enough for normal buildings, but needed to consider all the Live loads and Dead loads that are permanent. For example permanent mechanical equipment as live load then consider

^a https://orcid.org/0000-0002-9130-6149

^b https://orcid.org/0000-0003-3025-1356

^c https://orcid.org/0000-0002-7828-124X

^d https://orcid.org/0000-0001-7307-3348

The Effect of Seismic Masses in Calculation of a 17 Multi-story Concrete Structure.

them in mass source too. If a portion of live load is assumed to be sustained for example where LL is heavy like in malls, a portion of LL should also be considered. So, any load that is deemed to be permanent needs to be considered in seismic calculation (Akis, 2004; Nageh, 2007).

These 3-ways choices each have the purpose to input the load cases in each choice. Everyone can use each 3-way choice with different load cases. The load option is the one generally recommended by people familiar with ETABS. The reason is because the default "From self and specified mass" option means that additional mass has to be manually assigned, and that involves unit conversion for mass assignments.

The third option "From self and specified mass and loads" is dangerous because many users tend to include the dead self-weight in that list, thereby double counting self-weight in the mass model. The users can detect it in the warning while checking the model showing the sentence "Mass source has both element self-mass and a load pattern with a selfweight multiplier greater than zero. This may result in duplicated self-mass. If it is true, while checking the model it will show the sentence "Model has been checked", and no warning messages were generated.

2 LITERATURE STUDY

Mass values consist of structural elements which have volume and material density. In dynamic analysis, mass translation and rotation with acceleration to create inertial forces. For the purpose of estimating seismic loads standard ASCE 7-10 requires calculating the effective seismic weight which includes dead load, partitions and permanent equipment, plus 25% of the floor live load in areas used for storage (MacLeod, 1970; Somers, 2012; Wight & MacGregor, 2012).

This contribution of live load as inertia seems to be correlated with the low likelihood that live load objects be present at the time of the designed earthquake. However, for storage and some commercial facilities live loads may continuously be present and even exceed the dead load. Seismic mass source is a parameter that used both for calculation of seismic loads using Equivalent Lateral Force Method and Responses Spectrum Analysis (American Society of Civil Engineering, 2010; Atkins Structural Department, 2007; Budiono & Supriatna, 2011; Wiyono, R.D., Roi, C. M., & Lesmana, 2018).

Mass source is the structural weight and the seismic loads are calculated based on the specified mass of the building. ASCE 7/IBC requires for another load as storage which is 0.25LL (not be included in the effective seismic weight if increasing of storage loads adds no more than 0.05, garages and parking need not be included in the effective seismic weight. Partition weight (10 psf) is required and the weight of operation of permanent equipment. The loading combination of 1.2D + E + 0.5L + 0.25S for all occupancies in accordance with Table 4-1 ASCE 7–10 less than or equal to 4,79kN/m².

3 ANALYTICAL MODEL

In this case study, a 17 multi-story building with two elevator shafts in the left side and the right side of floor plan building load has been calculated from the code (American Society of Civil Engineering, 2010; Badan Standarisasi Nasional, 2012). The mass source until the 10th story is one mass. After that from the 11th to the 17th floor, the mass will become two towers. The 3D structure given in Figure 1 shows the plan of each floor.



Figure 1: Building model and floor plane data.

4 RESULTS AND DISCUSSION

Table 1 shows the manually calculated Mass and in Table 2 is shown the time periods. The lowest time period is 'From self and specified mass', after that 'From load with DL + 0.5 LL', next is the 'Self and specified mass and load with DL + 0.5 LL', and the last is 'Self and specified mass and load with 1 LL'. From this table can be seen that the period of Mass calculated manual DL + LL is near to From load with DL + 0.5 LL.

	Self-Weight (DL)	SDL	LL	Total	Total Weight	
Floor	(kg/m ²)	(kg/m^2)	(kg/m^2)	Area (m ²)	(kg)	
17	27072	150	250	94	64672	
16	65952	150	250	229	157552	
15	222912	150	250	774	532512	
14	222912	150	250	774	532512	
13	222912	150	250	774	532512	
12	222912	150	250	774	532512	
11	222912	150	250	774	532512	
10	222912	150	250	774	532512	
9	273600	150	250	950	653600	
8	269856	150	250	937	644656	
7	269856	150	250	937	644656	
6	269856	150	250	937	644656	
5	338112	150	500	1174	1101212	
4	522144	150	500	1813	1700594	
3	360864	150	500	1253	1175314	
2	262368	150	500	911	854518	
1	608904	0	500	1933	1575404	
0	642132	0	500	1836.2	1560232	

Table 1: Manual Calculation of Mass.



Figure 2: Variation of mass source.







Figure 4: Story shear with variation mass source.



Figure 5: Story drift with variation mass source.

Mode	1	2	2
Mass Source Condition	1	Z	3
Self and Specified Mass Default DL + LL	1.41 1	1.04 8	0.7 4
From Loads DL + 0.5 LL	1.73 2	1.30 2	0.8 9
Self and Specified Mass and Loads DL + 0.5 LL	2.23 4	1.67	1.1 6
Self and Specified Mass and Loads DL + LL	2.29 8	1.72	1.1 9
Mass Source Manual DL + LL	1.7		

Table 2: Time Period from Varian Masses.

Figure 2 shows the mass sources. The mass is calculated manually as a comparison. So, from the value of 'Self and specified', the mass is 22.10% lower. The value of 'From load with DL + 0.5 LL' is 2.75% bigger than the value of 'Self and specified' mass. The 'load with DL + 0.5 LL' is 72.43% and the 'Self and specified mass and load with DL + LL' is 84.42%.

Figure 3 shows the Equivalent Lateral Load. The mass is manually calculated as comparison. The value of 'From self and specified mass' is 47.28% lower. The value of 'From load with DL + 0.5 LL' is 2.11% bigger. The value of 'Self and specified mass and load with DL + 0.5 LL' is 71.57% and the value of 'Self and specified mass and load with DL + LL' is 84.19%.

Figure 4 shows the story shear. Because the value of 'Mass manually calculated DI + LL' is near to the value of 'From load with DL + 0.5 LL', so it is assumed that the value of Story shear of 'From load' is the same as the comparison. And thus, the value of 'From self and specified mass' is 28,56 % lower. The value of 'Self and specified mass and load with DL + 0.5 LL' is 64,16% and finally the value of 'Self and specified mass and load with DL + LL' is 72,75%.

Figure 5 shows the story drift. Because the 'Mass calculated manual DL + LL' is near to the 'From load with DL + 0.5 LL', it is assumed that the value of 'Story drift From load with DL + LL' is the same as the comparison. So, the value of 'From self and specified mass' is 27,25% lower, then the value of 'Self and specified mass and load with DL + 0.5 LL' is 47,64%. And finally the value of 'Self and specified mass and load with DL + LL' is 51,94%.

4 CONCLUSIONS

From the results of the analysis and discussion it is concluded that:

- The lowest time period is 'From self' and 'specified mass', after that 'From load with DL +0.5 LL', next is the 'Self and specified mass and load with DL + 0.5 LL', the last is 'Self and specified mass and load with DL + LL'. From Table 2 can be seen that the period of 'Mass calculated manual DL + LL' is near to 'From load with DL + 0.5 LL'.
- 2. Based on the Chosen Mass which is manually calculated 'DL + LL' as the comparison, the value of 'From self and specified' mass is 22.10% lower, then the value of 'From load with DL + 0.5 LL' is bigger 2.75%, followed by the 'Self and specified mass and load with DL + 0.5 LL' which is 72.43 % and finally the value of 'Self and specified mass and load with DL + LL', which is 84.42%.
- 3. If the Mass is manually calculated 'DL + LL' as a comparison of the Equivalent Lateral Force, the value of 'From self and specified mass' is 47.28% lower, then the 'From load with DL + 0.5 LL', which is 2.11% bigger/. Followed by the value of 'Self and specified mass and load with DL + 0.5 LL', which is 71.57% and finally the value of 'Self and specified mass and load with DL + LL' which is 84.19%.
- 4. Because the Mass which is manually calculated 'DL + LL' is near to the value of 'From load with DL + 0.5 LL', it is assumed that the value of 'Story shear of the From load is the same as the comparison. The value of 'Self and specified mass' is 28.56% lower, followed then by the value of 'Self and specified mass and load with DL + 0.5 LL' which is 64.16% and finally the value of 'Self and specified mass and load with DL + LL', which is 72.75%.
- 5. Because the Mass which is manually calculated 'DL + LL' is near to the value of 'From load with DL + 0.5 LL', it is assumed that the value of Story drift of 'From load' is the same and as the comparison. The value of 'Self and specified mass' is 27.25% lower, followed then by 'Self and specified mass and load with DL + 0.5 LL', which is 47.64 %, and finally the value of 'Self and specified mass and load with DL + LL', which is 51.94%.
- 6. Since the model calculation of 'Load with DL + 0.5 LL' is near to Mass which is manually calculated with 'DL + LL', it corresponds to the recommendation of ASCE 7–10.

REFERENCES

- Akis, T. (2004). Lateral Load Analysis of Shear Wall -Frame Structures. The Middle East Technical University.
- American Society of Civil Engineering. (2010). Minimum Design Loads and Associated Criteria for Buildings and Other Structures (ASCE 7–10). American Society of Civil Engineering.
- Atkins Structural Department. (2007). Manual For Analysis & Design Using ETABS.
- Badan Standardisasi Nasional. (2012). Tata cara perencanaan ketahanan gempa untuk struktur bangunan gedung dan non gedung (SNI 1726:2012). Badan Standardisasi Nasional (BSN).
- Budiono, B; Supriatna, L. (2011). Studi Komparasi Desain Bangunan Tahan Gempa dengan Menggunakan SNI 03-1726-2002 dan RSNI 03-1726-201X. Penerbit ITB.
- Computers and Structures Inc. (n.d.). CSI ETABS, Concrete Shearwall Design Manual. University Avenue.
- MacLeod, A. (1970). Shear Wall-Frame Interaction A DESIGN AID.
- Nageh, M. (2007). *How to Model and Design High Rise Building Using ETABS Program.* Scientific Book House For Publishing and Distributing.
- Somers, P. (2012). Reinforced Concrete-Instructional Materials Complementing FEMA P-751, Design Examples. FEMA.
- Wight, J. K. & MacGregor, J. G. (2012). *Reinforced Concrete: Mechanics and Design, 6th Edition*. Pearson Education, Inc.
- Wiyono, R.D., Roi, C. M., & Lesmana. (2018). The Effect of Shear Wall Configuration on Seismic Performance in the Hotel Building. *The 2nd International Joint Conference on Advanced Engineering and Technology* (IJCAET 2017) and International Symposium on Advanced Mechanical and Power Engineering (ISAMPE 2017.