



Research.Publish.Connect.

Search by any title, abstract, authors...

Proceedings Papers Authors

Advanced Search

Proceedings

Proceedings of the 1st International Conference on Emerging Issues in Technology, Engineering and Science

July 1-2, 2021, in Bandung, Indonesia



Editors: Jong Seong Kang¹; Hae Dong Jang²; Lawrence Young³; Viroj Boon⁴; Emmanuel Jean Francois⁵ and Ratnadewi Ratnadewi⁶

Affiliations: ¹Chungnam National University, Korea, Republic of ; ²Hannam University, Korea, Republic of ; ³University of Warwick, United Kingdom ; ⁴Chulalongkorn University, Thailand ; ⁵Ohio University, United States ; ⁶Maranatha Christian University, Indonesia

ISBN: 978-989-758-601-9

DOI: 10.5220/0000147200003113

Conference Link: <https://event.maranatha.edu/icetes2021/>

Foreword: Message from the Rector Honorable Keynote Speaker, Mr. Ignasius Jonan, former Minister of the Energy and Mineral Resources, and previously Minister of the Transportation Ministry of the Republic of Indonesia, we are greatly honored to have you with us this morning. Distinguished keynote speakers, Prof. Ahmad M. Ramli (represented by Ikhsan Baidirus, S.H., LL.M, Director of Post, General Directorate of Post and Information Technology, Ministry of Communication and Information Technology), Prof. John Silke, Dr. Ferry Sandra, Prof. Takayuki Arai, Prof. Young Ho Kim, Prof. Susy Tjahjani, Prof. Pim Martens, Dr. Dwinita Larasati, Prof. Chien-Hsu Chen, Prof. Wilson Bangun and Prof. Marcellia Susan, as well as all participants in the international conferences at Maranatha University. A very good morning and best wishes to you all, and good evening to our colleagues in the US. Greetings and a warm welcome to Maranatha Christian University (MCU), Bandung, Indonesia. I am delighted to be **(More)**

Volumes:

Vol. 1 - 978-989-758-601-9

Papers Authors

Show papers

What Is a Speech Chain and How Can This Concept Be Applied to the Various Areas of Speech Communication in an Intelligent Society? P. 5 - 8

Takayuki Arai

DOI:10.5220/0010743600003113

Exploration of an Indonesian Currency Legality Detection System by Utilizing Image Intensity of RGB Mean Values P. 9 - 17

Ratnadewi Ratnadewi , Aan Darmawan Hangkawidjaja , Agus Prijono , Rudy Wawolumaja , Kartika Suhada , Maria Christine Sutandi , Andrew Sebastian Lehman , Elty Sarvia and Kervin Lusiano

DOI:10.5220/0010743700003113

Comparative Study of Convolutional Neural Networks-based Algorithm for Fine-grained Car Recognition P. 18 - 25

Joseph Sanjaya , Mewati Ayub and Hapnes Toba

DOI:10.5220/0010743800003113

Estimation of Paddy Leaf Nitrogen Status using a Single Sensor Multispectral Camera P. 26 - 31

Muliady Muliady , Tien Sze Lim , Voon Chet Koo and Nathaniel Pius Winata

DOI:10.5220/0010743900003113

Taekwondo Poomsae-3 Movement Identification by using CNN P. 32 - 38

Novie Theresia Br. Pasaribu , Erwani Merry , Kalya Icasia , Jordan Eliezer and Febryan Setiawan

DOI:10.5220/0010744000003113

| | |
|--|------------------------------|
| Design and Implementation of a Path Finding Robot using Modified Trémaux Algorithm | P. 39 - 48 |
| Semuil Tjiharjadi | DOI:10.5220/0010744100003113 |
| Priority Petri Net Multimedia Model for Non-deterministic Events of Multimedia Presentations | P. 49 - 57 |
| Marvin Chandra Wijaya | DOI:10.5220/0010744200003113 |
| Anti-inflammatory Activities of Pineapple (Ananas comosus) Core Extract in Lipopolysaccharide-induced RAW264.7 Cell Line | P. 58 - 64 |
| Hanna Sari Widya Kusuma , Hartini Tiono , Philips Onggowidjaja , Selonan Susang Obeng , Wahyu Widowati , Cintani Dewi Wahyuni , Cahyaning Riski Wijayanti , Muhamad Aldi Maulana , Tri Handayani and Rizal Rizal | DOI:10.5220/0010744300003113 |
| Potential of Black Tea (Camellia Sinensis (L.) O. Kuntze) Extract as Anti-oxidant and Skin Anti-aging | P. 65 - 73 |
| Wahyu Widowati , Rita Tjokropranoto , Cindy Damayanti , Hanna Sari Widya Kusuma , Tri Handayani and Rizal Rizal | DOI:10.5220/0010744400003113 |
| Luteolin Possess Anti-inflammatory Effect on LPS Induced RAW 264,7 Cell Lines | P. 74 - 80 |
| Ervi Afifah , Hartini Tiono , Philips Onggowidjaja , Selonan Susang Obeng , Wahyu Widowati , Cintani Dewi Wahyuni , Cahyaning Riski Wijayanti , Muhammad Aldi Maulana , Tri Handayani and Rizal Rizal | DOI:10.5220/0010744500003113 |
| The Effect of Different Intensities of Treadmill Exercise on FGF23 Gene Expression in Gastrocnemius and Soleus Muscles of Wistar Rats | P. 81 - 86 |
| Julia Windi Gunadi , Diana Krisanti Jasaputra , Decky Gunawan , Ludovicus Edwinanto , Limdawati Kwee , Harijadi Pramono , Adrian Suhendra , Ghita Sariwidyantry , Hanna Goenawan and Ronny Lesmana | DOI:10.5220/0010744600003113 |
| Antioxidant Properties of Salacca zalacca (Gaertn.) Voss Peel Ethanolic Extract Compared to Chlorogenic Acid | P. 87 - 94 |
| Ermi Girsang , Chrismis Novalinda Ginting , I Nyoman Ehrich Lister , Cahyaning Riski Wijayanti , Wahyu Widowati and Rizal Rizal | DOI:10.5220/0010744700003113 |
| Analyse Protein Model of the SARS-CoV-2 Virus using Data Mining Methods | P. 95 - 103 |
| Tiur Gantini and Hans Christian | DOI:10.5220/0010744800003113 |
| Antioxidant Properties of Curcuma longa L. and Curcuma xanthorrhiza Rhizomes | P. 104 - 111 |
| Dian Ratih Laksmitawati , Diah Kartika Pratami , Wahyu Widowati , Hanna Sari Widya Kusuma , Cahyaning Riski Wijayanti , Cintani Dewi Wahyuni , Ervi Afifah and Rizal Rizal | DOI:10.5220/0010745300003113 |
| The Effect of Agarwood Leaves Ethanol Extract on Porphyromonas gingivalis Growth Inhibition and in Vitro Cytotoxicity Assay on Fibroblast | P. 112 - 121 |
| Vinna Kurniawati Sugiaman , Henry Yonatan Mandalas , Ethan Yeshael Tanamal , Nathalia Cahya Calista and Natallia Pranata | DOI:10.5220/0010745500003113 |
| Comparison of Two Dental Age Estimation Methods: The London Atlas and the Schour & Massler Atlas in 3-23 Years Old Indonesian | P. 122 - 125 |
| Aprianisa Obsidiany Daisy Tarigan , Hendra Polii and Rosalina Intan Saputri | DOI:10.5220/0010745600003113 |
| The Effect of Apple Vinegar as an Irrigation Solution to Dental Root Canal Microstructure | P. 126 - 130 |
| Rudy Djuanda , Eliza Madyanty , Almira Anggarini Witjaksono , Vinna Kurniawati Sugiaman and Natallia Pranata | DOI:10.5220/0010745900003113 |
| The Color Dissimilarity based Method among Other Segmentation Methods: A Comparison | P. 131 - 141 |
| I Gede Made Karma , I Ketut Gede Darma Putra , Made Sudarma and Linawati | DOI:10.5220/0010746800003113 |
| Safety Driving Behaviour of Adolescents Pre-owning Driving License (SIM) | P. 142 - 145 |
| Sodikin and Hendramawat Aski Safarizki | DOI:10.5220/0010746900003113 |
| Virtual Reality Stimulants of Motor Ability through the Virtual Reality-based Game | P. 146 - 152 |
| Erwani Merry Sartika , Novie Theresia Br. Pasaribu , Richard Setiawan , Reynaldy Felicius Gunawan , Dion Melvern Siswanto , Che-Wei Lin and Febryan Setiawan | DOI:10.5220/0010747100003113 |
| Design of Bilateral Hand Movement Device using Design Thinking and Quality Function Deployment to Increase the Motoric Function of the Non-Dominant Hand | P. 153 - 158 |
| Novie Theresia Br. Pasaribu , Vivi Arisandhy , Christina , Elty Sarvia , Rainisa Maini Heryanto , Erwani Merry Sartika , Audyati Gany , Olga Catherina Pattipawaej , Richard Setiawan and Jessica | DOI:10.5220/0010747200003113 |
| Experimental Design of Driving with Distractions at Urban Area using Simulator Driving | P. 159 - 166 |

| | |
|--|------------------------------|
| Experimental Design of Driving with Distractions at Urban Area using Simulator Driving | P. 155 - 160 |
| Winda Halim , Rainisa Maini Heryanto , Santoso , Christina , Erwani Merry Sartika , Audyati Gany , Andrew Sebastian Lehman , Anggie Ervany Haryono and Vieri Candhya Wigayha | DOI:10.5220/0010747300003113 |
| Experimental Study on Velocity Profiles Due to Ecological Barriers | P. 167 - 171 |
| Robby Yussac Tallar and Teofilus Sawang | DOI:10.5220/0010747400003113 |
| Experimental Study on Riprap Layer Design for Circular Bridge Pier | P. 172 - 175 |
| Efferiki , Robby Yussac Tallar and Alexander Yovan Suwono | DOI:10.5220/0010747500003113 |
| Comparative Study of Riprap Model Design for Scour Protection of Bridge Pier | P. 176 - 179 |
| Cut Talitha Salsabila Nuraprii , Robby Yussac Tallar and Alexander Yovan Suwono | DOI:10.5220/0010747600003113 |
| The Experimental Study of Optimum Thickness on Riprap Layer Design | P. 180 - 183 |
| Dea Lidya , Robby Yussac Tallar and Alexander Yovan Suwono | DOI:10.5220/0010747700003113 |
| The Effect of Seismic Masses in Calculation of a 17 Multi-story Concrete Structure | P. 184 - 189 |
| Daud Rahmat Wiyono , Roi Milyardi , Yosafat Aji Pranata and Robby Y. Tallar | DOI:10.5220/0010747800003113 |
| Identification of Risk Factors for Delayed Time Schedule in Summarecon Serpong Playfield Preschool Project | P. 190 - 199 |
| Deni Setiawan and Stefanny Abigail | DOI:10.5220/0010747900003113 |
| Flood Risk Assessment of Heritage Building in Semarang City | P. 200 - 205 |
| Roi Milyardi , Deni Setiawan and Tri Octaviani Sihombing | DOI:10.5220/0010748000003113 |
| Identification of Risks in Making Decision for Overseas Expansion by Indonesian State-owned Construction Enterprise | P. 206 - 212 |
| Jeffrey Limas Lim , Ayomi Dita Rarasati and Mohammad Ichsan | DOI:10.5220/0010748100003113 |
| Pull-out Resistance of Glued-in Rod Embedded Parallel to Grain in Laminated Bamboo with Two Edge Distance Variations | P. 213 - 219 |
| Widiya Anistiya K. Rumasoreng , Karyadi and Nindiyawati | DOI:10.5220/0010748200003113 |
| Experimental Study of Shear Strength of Purus Lobang Berkait (PLB): Masonry Wall | P. 220 - 226 |
| Marwahyudi , Senot Sangadji , Halwan Alfisa Saifullah and Stefanus Adi Kristiawan | DOI:10.5220/0010748300003113 |
| Engineering Education: Measuring the Relationship between Knowledge and Confidence to the Student Performance | P. 227 - 232 |
| Noek Sulandari , Cindrawaty Lesmana and Cindy Maria Setyana | DOI:10.5220/0010748400003113 |
| Bio-cord as an Ecotechnological Wastewater Treatment for Productive and Attractive Urban Open Spaces | P. 233 - 244 |
| Ferlina Sugata , Nathalia Yunita Sugiharto , Nina Nurviana , Seriwati Ginting , Isabella Isthipraya Andreas , Shirly Nathania Suhanjoyo , Andi A. Hamzah and Heddy Heryadi | DOI:10.5220/0010748500003113 |
| Relationship between Low Birth Weight (LBW), Birth Length, and Basic Immunization History with Stunting in Children Age 9 - 60 Months in Kabupaten Purwakarta | P. 245 - 249 |
| July Ivone , Stella T. Hasianna , Victor Yohanes S. and Vilia Ruthy W. | DOI:10.5220/0010748700003113 |
| Application of Freeze-thaw Harvest for SARS-CoV-2 PCR EQA Panel Material | P. 250 - 253 |
| Nur Ika Hariastuti , Nike Susanti , Hana Apsari Pawestri and Kartika Dewi Puspa | DOI:10.5220/0010748800003113 |
| Suicide and Narcissistic Personality Traits: A Review of Emerging Studies | P. 254 - 264 |
| Charissa Lazarus and Khamelia Malik | DOI:10.5220/0010749500003113 |
| Expected Attributes to Design Sleeping Facilities for the Elderly based on the Potential Stakeholders Point of View | P. 265 - 270 |
| Elty Sarvia , Elizabeth Wianto , Erwin Ardianto Halim and Elvira Natalia | DOI:10.5220/0010749600003113 |
| Wharton's Jelly Mesenchymal Stem Cells-secretedIDO as Candidate of Anti-inflammation Therapy | P. 271 - 278 |
| Wahyu Widowati , Teresa Liliana Liliana Wargasetia , Fanny Rahardja , Rimonta F. Gunanegara , Hanna Sari Widya Kusuma , Seila Arumwardana , Cintani Dewi Wahyuni , Cahyaning Riski Wijayanti , Tri Handayani and Rizal Rizal | DOI:10.5220/0010749700003113 |
| Factors Affecting Success of Team Members in Indonesia Scrum Implementation | P. 279 - 285 |
| Apriliana Fajri Wibowo and Yova Ruldeviyani | DOI:10.5220/0010751900003113 |

The Application of Digital Module Design of East Sumba Woven Fabric on Interior Accessories

Erwin Ardianto Halim , Monica Hartanti , Maresha Caroline Wijanto , Hendra Setiawan , Yudita Royandi , Yunita Setyoningrum and Aulia Wara Arimbi Putri

P. 286 - 294

DOI:10.5220/0010752600003113

The Use of Technology in Indonesian K-6 Education during Covid-19 Pandemic: A Review

Bayu Rima Aditya , Dina Fitria Murad , Oscar Karnalim , Aditya Permadi , Andrisyah , Fathul Jannah and Irawan Nurhas

P. 295 - 304

DOI:10.5220/0010752900003113

Build Software of Information Management Community Service Events

Febrina Anastasha and Teddy Marcus Zakaria

P. 305 - 313

DOI:10.5220/0010753000003113

User Interactions Analysis on a Moodle-based Online Learning Management System during Pandemic

Bernard Renaldy Suteja and Wilfridus Bambang Triadi Handaya

P. 314 - 319

DOI:10.5220/0010753100003113

Bioactivity of Soybean Tempeh against Diarrhea Associated Pathogen Is More Correlated with the Number of Total Bacteria than Specific Major Bacterial Phylum

T. E. Pramudito , E. G. A. Putri , E. G. A. Paluphi , G. Florencia , M. P. Gunawan , M. R. Pratiwi and Y. Yogiara

P. 320 - 327

DOI:10.5220/0010753500003113

Effects of Herbal Ingredients (*Allium sativum*, *Punica granatum*, *Curcuma longa*, *Curcuma xanthorrhiza*) on FATP3 Gene Expression in Aorta of High Fat Diet-fed Rats: A Preliminary Study

Diana Krisanti Jasaputra , Julia Windi Gunadi , Penny Setyawati Martioso , Larissa , Yenny Noor , Irna Permanasari Gani , Erik Dwikurnia Saiman , Desman Situmorang and Andi Haryanto

P. 328 - 332

DOI:10.5220/0010753800003113

Biochemical Characteristics of Ground Robusta Coffee under Various Postharvest Technologies and Processing Parameters

Sri Wulandari , Makhmudun Ainuri and Anggoro Cahyo Sukartiko

P. 333 - 343

DOI:10.5220/0010753900003113

Substantially Improved Antioxidant Activity of Modified Polymeric Nanostructure Entrapping Curcumin

Deni Rahmat , Wahyu Widowati , Etik Mardiyati , Eny Kusriani , Abdi Wira Septama , Yati Sumiyati , Mita Restinia , Sjaikhurrizal El Muttaqien , Cintani Dewi Wahyuni , Hanna Sari Widya Kusuma , Muhammad Aldi , Tri Handayani and Rizal Rizal

P. 344 - 350

DOI:10.5220/0010754000003113

Breast Cancer Histopathological Image Classification using Progressive Resizing Approach

Hendra Bunyamin , Hapnes Toba , Meyliana and Roro Wahyudianingsih

P. 351 - 357

DOI:10.5220/0010754100003113

Multi-Objective Bees Algorithm for Feature Selection

Natalia Hartono

P. 358 - 369

DOI:10.5220/0010754200003113

Eye Abnormality Automatic Detection using Deep Learning based Model

Audyati Gany , Meilan Jimmy Hasugian , Erwani Merry Sartika and Hannah Georgina

P. 370 - 375

DOI:10.5220/0010754400003113



RESOURCES

[Proceedings](#)

[Papers](#)

[Authors](#)

[Ontology](#)

CONTACTS

Science and Technology Publications, Lda
Avenida de S. Francisco Xavier, Lote 7 Cv.
C,
2900-616 Setúbal, Portugal.

Phone: +351 265 520 185 (National fixed
network call)

Fax: +351 265 520 186

Email: info@scitepress.org

EXTERNAL LINKS

[PRIMORIS](#)

[INSTICC](#)

[SCITEVENTS](#)

[CROSSREF](#)

PROCEEDINGS SUBMITTED FOR INDEXATION BY:

[dblp](#)

[Ei Compendex](#)

[SCOPUS](#)

[Semantic Scholar](#)

[Google Scholar](#)

[Microsoft Academic](#)

Comparative Study of Riprap Model Design for Scour Protection of Bridge Pier

Cut Talitha Salsabila Nurapriili^a, Robby Yussac Tallar^b and Alexander Yovan Suwono^c
Civil Engineering Department, Maranatha Christian University, Jl. Surya Sumantri.65, Bandung, Jawa Barat Indonesia

Keywords: Comparative Study, Local Scouring Riprap, Model Design.

Abstract: Streams have an important function for human by providing irrigation, electricity, etc. Streams also have the sediments within that typically flow following the direction of water velocity. The differences in characteristics among streams have also been clear since it can be changed easily due to climate change, or other natural factors. Streams also can change in dimension according to the surrounded environmental conditions, for example local scouring caused by bridge pier. And then by using riprap is the most common countermeasure to prevent local scouring. Riprap is a method that can be used to prevent erosion in streams or other conditions that have water flows with high velocity. Therefore, the purpose of this study is to compare two models riprap design around the pier for scour protection. The riprap models that were compared are rectangular and circle shaped. The condition used in this study is clear water condition, under sediment-based layer design, and riprap layer thickness. The experimental study was used to compare both riprap model design. The result of this study indicates that circle shape model riprap is better than a rectangular shape. Further studies are necessary regarding the effect of flow type, cross-sectional shape, or other related variables.

1 INTRODUCTION

Streams are one of the sources of water on this earth and have an important function for humankind, it has various characteristics and many models. For streams flows, especially in urban areas, these streams have bridged that function to connect roads separated by streams (Tallar & Suen, 2017).

Bridge has more than one pier which functions as a load-bearing from the bridge itself and other loads such as live loads and dead loads. However, presence of a pier, the type of flow of water will be changed from horizontal to vertical, (Hao, 1993) so that local scouring occurs around the pier and will result in the lifting of the base of material around the pier and resulting in damage to the foundation on the bridge pier.

Since the bridge piers that damaged due to the scouring, then require to prevent or control bridge pier local scouring. Riprap is one of the solutions for local scouring (Figure 1). Riprap is one of the



Figure 1: Local scouring around the pier (From: Bintangtimur.net).

methods used for preventing local scouring (Rashno, Zarrati, & Tabarestani, 2020). The material of riprap is rocks arranged around the pier (Figure 2). With used riprap around the pier, then it can reduce down flow jet on bottom sediments against local scouring. This study has been conducted, these studies generally inspect the design of riprap size in clear water scour conditions, for example Chiew (1995).

^a <https://orcid.org/0000-0002-5641-5796>

^b <https://orcid.org/0000-0001-7307-3348>

^c <https://orcid.org/0000-0002-2577-8519>

A riprap modeling experiment will be carried out in this study. The study aims to compare the two riprap models that are rectangular and circular. The positioned of two models riprap is around the pier to prevent the impact of local scouring. This experimental study aims to compare both models and the results will show that the circular shape is better than the rectangular. (Unger & Hager, 2006)



Figure 2: Example of riprap around the pier (From: istiarito.staff.ugm.ac.id).

2 METHODS

To find a better riprap model, then this study will show it. By using a comparative of the two models that rectangular and circular shapes, using the same amount of two discharge. Is supposed to take both Q_{25} and Q_{75} to make sure. Besides, another parameter that would be used in this study, likes the size of the gravels that would use in the riprap model design, which would be used in the same size for both models. (Khademghaeinya, Abrishami, Zarrati, Karimaei Tabarestani, & Mashahir, 2020)

2.1 Sieve Analysis

Sieve analysis was used in this study to find out these gravels size for riprap model design. By using many different sizes of sieve, likes 19,1 mm or until 0,075 mm (Table 1). So, this analysis is important, to ensure each layer of riprap is the same size as previously determined.

2.2 Discharge Curve Analysis

To find out which discharge can restrain the flow that exists in the streams, it can experiment with using a discharge curve to find to get the best 2 results of

discharge or Q . At the time when did the experiment with discharge curve analysis, try multiple discharges 25% discharge (Q_{25}), 50 % discharge (Q_{50}), and 75% discharge (Q_{75}).

2.3 Scenario Riprap Model Design

The riprap models that were compared in this study are rectangular and circular. Riprap placed under sediment-base layer design. The thickness of these two riprap models is 30 mm and the dimension will be used in 28 cm or 280 mm (diameter for circular shape and length for rectangular shape) and the diameter of the pier used in this study is 8 cm. In this study, the condition of the water is on clear water scour, it usually happens when low flow discharge. This experimental study was used to compare two models design to knows which models better to prevent local scouring around the pier.

3 RESULT AND DISCUSSION

3.1 Sieve Analysis

Sieve analysis was an experiment in the laboratories, to find out the gravel riprap size. Then dr_{50} , from sieve analysis data can be decided to gravel size to use in riprap models design.

Table 1: Sieve Analysis.

| No. Sieve mm (inch) | Cumulative Soil Retained (%) | Cumulative Soil Passing (%) |
|---------------------------|---------------------------------------|--------------------------------------|
| 19.1 mm (3/4") | 0 | 100 |
| 12.7 mm (1/2") | 81.871 | 18.129 |
| 9.52 mm (3/8") | 96.315 | 3.685 |
| 4.75 mm (No.4) | 99.079 | 0.921 |
| 2.36 mm (No. 8) | 99.089 | 0.911 |
| 1.18 mm (No.16) | 99.119 | 0.881 |
| 0.6 mm (No. 30) | 99.219 | 0.781 |
| 0.3 mm (No. 100) | 99.274 | 0.726 |
| 0.15 mm (No. 100) | 99.479 | 0.521 |
| 0.075 mm (No. 200) | 99.750 | 0.250 |
| PAN | 100 | 0 |

By using the Aggregate Distribution Curve, dr_{50} of the riprap gravels is 10,5 mm. These two riprap models are used in this comparative study.




Figure 3: Discharge curve analysis.

3.2 Discharge Curve Analysis Results

From the discharge values in Table 2, the results of the discharge curve analysis are obtained. The curve is depicted in Figure 3.

Table 2: Discharge Data.

| Δh | Discharge (Q) (m ³ /s) |
|------------|--------------------------------------|
| 0.2169 | 0.0305 |
| 0.2124 | 0.0289 |
| 0.2026 | 0.0257 |
| 0.1941 | 0.0231 |
| 0.1886 | 0.0215 |
| 0.181 | 0.0194 |
| 0.1719 | 0.017 |
| 0.1631 | 0.0149 |
| 0.1569 | 0.0136 |
| 0.1459 | 0.0113 |
| 0.1394 | 0.0101 |
| 0.1292 | 0.0083 |




Figure 4: Illustration of riprap with circular shape (top view, unit: mm).




Figure 5: Illustration of riprap with rectangular shape (top view, unit: mm).

3.3 Scenario Riprap Model Design

The riprap models that were compared are circular (Figure 4) and rectangular shaped (Figure 5). In this study, the condition used is clear water condition, under sediment-base layer design, and riprap layer thickness. The riprap layer thickness used is 30 mm.

4 CONCLUSIONS

The study shows that a riprap with a circular shape is stronger than a rectangular shape. For 25% discharge, the riprap with circular shape has 22% stronger than a riprap with rectangular shape. For 50% discharge, the riprap with circular shape has 28 % stronger than a riprap with rectangular shape. For 75% discharge, the riprap with circular shape has 33 % stronger than a riprap with rectangular shape. Therefore, the circular shape has presented about 20-35% stronger with discharge under all discharge condition compared to the rectangular shape.

The study also indicates that the riprap layer will degrade to an equilibrium intensity below a given constant discharge condition. Further studies are necessary regarding the effect of flow type, the size of bridge piers, such as the other shapes in which one is stronger, and other related variables that can be used in this study.

ACKNOWLEDGEMENTS

The author wishes to express their hearty thanks to Civil Engineering Department, Maranatha Christian University for the support and to LPPM (*Lembaga Penelitian & Pengabdian Masyarakat*), Maranatha Christian University.

REFERENCES

- Hao, L. (1993). Hydraulic Computation for Riprap Protection against Scouring around Bridge Piers [J]. *Journal of Sediment Research*, 3.
- Khademghacinya, G., Abrishami, J., Zarrati, A., Karimaei Tabarestani, M., & Mashahir, M. (2020). Riprap design at bridge piers with limited scouring. *Scientia Iranica*, 27(2), 588–595.
- Rashno, E., Zarrati, A. R., & Tabarestani, M. K. (2020). Design of riprap for bridge pier groups. *Canadian Journal of Civil Engineering*, 47(5), 516–522.
- Tallar, R. Y., & Suen, J.-P. (2017). Measuring the aesthetic value of multifunctional lakes using an enhanced visual quality method. *Water*, 9(4), 233.
- Unger, J., & Hager, W. H. (2006). Riprap failure at circular bridge piers. *Journal of Hydraulic Engineering*, 132(4), 354–362.