

SURAT KETERANGAN TUGAS AKHIR

Sesuai dengan persetujuan dari Ketua Jurusan Teknik Sipil, Fakultas Teknik, Universitas Kristen Maranatha, melalui surat No. 1310/TA/FTS/UKM/II/2012 tanggal 22 Februari 2012, dengan ini saya selaku Pembimbing Tugas Akhir memberikan tugas kepada:

Nama : Andrea Aditya

NRP : 0821050

untuk membuat Tugas Akhir bidang Struktur dengan judul:

STUDI PERENCANAAN HIDRAULIK PEREDAM ENERGI TIPE USBR II DENGAN METODE UJI FISIK MODEL DUA DIMENSI

Pokok pembahasan Tugas Akhir adalah sebagai berikut:

1. Pendahuluan
2. Tinjauan Literatur
3. Studi Kasus dan Pembahasan
4. Kesimpulan dan Saran

Hal-hal lain yang dianggap perlu dapat disertakan untuk melengkapi penulisan Tugas Akhir ini.

Bandung, 10 Agustus 2012



Ir. Endang Ariani, Dipl.H.E
Pembimbing

SURAT KETERANGAN SELESAI TUGAS AKHIR

Yang bertanda tangan di bawah ini selaku Dosen Pembimbing Tugas Akhir dari mahasiswa:

Nama : Andre Aditya

NRP : 0821050

Menyatakan bahwa Tugas Akhir dari mahasiswa tersebut diatas dengan judul:

**STUDI PERENCANAAN HIDRAULIK
PEREDAM ENERGI TIPE USBR II DENGAN
METODE UJI FISIK MODEL DUA DIMENSI**

dinyatakan selesai dan dapat diajukan pada Ujian Sidang Tugas Akhir (USTA).

Bandung, 10 Agustus 2012



Ir. Endang Ariani, Dipl.H.E
Pembimbing

LAMPIRAN I

Tabel 1 Specific Gravity of Water

⁰ C	0	1	2	3	4	5	6	7	8	9
0	0,9999	0,9999	1,0000	1,0000	1,0000	1,0000	1,0000	0,9999	0,9999	0,9999
10	0,9997	0,9996	0,9995	0,9994	0,9993	0,9991	0,9990	0,9988	0,9986	0,9984
20	0,9982	0,9980	0,9978	0,9976	0,9973	0,9971	0,9968	0,9965	0,9963	0,9960
30	0,9957	0,9954	0,9951	0,9947	0,9944	0,9941	0,9937	0,9934	0,9930	0,9926
40	0,9922	0,9919	0,9915	0,9911	0,9907	0,9902	0,9898	0,9894	0,9890	0,9885
50	0,9881	0,9876	0,9872	0,9867	0,9862	0,9857	0,9852	0,9848	0,9842	0,9838
60	0,9832	0,9827	0,9822	0,9817	0,9811	0,9806	0,9800	0,9795	0,9789	0,9784
70	0,9778	0,9772	0,9767	0,9761	0,9755	0,9749	0,9743	0,9737	0,9731	0,9724
80	0,9718	0,9712	0,9606	0,9699	0,9693	0,9686	0,9680	0,9673	0,9667	0,9660
90	0,9653	0,9647	0,9640	0,9633	0,9626	0,9619	0,9612	0,9605	0,9598	0,9591

LAMPIRAN II

Tabel Specific Gravity (Bowles, 1996)

Soil	G_s
Gravel	2,65 – 2,68
Sand	2,65 – 2,68
Silt, inorganic	2,62 – 2,68
Clay, organic	2,58 – 2,65
Clay, inorganic	2,68 – 2,75

LAMPIRAN III

Tabel Soil Classification Chart

D 2487

TABLE 1 Soil Classification Chart

Criteria for Assigning Group Symbols and Group Names Using Laboratory Tests^a

		Soil Classification	
		Group Symbol	Group Name ^b
Coarse-Grained Soils More than 50% retained on No. 200 sieve	Gravels More than 50% of coarse fraction retained on No. 4 sieve	GW	Well-graded gravel ^f
		GP	Poorly graded gravel ^f
Sands 50% or more of coarse fraction passes No. 4 sieve	Gravels with Fines More than 12% fines ^c	GM	Silty gravel ^{f,G,H}
		GC	Clayey gravel ^{f,G,H}
	Clean Sands Less than 5% fines ^d	SW	Well-graded sand ^f
		SP	Poorly graded sand ^f
Fine-Grained Soils 50% or more passes the No. 200 sieve	Sands with Fines More than 12% fines ^d	SM	Silty sand ^{g,H,I}
		SC	Clayey sand ^{g,H,I}
Silt and Clays Liquid limit less than 50	inorganic	CL	Lean clay ^{k,L,M}
		ML	Silt ^{k,L,M}
Silt and Clays Liquid limit 50 or more	organic	OL	Organic clay ^{k,L,M,N}
		CH	Fat clay ^{k,L,M}
Highly organic soils	inorganic	MH	Elastic silt ^{k,L,M}
	organic	OH	Organic clay ^{k,L,M,N,P}
Primarily organic matter, dark in color, and organic odor			Organic silt ^{k,L,M,Q}
		PT	Peat

^a Based on the material passing the 3-in. (75-mm) sieve.

^b If field sample contained cobbles or boulders, or both, add "with cobbles or boulders, or both" to group name.

^c Gravels with 5 to 12% fines require dual symbols:

- GW-GM well-graded gravel with silt
- GW-GC well-graded gravel with clay
- GP-GM poorly graded gravel with silt
- GP-GC poorly graded gravel with clay

^d Sands with 3 to 12% fines require dual symbols:

- SW-SM well-graded sand with silt
- SW-SC well-graded sand with clay
- SP-SM poorly graded sand with silt
- SP-SC poorly graded sand with clay

^e If soil contains 15 to 29% plus No. 200, add "with sand" or "with gravel," whichever is predominant.

^f If soil contains $\geq 30\%$ plus No. 200, predominantly sand, add "sandy," to group name.

^g If soil contains $\geq 30\%$ plus No. 200, predominantly gravel, add "gravelly," to group name.

^h If soil contains ≥ 4 and plots on or above "A" line.

ⁱ If soil contains ≥ 4 and plots below "A" line.

^j If soil contains $\geq 15\%$ gravel, add "with gravel" to group name.

^k If Atterberg limits plot in hatched area, soil is a CL-ML, silty clay.

^l If soil contains ≥ 0.75 Liquid limit - oven dried

^m If soil contains < 0.75 Liquid limit - not dried

ⁿ PI plots on or above "A" line

^o PI plots below "A" line