

DAFTAR PUSTAKA

1. Chalasani N, Younossi Z, Lavine JE, Diehl AM, Brunt EM, Cusi K, et al. The Diagnosis and Management of Non-alcoholic Fatty Liver Disease: Practice Guideline by the American Association for the Study of Liver Diseases, American College of Gastroenterology, and the American Gastroenterological Association. *Am J Gastroenterol*. 2012;107(6):811–26.
2. Perumpail BJ, Khan MA, Yoo ER, Cholankeril G, Kim D, Ahmed A. Clinical epidemiology and disease burden of nonalcoholic fatty liver disease. Vol. 23, *World Journal of Gastroenterology*. 2017. p. 8263–76.
3. Agrawal, S. & Duseja, A. K. Non-alcoholic Fatty Liver Disease: East Versus West. *Journal of Clinical and Experimental Hepatology* vol. 2 122–134 (2012).
4. Cahyono SB, Bayupurnama P, Ratnasari N, Maduseno S, Nurdjanah S. Ultrasound-diagnosed non-alcoholic fatty liver disease among medical check up patients. *Indones J Gastroenterol Hepatol Dig Endosc*. 2013;14(3):145–9.
5. Bellentani S, Marino M. Artemisa Epidemiology and natural history of non-alcoholic fatty liver disease (NAFLD). 2009;(December 2008):4–8.
6. Riskesdas, K. Hasil Utama Riset Kesehata Dasar (RISKESDAS). *J. Phys. A Math. Theor*. **44**, 1–200 (2018).
7. Hickman I, Macdonald G, Byrne N. Physical Activity and Cardiovascular Fitness in Patients with NAFLD: Clinical Importance and Therapeutic Implications. *Non-Alcoholic Fat Liver Dis A Pract Guid*. 2013 Mar 8;132–48.
8. Sigmundsson, H., Englund, K. & Haga, M. Associations of Physical Fitness and Motor Competence With Reading Skills in 9- and 12-Year-Old Children: A Longitudinal Study. *SAGE Open* 7, (2017).
9. WHO. WHO | Prevalence of insufficient physical activity. Who (2018).
10. Seiler, S. What is Best Practice for Training Intensity and Duration Distribution in Endurance Athletes? 276–291 (2010).
11. Hernawati H. Produksi Asam Laktat Pada Exercise Aerobik Dan Anaerobik. *Fpmipa Upi*. 2013;1–2.
12. Organização Mundial da Saúde. WHO | What is Moderate-intensity and Vigorous-intensity Physical Activity? [Internet]. World Health Organization - Programmes. 2014.
13. Lesmana, R. et al. The change in thyroid hormone signaling by altered training intensity in male rat skeletal muscle. *Endocr. J*. 63, 727–738 (2016).
14. Ranallo RF, Rhodes EC. Lipid metabolism during exercise. Vol. 26, *Sports Medicine*. 1998. p. 29–42.
15. Van der Leij FR, Huijkman NCA, Boomsma C, Kuipers JRG, Bartelds B. Genomics of the human carnitine acyltransferase genes. Vol. 71, *Molecular Genetics and Metabolism*. 2000. p. 139–53.

16. Brown NF, Hill JK, Esser V, Kirkland JL, Corkey BE, Foster DW, et al. Mouse white adipocytes and 3T3-L1 cells display an anomalous pattern of carnitine palmitoyltransferase (CPT) I isoform expression during differentiation. Inter-tissue and inter-species expression of CPT I and CPT II enzymes. *Biochem J.* 1997;327(1):225–31.
17. Bonnefont, J. P. *et al.* Carnitine palmitoyltransferase deficiencies. *Mol. Genet. Metab.* 68, 424–440 (1999).
18. Lopes-Marques, M. et al. The origin and diversity of Cpt1 genes in vertebrate species. *PLoS ONE* vol. 10 (2015).
19. Van Der Windt DJ, Sud V, Zhang H, Tsung A, Huang H. The effects of physical exercise on fatty liver disease. Vol. 18, *Gene Expression*. 2018. p. 89–101.
20. Melanson EL, MacLean PS, Hill JO. Exercise improves fat metabolism in muscle but does not increase 24-h fat oxidation. Vol. 37, *Exercise and Sport Sciences Reviews*. 2009. p. 93–101.
21. Farzanegi P, Dana A, Ebrahimpoor Z, Asadi M, Azarbayjani MA. Mechanisms of beneficial effects of exercise training on non-alcoholic fatty liver disease (NAFLD): Roles of oxidative stress and inflammation. Vol. 19, *European Journal of Sport Science*. 2019. p. 994–1003.
22. Berawi and Agverianti. Efek Aktivitas Fisik pada Proses Pembentukan Radikal Bebas sebagai Faktor Risiko Aterosklerosis. *J. Major.* 6, 86–91 (2017).
23. Hall, J. E. & Guyton, A. C. *Guyton and Hall Textbook of Medical Physiology* 12th. Saunders Elsevier (2014). doi:10.1017/CBO9781107415324.004.
24. Wibowo, S. D. P. W. *Anatomi Tubuh Manusia*. (2009).
25. Drake, R. L. et al. *Gray's Basic Anatomy*. Elsevier/Churchill (2012). doi:10.1017/CBO9781107415324.004.
26. Gartner L HJ. *Color Atlas and Text of Histology*. Wolters Kluwer Health (2012).
27. Shephard, R. J. & Johnson, N. Effects of physical activity upon the liver. *Eur. J. Appl. Physiol.* 115, 1–46 (2015).
28. Pérez, A. *et al.* No 主観的健康感を中心とした在宅高齢者における健康関連指標に関する共分散構造分析Title. *BMC Public Health* 5, 1–8 (2017).
29. Swain, D. P. Moderate or vigorous intensity exercise: which is better for improving aerobic fitness? *Prev. Cardiol.* 8, 55–58 (2005).
30. Pawlak, M., Lefebvre, P. & Staels, B. Molecular mechanism of PPAR a action and its impact on lipid metabolism, inflammation and fibrosis in non-alcoholic fatty liver disease. *J. Hepatol.* 62, 720–733 (2015).
31. Noland, R. C. *Exercise and Regulation of Lipid Metabolism. Molecular and Cellular Regulation of Adaptation to Exercise* (Elsevier Inc., 2015). doi:10.1016/bs.pmbts.2015.06.017.
32. Lira, S., Jr, L. C. C., Zanchi, N. E., Santos, R. V. T. & Lavoie, J. M. Exercise Intensity Modulation of Hepatic Lipid Metabolism. 2012, (2012).

33. Achten, J. & Jeukendrup, A. E. Optimizing Fat Oxidation Through Exercise and Diet. 716–727 (2012) doi:10.1016/j.nut.2004.04.005.
34. Schlaepfer, I. R. & Joshi, M. CPT1A-mediated fat oxidation, mechanisms and therapeutic potential. *Endocrinology*. (2020).
35. Jump, D. B. *et al.* Fatty acids and gene transcription. **2976**, (2016).
36. Kadar, T., Pada, T., Sprague, T. & Dislipidemia, D. *Journal of Nutrition College*, **5**, (2016).
37. Shi, J., Zhu, H., Arvidson, D. N. & Woldegiorgis, G. The first 28 N-terminal amino acid residues of human heart muscle carnitine palmitoyltransferase I are essential for malonyl CoA sensitivity and high-affinity binding. *Biochemistry* **39**, 712–717 (2000).
38. Wood, E. J. Harper's biochemistry 30th edition. *Biochemical Education* vol. 24 (1996).
39. Barber, R. D., Harmer, D. W., Coleman, R. A. & Clark, B. J. GAPDH as a housekeeping gene: Analysis of GAPDH mRNA expression in a panel of 72 human tissues. *Physiol. Genomics* **21**, 389–395 (2005).
40. Joshi, M. & Deshpande, J. D. Polymerase Chain Reaction: Methods, Principles and Application. *Int. J. Biomed. Res.* **2**, (2011).
41. Dubey, V. K. Lecture 12 - Polymerase Chain Reaction. *Proteomics & Genomics* 1–4 (2001) doi:10.1016/j.ijsostr.2014.12.025.
42. Garibyan, L. & Avashia, N. Polymerase chain reaction. *J. Invest. Dermatol.* **133**, 1–4 (2013).
43. Nordin, J. A. Determining Sample Size. *Journal of the American Statistical Association* vol. 39 497–506 (1944).
44. O., J., Worden, A. N., Dalling, T. & Hume, C. W. The U.F.A.W. Handbook on the Care and Management of Laboratory Animals. *Journal of the Royal Statistical Society. Series A (General)* vol. 111 80 (1948).
45. Society, A. P. Resource Book for the Design of Animal Exercise Protocols. (2006).
46. Lubis, L. Original Article Response of Long-Term Memory to Molecular Changes of BDNF in Hippocampus in Various Intensities of Physical Activity. 67–72.
47. Sampel U, Carlo SM. *Journal dr julia windy. Univ Stuttgart.* 20AD;vv
48. Gunadi JW, Tarawan VM, Daniel Ray HR, Wahyudianingsih R, Lucretia T, Tanuwijaya F, et al. Different training intensities induced autophagy and histopathology appearances potentially associated with lipid metabolism in wistar rat liver. *Heliyon* [Internet]. 2020;6(5):e03874. Available from: <https://doi.org/10.1016/j.heliyon.2020.e03874>
49. D. No Title ענף קיווי תמונת: מצב תמונת. 2012;66:37–9.
50. Wang, K., Wang, F., Bao, J. & Xie, Z. Tumor necrosis factor α modulates sodium- activated potassium channel SLICK in rat dorsal horn neurons via p38 MAPK activation pathway. 1265–1271 (2017).
51. Dahlhoff, C. et al. Methyl-donor supplementation in obese mice prevents the progression of NAFLD , activates AMPK and decreases acyl-carnitine levels a. *Mol. Metab.* **3**, 565–580 (2014).

52. Koves, T. R. *et al.* Peroxisome proliferator-activated receptor- γ co-activator 1 α -mediated metabolic remodeling of skeletal myocytes mimics exercise training and reverses lipid-induced mitochondrial inefficiency. *J. Biol. Chem.* **280**, 33588–33598 (2005).
53. Scott Rector, R. *et al.* Daily exercise vs. caloric restriction for prevention of nonalcoholic fatty liver disease in the OLETF rat model. *Am. J. Physiol. - Gastrointest. Liver Physiol.* **300**, 874–883 (2011).
54. Rector, R. S. *et al.* Daily exercise increases hepatic fatty acid oxidation and prevents steatosis in Otsuka Long-Evans Tokushima Fatty rats. *Am. J. Physiol. - Gastrointest. Liver Physiol.* **294**, 619–627 (2008).
55. Aoi, W. *et al.* Regular exercise prevents high-sucrose diet-induced fatty liver via improvement of hepatic lipid metabolism. *Biochem. Biophys. Res. Commun.* **413**, 330–335 (2011).
56. Gonçalves, I. O. *et al.* Physical exercise prevents and mitigates non-alcoholic steatohepatitis-induced liver mitochondrial structural and bioenergetics impairments. *Mitochondrion* **15**, 40–51 (2014).

