

## DAFTAR PUSTAKA

1. Dewinter G, Staelens W, Veef E, Teunkens A, Van de Velde M, Rex S. Simplified algorithm for the prevention of postoperative nausea and vomiting: a before-and-after study. *Br J Anaesth* [Internet]. 2018;120(1):156–63. Available from: <https://doi.org/10.1016/j.bja.2017.08.003>
2. Amirshahi M, Behnamfar N, Badakhsh M, Rafiemanesh H, Keikhaie KR, Sheyback M, et al. Prevalence of postoperative nausea and vomiting: A systematic review and meta-analysis. *Saudi J Anaesth* [Internet]. 2020;14(1):48–56. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6970369/?report=reader#!po=59.3750>
3. Hall JE. Physiology of Gastrointestinal Disorders. 13th ed. Guyton and Hall Textbook of Medical Physiology. Philadelphia: Elsevier, Inc.; 2016. 847–848 p.
4. Sherif L, Hegde R, Mariswami M, Ollapally A. Validation of the Apfel scoring system for identification of High-risk patients for PONV. *Karnataka Anaesth J*. 2015;1(3):115–7.
5. Apfel CC, Heidrich FM, Jukar-Rao S, Jalota L, Hornuss C, Whelan RP, et al. Evidence-based analysis of risk factors for postoperative nausea and vomiting. *Br J Anaesth* [Internet]. 2012;109(5):742–53. Available from: <http://dx.doi.org/10.1093/bja/aes276>
6. Shaikh SI, Nagarekha D, Hegade G, Marutheesh M. Postoperative nausea and vomiting: A simple yet complex problem. *Anesth Essays Res* [Internet]. 2016;10(3):388–96. Available from: [https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5062207/#\\_ffn\\_sectitle](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5062207/#_ffn_sectitle)
7. Cao X, White PF, Ma H. An update on the management of postoperative nausea and vomiting. *J Anesth*. 2017;31(4):617–26.
8. Pierre S, Whelan R. Nausea and vomiting after surgery. *Contin Educ*

- Anaesthesia, Crit Care Pain. 2013;13(1):28–32.
9. Sholihah A, Sikumbang KM, Husairi A. Gambaran Angka Kejadian Post Operative Nausea and Vomiting (PONV) di RSUD Ulin Banjarmasin Mei - Juli 2014. Berk Kedokt Unlam. 2015;11(1):119–29.
  10. Wijaya AA, Fithrah BA, Marsaban AHM, Hidayat J. Efektivitas Pemberian Cairan Praoperatif Ringer Laktat 2 mL/kgBB/jam Puasa untuk Mencegah Mual Muntah Pascaoperasi. J Anestesi Perioper. 2014;2(3):200–7.
  11. Hendro RT, Pradian E, Indriasari I. Penggunaan Skor Apfel Sebagai Prediktor Kejadian Mual dan Muntah Pascaoperasi di RSUP Dr. Hasan Sadikin Bandung. J Anestesi Perioper. 2018;6(2):89–97.
  12. Wiesmann T, Kranke P, Eberhart L. Postoperative nausea and vomiting - A narrative review of pathophysiology, pharmacotherapy and clinical management strategies. Expert Opin Pharmacother. 2015;16(7):1069–77.
  13. American society for Anesthesiologists. Continuum of Depth of Sedation: Definition of General Anesthesia and Levels of Sedation/Analgesia. 2019;1–2. Available from: <https://www.asahq.org/standards-and-guidelines/continuum-of-depth-of-sedation-definition-of-general-anesthesia-and-levels-of-sedationanalgesia>
  14. Katzung BG, Masters SB, Trevor AJ. Farmakologi Dasar & Klinik. 12th ed. Katzung BG, editor. Journal of Chemical Information and Modeling. 2013. 429–447 p.
  15. Smith G, D'Cruz JR, Rondeau B, Goldman J. General Anesthesia for Surgeons [Internet]. Treasure Island (FL): StatPearls Publishing; 2021. Available from: [https://www.ncbi.nlm.nih.gov/books/NBK493199/#\\_NBK493199\\_pubdet\\_](https://www.ncbi.nlm.nih.gov/books/NBK493199/#_NBK493199_pubdet_)
  16. Lungqvist O, Francis NK, Urman RD. Enhanced Recovery After Surgery (ERAS). Lungqvist O, Francis NK, Urman RD, editors. Vol. 4, Clinics in Sports Medicine. 2020.
  17. Gan TJ, Diemunsch P, Habib AS, Kovac A, Kranke P, Meyer TA, et al. Consensus guidelines for the management of postoperative nausea and vomiting. Anesth Analg. 2014;118(1):85–113.

18. Chatterjee S, Rudra A, Sengupta S. Current concepts in the management of postoperative nausea and vomiting. *Anesthesiol Res Pract*. 2011;2011:74803.
19. Gan TJ, Belani KG, Bergese S, Chung F, Diemunsch P, Habib AS, et al. Fourth Consensus Guidelines for the Management of Postoperative Nausea and Vomiting. *Anesthesia and Analgesia*. 2020. 411–448 p.
20. Chimbara W, Sweeney BP. The effect of smoking on postoperative nausea and vomiting. *Anaesthesia*. 2000;55(6):540–4.
21. Farhat K, Waheed A, Pasha AK, Iqbal J, Mansoor Q. Effect of smoking on nausea, vomiting and pain in the post-operative period. *J Postgrad Med Inst*. 2014;28(3):277–81.
22. Stoops S, Kovac A. New Insights Into The Pathophysiology And Risk Factors For PONV. *Best Pract Res Clin Anaesthesiol* [Internet]. 2020;34(4):667–79.  
Available from: <https://doi.org/10.1016/j.bpa.2020.06.001>
23. Silva AC, O’Ryan F, Poor DB. Postoperative Nausea and Vomiting (PONV) After Orthognathic Surgery: A Retrospective Study and Literature Review. *J Oral Maxillofac Surg*. 2006;64(9):1385–97.
24. Islam S, Jain PN. Post-Operative Nausea And Vomiting ( Ponv ) : A Review Article. *Anaesth, Indian J*. 2004;48(4):253–8.
25. Apfel CC, Läärä E, Koivuranta M, Greim C-A, Roewer N. A Simplified Risk Score for Predicting Postoperative Nausea and Vomiting. *Am Soc Anesthesiol* [Internet]. 1999;91(3):693–700. Available from: <https://pubs.asahq.org/anesthesiology/article/91/3/693/37359/A-Simplified-Risk-Score-for-Predicting>
26. Dahlán MS. Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan Edisi 3 Seri Evidence Based Medicine 2. Suslia A, editor. Salemba Medika. Jakarta: Salemba Medika; 2010.
27. Siyoto S, Sodik MA. Dasar Metodologi Penelitian. Ayup, editor. Yogyakarta: Literasi Media Publishing; 2015.
28. Sastroasmoro S, Ismael S. Pemilihan Subjek Penelitian. In: Dasar-dasar

- Metodologi Penelitian Klinis. 5th ed. Jakarta: Sagung Seto; 2014.
- 29. Bagir M, Sari D, Suryono B. Perbandingan Skor Apfel Dan Skor Sinclair Sebagai Prediktor PONV (*Post Operative Nausea And Vomiting*) Pada Pasien Dewasa Dengan Anestesi Umum Di Rsup Dr. Sardjito Yogyakarta. *J Komplikasi Anestesi*. 2017;4(2):1–7.
  - 30. Millizia A, Sayuti M, Nendes TP, Rizaldy MB. Faktor-Faktor Yang Berhubungan Dengan Kejadian *Postoperative Nausea And Vomiting* Pada Pasien Anestesi Umum Di Rumah Sakit Umum Cut Meutia Aceh Utara. *Averrous J Kedokt dan Kesehat Malikussaleh*. 2021;7(2):13–23.
  - 31. Shin HC, Kang TW, Wu YH, Sun HS, Tseng CCA. Validation Of Simplified Postoperative Nausea and Vomiting Intensity Scale in Taiwan. *J Clin Monit Comput* [Internet]. 2018;32(5):937–44. Available from: <http://dx.doi.org/10.1007/s10877-017-0084-1>
  - 32. Pierre S, Benais H, Pouymayou J. Apfel's simplified score may favourably predict the risk of postoperative nausea and vomiting. *Can J Anesth*. 2002;49(3):237–42.
  - 33. Karnina R, Salmah M. Hubungan Usia, Jenis Kelamin, Lama Operasi dan Status ASA dengan Kejadian PONV pada Pasien Pasca Operasi Laparotomi Bedah Digestif. *Heal Med J* [Internet]. 2022;4(1):16–22. Available from: <https://jurnal.unbrah.ac.id/index.php/heme/issue/view/31%0AHubungan>
  - 34. Sansonnens J, Taffé P, Burnand B. Higher Occurrence Of Nausea And Vomiting After Total Hip Arthroplasty Using General Versus Spinal Anesthesia: An Observational Study. *BMC Anesthesiol* [Internet]. 2016;16(1):1–8. Available from: <http://dx.doi.org/10.1186/s12871-016-0207-0>