

DAFTAR PUSTAKA

1. Kang S, Arnagai M, Bruckner AL, Enk AH, Margolis DJ, McMichael AJ, et al. Fitzpatrick's Dermatology 9th Edition. MG Graw Hill Education; 2019,
2. Graha WPS. Hubungan Antara Personal Hygiene Kulit Wajah Dengan Tingkat Terjadinya Acne Vulgaris di Pondok Pesantren Al-Munawwir Yogyakarta. J Chem Inf Model. 2018;53(9):1689-99.
3. Su P, Chen Wee Aw D, Lee SH, Han Sim Toh MP. Beliefs, perceptions and psychosocial impact of acne amongst Singaporean students in tertiary institutions. JDDG - J Ger Soc Dermatol. 2015;13(3):227-34.
4. Saizuddin M, Hasan MS, Sen SK, Alfazzatman M, Rahman MM; Rahman MM, et al. A Study on Factors Influencing Acne among the Medical Students of Bangladesh. Med Today. 2017;29(2):30-2.
5. Bhate K, Williams HC. Epidemiology of acne vulgaris. Br J Dermatol. 2013;168(3):474-85.
6. Rahmawati D. Hubungan perawatan kulit wajah dengan timbulnya akne vulgaris, Fak Kedokteran Undip, 2012:19-28.
7. Dina. Hubungan Perawatan Kulit Wajah Dengan Kejadian Acne Vulgaris Pada Remaja Putri di SMA Mardi Waluya Cibinong, Fak Kedokteran Universitas Malahayati Bandar Lampung, 2017.
8. McMillin, Kenneth W. Personal hygiene. Handb Food Sci Technol Eng - 4 Vol Set. 2005;3389–401.
9. Swen MJ, Jeanne DJ, Thomas R, Peter E, Howadrd IM. Kanerva's Occupational Dermatology. 2020. 139–150.
10. Uslu G, Şendur N, Uslu M, Şavk E, Karaman G, Eskin M. Acne: Prevalence, perceptions and effects on psychological health among adolescents in Aydin, Turkey. J Eur Acad Dermatology Venereol. 2008;22(4):462–9.

11. Wibawa IGAE, Winaya KK. Karakteristik penderita acne vulgaris di Rumah Sakit Umum (RSU) Indera Denpasar periode 2014-2015. *J Med Udayana* [Internet]. 2019;8(11):1–4.
12. DiFiore's. *Atlas of Histology with functional correlations* [Internet]. Vasa. 2008. 509 p.
13. Anthony L. Mescher P. *Janqueira's Basic Histology* 13th. Vol. 1, Expert Opinion on Therapeutic Targets. 2013. 267–269 p.
14. Agak GW, Qin M, Nobe J, Kim MH, Krutzik SR, Tristan GR, et al. Propionibacterium acnes induces an IL-17 response in acne vulgaris that is regulated by vitamin A and vitamin D. *J Invest Dermatol*. 2014;134(2):366–73.
15. Conforti C, Giuffrida R, Fadda S, Fai A, Romita P, Zalaudek I, et al. Topical dermocosmetics and acne vulgaris. *Dermatol Ther*. 2021;34(1).
16. Cunliffe WJ. Acne vulgaris. *Nurs Times*. 1970;66(28):872–4.
17. Delea MG, Snyder JS, Woreta M, Zewudie K, Solomon AW, Freeman MC. Development and reliability of a quantitative personal hygiene assessment tool. *Int J Hyg Environ Health* [Internet]. 2020;227(March):113521.
18. Ghodsi SZ, Orawa H, Zouboulis CC. Prevalence, severity, and severity risk factors of acne in high school pupils: A community-based study. *J Invest Dermatol* [Internet]. 2009;129(9):2136–41.
19. Kraft J, Freiman A. Management of acne. *Cmaj*. 2011;183(7).
20. McMillin KW. Personal hygiene. *Handb Food Sci Technol Eng - 4 Vol Set*. 2005;3389–401.
21. Movita T. *TINJAUAN PUSTAKA CONTINUING MEDICAL EDUCATION Akreditasi IDI-3 SKP Acne Vulgaris*. 2013;40(4):1.
22. Prüss-Ustün A, Bartram J, Clasen T, Colford JM, Cumming O, Curtis V, et al. Burden of disease from inadequate water, sanitation and hygiene in low- and middle-income settings: A retrospective analysis of data from 145 countries. *Trop Med Int Heal*. 2014;19(8):894–905.

23. Ritmawati IDAA, Sawitri AAS, Sari KAK. Hubungan stres dengan kejadian acne vulgaris pada siswa kelas III di sman 1 gianyar. Med Udayana. 2019;8(10):4–8.
24. Rizvi F, Chaudry M. Precipitating factors of acne vulgaris in females. Ann Pak Inst Med Sci. 2009;5(2):104–7.
25. Sesanti RT. the Relationship of Stress and Use Bb Cream of the Occurrence of Acne Vulgaris in Student At University of Muhammadiyah Surakarta Forces Medical 2018. JIMKI J Ilm Mhs Kedokt Indones. 2021;9(1):1–7.
26. Permenkes. PER.MEN.KES. RI Nomor : 220/Men.Kes/Per/IX/76. 1976;1–11
27. Cadars B, Ardiel N, Benoit I. 498 Cosmetic product designed for acne-prone skin reduced sebum excretion and improved skin barrier function. J Invest Dermatol [Internet]. 2017;137(10):S277.
28. Damiani G, Gironi LC, Grada A, Kridin K, Finelli R, Buja A, et al. COVID-19 related masks increase severity of both acne (maskne) and rosacea (mask rosacea): Multi-center, real-life, telemedical, and observational prospective study. Dermatol Ther. 2021;34(2):2–6.
29. Dias-Ferreira J, Fernandes AR, Soriano JL, Naveros BC, Severino P, da Silva CF, et al. Skin rejuvenation: Biopolymers applied to UV sunscreens and sheet masks. Biopolym Membr Film. 2020;309–30.
30. Duru P, Örsal Ö. The effect of acne on quality of life, social appearance anxiety, and use of conventional, complementary, and alternative treatments. Complement Ther Med. 2021;56.
31. Gagliardi L, Dorato S. General Concepts: Current Legislation on Cosmetics in Different Countries. Anal Cosmet Prod. 2007;3–28.
32. Han C, Shi J, Chen Y, Zhang Z. Increased flare of acne caused by long-time mask wearing during COVID-19 pandemic among general population. Dermatol Ther. 2020;33(4).
33. Kutlubay Z, Kecici AS, Engin B, Serdaroglu S, Kutlubay Z, Kecici AS. Acne Vulgaris Acne Vulgaris. 2017;II:247–55.

34. Pangaribuan L. Efek Samping Kosmetik Dan Penangananya Bagi Kaum Perempuan. *J Kel Sehat Sejah*. 2017;15(2):20–8.
35. Rudd E, Walsh S. Mask related acne (“maskne”) and other facial dermatoses. *BMJ*. 2021;373.
36. Steiling W, Almeida JF, Assaf Vandecasteele H, Gilpin S, Kawamoto T, O’Keeffe L, et al. Principles for the safety evaluation of cosmetic powders. *Toxicol Lett* [Internet]. 2018;297:8–18.
37. Barros BS, Zaenglein AL. The Use of Cosmeceuticals in Acne: Help or Hoax? *Am J Clin Dermatol*. 2017;18(2):159–63.
38. Lall N, Mahomoodally MF, Esposito D, Steenkamp V, Zengin G, Steyn A, et al. Editorial: Cosmeceuticals From Medicinal Plants. *Front Pharmacol*. 2020;11(July):10–2.
39. Draehos ZD. The cosmeceutical realm. *Clin Dermatol*. 2008;26(6):627–32.