

DAFTAR PUSTAKA

1. Febyan, Wetarini K. Acne Vulgaris in Adults : A Brief Review on Diagnosis and Management. *Int J Res Rev.* 2020;
2. Hazarika N, Archana M. The psychosocial impact of acne vulgaris. *Indian J Dermatol.* 2016;61(5):515–20.
3. Khan AT. Acne and it's associations with psychosocial well-being among adolescents in Nellore (India). *J Psychol Heal Med.* 2017;14(2):140–9.
4. Esadek, Sarah;Obaid, Zakaria;Abdelmaksoud A. Psychological Effects of Acne Vulgaris among Secondary School Adolescents in Damietta Governorate.
5. Ollyvia ZZ, Febriyana N, Damayanti D, Ardani IGAI. The Association between Acne Vulgaris and Stress among Adolescents in Kenjeran, Surabaya. *J Psikiatri Surabaya.* 2021;10(1):33.
6. Stallings AF, Lupo MP. Practical uses of botanicals in skin care. *J Clin Aesthet Dermatol.* 2009;
7. Ribeiro AS, Estanqueiro M, Oliveira MB, Lobo JMS. Main benefits and applicability of plant extracts in skin care products. *Cosmetics.* 2015.
8. Saric S, Notay M, Sivamani RK. Green tea and other tea polyphenols: Effects on sebum production and acne vulgaris. *Antioxidants.* 2017.
9. Dhiman A, Nanda A, Ahmad S. A quest for staunch effects of flavonoids: Utopian protection against hepatic ailments. *Arabian Journal of Chemistry.* 2016.
10. S. B, N. S, P. M, S. C. Pharmacological profile of green tea and its polyphenols: A review. *Med Chem Res.* 2012;
11. Widyaningrum N, Badie'ah B, Lestari S. Antibacterial activity of the dregs of green tea leaves (*Camellia sinensis* L.) on *Staphylococcus epidermidis* as

- causes of acne. *J Sci Sci Educ.* 2017;
12. Kabashima K, Honda T, Ginhoux F, Egawa G. The immunological anatomy of the skin. *Nature Reviews Immunology.* 2019.
 13. Gilaberte Y, Prieto-Torres L, Pastushenko I, Juarranz Á. Anatomy and Function of the Skin. In: *Nanoscience in Dermatology.* 2016.
 14. Beylot C, Auffret N, Poli F, Claudel JP, Leccia MT, Del Giudice P, et al. *Propionibacterium acnes:* An update on its role in the pathogenesis of acne. *Journal of the European Academy of Dermatology and Venereology.* 2014.
 15. Dehdashtian A, Stringer TP, Warren AJ, Mu EW, Amirlak B, Shahabi L. Anatomy and physiology of the skin. In: *Melanoma: A Modern Multidisciplinary Approach.* 2018.
 16. Sherwood L. *Human physiology from cells to systems Ninth Edition.* Appetite. 2016.
 17. D'Orazio J, Jarrett S, Amaro-Ortiz A, Scott T. UV radiation and the skin. *International Journal of Molecular Sciences.* 2013.
 18. Zhou SS, Li D, Zhou YM, Cao JM. The skin function: A factor of anti-metabolic syndrome. *Diabetology and Metabolic Syndrome.* 2012.
 19. Mostafa WZ, Hegazy RA. Vitamin D and the skin: Focus on a complex relationship: A review. *Journal of Advanced Research.* 2013.
 20. Yagi M, Yonei S. Glycative stress and anti-aging: 7. Glycative stress and skin aging. *Glycative Stress Res.* 2018;
 21. Williams HC, Dellavalle RP, Garner S. *Acne vulgaris.* In: *The Lancet.* 2012.
 22. Knutsen-Larson S, Dawson AL, Dunnick CA, Dellavalle RP. *Acne Vulgaris: Pathogenesis, Treatment, and Needs Assessment.* *Dermatologic Clinics.* 2012.
 23. Prasad SB. *Acne vulgaris: A review on pathophysiology and treatment.*

- Asian Journal of Pharmaceutical and Clinical Research. 2016.
24. Say Y, Hwee A, Heng S, Reginald K, Wong YR, Teh KF. Modifiable and non-modifiable epidemiological risk factors for acne , acne severity and acne scarring among Malaysian Chinese : a cross-sectional study. 2021;1–12.
 25. Sachdeva M, Tan J, Lim J, Kim M, Nadeem I, Bismil R. The prevalence, risk factors, and psychosocial impacts of acne vulgaris in medical students: a literature review. Int J Dermatol. 2021;60(7):792–8.
 26. Hassan, Reham; Nofal, Ahmad; Hussein N. Prevalence and Risk Factors of Acne Vulgaris in Adolescents in Belbis City, Sharkia Governorate, Egypt: A Cross-Sectional Study. 2019;3(May):1–14.
 27. Yenny SW. Resistensi Antibiotik Pada Pengobatan Akne Vulgaris. Media Derm Venereol Indones. 2019;45(2):111–5.
 28. Liao DC. Management of acne. J Fam Pract. 2003;52(1):43–51.
 29. Deplewski D, Qin K, Ciletti N, Rosenfield RL. Unique mode of lipogenic activation in rat preputial sebocytes. J Nutr Metab. 2011;2011(November).
 30. Bernadette I, Sitohang S. Patogenesis Terkini Akne Vulgaris. Dep Ilmu Kesehat dan Kelamin FK Univ Indones dr Cipto Mangunkusumo Jakarta. 2011;38(71):149–52.
 31. Suva MA, Patel AM, Sharma N, Bhattacharya C, Mangi RK. A Brief Review on Acne Vulgaris: Pathogenesis, Diagnosis and Treatment. Res Rev J Pharmacol. 2014;
 32. Tan AU, Schlosser BJ, Paller AS. A review of diagnosis and treatment of acne in adult female patients. International Journal of Women's Dermatology. 2018.
 33. Rodan K, Fields K, Majewski G, Falla T. Skincare Bootcamp. Plast Reconstr Surg - Glob Open. 2016;4(July):e1152.
 34. Fox L, Csorngradi C, Aucamp M, Du Plessis J, Gerber M. Treatment

- modalities for acne. *Molecules*. 2016.
35. Zaenglein AL, Pathy AL, Schlosser BJ, Alikhan A, Baldwin HE, Berson DS, et al. Guidelines of care for the management of acne vulgaris. *J Am Acad Dermatol*. 2016;74(5):945-973.e33.
 36. Oon HH, Wong SN, Wee DCAW, Cheong WK, Goh CL, Tan HH. Acne management guidelines by the Dermatological society of Singapore. *J Clin Aesthet Dermatol*. 2019;12(7):34–50.
 37. Leung A. *Acne*. 2016;(July):1–23.
 38. Mahmood T, Akhtar N, Khan BA. The morphology, characteristics, and medicinal properties of *Camellia sinensis*' tea. *J Med Plants Res*. 2010;4(19):2028–33.
 39. Gómez JJ. *Camellia Sinensis - Tea*. 2019;
 40. Effendi DS. Syakir M. Yusron M. Wiratno. *Budidaya dan Pascapanen Teh*. Kementeri Pertan. 2010;65.
 41. Prasanth MI, Sivamaruthi BS, Chaiyasut C, Tencomnao T. A review of the role of green tea (*camellia sinensis*) in antiphotoaging, stress resistance, neuroprotection, and autophagy. *Nutrients*. 2019.
 42. Global Biodiversity Information Facility. *Camellia sinensis (L.) Kuntze* Global Biodiversity Information Facility. Available from: <https://www.gbif.org/species/3189635>
 43. Waranuch N, Wisuitiprot W. Tea catechins and skin. *Househ Pers Care today*. 2013;8(January 2013):42–5.
 44. Kelas S. Epigallocatechin-3-gallate (egcg) pada daun teh hijau sebagai anti jerawat. *Maj Farm dan Farmakol*. 2013;17:95–8.
 45. Yahfoufi N, Alsadi N, Jambi M, Matar C. The immunomodulatory and anti-inflammatory role of polyphenols. *Nutrients*. 2018.

46. Koch W, Zagórska J, Marzec Z, Kukula-Koch W. Applications of tea (*Camellia sinensis*) and its active constituents in cosmetics. *Molecules*. 2019.
47. Musial C, Kuban-Jankowska A, Gorska-Ponikowska M. Beneficial properties of green tea catechins. *Int J Mol Sci*. 2020;
48. Rizikiyan Y, Sulastri L, Indriaty S. Formulasi dan uji Daya Hambat Krim Ekstrak Etanol Teh Hijau Terhadap *Propionibacterium acnes*. 2018;2(2):65–74.
49. Dani C, Bonatto D, Salvador M, Pereira MD, Henriques JAP, Eleutherio E. Antioxidant protection of resveratrol and catechin in *Saccharomyces cerevisiae*. *J Agric Food Chem*. 2008;56(11):4268–72.
50. Rahmanisa S, Oktaria R. Pengaruh Epigallocatechin-3-Gallate (EGCG) pada Teh Hijau Terhadap *Acne vulgaris*. majority. 2016;
51. Herwin H, Sari ZP, Nuryanti S. Aktivitas Antibakteri Ekstrak Etanol Daun dan Ampas Teh Hijau (*Camellia sinensis* L.) Terhadap Bakteri Penyebab Jerawat (*Propionibacterium acne* dan *Staphylococcus epidermidis*) Secara Difusi Agar. *J Ilm As-Syifaa*. 2018;10(2):247–54.
52. Widyaningrum N, Murrukmihadi M, Ekawati SK. Pengaruh Konsentrasi Ekstrak Etanolik Daun Teh Hijau (*Camellia sinesis* L.) dalam Sediaan Krim terhadap Sifat Fisik dan Aktivitas Antibakteri. :147–56.
53. Yoon JY, Kwon HH, Min SU, Thiboutot DM, Suh DH. Epigallocatechin-3-gallate improves acne in humans by modulating intracellular molecular targets and inhibiting *P. acnes*. *J Invest Dermatol*. 2013;133(2):429–40.
54. Cong TX, Hao D, Wen X, Li XH, He G, Jiang X. From pathogenesis of *acne vulgaris* to anti-acne agents. *Arch Dermatol Res*. 2019;311(5):337–49.
55. Mahmood T, Akhtar N, Khan BA, Khan HMS, Saeed T. Outcomes of 3% green tea emulsion on skin sebum production in male volunteers. *Bosn J Basic Med Sci*. 2010;

56. Thiboutot D, Bayne E, Thorne J, Gilliland K, Flanagan J, Shao Q, et al. Immunolocalization of 5 α -reductase isozymes in acne lesions and normal skin. *Arch Dermatol.* 2000;136(9):1125–9.
57. Leyden J, Bergfeld W, Drake L, Dunlap F, Goldman MP, Gottlieb AB, et al. A systemic type I 5 α -reductase inhibitor is ineffective in the treatment of acne vulgaris. *J Am Acad Dermatol.* 2004;50(3):443–7.
58. Menaa F, Menaa A, Menaa B. Polyphenols Nano-Formulations for Topical Delivery and Skin Tissue Engineering. *Polyphenols Hum Heal Dis.* 2013;1(December):839–48.
59. Dal Belo SE, Gaspar LR, Maia Campos PMBG, Marty JP. Skin penetration of epigallocatechin-3-gallate and quercetin from green tea and Ginkgo biloba extracts vehiculated in cosmetic formulations. *Skin Pharmacol Physiol.* 2009;22(6):299–304.
60. Cerbin-koczorowska M, Waszyk-nowaczyk M, Bakun P, Goslinski T. Current View on Green Tea Catechins Formulations , Their Interactions with Selected Drugs , and Prospective Applications for Various Health Conditions. 2021;
61. Sharquie KE, Al-Turfi IA, Al-Shimary WM. Treatment of acne vulgaris with 2% topical tea lotion. *Saudi Med J.* 2006;27(1):83–5.
62. Sharquie KE, Noaimi AA, Al-Salih MM. Topical therapy of acne vulgaris using 2% tea lotion in comparison with 5% zinc sulphate solution. *Saudi Med J.* 2008;29(12):1757–61.
63. Mahmood T, Akhtar N, Moldovan C. A comparison of the effects of topical green tea and lotus on facial sebum control in healthy humans. *Hippokratia.* 2013;17(1):64–7.