LAMPIRAN

(1.1)(2.1)admin_about.php

```
<?php
/**
* my weblogs
* version 1.0
* Author : Peter Vannes
* Email  : peter_fu@yahoo.com
* File        : navigasi.php
*
* Last Modified : May 16, 2007 03:07:22 PM
**/
defined( 'peter' ) or die( 'Direct Access to this location is not
allowed.' );
if ($_SESSION['SES_PRIV'][0] == 'all'){
$sssssssssssssss = 'ok';
}
elseif(!in_array( basename(__FILE__), $_SESSION['SES_PRIV'], true)){
die( 'Direct Access to this location is not allowed.' );
}
include 'includes/char.php';
$admin .="<h2>About Me</h2>";
$admin .= "<p> </p>";
$admin .= <<<YY
<script language="JavaScript1.2" type="text/JavaScript1.2">
      _editor_url = 'js/htmlarea2/';          // URL to htmlarea files
      var                          win_ie_ver                          =
parseFloat(navigator.appVersion.split("MSIE")[1]);
      if (navigator.userAgent.indexOf('Mac')        >= 0) { win_ie_ver =
0; }
      if (navigator.userAgent.indexOf('Windows CE') >= 0) { win_ie_ver =
0; }
      if (navigator.userAgent.indexOf('Opera')      >= 0) { win_ie_ver =
0; }
      if (win_ie_ver >= 5.5) {
            document.write('<scr'    +    'ipt    src="'    +_editor_url+
'editor.js.php?id=htmlarea"');
            document.write(' language="Javascript1.2"></scr' + 'ipt>');
      } else {
            document.write('<scr'+'ipt>function    editor_generate()    {
return false; }</scr'+'ipt>');
      }
</script>
<script language="JavaScript1.2" defer="defer">
      editor_generate('message');
</script>
YY;
if (isset ($_POST['submit'])){
      $message = $_POST['message'];
$update  =  mysql_query  ("UPDATE  ".$GLOBALS['tabel']['content']."  SET
isi='$message' WHERE id='1'");
if ($update) $admin .= '<br> Data Berhasil Di UPdate <br>';
}
$query  =  mysql_query  ("SELECT  *  FROM  ".$GLOBALS['tabel']['content']."
WHERE id='1'");
$data = mysql_fetch_array ($query);
$ISINYA = $data['isi'];
$admin  .=  "<form  method='post'  action=''  enctype  ='multipart/form-
data'>";
$admin       .=       "<textarea       rows='19'       name='message'
cols='57'>$ISINYA</textarea>";
$admin .= "<br><br><input type='submit' value='edit' name='submit'>";
```

```
$admin .= "</form>";
?>
```

(1.2)(2.1)admin_biodata.php

```
<?php
/**
* my weblogs
* version 1.0
* Author : Peter Vannes
* Email  : peter_fu@yahoo.com
* File        : navigasi.php
*
* Last Modified : May 16, 2007 03:07:22 PM
**/
defined( 'peter' ) or die( 'Direct Access to this location is not
allowed.' );
if ($_SESSION['SES_PRIV'][0] == 'all'){
$sssssssssssssss = 'ok';
}
elseif(!in_array( basename(__FILE__), $_SESSION['SES_PRIV'], true)){
die( 'Direct Access to this location is not allowed.' );
}
include 'includes/char.php';
$admin .="<h2>Biodata</h2>";
$admin .= "<a href='admin.php?pilih=admin_biodata'>My Biodata</a> | <a
href='admin.php?pilih=admin_biodata&aksi=biodata_teman'>Biodata Teman</a>
|  <a  href='admin.php?pilih=admin_biodata&aksi=add_biodata_teman'>Tambah
Biodata Teman</a>";
$admin .= "<p> </p>";
if (!isset($_GET['aksi'])) {
if (isset($_POST['submit'])){
$nama = $_POST['nama'];
$panggilan = $_POST['panggilan'];
$lahir = $_POST['tgl'] .'-'. $_POST['bln'] .'-'. $_POST['thn'];
$zodiak = $_POST['zodiak'];
$agama = $_POST['agama'];
$tinggi = $_POST['tinggi'];
$berat = $_POST['berat'];
$hobi = $_POST['hobi'];
$pendidikan = $_POST['pendidikan'];
$fav_book = $_POST['fav_book'];
$fav_music = $_POST['fav_music'];
$fav_tv = $_POST['fav_tv'];
$email = $_POST['email'];
$website = $_POST['website'];
$aboutme = $_POST['aboutme'];
$ID = $_POST['idnya'];
$query  =  mysql_query  ("UPDATE  ".$GLOBALS['tabel']['biodata']."  SET
nama='$nama',  panggilan='$panggilan',  lahir='$lahir',  zodiak='$zodiak',
agama='$agama',    tinggi='$tinggi',    berat='$berat',    hobi='$hobi',
pendidikan='$pendidikan',  fav_book='$fav_book',  fav_music='$fav_music',
fav_tv='$fav_tv',  email='$email',  website='$website',  aboutme='$aboutme'
WHERE id='$ID'");
if ($query) $admin .= '<br><br>Data berhasil di UPDATE <br><br>';
}
$query  =  mysql_query  ("SELECT  *  FROM  ".$GLOBALS['tabel']['biodata']."
WHERE id='1'");
$data = mysql_fetch_array ($query);
$nama = $data['nama'];
$panggilan = $data['panggilan'];
list ($tgl,$bln,$thn) = explode ('-', $data['lahir']);
$zodiak = $data['zodiak'];
$agama = $data['agama'];
$tinggi = $data['tinggi'];
```

```
$berat = $data['berat'];
$hobi = $data['hobi'];
$pendidikan = $data['pendidikan'];
$fav_book = $data['fav_book'];
$fav_music = $data['fav_music'];
$fav_tv = $data['fav_tv'];
$email = $data['email'];
$website = $data['website'];
$aboutme = $data['aboutme'];
$admin    .=    '<form    METHOD="POST"    ACTION=""><table    border="0"
cellpadding="2"  style="border-collapse:  collapse"  bordercolor="#111111"
width="100%">
  <tr>
    <td width="25%">Nama</td>
    <td width="2%">:</td>
    <td    width="73%"><input    type="text"    name="nama"    size="38"
value="'.$nama.'"></td>
  </tr>
  <tr>
    <td width="25%">Panggilan</td>
    <td width="2%">:</td>
    <td   width="73%"><input   type="text"   name="panggilan"   size="38"
value="'.$panggilan.'"></td>
  </tr>
  <tr>
    <td width="25%">Lahir</td>
    <td width="2%">:</td>
    <td    width="73%"><input    type="text"    name="tgl"    size="5"
value="'.$tgl.'">  
    ';
 $arr = 'Januari Februari Maret April Mei Juni Juli Agustus September
Oktober November Desember';
$pecah = explode (' ', $arr);
$admin .="<select name='bln' size='1' tabindex='1'>";
for ($i=0; $i<count($pecah); $i++) {
      if (strtolower($pecah[$i]) == strtolower($bln)){
$admin .="<option value='".$pecah[$i]."' selected>$pecah[$i]</option>";
}else {
      $admin .="<option value='".$pecah[$i]."'>$pecah[$i]</option>";
}
}
$admin .="</select>";
    $admin .=' 
    <input type="text" name="thn" size="5"  value="'.$thn.'"></td>
  </tr>
  <tr>
    <td width="25%">Zodiak</td>
    <td width="2%">:</td>
    <td    width="73%"><input    type="text"    name="zodiak"    size="38"
value="'.$zodiak.'"></td>
  </tr>
  <tr>
    <td width="25%">Agama</td>
    <td width="2%">:</td>
    <td    width="73%"><input    type="text"    name="agama"    size="15"
value="'.$agama.'"></td>
  </tr>
  <tr>
    <td width="25%">Tinggi / Berat</td>
    <td width="2%">:</td>
    <td    width="73%"><input    type="text"    name="tinggi"    size="5"
value="'.$tinggi.'"> Cm  / <input type="text" name="berat" size="5"
value="'.$berat.'">
    Kg</td>
```

```
  </tr>
  <tr>
    <td  width="25%"  valign="top">Pendidikan<br><i>Gunakan  tombol  enter
untuk spasi</i></td>
    <td width="2%" valign="top">:</td>
    <td       width="73%"><textarea       rows="4"       name="pendidikan"
cols="60">'.$pendidikan.'</textarea></td>
  </tr>
  <tr>
    <td width="25%" valign="top">Hobby</td>
    <td width="2%" valign="top">:</td>
    <td         width="73%"><textarea         rows="4"         name="hobi"
cols="30">'.$hobi.'</textarea></td>
  </tr>
  <tr>
    <td width="25%" valign="top">Fav. Book</td>
    <td width="2%" valign="top">:</td>
    <td        width="73%"><textarea        rows="4"        name="fav_book"
cols="30">'.$fav_book.'</textarea></td>
  </tr>
  <tr>
    <td width="25%" valign="top">Fav. Music</td>
    <td width="2%" valign="top">:</td>
    <td       width="73%"><textarea       rows="4"       name="fav_music"
cols="30">'.$fav_music.'</textarea></td>
  </tr>
  <tr>
    <td width="25%" valign="top">Fav. Tv</td>
    <td width="2%" valign="top">:</td>
    <td        width="73%"><textarea        rows="4"        name="fav_tv"
cols="30">'.$fav_tv.'</textarea></td>
  </tr>
  <tr>
    <td width="25%">Email</td>
    <td width="2%">:</td>
    <td    width="73%"><input    type="text"    name="email"    size="38"
value="'.$email.'"></td>
  </tr>
  <tr>
    <td width="25%">Website</td>
    <td width="2%">:</td>
    <td   width="73%"><input    type="text"    name="website"    size="38"
value="'.$website.'"></td>
  </tr>
  <tr>
    <td width="25%" valign="top">About me</td>
    <td width="2%" valign="top">:</td>
    <td        width="73%"><textarea        rows="9"        name="aboutme"
cols="60">'.$aboutme.'</textarea></td>
  </tr>
  <tr>
    <td width="25%"></td>
    <td width="2%"></td>
    <td  width="73%"><input  type="hidden"  name="idnya"  value="1"><input
type="submit" name="submit" value="Kirim"></td>
  </tr>
</table></form>
<p> </p>
Keterangan :<br>
Kosongkan field jika ada salah satu field yang tidak anda isi
';
}
if (@$_GET['aksi'] == 'biodata_teman'){
$filename = "js/alert.txt";
```

```
      $fp = fopen($filename, "r");
      $admin.= fread($fp, filesize($filename));
      fclose($fp);
 $admin     .="<table     class='tabel'     border='0'     cellspacing='0'
cellpadding='0' width='100%'>
            <tr>
    <td   width='6%'   style=\"border-bottom:   1px   #CC6600   solid;\"><a
class=\"orange\">No</a></td>
    <td   width='50%'   style=\"border-bottom:   1px   #CC6600   solid;\"><a
class=\"orange\">Nama</a></td>
    <td  width='10%'  align='center'  style=\"border-bottom:  1px  #CC6600
solid;\"><a class=\"orange\">Actions</a></td>
  </tr>";
  $no = 1;
$query     =     mysql_query     ("SELECT     panggilan,id,nama     FROM
".$GLOBALS['tabel']['biodata']." WHERE id > 1");
while ($data = mysql_fetch_array ($query)){
      $NAMA = $data['nama'];
      $ID = $data['id'];
      $admin                              .=                              "<tr
onmouseover=\"this.style.backgroundColor='#CCFFCC';\"
onmouseout=\"this.style.backgroundColor='';\">
    <td width='4%' style=\"border-bottom: #F0F0F0 1px solid;\">$no</td>
    <td      width='50%'      style=\"border-bottom:      #F0F0F0      1px
solid;\">$NAMA</td>
    <td  width='10%'  align='center'  style=\"border-bottom:  #F0F0F0  1px
solid;\">
    <a   href='?pilih=admin_biodata&aksi=delete&id=$ID'   onclick=\"return
confirmLink(this, 'Menghapus ".
    addslashes($data['nama']) ." ')\"><img src='images/delete_button.gif'
border='0'     alt='Hapus     biodata     dengan     id     $ID'></a>     <a
href='?pilih=admin_biodata&id=$ID&aksi=edit'><img   src='images/edit.gif'
border='0' alt='Edit Biodata'></a></td>
  </tr>";                         $no++;
}
 $admin .="<tr>
    <td width='6%' style=\"border-top: 1px #CC6600 solid;\"> </td>
    <td width='50%' style=\"border-top: 1px #CC6600 solid;\"> </td>
    <td width='10%' style=\"border-top: 1px #CC6600 solid;\"> </td>
  </tr>";
                    $admin .= "</table>";
}
if (@$_GET['aksi'] == 'delete' && int_filter (@$_GET['id']) > 1) {
      $ID = int_filter ($_GET['id']);
$query = mysql_query ("DELETE FROM ".$GLOBALS['tabel']['biodata']." WHERE
id='$ID'");
      if                          ($query)                          header
("location:?pilih=admin_biodata&aksi=biodata_teman");
}
if (@$_GET['aksi'] == 'edit' && int_filter (@$_GET['id']) > 1) {
      $ID = int_filter ($_GET['id']);
if (isset($_POST['submit'])){
$nama = $_POST['nama'];
$panggilan = $_POST['panggilan'];
$lahir = $_POST['tgl'] .'-'. $_POST['bln'] .'-'. $_POST['thn'];
$zodiak = $_POST['zodiak'];
$agama = $_POST['agama'];
$tinggi = $_POST['tinggi'];
$berat = $_POST['berat'];
$hobi = $_POST['hobi'];
$pendidikan = $_POST['pendidikan'];
$fav_book = $_POST['fav_book'];
$fav_music = $_POST['fav_music'];
$fav_tv = $_POST['fav_tv'];
```

```
$email = $_POST['email'];
$website = $_POST['website'];
$aboutme = $_POST['aboutme'];
$ID = $_POST['idnya'];
$query = mysql_query ("UPDATE ".$GLOBALS['tabel']['biodata']." SET
nama='$nama', panggilan='$panggilan', lahir='$lahir', zodiak='$zodiak',
agama='$agama', tinggi='$tinggi', berat='$berat', hobi='$hobi',
pendidikan='$pendidikan', fav_book='$fav_book', fav_music='$fav_music',
fav_tv='$fav_tv', email='$email', website='$website', aboutme='$aboutme'
WHERE id='$ID'");
if ($query) $admin .= '<br><br>Data berhasil di UPDATE <br><br>';
}
$query = mysql_query ("SELECT * FROM ".$GLOBALS['tabel']['biodata']."
WHERE id='$ID'");
$data = mysql_fetch_array ($query);
$nama = $data['nama'];
$panggilan = $data['panggilan'];
list ($tgl,$bln,$thn) = explode ('-', $data['lahir']);
$zodiak = $data['zodiak'];
$agama = $data['agama'];
$tinggi = $data['tinggi'
$berat = $data['berat'];
$hobi = $data['hobi'];
$pendidikan = $data['pendidikan'];
$fav_book = $data['fav_book'];
$fav_music = $data['fav_music'];
$fav_tv = $data['fav_tv'];
$email = $data['email'];
$website = $data['website'];
$aboutme = $data['aboutme'];
$admin .= '<form METHOD="POST" ACTION=""><table border="0"
cellpadding="2" style="border-collapse: collapse" bordercolor="#111111"
width="100%">
  <tr>
    <td width="25%">Nama</td>
    <td width="2%">:</td>
    <td width="73%"><input type="text" name="nama" size="38"
value="'.$nama.'"></td>
  </tr>
  <tr>
    <td width="25%">Panggilan</td>
    <td width="2%">:</td>
    <td width="73%"><input type="text" name="panggilan" size="38"
value="'.$panggilan.'"></td>
  </tr>
  <tr>
    <td width="25%">Lahir</td>
    <td width="2%">:</td>
    <td width="73%"><input type="text" name="tgl" size="5"
value="'.$tgl.'">  
    ';
 $arr = 'Januari Februari Maret April Mei Juni Juli Agustus September
Oktober November Desember';
$pecah = explode (' ', $arr);
$admin .="<select name='bln' size='1' tabindex='1'>";
for ($i=0; $i<count($pecah); $i++) {
      if (strtolower($pecah[$i]) == strtolower($bln)){
$admin .="<option value='".$pecah[$i]."' selected>$pecah[$i]</option>";
}else {
      $admin .="<option value='".$pecah[$i]."'>$pecah[$i]</option>";
}
}
$admin .="</select>";
```

```
    $admin .=' 
    <input type="text" name="thn" size="5"  value="'.$thn.'"></td>
  </tr>
  <tr>
    <td width="25%">Zodiak</td>
    <td width="2%">:</td>
    <td    width="73%"><input    type="text"    name="zodiak"    size="38"
value="'.$zodiak.'"></td>
  </tr>
  <tr>
    <td width="25%">Agama</td>
    <td width="2%">:</td>
    <td    width="73%"><input    type="text"    name="agama"    size="15"
value="'.$agama.'"></td>
  </tr>
  <tr>
    <td width="25%">Tinggi / Berat</td>
    <td width="2%">:</td>
    <td    width="73%"><input    type="text"    name="tinggi"    size="5"
value="'.$tinggi.'"> Cm  / <input type="text" name="berat" size="5"
value="'.$berat.'">
    Kg</td>
  </tr>
  <tr>
    <td  width="25%"  valign="top">Pendidikan<br><i>Gunakan  tombol  enter
untuk spasi</i></td>
    <td width="2%" valign="top">:</td>
    <td       width="73%"><textarea       rows="4"       name="pendidikan"
cols="60">'.$pendidikan.'</textarea></td>
  </tr>
  <tr>
    <td width="25%" valign="top">Hobby</td>
    <td width="2%" valign="top">:</td>
    <td         width="73%"><textarea         rows="4"         name="hobi"
cols="30">'.$hobi.'</textarea></td>
  </tr>
  <tr>
    <td width="25%" valign="top">Fav. Book</td>
    <td width="2%" valign="top">:</td>
    <td       width="73%"><textarea       rows="4"       name="fav_book"
cols="30">'.$fav_book.'</textarea></td>
  </tr>
  <tr>
    <td width="25%" valign="top">Fav. Music</td>
    <td width="2%" valign="top">:</td>
    <td       width="73%"><textarea       rows="4"       name="fav_music"
cols="30">'.$fav_music.'</textarea></td>
  </tr>
  <tr>
    <td width="25%" valign="top">Fav. Tv</td>
    <td width="2%" valign="top">:</td>
    <td        width="73%"><textarea        rows="4"        name="fav_tv"
cols="30">'.$fav_tv.'</textarea></td>
  </tr>
  <tr>
    <td width="25%">Email</td>
    <td width="2%">:</td>
    <td    width="73%"><input    type="text"    name="email"    size="38"
value="'.$email.'"></td>
  </tr>
  <tr>
    <td width="25%">Website</td>
    <td width="2%">:</td>
```

```
    <td    width="73%"><input    type="text"    name="website"    size="38"
value="'.$website.'"></td>
  </tr>
   <tr>
    <td width="25%" valign="top">About me</td>
    <td width="2%" valign="top">:</td>
    <td        width="73%"><textarea        rows="9"        name="aboutme"
cols="60">'.$aboutme.'</textarea></td>
  </tr>
  <tr>
    <td width="25%"></td>
    <td width="2%"></td>
    <td        width="73%"><input        type="hidden"        name="idnya"
value="'.$ID.'"><input type="submit" name="submit" value="Kirim"></td>
  </tr>
</table></form>
<p> </p>
Keterangan :<br>
Kosongkan field jika ada salah satu field yang tidak anda isi
';
}
if (@$_GET['aksi'] == 'add_biodata_teman'){
if (isset($_POST['submit'])){
$nama = $_POST['nama'];
$panggilan = $_POST['panggilan'];
$lahir = $_POST['tgl'] .'-'. $_POST['bln'] .'-'. $_POST['thn'];
$zodiak = $_POST['zodiak'];
$agama = $_POST['agama'];
$tinggi = $_POST['tinggi'];
$berat = $_POST['berat'];
$hobi = $_POST['hobi'];
$pendidikan = $_POST['pendidikan'];
$fav_book = $_POST['fav_book'];
$fav_music = $_POST['fav_music'];
$fav_tv = $_POST['fav_tv'];
$email = $_POST['email'];
$website = $_POST['website'];
$aboutme = $_POST['aboutme'];
$query  =  mysql_query  ("INSERT  INTO  ".$GLOBALS['tabel']['biodata']."
(nama,panggilan,lahir,zodiak,agama,tinggi,berat,hobi,pendidikan,fav_book,
fav_music,fav_tv,email,website,aboutme)                              VALUES
('$nama','$panggilan','$lahir','$zodiak','$agama','$tinggi','$berat','$ho
bi','$pendidikan','$fav_book','$fav_music','$fav_tv','$email','$website',
'$aboutme')");
if ($query) $admin .= '<br><br>Data berhasil di ADD<br><br>';
}
$admin    .=    '<form    METHOD="POST"    ACTION=""><table    border="0"
cellpadding="2"  style="border-collapse:  collapse"  bordercolor="#111111"
width="100%">
  <tr>
    <td width="25%">Nama</td>
    <td width="2%">:</td>
    <td width="73%"><input type="text" name="nama" size="38"></td>
  </tr>
  <tr>
    <td width="25%">Panggilan</td>
    <td width="2%">:</td>
    <td width="73%"><input type="text" name="panggilan" size="38"></td>
  </tr>
  <tr>
    <td width="25%">Lahir</td>
    <td width="2%">:</td>
    <td width="73%"><input type="text" name="tgl" size="5">  
    ';
```

```
$arr = 'Januari Februari Maret April Mei Juni Juli Agustus September
Oktober November Desember';
$pecah = explode (' ', $arr);
$admin .="<select name='bln' size='1' tabindex='1'>";
for ($i=0; $i<count($pecah); $i++) {
      $admin .="<option value='".$pecah[$i]."'>$pecah[$i]</option>";
}
$admin .="</select>";
    $admin .=' 
    <input type="text" name="thn" size="5"></td>
  </tr>
  <tr>
    <td width="25%">Zodiak</td>
    <td width="2%">:</td>
    <td width="73%"><input type="text" name="zodiak" size="38"></td>
  </tr>
  <tr>
    <td width="25%">Agama</td>
    <td width="2%">:</td>
    <td width="73%"><input type="text" name="agama" size="15"></td>
  </tr>
  <tr>
    <td width="25%">Tinggi / Berat</td>
    <td width="2%">:</td>
    <td width="73%"><input type="text" name="tinggi" size="5"> Cm  /
<input type="text" name="berat" size="5">
    Kg</td>
  </tr>
  <tr>
    <td  width="25%"  valign="top">Pendidikan<br><i>Gunakan  tombol  enter
untuk spasi</i></td>
    <td width="2%" valign="top">:</td>
    <td       width="73%"><textarea       rows="4"       name="pendidikan"
cols="60"></textarea></td>
  </tr>
  <tr>
    <td width="25%" valign="top">Hobby</td>
    <td width="2%" valign="top">:</td>
    <td         width="73%"><textarea         rows="4"         name="hobi"
cols="30"></textarea></td>
  </tr>
  <tr>
    <td width="25%" valign="top">Fav. Book</td>
    <td width="2%" valign="top">:</td>
    <td       width="73%"><textarea       rows="4"       name="fav_book"
cols="30"></textarea></td>
  </tr>
  <tr>
    <td width="25%" valign="top">Fav. Music</td>
    <td width="2%" valign="top">:</td>
    <td       width="73%"><textarea       rows="4"       name="fav_music"
cols="30"></textarea></td>
  </tr>
  <tr>
    <td width="25%" valign="top">Fav. Tv</td>
    <td width="2%" valign="top">:</td>
    <td        width="73%"><textarea        rows="4"        name="fav_tv"
cols="30"></textarea></td>
  </tr>
  <tr>
    <td width="25%">Email</td>
    <td width="2%">:</td>
    <td width="73%"><input type="text" name="email" size="38"></td>
  </tr>
```

```
  <tr>
    <td width="25%">Website</td>
    <td width="2%">:</td>
    <td width="73%"><input type="text" name="website" size="38"></td>
  </tr>
   <tr>
    <td width="25%" valign="top">About me</td>
    <td width="2%" valign="top">:</td>
    <td       width="73%"><textarea       rows="9"       name="aboutme"
cols="60"></textarea></td>
  </tr>
  <tr>
    <td width="25%"></td>
    <td width="2%"></td>
    <td       width="73%"><input       type="submit"       name="submit"
value="Kirim"></td>
  </tr>
</table></form>
<p> </p>
Keterangan :<br>
Kosongkan field jika ada salah satu field yang tidak anda isi
';
}
?>
```

(1.3)(2.3)admin_gallery.php

```
<?php
/**
* my weblogs
* version 1.0
* Author : Peter Vannes
* Email  : peter_fu@yahoo.com
* File        : navigasi.php
*
* Last Modified : May 16, 2007 03:07:22 PM
**/
defined( 'peter' ) or die( 'Direct Access to this location is not
allowed.' );
if ($_SESSION['SES_PRIV'][0] == 'all'){
$sssssssssssssss = 'ok';
}
elseif(!in_array( basename(__FILE__), $_SESSION['SES_PRIV'], true)){
die( 'Direct Access to this location is not allowed.' );
}
$admin .="<h2>Gallery PHoto</h2>";
$admin .= "<a href='admin.php?pilih=admin_gallery'>My Gallery</a> | <a
href='admin.php?pilih=admin_gallery&aksi=add_kat'>Buat Kategori</a> | <a
href='admin.php?pilih=admin_gallery&aksi=upload'>Upload</a>";
$admin .= "<p> </p>";
$admin .= '
<script type="text/javascript" language="javascript">
   function GP_popupConfirmMsg(msg) { //v1.0
  document.MM_returnValue = confirm(msg);
}
function flevPopupLink(){// v1.2
var                    v1=arguments,v2=window.open(v1[0],v1[1],v1[2]),
v3=(v1.length>3)?v1[3]:false;if
(v3){v2.focus();}document.MM_returnValue=false;
}
</script>
';
if (@$_GET['aksi'] == 'add_kat') {
if (isset ($_POST['submit'])){
$kategori = trim (strip_tags ($_POST['kategori']));
```

```
$desc = trim (strip_tags ($_POST['desc']));
if (empty($kategori) && empty ($desc)) {
$admin .= '<font color=red>Error dalam pengisian, periksa kembali form
nya dan jangan ada yang kosong</font>';
}else {
$query = mysql_query ("INSERT INTO ".$GLOBALS['tabel']['gallery_kat']."
(`name`, `desc`) VALUES ('$kategori', '$desc')");
if ($query){
       $admin .= '<font color=red>Berhasil buat kategori <b>' . $kategori
. '</b></font>';
}else {
       $admin .= '<font color=red>GAGAL membuat kategori <b>' . $kategori
. '<b></font>';
}
}
}
$admin    .=    '<form    method="POST"    action=""><table    border="0"
cellpadding="2"  style="border-collapse:  collapse"  bordercolor="#111111"
width="100%">
  <tr>
    <td width="28%">Kategori</td>
    <td width="2%">:</td>
    <td width="70%"><input type="text" name="kategori" size="38"></td>
  </tr>
  <tr>
    <td width="28%" valign="top">Deskripsi tentang kategori</td>
    <td width="2%" valign="top">:</td>
    <td         width="70%"><textarea         rows="4"         name="desc"
cols="38"></textarea></td>
  </tr>
  <tr>
    <td width="28%"> </td>
    <td width="2%"> </td>
    <td width="70%"> </td>
  </tr>
  <tr>
    <td width="28%"> </td>
    <td width="2%"> </td>
    <td width="70%"><input type="submit" name="submit" value="Buat"></td>
  </tr>
</table></form>';
}
if (@$_GET['aksi'] == 'upload'&& extension_loaded('gd')) {
       if (isset ($_POST['submit'])){
define("GIS_GIF", 1);
define("GIS_JPG", 2);
define("GIS_PNG", 3);
//include "includes/thumb.php";
include "includes/hft_image.php";
for ($e=0; $e<=count($namafile_name); $e++){
if (!empty ($namafile_name[$e])){
$w = date('Ymdhis').'@';
$userfile_tmp = $_FILES['namafile']['tmp_name'][$e];
$finame = $_FILES['namafile']['name'][$e];
$finame = str_replace (' ', '_', $finame);
$finame = str_replace ('@', '', $finame);
$kode = 'htTemP_'.md5(rand(1000, 10000000));
$destination = $tpath.$w.$finame;
$thumb = $tnpath.$w.$finame;
$sementara = "temp/$kode(#)$finame";
move_uploaded_file($userfile_tmp, $sementara);
$testsize = getimagesize ("temp/$kode(#)$finame");
if (is_array ($testsize)) list ($foo, $width, $bar, $height) = explode
("\"", $testsize[3]);
```

```
$filessize = filesize("temp/$kode(#)$finame");
$Mime_pic = false;
if ($testsize[2] == GIS_JPG or $testsize[2] == GIS_PNG or $testsize[2] ==
GIS_GIF){
$Mime_pic = true;
}else {
$width = '';
$height = '';
}
if ($filessize <= $max_size && $width <= $max_width && $height <=
$max_height && $Mime_pic == true){
copy ("temp/$kode(#)$finame" ,$destination);
$filessizes = filesize($destination);
$simpanfile = $w.$finame;
if ($width < $CONFIG['thumb_width']) {
$CONFIG['thumb_width'] = $width;
}
/*
resize_image($destination,         $thumb,         $CONFIG['thumb_width'],
$CONFIG['thumb_method'], $uses);
*/
$im = new hft_image ($destination);
$im -> set_parameters($CONFIG['jpeg_qual']);
$im -> resize($CONFIG['thumb_width'], $CONFIG['thumb_width'], 0);
$im -> imagecreatefromfile($destination);
$im -> output_resized($thumb);
$date = time () + $GLOBALS['timeplus'];
$kategori = $_POST['kategory'];
$type = "aktif";
$hasil = mysql_query("INSERT INTO ".$GLOBALS['tabel']['gallery']." (name,
width, height, modified, size, kid) VALUES ('$simpanfile', '$width',
'$height', '$date', '$filessizes', '$kategory')");
$query = mysql_query("UPDATE ".$GLOBALS['tabel']['gallery']."_kat SET
total=total+1 WHERE id='$kategory'");
//$admin .="<li>$finame - $simpanfile<br>";
$admin .="<!-- Start standard table --><p>
        <TABLE class=maintable cellSpacing=1 cellPadding=0 width=400
align=center>
                    <TBODY>
                    <TR>
                      <TD class=tableh2_compact colSpan=2><B>Informasi
                      file</B></TD></TR><TR>
                     <TD   class=tableb_compact   vAlign=center   noWrap
rowspan=6><p align=center><img src='$tnpath$simpanfile'><p></TD>
                      <TD      class=tableb_compact>Nama      File      :
$finame</TD></TR>
                    <TR>
                      <TD class=tableb_compact>Dimensi : $width x $height
Pixel</TD></TR>
                    <TR>
                      <TD  class=tableb_compact>Filesize  :  $filessizes
Byte</TD></TR>
                    <TR>
                      <TD class=tableb_compact>Pengirim : $nama</TD></TR>
                    <TR>
                      <TD class=tableb_compact>Email : $email</TD></TR>
                    <TR>
                      <TD                        class=tableb_compact>$date
WIB</TD></TR></TBODY></TABLE><!-- End standard table --></p>";
}#end if File size
unlink ("temp/$kode(#)$finame");
}#rnd If empty
}##end For
}
```

```
$admin.= "Silahkan Add Image <br>Album gallery ini support dengan file
JPG, JPEG, PNG dan GIF";
$admin.= "<form action=''  method='post' enctype ='multipart/form-data'>
<table  border='0'  cellpadding='2'  style='border-collapse:  collapse'
bordercolor='#111111' width='100%' id='AutoNumber1'>
  <tr>
    <td width='18%'>Nama</td>
    <td width='2%'>:</td>
    <td   width='80%'><input   class='input'   type='text'   name='nama'
value='$_SESSION[SES_USERNAME]' size='30'></td>
  </tr>
  <tr>
    <td width='18%'>Email</td>
    <td width='2%'>:</td>
    <td   width='80%'><input   class='input'   type='text'   name='email'
value='$_SESSION[SES_EMAIL]' size='30'></td>
  </tr>
  <tr>
    <td width='18%'>Kategory</td>
    <td width='2%'>:</td>
    <td width='80%'><select size='1' name='kategory'>";
   $admin.="<option value=''>Uncategoriez</option>";
$hasil2 = mysql_query("SELECT * FROM ".$GLOBALS['tabel']['gallery']."_kat
ORDER BY name");
while($data = mysql_fetch_array($hasil2))
 {
$KATEGORI = $data['name'];
$ID = $data['id'];
$TOTAL = $data['total'];
$admin.="<option value='$ID'>$KATEGORI ($TOTAL)</option>";
}
$admin.="</select></td></tr>
  <tr>
    <td width='18%'>photo</td>
    <td width='2%'>:</td>
    <td  width='80%'><input  class='input'  type='file'  name='namafile[]'
size='40'></td>
  </tr>
  <tr>
    <td width='18%'>photo</td>
    <td width='2%'>:</td>
    <td  width='80%'><input  class='input'  type='file'  name='namafile[]'
size='40'></td>
  </tr>
  <tr>
    <td width='18%'>photo</td>
    <td width='2%'>:</td>
    <td  width='80%'><input  class='input'  type='file'  name='namafile[]'
size='40'></td>
  </tr>
  <tr>
    <td width='18%'>photo</td>
    <td width='2%'>:</td>
    <td  width='80%'><input  class='input'  type='file'  name='namafile[]'
size='40'></td>
  </tr>
  <tr>
    <td width='18%'>photo</td>
    <td width='2%'>:</td>
    <td  width='80%'><input  class='input'  type='file'  name='namafile[]'
size='40'></td>
  </tr>
  <tr>
    <td width='18%'><input type='hidden' name='upload' value='ya'></td>
```

```
    <td width='2%'> </td>
    <td width='80%'> </td>
  </tr>
  <tr>
    <td width='18%'> </td>
    <td width='2%'> </td>
    <td  width='80%'><input  class='button'  type='submit'  value='Kirim'
name='submit'>    
    <input class='button' type='reset' value='Reset' name='B2'></td>
  </tr>
  <tr>
    <td width='18%'> </td>
    <td width='2%'> </td>
    <td width='80%'> </td>
  </tr>
</table>
</form>
<p> </p>";
}
$bingkai = <<<EOT
<!--star border-->
<table   class='album'   cellSpacing='1'   cellPadding='0'   width='90'
height='90' border='0'>
  <tr>
    <td>
    <table  class='album1'  cellSpacing='0'  cellPadding='0'  width='90'
height='90' border='0'>
      <tr             onmouseover="this.style.backgroundColor='#fffbf0';"
onmouseout="this.style.backgroundColor='';">
        <td><center>{photo}</center></td>
      </tr>
    </table>
    </td>
  </tr>
</table><!--/star border-->
EOT;
if (!isset ($_GET['aksi'])) $_GET['aksi'] = '';
if (!isset ($_GET['type'])) $_GET['type'] = '';
if (isset ($_GET['pg'])) $pg = int_filter ($_GET['pg']); else $pg = 1;
if (isset ($_GET['stg'])) $stg = int_filter ($_GET['stg']); else $stg =
1;
if (isset ($_GET['offset'])) $offset = int_filter ($_GET['offset']); else
$offset = '';
if (isset ($_GET['order'])) $order = $_GET['order']; else $order = Null;
if (isset ($_GET['sort'])) $sort = $_GET['sort']; else $sort = Null;
if ($_GET['aksi'] == '' && $_GET['type'] != 'getalbums'){
//$admin .= '<br>';
 $arr = explode("&",$_SERVER["QUERY_STRING"]);
      if (is_array($arr)) {
            $qs = '';
        for ($i=0;$i<count($arr);$i++) {
          if            (!is_int(strpos($arr[$i],"sort="))            &&
!is_int(strpos($arr[$i],"order=")) && trim($arr[$i]) != "") {
                $qs .= $arr[$i]."&";
          }
        }
      }
      //$order = 'asc';
$admin .= '<p align=right class="albumcontent">Sorting : <a href="?' .
$qs   .  'sort=name&order='.($order=='asc'?'dsc':'asc').'">Name</a>  |  <a
href="?'                .              $qs                              .
'sort=modified&order='.($order=='asc'?'dsc':'asc').'">Modified</a>  |  <a
href="?'                .              $qs                              .
'sort=size&order='.($order=='asc'?'dsc':'asc').'">Size</a> </p>';
```

```
//$open = @unserialize (bukafile('data/_.txt'));
$query = mysql_query ("SELECT * FROM ".$GLOBALS['tabel']['gallery']."_kat
ORDER BY name");
//$open = array ();
while ($data = mysql_fetch_array ($query)){
$open['albums'][]    =    array    ('name'    =>$data['name'],    'albums'=>
$data['id'], 'images'=>$data['total']);
}
$query  =  mysql_query  ("SELECT  *  FROM  ".$GLOBALS['tabel']['gallery']."
WHERE kid='0' ORDER BY id DESC");
while ($data = mysql_fetch_array ($query)){
$open['images'][]    =    array    ('name'    =>$data['name'],    'thumb'=>
$data['name'],     'width'=>$data['width'],     'height'=>$data['height'],
'modified'=>$data['modified'], 'size'=>$data['size']);
}
$admin                        .="<form                        method='post'
action='admin.php?pilih=admin_gallery&aksi=massdelete' id='album'>";
if (is_array (@$open))
{
             if (isset ($sort) && $sort == 'name'){
      multisort($open['images'], $sort, $order);
      multisort($open['albums'], $sort, $order);
}elseif ($sort == 'modified'){
multisort($open['images'], $sort, $order, SORT_NUMERIC);
}elseif ($sort == 'size'){
      multisort($open['albums'], 'images', $order, SORT_NUMERIC);
      multisort($open['images'], $sort, $order, SORT_NUMERIC);
}
if (!is_array (@$open['images'])){
      $open['images'] = array ();
}
if (!is_array (@$open['albums'])){
      $open['albums'] = array ();
}
      $merge = array_merge (@$open['albums'], @$open['images']);
      $admin.=  "<table  border=\"0\"  cellpadding=\"4\"  width=\"100%\"
class=\"albumcontent\"><tr>";
             $jumlah =  count ($merge);
             $limit = 12;
             $awal = 0;
             $pembagian = new paging ($limit);
             $jml = $limit;
             if ($offset == ''){
                    $page = 0;
                    $offset = NULL;
                    $awal = 0;
                    $jml = $limit;
             }elseif ($offset != 0) {
                    $awal = $offset ;
                    $jml =  $jumlah;
             }
             if ($jumlah < $limit){
                          $jml = $jumlah;
                          }
//$a = 1;
 $arr = explode("&",$_SERVER["QUERY_STRING"]);
      if (is_array($arr)) {
            $qs = '';
        for ($i=0;$i<count($arr);$i++) {
          if             (!is_int(strpos($arr[$i],"pg="))             &&
!is_int(strpos($arr[$i],"stg="))  &&  !is_int(strpos($arr[$i],"offset="))
&& trim($arr[$i]) != "") {
                $qs .= $arr[$i]."&";
          }
```

```
       }
      }
      $a = 1;
     $totalalbum = @count ($open['albums']);
      for ($i=$awal; $i<$jml; $i++){
             //echo $val['file'];
if (isset ($merge[$i]['albums'])){
              $admin.= "<td height='150' align='center'>";
$dataphoto          ="<a          href=\"?".$qs."type=getalbums&albums=".
$merge[$i]['albums']   ."\" title=\"Album : ".$merge[$i]['name']."\"><img
src=\"images/folder.gif\" border='0'></a>";
###################################################################
$admin .= str_replace('{photo}', $dataphoto , $bingkai);
###################################################################
$admin        .="<center><input        type=checkbox        name=images[]
value=\"".$merge[$i]['albums']."\"><br>".     limitTXT($merge[$i]['name'],
10) ."<br> Image ".$merge[$i]['images']."</center></td>";
 if ( $a % $pptabel == 0 ) {
    $admin.= "</tr><tr>";
  }
$a = $a + 1;
if ($a == ($limit+1)){
      break;
}
}
if (isset ($merge[$i]['thumb'])){
              $admin.= "<td height='150' align='center'>";
              $lengtim = $i-$totalalbum;
$dataphoto                                                          ="<a
href='ImageEditor/edit_gambar.php?imageName=".$merge[$i]['name']."'
title=\"FileName                :                ".$merge[$i]['name']."\"
onClick=\"flevPopupLink(this.href,'filedetail','scrollbars=yes,resizable=
yes',1);return   document.MM_returnValue;\"><img      src=\"$tnpath/"   .
$merge[$i]['thumb'] . "\" border='0'></a>";
###################################################################
$admin .= str_replace('{photo}', $dataphoto , $bingkai);
###################################################################
$admin        .="<center><input        type=checkbox        name=images[]
value=\"".$merge[$i]['name']."\"><br>".  limitTXT($merge[$i]['name'],  10)
."<br> size ". fsize ($merge[$i]['size']) ."</center></td>";
 if ( $a % $pptabel == 0) {
    $admin.= "</tr><tr>";
  }
$a = $a + 1;
if ($a == ($limit+1)){
      break;
}
}
                          }
$admin.= "</td></tr></table>";
$admin .= $pembagian-> getPaging($jumlah, $pg, $stg);
//end isset $open['images']
}
$admin     .=     "<p> </p><a     href=\"javascript:checkall('album',
'images[]')\" title='Select All'>Check All</a><br><br>";
$admin    .="<input    type=submit    value='Delete    Selected    Images'
name='Hapus'>  <input type=submit value='Pindahkan' name='Pindah'>";
$admin .="</form><p> </p>";
}
if ($_GET['type'] == 'getalbums'){
       //buatTHUMB ('thumb', 'mypict', $_GET['albums'], $_GET['albums']);
       $admin .= '';
        $arr = explode("&",$_SERVER["QUERY_STRING"]);
      if (is_array($arr)) {
```

```
            $qs = '';
          for ($i=0;$i<count($arr);$i++) {
            if            (!is_int(strpos($arr[$i],"sort="))            &&
!is_int(strpos($arr[$i],"order=")) && trim($arr[$i]) != "") {
                  $qs .= $arr[$i]."&";
            }
          }
        }
        //$order = 'asc';
$admin .= '<p align=right class="albumcontent">Sorting : <a href="?' .
$qs   .  'sort=name&order='.($order=='asc'?'dsc':'asc').'">Name</a>  |  <a
href="?'                .                $qs                .
'sort=modified&order='.($order=='asc'?'dsc':'asc').'">Modified</a>  |  <a
href="?'                .                $qs                .
'sort=size&order='.($order=='asc'?'dsc':'asc').'">Size</a> </p>';
        $admins = urldecode ($_GET['albums']);
//$open = unserialize (bukafile ('data/' . $admins . '.txt'));
$id = int_filter ($_GET['albums']);
        $query       =       mysql_query       ("SELECT       *       FROM
".$GLOBALS['tabel']['gallery']." WHERE kid='$id' ORDER BY id DESC");
        while ($data = mysql_fetch_array ($query)) {
              $open['images'][] = array ('name' =>$data['name'], 'thumb'=>
$data['name'],     'width'=>$data['width'],     'height'=>$data['height'],
'modified'=>$data['modified'], 'size'=>$data['size']);
        }
 if (isset ($open['images'])){
         $admin                .="<form                    method='post'
action='admin.php?pilih=admin_gallery&aksi=massdelete' id='album'>";
              $admin.=     "<table     border=\"0\"     cellpadding=\"4\"
width=\"100%\" class=\"albumcontent\"><tr>";
        if (isset ($sort) && $sort == 'name'){
        multisort($open['images'], $sort, $order);
}elseif ($sort == 'modified'){
multisort($open['images'], $sort, $order, SORT_NUMERIC);
}elseif ($sort == 'size'){
        multisort($open['images'], $sort, $order, SORT_NUMERIC);
}
              $count = 12;
              $jumlah = count ($open['images']);
              $limit = 12;
              $awal = 0;
              $pembagian = new paging ($limit);
              $jml = $limit;
              if ($offset == ''){
                    $page = 0;
                    $offset = NULL;
                    $awal = 0;
                    $jml = $limit;
              }elseif ($offset != 0) {
                    $awal = $offset ;
                    $jml =  $jumlah;
              }
              if ($jumlah < $limit){
                          $jml = $jumlah;
              }
$a = 1;
 $arr = explode("&",$_SERVER["QUERY_STRING"]);
        if (is_array($arr)) {
              $qs = '';
          for ($i=0;$i<count($arr);$i++) {
            if            (!is_int(strpos($arr[$i],"pg="))            &&
!is_int(strpos($arr[$i],"stg="))  &&  !is_int(strpos($arr[$i],"offset="))
&& !is_int(strpos($arr[$i],"type=")) && trim($arr[$i]) != "") {
                  $qs .= $arr[$i]."&";
```

```
          }
        }
      }
       for ($i=$awal; $i<$jml; $i++){
              $admin.= "<td height='150' align='center'>";
$dataphoto                                                    ="<a
href=\"ImageEditor/edit_gambar.php?imageName=".$open['images'][$i]['thumb
'])."\"      title=\"FileName      :      ".$open['images'][$i]['name']."\"
onClick=\"flevPopupLink(this.href,'filedetail','scrollbars=yes,resizable=
yes',1);return   document.MM_returnValue;\"><img       src=\"$tnpath"    .
$open['images'][$i]['thumb'] . "\" border='0'></a>";
###############################################################
$admin .= str_replace('{photo}', $dataphoto , $bingkai);
###############################################################
$admin        .="<center><input        type=checkbox        name=images[]
value=\"".$open['images'][$i]['name']."\"><br>".
limitTXT($open['images'][$i]['name'],    12)    ."<br>    size    ".    fsize
($open['images'][$i]['size']) ."</center></td>";
 if ( $a % $pptabel == 0 ) {
    $admin.= "</tr><tr>";
  }
$a= $a + 1;
if ($a == ($limit+1)){
      break;
}
             }
$admin.= "</td></tr></table>";
$admin .= $pembagian-> getPaging($jumlah, $pg, $stg);
$admin     .=     "<p> </p><a     href=\"javascript:checkall('album',
'images[]')\" title='Select All'>Check All</a><br><br>";
$admin    .="<input    type=submit    value='Delete    Selected    Images'
name='Hapus'>  <input type=submit value='Pindahkan' name='Pindah'>";
$admin .="</form><p> </p>";
}
//end isset $open['images']
}
if ($_GET['aksi'] == 'lihat'){
       $admin .= '<br>';
if (!isset ($_GET['albums'])){
       //$open = unserialize (bukafile('data/_.txt'));
       $query       =       mysql_query       ("SELECT       *       FROM
".$GLOBALS['tabel']['gallery']." WHERE kid='0' ORDER BY id DESC");
//$open = array ();
while ($data = mysql_fetch_array ($query)){
$open['images'][]    =    array    ('name'    =>$data['name'],    'thumb'=>
$data['name'],     'width'=>$data['width'],     'height'=>$data['height'],
'modified'=>$data['modified'], 'size'=>$data['size']);
}
       $count = count($open['images']);
if (isset ($sort) && $sort == 'name'){
       multisort($open['images'], $sort, $order);
}elseif ($sort == 'modified'){
multisort($open['images'], $sort, $order, SORT_NUMERIC);
}elseif ($sort == 'size'){
       multisort($open['images'], $sort, $order, SORT_NUMERIC);
}
 $arr = explode("&",$_SERVER["QUERY_STRING"]);
      if (is_array($arr)) {
            $qs = '';
        for ($i=0;$i<count($arr);$i++) {
          if            (!is_int(strpos($arr[$i],"aksi="))            &&
!is_int(strpos($arr[$i],"image=")) && trim($arr[$i]) != "") {
                $qs .= $arr[$i]."&";
          }
```

```
        }
       }
       $intimg = int_filter ($_GET['image']);
       if ($intimg > $count-1) {
              header ("location:admin.php?pilih=admin_gallery");
              exit;
       }
       $images = $open['images'][$intimg]['name'];
       $dimensi       =       cekimage($open['images'][$intimg]['width'],
$open['images'][$intimg]['height'],300,300);
       $current = "Image " .($intimg+1). " Of $count <br> $images <br>
Dimension   :   "   .   $open['images'][$intimg]['width']   .   "   x   "   .
$open['images'][$intimg]['height']."    <br>    Size    :    "    .    fsize
($open['images'][$intimg]['size'])      ."<br>      "      .      transCAL
($open['images'][$intimg]['modified'], true)  ." ";
       $prevImg = '';
       if ($intimg > 0){
       $imgprev = $open['images'][$intimg-1]['thumb'];
       $imgf = limitTxt ($open['images'][$intimg-1]['name'], 12);
       $prevImg = '<td width=25% valign=top align=center>
     <table  class="album"  cellSpacing="1"  cellPadding="0"  width="90"
height="90" border="0">
  <tr>
    <td>
    <table  class="album1"  cellSpacing="0"  cellPadding="0"  width="90"
height="90" border="0">
      <tr>
        <td><center>
      <a   href="?'.$qs.'aksi=lihat&image='   .($intimg-1).      '"><img
src="'.$tnpath.$imgprev.'" border=0></a>
      </td>
      </tr>
    </table>
    </td>
  </tr>
</table><!--/star border-->
' . $imgf . '<br>
     &laquo; Previous
    </td>';
              }
       $nextImg = '';
       if ($intimg < $count-1){
       $imgnext = $open['images'][$intimg+1]['thumb'];
       $imgn = limitTxt ($open['images'][$intimg+1]['name'], 12);
       $nextImg = '<td width=25% valign=top align=center>
        <table  class="album"  cellSpacing="1"  cellPadding="0"  width="90"
height="90" border="0">
  <tr>
    <td>
    <table  class="album1"  cellSpacing="0"  cellPadding="0"  width="90"
height="90" border="0">
      <tr>
        <td><center>
      <a   href="?'.$qs.'aksi=lihat&image='   .($intimg+1).      '"><img
src="'.$tnpath.$imgnext.'" border=0></a>
      </td>
      </tr>
    </table>
    </td>
  </tr>
</table><!--/star border-->
' . $imgn . '<br>
Next &raquo;
    </td>';
```

```
            }
      $admin  .=  '<table  width="650"  cellSpacing="1"  cellPadding="1"
align=center>
  <tr>
    ' . $prevImg . '
    <td width=50% bgcolor="#e2e2e2">
  <table border="0"  width="100%" bgcolor="#fbfbfb">
  <tr>
    <td align=center>
    <img  src="'.$tpath.$images.'"  border=0  width="'.  $dimensi[0]  .'"
height="'. $dimensi[1]  .'" border=0><br><br>
   ' . $current . '
    </td>
  </tr>
</table>
    </td>
    ' . $nextImg . '
  </tr>
</table>';
}
else{
      $admins = urldecode ($_GET['albums']);
      $dir = 'thumb/' . $admins;
      $pathDest = 'mypict/' . $admins;
      $ID = int_filter ($_GET['albums']);
      //$open = unserialize (bukafile('data/' .$admins . '.txt'));
            $query     =     mysql_query     ("SELECT     *     FROM
".$GLOBALS['tabel']['gallery']." WHERE kid='$ID' ORDER BY id DESC");
//$open = array ();
while ($data = mysql_fetch_array ($query)){
$open['images'][]    =    array    ('name'    =>$data['name'],    'thumb'=>
$data['name'],     'width'=>$data['width'],     'height'=>$data['height'],
'modified'=>$data['modified'], 'size'=>$data['size']);
}
      $count = count($open['images']);
if (isset ($sort) && $sort == 'name'){
      multisort($open['images'], $sort, $order);
}elseif ($sort == 'modified'){
multisort($open['images'], $sort, $order, SORT_NUMERIC);
}elseif ($sort == 'size'){
      multisort($open['images'], $sort, $order, SORT_NUMERIC);
}
 $arr = explode("&",$_SERVER["QUERY_STRING"]);
      if (is_array($arr)) {
            $qs = '';
        for ($i=0;$i<count($arr);$i++) {
          if            (!is_int(strpos($arr[$i],"aksi="))            &&
!is_int(strpos($arr[$i],"image=")) && trim($arr[$i]) != "") {
                $qs .= $arr[$i]."&";
          }
        }
      }
      $intimg = int_filter ($_GET['image']);
      if ($intimg > $count-1) {
            header ("location:admin.php?pilih=admin_gallery");
            exit;
      }
      $images = $open['images'][$intimg]['name'];
      $dimensi       =       cekimage($open['images'][$intimg]['width'],
$open['images'][$intimg]['height'],300,300);
      $current = "Image " .($intimg+1). " Of $count <br> $images <br>
Dimension   :   "   .   $open['images'][$intimg]['width']   .   "   x   "   .
$open['images'][$intimg]['height']."    <br>    Size    :    "    .    fsize
```

```
($open['images'][$intimg]['size'])      ."<br>      "      .      transCAL
($open['images'][$intimg]['modified'], true)  ." ";
       $prevImg = '';
       if ($intimg > 0){
       $imgprev = $open['images'][$intimg-1]['thumb'];
       $imgf = limitTxt ($open['images'][$intimg-1]['name'], 12);
       $prevImg = '<td width=25% valign=top align=center>
     <table  class="album"  cellSpacing="1"  cellPadding="0"  width="90"
height="90" border="0">
  <tr>
    <td>
    <table  class="album1"  cellSpacing="0"  cellPadding="0"  width="90"
height="90" border="0">
      <tr>
        <td><center>
      <a   href="?'.$qs.'aksi=lihat&image='   .($intimg-1).      '"><img
src="'.$tnpath.$imgprev.'" border=0></a>
      </td>
      </tr>
    </table>
    </td>
  </tr>
</table><!--/star border-->
' . $imgf . '<br>
     &laquo; Previous
    </td>';
             }
       $nextImg = '';
       if ($intimg < $count-1){
       $imgnext = $open['images'][$intimg+1]['thumb'];
       $imgn = limitTxt ($open['images'][$intimg+1]['name'], 12);
       $nextImg = '<td width=25% valign=top align=center>
        <table  class="album"  cellSpacing="1"  cellPadding="0"  width="90"
height="90" border="0">
  <tr>
    <td>
    <table  class="album1"  cellSpacing="0"  cellPadding="0"  width="90"
height="90" border="0">
      <tr>
        <td><center>
      <a   href="?'.$qs.'aksi=lihat&image='   .($intimg+1).      '"><img
src="'.$tnpath.$imgnext.'" border=0></a>
      </td>
      </tr>
    </table>
    </td>
  </tr>
</table><!--/star border-->
' . $imgn . '<br>
Next &raquo;
    </td>';
             }
       $admin  .=  '<table  width="650"  cellSpacing="1"  cellPadding="1"
align=center>
  <tr>
    ' . $prevImg . '
    <td width=50% bgcolor="#e2e2e2">
  <table border="0"  width="100%" bgcolor="#fbfbfb">
  <tr>
    <td align=center>
    <img  src="'.$tpath.$images.'"  border=0  width="'.  $dimensi[0]  .'"
height="'. $dimensi[1]  .'" border=0><br><br>
   ' . $current . '
    </td>
```

```
  </tr>
</table>
    </td>
    ' . $nextImg . '
  </tr>
</table>';
}
}
if (@$_GET['aksi'] == 'massdelete') {
if (isset ($_POST['Hapus'])){
$im = count ($_POST['images']);
if ($im > 0) {
for ($i=0; $i<$im; $i++){
//echo $images[$i] . '<br>';
if (is_numeric ($_POST['images'][$i])){
       $kid = $_POST['images'][$i];
$query = mysql_query ("SELECT name FROM ".$GLOBALS['tabel']['gallery']."
WHERE kid='$kid'");
while ($data = mysql_fetch_array ($query)) {
$name = $data['name'];
unlink ($tpath.$name);
unlink($tnpath.$name);
}
$query2 = mysql_query ("DELETE FROM ".$GLOBALS['tabel']['gallery']."
WHERE kid='".$_POST['images'][$i]."'");
$query3 = mysql_query ("DELETE FROM ".$GLOBALS['tabel']['gallery']."_kat
WHERE id='".$_POST['images'][$i]."'");
}else {
$result       =       mysql_query("SELECT       id,name,kid       FROM
".$GLOBALS['tabel']['gallery']." WHERE name='".$_POST['images'][$i]."'");
while ($row = mysql_fetch_array($result)) {
//penglangan
$gid=$row['id'];
$name = $row['name'];
$kid = $row['kid'];
unlink ($tpath.$name);
unlink($tnpath.$name);
//penglangan
}
$query = mysql_query("DELETE FROM ".$GLOBALS['tabel']['gallery']." WHERE
name='".$_POST['images'][$i]."'");
$hasil        =        mysql_query("SELECT        total,id        FROM
".$GLOBALS['tabel']['gallery']."_kat WHERE id='$kid'");

       $data = mysql_fetch_array($hasil);
       $TOTAL = $data['total'];
       $id = $data['id'];
       if ($TOTAL > 0){
       $hasil5 = mysql_query("UPDATE ".$GLOBALS['tabel']['gallery']."_kat
SET total=total-1 WHERE id='$id'");
}
}
}##end FOR
header ("location:admin.php?pilih=admin_gallery");
}
}
if (isset ($_POST['Pindah'])){
if     (session_is_registered     ("Gallery_Move"))     session_unregister
("Gallery_Move");
session_register ("Gallery_Move");
$Gallery_Move = array ();
$im = count ($_POST['images']);
for ($i=0; $i<$im; $i++){
       if (!is_numeric ($_POST['images'][$i])){
```

```
$Gallery_Move[] = $_POST['images'][$i];
}
}##end FOR
header ("location:?pilih=admin_gallery&aksi=pindahkan");
       exit;
}
}
if (@$_GET['aksi'] == 'pindahkan') {
       if (isset ($_POST['submit'])){
if (session_is_registered ("Gallery_Move")){
for ($i=0; $i<count($_SESSION['Gallery_Move']); $i++){
$result        =        mysql_query("SELECT        id,name,kid        FROM
".$GLOBALS['tabel']['gallery']."                                        WHERE
name='".$_SESSION['Gallery_Move'][$i]."'");
while ($row = mysql_fetch_array($result)) {
//penglangan
$gid=$row['id'];
$namafiles = $row['name'];
$kat = $row['kid'];
//penglangan
}
$kategori = $kat;
$types = $type;
$query   =   mysql_query("UPDATE   ".$GLOBALS['tabel']['gallery']."   SET
kid='$_POST[kategory]' WHERE name='".$_SESSION['Gallery_Move'][$i]."'");
$query2  =  mysql_query("UPDATE  ".$GLOBALS['tabel']['gallery']."_kat  SET
total=total+1 WHERE id='$_POST[kategory]'");
$query3  =  mysql_query("UPDATE  ".$GLOBALS['tabel']['gallery']."_kat  SET
total=total-1 WHERE id='".$kat."'");
//Gallery_katId
}##end FOR
}
session_unregister ("Gallery_Move");
header ("location:?pilih=admin_gallery");
exit;
}
$admin    .=    "<form    method='POST'    action=''><select    size='1'
name='kategory'>";
$admin.="<option value=''>Uncategoriez</option>";
$hasil2 = mysql_query("SELECT * FROM ".$GLOBALS['tabel']['gallery']."_kat
ORDER BY name");
while($data = mysql_fetch_array($hasil2))
 {
$KATEGORI = $data['name'];
$ID = $data['id'];
$TOTAL = $data['total'];
$admin.="<option value='$ID'>$KATEGORI ($TOTAL)</option>";
}
$admin.="</select>  <input  type='submit'  name='submit'  value='simpan'>
</form>";
}
?>
```

(1.4)(2.4)admin_guestbook.php

```
<?php
/**
* my weblogs
* version 1.0
* Author : Peter Vannes
* Email  : peter_fu@yahoo.com
* File        : navigasi.php
*
* Last Modified : May 16, 2007 03:07:22 PM
**/
```

```
defined( 'peter' ) or die( 'Direct Access to this location is not
allowed.' );
if ($_SESSION['SES_PRIV'][0] == 'all'){
$sssssssssssssss = 'ok';
}
elseif(!in_array( basename(__FILE__), $_SESSION['SES_PRIV'], true)){
die( 'Direct Access to this location is not allowed.' );
}
include 'includes/char.php';
function index_gb (){
global $SQL,$offset,$pg,$stg;
$limit = 5;
$gb = '';
$filename = "js/alert.txt";
       $fp = fopen($filename, "r");
       $gb.= fread($fp, filesize($filename));
       fclose($fp);
if (empty($offset) and !isset ($offset)) {
$offset = 0;
}
$num = mysql_query("SELECT id FROM ".$GLOBALS['tabel']['guestbook']."
ORDER BY id DESC");
$jumlah = mysql_num_rows ($num);
$a = new paging ($limit);
$result = mysql_query("SELECT * FROM ".$GLOBALS['tabel']['guestbook']."
ORDER BY id DESC LIMIT $offset, $limit");
$gb.= $a-> getPaging($jumlah, $pg, $stg);
// Pembagian halaman selesai
$no = 0;
$gb .= '<p> </p>';
$gb.='<div class="big_div">';
while ($row = mysql_fetch_array($result)) {
$message = $row['message'];
$pesan = char($message,'');
$jawab = char ($row['jawab'], '');
$url = $row['url'];
$id = $row['id'];
$pesan                          =                              preg_replace(
'/(http|ftp)+(s)?:(\/\/)((\w|\.){2}+)(\/)?(\S+)?/i', '<a class="RegText"
href="\0" target="_blank">\0</a>', $pesan );
$pesan = preg_replace( '/(\w+[a-z]+[._a-z0-9-]+\@)(\S+)(\.[a-z]{2,4})/i',
'<a class="RegText" href="contact?mail=\0">\0</a>', $pesan );
if ($no % 2 == 0) {
$class ="class=white";
}else {
$class = 'class=gray';
}
$gb.= "
<div $class>
<table cellpadding=\"2\" cellspacing=\"0\" width=\"100%\">
  <tr>
    <td width=\"21%\">Tanggal</td>
    <td width=\"2%\">:</td>
    <td width=\"77%\">$row[date] WIB</td>
  </tr>
  <tr>
    <td width=\"21%\">Nama</td>
    <td width=\"2%\">:</td>
    <td width=\"77%\">$row[name]</td>
  </tr>
  <tr>
    <td width=\"21%\">E-mail</td>
    <td width=\"2%\">:</td>
    <td width=\"77%\"><a href='mailto:$row[mail]'>$row[mail]</a></td>
```

```
  </tr>";
  if (!empty ($url))
    {
    $gb .="<tr><td width=\"21%\">HomePage</td>
    <td width=\"2%\">:</td>
    <td width=\"77%\"><a href='$url' target='_blank'>$url</a></td>
  </tr>";
}
 $gb .="<tr>
    <td width=\"21%\" valign=\"top\" >Pesan</td>
    <td width=\"2%\" valign=\"top\">:</td>
    <td width=\"77%\" valign=\"top\">$pesan</td>
  </tr>";
   $gb .="<tr>
    <td width=\"21%\" valign=\"top\" >Jawab</td>
    <td width=\"2%\" valign=\"top\">:</td>
    <td width=\"77%\" valign=\"top\"><i>$jawab</i></td>
  </tr>";
if (!isset ($_GET['pg'],$_GET['stg'],$_GET['offset'])){
$Pg = 1;
$Stg = 1;
$Offset = 0;
}else {
$Pg = $_GET['pg'];
$Stg = $_GET['stg'];
$Offset = $_GET['offset'];
}
  $gb .="<tr>
    <td width=\"21%\" valign=\"top\" >Hapus</td>
    <td width=\"2%\" valign=\"top\">:</td>
    <td            width=\"77%\"            valign=\"top\">            <a
href='?pilih=admin_guestbook&aksi=jawab&id=$id&pg=$Pg&stg=$Stg&offset=$Of
fset'>Tanggapan</a> | <a href='?pilih=admin_guestbook&aksi=delete&id=$id'
onclick=\"return      confirmLink(this,      'DELETE      FROM      `$id`
')\">Hapus</a></td>
  </tr>";
  $no++;
 $gb.= "</table>";
 $gb .="</div>";
}
$gb.='<div class="white" style="background-color: #99CCFF; margin-bottom:
0px;"></div>';
$gb.='</div>';
return $gb;
}
function jawab ($id){
       global $SQL;
if (isset ($_POST['submit'])){
$result  =  mysql_query("UPDATE  ".$GLOBALS['tabel']['guestbook']."  SET
jawab='$_POST[jawab]' WHERE id='$_GET[id]'");
header
("location:?pilih=admin_guestbook&pg=$_GET[pg]&stg=$_GET[stg]&offset=$_GE
T[offset]");
exit;
}
$result = mysql_query("SELECT * FROM ".$GLOBALS['tabel']['guestbook']."
WHERE id='$_GET[id]'");
while ($row = mysql_fetch_array($result)) {
$message = $row['message'];
$pesan = char($message,'');
$jawab = char ($row['jawab'], '');
$url = $row['url'];
$id = $row['id'];
```

```
$pesan                          =                          preg_replace(
'/(http|ftp)+(s)?:(\/\/)((\w|\.){2}+)(\/)?(\S+)?/i',  '<a  class="RegText"
href="\0" target="_blank">\0</a>', $pesan );
$pesan = preg_replace( '/(\w+[a-z]+[._a-z0-9-]+\@)(\S+)(\.[a-z]{2,4})/i',
'<a class="RegText" href="contact?mail=\0">\0</a>', $pesan );
$gb= "
<table cellpadding=\"2\" cellspacing=\"0\" width=\"100%\">
  <tr>
    <td width=\"21%\">Tanggal</td>
    <td width=\"2%\">:</td>
    <td width=\"77%\">$row[date] WIB</td>
  </tr>
  <tr>
    <td width=\"21%\">Nama</td>
    <td width=\"2%\">:</td>
    <td width=\"77%\">$row[name]</td>
  </tr>
  <tr>
    <td width=\"21%\">E-mail</td>
    <td width=\"2%\">:</td>
    <td width=\"77%\"><a href='mailto:$row[mail]'>$row[mail]</a></td>
  </tr>";
  if (!empty ($url))
    {
    $gb .="<tr><td width=\"21%\">HomePage</td>
    <td width=\"2%\">:</td>
    <td width=\"77%\"><a href='$url' target='_blank'>$url</a></td>
  </tr>";
}
 $gb .="<tr>
    <td width=\"21%\" valign=\"top\" >Pesan</td>
    <td width=\"2%\" valign=\"top\">:</td>
    <td width=\"77%\" valign=\"top\">$pesan</td>
  </tr>";
   $gb.= "</table>";
}
$gb .= '<p> </p>';
$gb .= '<form method="POST" action="">
  <p>
  <textarea rows="4" name="jawab" cols="51">'. $jawab .'</textarea></p>
  <p><input type="submit" value="jawab" name="submit"></p>
</form>';
return $gb;
}
function delete_gb ($id){
       global $SQL;
$result  =  mysql_query("DELETE  FROM  ".$GLOBALS['tabel']['guestbook']."
WHERE id='$id'");
header ("location:admin.php?pilih=admin_guestbook");
}
if (!isset ($aksi)) $aksi = '';
switch ($aksi) {
case '':
    //echo "i equals 0";
    $admin .= index_gb ();
    break;
case 'jawab':
     $admin .= jawab ($id);
    break;
case 'delete':
    delete_gb ($id);
    break;
}
?>
```

(1.5)(2.5)admin_info.php

```
<?php
/**
* my weblogs
* version 1.0
* Author : Peter Vannes
* Email  : peter_fu@yahoo.com
* File        : navigasi.php
*
* Last Modified : May 16, 2007 03:07:22 PM
**/
defined( 'peter' ) or die( 'Direct Access to this location is not
allowed.' );
if ($_SESSION['SES_PRIV'][0] == 'all'){
$sssssssssssssss = 'ok';
}
elseif(!in_array( basename(__FILE__), $_SESSION['SES_PRIV'], true)){
die( 'Direct Access to this location is not allowed.' );
}
$admin .="<h2>Account Info </h2>";
if (isset ($_POST['submit'])){
include 'includes/login.auth.lib.php';
//$GLOBALS['rahasia_password']
$password = peter_encrypt($password, $GLOBALS['rahasia_password']);
if (!empty($password)){
$SQL->connect(1);
$hasil = mysql_query("SELECT * FROM ".$GLOBALS['tabel']['users']." WHERE
username='$_SESSION[SES_USERNAME]' and password='$password'");
$data = mysql_fetch_array($hasil);
if ($password !== $data['password']){
$admin .="Maaf Password lama anda salah";
$time_login = $_POST['timelogin'];
}else {
$newpassword = strtolower($newpassword);
$newpassword1 = strtolower($newpassword1);
if ($newpassword == $newpassword1 and !empty($newpassword)){
$newpassword = peter_encrypt($newpassword, $GLOBALS['rahasia_password']);
$hasil   =   mysql_query("UPDATE   ".$GLOBALS['tabel']['users']."   SET
password='$newpassword',  email='$email',  timelogin='$_POST[timelogin]'
WHERE username='$_SESSION[SES_USERNAME]'");
$SQL->close();
$admin .="Password sudah di ganti";
$time_login = $_POST['timelogin'];
session_register ("SES_PASSWORD");
$SES_PASSWORD = md5 ($newpassword);
}else {
$admin .="Maaf kedua password harus sama";
}
}
}else {
$SQL->connect(1);
$hasil   =   mysql_query("UPDATE   ".$GLOBALS['tabel']['users']."   SET
email='$email',           timelogin='$_POST[timelogin]'           WHERE
username='$_SESSION[SES_USERNAME]'");
$SQL->close();
session_unregister ("SES_EMAIL");
session_register ("SES_EMAIL");
$SES_EMAIL = $email;
header ("location:admin.php");
}
$admin .="<p> </p>";
}else {
$SQL->connect(1);
```

```
$hasil        =        mysql_query("SELECT        timelogin        FROM
".$GLOBALS['tabel']['users']."                                       WHERE
username='$_SESSION[SES_USERNAME]'");
$SQL->close();
$data = mysql_fetch_array($hasil);
$time_login = $data['timelogin'];
}
$admin .="
  <!-- user cp content loaded here -->
             <form action='' method='post'>
  <div                              style='text-align:center;background-
color:#EAE7E0;padding:3px;font-weight:bold;color:#909590;'>Email    &amp;
Password</div>
  <table cellspacing='1' cellpadding='3' style='width:100%'>
    <tr style='background-color:#F0F0F0;'>
      <td  colspan='2'>For  security  reasons,  please  enter  your  current
password before continuing. Enter the new password if you want to change
your password, otherwise leave the fields blank.</td>
    </tr>
    <tr style='background-color:#FAFAFA;'>
      <td>Current Password</td>
      <td><input      type='password'      name='password'      value=''
maxlength='20'/></td>
    </tr>
    <tr style='background-color:#F0F0F0;'>
      <td>New Password</td>
      <td><input     type='password'     name='newpassword'     value=''
maxlength='20'/></td>
    </tr>
    <tr style='background-color:#F0F0F0;'>
      <td>Confirm Password</td>
      <td><input     type='password'     name='newpassword1'     value=''
maxlength='20'/></td>
    </tr>
     <tr style='background-color:#FAFAFA;'>
      <td>Limit Time Login</td>
      <td><input    type='text'    name='timelogin'    value='$time_login'
maxlength='100' size='25'/> Detik</td>
    </tr>
    <tr style='background-color:#FAFAFA;'>
      <td>Email Address</td>
      <td><input  type='text'  name='email'  value='$_SESSION[SES_EMAIL]'
maxlength='100' size='25'/></td>
    </tr>
    <tr style='background-color:#FAFAFA;'>
      <td></td>
      <td><input type='submit' name='submit' value='submit' /></td>
    </tr>
  </table>
</form>
            <!-- end user cp content -->
";
?>
```

(1.6)(2.6) admin_news.php

```
<?php
/**
* my weblogs
* version 1.0
* Author : Peter Vannes
* Email  : peter_fu@yahoo.com
* File        : navigasi.php
*
* Last Modified : May 16, 2007 03:07:22 PM
```

```
**/
defined( 'peter' ) or die( 'Direct Access to this location is not
allowed.' );
if ($_SESSION['SES_PRIV'][0] == 'all'){
$sssssssssssssss = 'ok';
}
elseif(!in_array( basename(__FILE__), $_SESSION['SES_PRIV'], true)){
die( 'Direct Access to this location is not allowed.' );
}
if (!isset($_GET['aksi'])) $_GET['aksi'] ='';
if (!isset($_GET['use'])) $_GET['use'] ='';
if (!isset($_GET['jenis'])) $_GET['jenis'] ='';
$filename = "js/alert.txt";
      $fp = fopen($filename, "r");
      $admin.= fread($fp, filesize($filename));
      fclose($fp);
$Use_newline = 0;
$_GET['use'] = 'editor';
if   ($_GET['use']   ==   'editor'   &&   ($_GET['aksi']   ==   'add'   or
@$_GET['proses'] == '1')){
$admin .= <<<YY
<script language="JavaScript1.2" type="text/JavaScript1.2">
      _editor_url = 'js/htmlarea2/';          // URL to htmlarea files
      var                          win_ie_ver                          =
parseFloat(navigator.appVersion.split("MSIE")[1]);
      if (navigator.userAgent.indexOf('Mac')        >= 0) { win_ie_ver =
0; }
      if (navigator.userAgent.indexOf('Windows CE') >= 0) { win_ie_ver =
0; }
      if (navigator.userAgent.indexOf('Opera')      >= 0) { win_ie_ver =
0; }
      if (win_ie_ver >= 5.5) {
            document.write('<scr'    +    'ipt    src="'    +_editor_url+
'editor.js.php?id=htmlarea"');
            document.write(' language="Javascript1.2"></scr' + 'ipt>');
      } else {
            document.write('<scr'+'ipt>function    editor_generate()    {
return false; }</scr'+'ipt>');
      }
</script>
<script language="JavaScript1.2" defer="defer">
      editor_generate('message');
</script>
YY;
$Use_newline = 1;
}
$admin     .=     "<p><a     href='?pilih=admin_news'>Home</a>     |     <a
href='?pilih=admin_news&aksi=add'>Tambah       berita</a>       |       <a
href='?pilih=admin_news&aksi=katmanager'>Category    Manager</a>    |    <a
href='?pilih=admin_news&aksi=komentar'>Comment</a>
</p><p> </p>";
function index_news (){
      global
$sql,$id,$proses,$judul,$message,$submit,$offset,$pg,$stg,$cat,$SES_TYPE,
$Use_newline;
      $blog = '';
            if($proses <> 1 and $proses <> 2)
            {
                  $blog.=   "<h2>Silakan   pilih   Berita   yang   akan
diedit:</h2><p> </p>";
if (empty($offset) and !isset ($offset)) {
$offset = 0;
}
if (!isset ($_GET['search'])){$_GET['search']='';}
```

```
$blog .="
<table class='formulir' width=400><tr><td><form method='GET' action=''>
<input type='hidden' value='admin_news' name='pilih'>
<input type='hidden' value='cari' name='jenis'>
Search     <input class='input' type='text' name='search' size='30'
value=\"" .
stripslashes(strip_tags ($_GET['search']))
."\">
   
  <select size='1' name='type'>
";
if (!isset ($_GET['type']) or $_GET['type'] == 1){
$blog .="
<option selected value='1'>Boolean Mode</option>
<option value='2'>Seluruh kata</option>
<option value='3'>kata yg tepat</option>
";
}else if ($_GET['type'] == 2){
$blog .="
<option value='1'>Boolean Mode</option>
<option selected value='2'>Seluruh kata</option>
<option value='3'>kata yg tepat</option>
";
}else {
$blog .="
<option value='1'>Boolean Mode</option>
<option value='2'>Seluruh kata</option>
<option selected value='3'>kata yg tepat</option>
";
}
$blog .="
  </select>
   
  <input type='submit' value='Cari' name='submit'></p>
</form></td></tr></table><p>
";
if ($_GET['jenis'] == 'cari'){
$search = $_GET['search'];
$querytook = new microTimer;
$querytook->start();
$limit = 25;
if ($_GET['type'] == 1){
if (empty($offset) and !isset ($offset)) {
$offset = 0;
}
$num = mysql_query ("SELECT id,
                                judul,
                                tanggal,
                                author,
                                datetime,
                                MATCH(judul,isi) AGAINST ('$search'   IN
BOOLEAN MODE) AS score
                                FROM      ".$GLOBALS['tabel']['blogs']."
where MATCH(judul,isi) AGAINST ('$search'  IN BOOLEAN MODE)");
$jumlah = mysql_num_rows ($num);
$A = new paging ($limit);
//INSERT INTO $table
$result = mysql_query ("SELECT id,
                           judul,
                           tanggal,
                           author,
                           datetime,
                           MATCH(judul,isi)   AGAINST   ('$search'      IN
BOOLEAN MODE) AS score
```

```
                          FROM    ".$GLOBALS['tabel']['blogs']."    where
MATCH(judul,isi) AGAINST ('$search'  IN BOOLEAN MODE)
                          ORDER BY score DESC
                          LIMIT $offset, $limit");
//menutup database
}
elseif ($_GET['type'] == 2){
 $bool ='AND';
 $keywords_array= str_word_count($search, 1);
   $retornar = " ( ";
   foreach ($keywords_array as $keyw) {
          if (strlen ($keyw) > 1){
       if ($retornar!=" ( ") {$retornar .= " ".$bool." ";}
       $retornar   .=   "   (judul   LIKE   '%".$keyw."%')   OR   (isi   LIKE
'%".$keyw."%')";
       }else {
             if ($retornar!=" ( ") {$retornar .= " ".$bool." ";}
       $retornar  .=  "  (judul  LIKE  '%cvbcvbcvbcvb%')  OR  (isi  LIKE
'%cvbcvbcvb%') ";
       }
   }
   $retornar .= " ) ";
$was = mysql_query ("SELECT * FROM ".$GLOBALS['tabel']['blogs']." WHERE
$retornar");
$jumlah = mysql_num_rows ($was);
$A = new paging ($limit);
if (empty($offset) and !isset ($offset)) {
$offset = 0;
}
$result = mysql_query("SELECT * FROM ".$GLOBALS['tabel']['blogs']." WHERE
$retornar LIMIT $offset, $limit");
}
else {
$retornar   =   "   (judul   LIKE   '%".$search."%')   OR   (isi   LIKE
'%".$search."%')";
$was = mysql_query ("SELECT * FROM ".$GLOBALS['tabel']['blogs']." WHERE
$retornar");
$jumlah = mysql_num_rows ($was);
$A = new paging ($limit);
if (empty($offset) and !isset ($offset)) {
$offset = 0;
}
$result = mysql_query("SELECT * FROM ".$GLOBALS['tabel']['blogs']." WHERE
$retornar  LIMIT $offset, $limit");
}
if ($jumlah > 0) {
$blog.=  "Ditemukan  <b>".$jumlah  ."</b>  Artikel  dengan  kata  kunci
<b>".urldecode ($search)."</b> in ".$querytook->stop()." Sec<p>";
}else {
      $blog.= "Tidak Ditemukan artikel dengan kata kunci <b>".urldecode
($search)."</b><p>";
}
if (mysql_num_rows($result) > 0 ){
$pencari = urlencode ($search);
 $hasilpencarian   ="<table   class='tabel'   border='0'   cellspacing='0'
cellpadding='0' width='100%'>
            <tr>
    <td   width='6%'   style=\"border-bottom:   1px   #CC6600   solid;\"><a
class=\"orange\">No</a></td>
    <td   width='72%'   style=\"border-bottom:   1px   #CC6600   solid;\"><a
class=\"orange\">Judul</a></td>
    <td  width='13%'  align='center'  style=\"border-bottom:  1px  #CC6600
solid;\"><a class=\"orange\">Author</a></td>
```

```
    <td  width='10%'  align='center'  style=\"border-bottom:  1px  #CC6600
solid;\"><a class=\"orange\">Actions</a></td>
  </tr>";
  $no = 1;
if (isset ($offset) && $offset > 0) $no = 1 + $offset;
include 'includes/search.lib.php';
while ($data = mysql_fetch_array ($result)){
$words = explode(' ', trim(htmlspecialchars(urldecode($search))));
       $highlight_match = '';
       for($i = 0; $i < sizeof($words); $i++)
       {
              if (trim($words[$i]) != '')
              {
                     $highlight_match .= (($highlight_match != '') ? '|' :
'') . str_replace('*', '\w*', phpbb_preg_quote($words[$i], '#'));
              }
       }
       unset($words);
$JUDUL               =               str_replace('\"',                '"',
substr(preg_replace('#(\>(((?>([^><]+|(?R)))*)\<))#se',
"preg_replace('#("     .     $highlight_match     .     ")#i',     '<span
class=pencarian>\\\\1</span>', '\\0')", '>' . $data['judul'] . '<'), 1, -
1));
//$hasilpencarian                                                    .="<li><a
href='news.php?id=$data[search_id]&search=$pencari'>$data[search_title]</
a>";
        $ID = $data['id'];
                        //$JUDUL = $data['judul'];
                        $TANGGAL = $data['tanggal'];
                        $AUTHOR = $data['author'];
                        $hasilpencarian             .=             "<tr
onmouseover=\"this.style.backgroundColor='#CCFFCC';\"
onmouseout=\"this.style.backgroundColor='';\">
    <td width='4%' style=\"border-bottom: #F0F0F0 1px solid;\">$no</td>
    <td   width='72%'   style=\"border-bottom:   #F0F0F0   1px   solid;\"
title='$TANGGAL'>$JUDUL</td>
    <td  width='13%'  align='center'  style=\"border-bottom:  #F0F0F0  1px
solid;\">$AUTHOR </td>
    <td  width='10%'  align='center'  style=\"border-bottom:  #F0F0F0  1px
solid;\">
    <a    href='?pilih=admin_news&aksi=delete&id=$ID'    onclick=\"return
confirmLink(this, 'DELETE FROM `".
    addslashes($data['judul'])  ."`  WHERE  `id`  =  \'$ID\'  ')\"><img
src='images/delete_button.gif'  border='0'  alt='delete  News  Where  Id
$ID'></a>        <a        href='?pilih=admin_news&id=$ID&proses=1'><img
src='images/edit.gif' border='0' alt='Edit Berita'></a></td>
  </tr>";
                        $no++;
}
 $hasilpencarian .="<tr>
    <td width='6%' style=\"border-top: 1px #CC6600 solid;\"> </td>
    <td width='72%' style=\"border-top: 1px #CC6600 solid;\"> </td>
    <td width='13%' style=\"border-top: 1px #CC6600 solid;\"> </td>
    <td width='10%' style=\"border-top: 1px #CC6600 solid;\"> </td>
  </tr>";
                  $hasilpencarian .= "</table>";
Session_register ("ses_pencarian");
$ses_pencarian      = $hasilpencarian;
$blog .= $hasilpencarian;
 if (!isset ($pg,$stg)){
        $pg = 1;
        $stg = 1;
  }
$blog.= $A-> getPaging($jumlah, $pg, $stg);
```

```
}else {
$blog .="Keyword : <b>". strip_tags ($search) ."</b> found in myDATABASE
: 0 item(s)";
}
}
//end jenis == cari
if ($_GET['jenis'] != 'cari'){
if ($SES_TYPE == 1){
$Other_query = '';
}else {
$Other_query = " WHERE author='$_SESSION[SES_USERNAME]' ";
}
$num   =   mysql_query("SELECT   id   FROM   ".$GLOBALS['tabel']['blogs']."
$Other_query ORDER BY id DESC");
$jumlah = mysql_num_rows ($num);
$limit = 10;
$a = new paging ($limit);
            $hasil       =       mysql_query("SELECT       *       FROM
".$GLOBALS['tabel']['blogs']."  $Other_query  ORDER  BY  id  DESC    LIMIT
$offset, $limit");
            $blog.="<table   class='tabel'   border='0'   cellspacing='0'
cellpadding='0' width='100%'>
             <tr>
    <td   width='6%'   style=\"border-bottom:   1px   #CC6600   solid;\"><a
class=\"orange\">No</a></td>
    <td   width='72%'   style=\"border-bottom:   1px   #CC6600   solid;\"><a
class=\"orange\">Judul</a></td>
    <td  width='13%'  align='center'  style=\"border-bottom:  1px  #CC6600
solid;\"><a class=\"orange\">Author</a></td>
    <td  width='10%'  align='center'  style=\"border-bottom:  1px  #CC6600
solid;\"><a class=\"orange\">Actions</a></td>
  </tr>";
            $no = 1 ;
                    while($data = mysql_fetch_array($hasil))
                    {
                $ID = $data['id'];
                            $JUDUL = $data['judul'];
                            $TANGGAL = $data['tanggal'];
                            $AUTHOR = $data['author'];
                            $blog.=                                        "<tr
onmouseover=\"this.style.backgroundColor='#CCFFCC';\"
onmouseout=\"this.style.backgroundColor='';\">
    <td width='4%' style=\"border-bottom: #F0F0F0 1px solid;\">$no</td>
    <td   width='72%'   style=\"border-bottom:   #F0F0F0   1px   solid;\"
title='$TANGGAL'>$JUDUL</td>
    <td  width='13%'  align='center'  style=\"border-bottom:  #F0F0F0  1px
solid;\">$AUTHOR </td>
    <td  width='10%'  align='center'  style=\"border-bottom:  #F0F0F0  1px
solid;\">
    <a    href='?pilih=admin_news&aksi=delete&id=$ID'    onclick=\"return
confirmLink(this, 'DELETE FROM `".
    addslashes($JUDUL)    ."`    WHERE    `id`    =    \'$ID\'    ')\"><img
src='images/delete_button.gif'  border='0'  alt='delete  News  Where  Id
$ID'></a>         <a         href='?pilih=admin_news&id=$ID&proses=1'><img
src='images/edit.gif' border='0' alt='Edit Berita'></a></td>
  </tr>";
                            $no++;
                    }
        $blog .="<tr>
    <td width='6%' style=\"border-top: 1px #CC6600 solid;\"> </td>
    <td width='72%' style=\"border-top: 1px #CC6600 solid;\"> </td>
    <td width='13%' style=\"border-top: 1px #CC6600 solid;\"> </td>
    <td width='10%' style=\"border-top: 1px #CC6600 solid;\"> </td>
  </tr>";
```

```
                    $blog.= "</table>";
                    $blog .= $a-> getPaging($jumlah, $pg, $stg);
                    $blog.= "";
                    // Pembagian halaman dimulai
             }
}
       if ($proses == 1){
$hasil = mysql_query("SELECT * FROM ".$GLOBALS['tabel']['blogs']." WHERE
id='$id'");
$data = mysql_fetch_array($hasil);
$blog                        .="<form                          method='post'
action='?pilih=admin_news&id=$id&proses=2'><table              border='0'
cellpadding='3' width='100%'>
  <tr>
    <td width='15%'>judul</td>
    <td width='1%'>:</td>
    <td        width='84%'><input        type='text'        name='judul'
value=\"$data[judul]\" size='33'></td>
  </tr>
   <tr>
    <td width='15%'>Topik</td>
    <td width='1%'>:</td>
    <td width='84%'><select size='1' name='cat'>";
$hasil  =  mysql_query("SELECT  *  FROM  ".$GLOBALS['tabel']['kat_blog']."
ORDER BY kat");
while ($datas = mysql_fetch_array ($hasil)){
       if ($data['kategori'] == $datas['kat']){
    $blog                          .="<option                          selected
value='$datas[kat][|]$datas[kid]'>$datas[kat]</option>";
   }else {
          $blog                                                  .="<option
value='$datas[kat][|]$datas[kid]'>$datas[kat]</option>";
   }
      }
if ($Use_newline == '1') $data['isi'] = nl2br ($data['isi']);
$blog .="
    </select>
    </td>
  </tr>
  <tr>
    <td width='15%' valign='top'>Isi</td>
    <td width='1%' valign='top'>:</td>
    <td       width='84%'><textarea       rows='19'       name='message'
cols='57'>$data[isi]</textarea></td>
  </tr>
  <tr>
    <td width='15%'> </td>
    <td width='1%'> </td>
    <td width='84%'> </td>
  </tr>
  <tr>
    <td width='15%'> </td>
    <td width='1%'> </td>
    <td       width='84%'><input       type='submit'       value='kirim'
name='submit'>  
    <input type='reset' value='Reset' name='B2'></td>
  </tr>
</table></form>";
       }
       if ($proses == 2){
       list ($kateg, $idnya) = explode ('[|]', $cat);
       $judul = htmlspecialchars ($_POST['judul']);
```

```
        $query  =  mysql_query("UPDATE  ".$GLOBALS['tabel']['blogs']."  SET
judul='$judul',   isi='$message',kategori='$kateg',   kid='$idnya'   WHERE
id='$id'");
    $blog .="Berhasil di Update <u>" . stripslashes ($judul) . "</u>";
       }
return $blog;
}
function add_news (){
      global $sql,$submit,$judul,$message,$cat,$namafile,$timeplus;
$blog = '';
if (isset($submit) && !empty($judul) && !empty($message)){
$judul = htmlspecialchars ($_POST['judul']);
$blog .="Berhasil dimasukkan <u>" . stripslashes ($judul) . "</u>";
if (!empty ($namafile)){
$userfile_tmp = $_FILES['namafile']['tmp_name'];
$finame = $_FILES['namafile']['name'];
if (file_exists('uploads/'.$finame)) {
$finame = rand(1, 1000).'_'.$finame;
$blog .="<br> dan nama file kami rename menjadi <u>$finame</u>";
}
move_uploaded_file($userfile_tmp, 'uploads/'.$finame);
list($width, $height, $type, $attr) = getimagesize( 'uploads/'.$finame);
if ($type){
$message   =   str_replace   ('[img]',   "<img   src=\"uploads/$finame\"
align=\"left\" hspace=8>", $message);
}else {
$message = str_replace ('[img]', "", $message);
unlink ('uploads/'.$finame);
}
}
$cat = explode ('[|]', $cat);
                    $waktu = tanggal ($GLOBALS['timeplus']);
                    $datetime =  time ()+ $timeplus;
        $query = mysql_query("INSERT INTO ".$GLOBALS['tabel']['blogs']."
(judul,  tanggal,  isi,  author,kategori,kid,datetime)  VALUES  ('$judul',
'$waktu',                                                       '$message',
'$_SESSION[SES_USERNAME]','$cat[0]','$cat[1]','$datetime')");
}
if ($_GET['aksi'] == 'add'){
$blog .="<h2>Isi Berita</h2>";
$blog .="Mudah sekali pentunjuknya jika anda ingin mengupload file images
cukup memberikan<br>kode <b>[img]</b> pada baris atau berita anda";
$blog   .="<form   method='post'   action=''   enctype   ='multipart/form-
data'><table border='0' cellpadding='3'  width='100%'>
  <tr>
    <td width='20%'>judul</td>
    <td width='1%'>:</td>
    <td width='79%'><input type='text' name='judul' size='33'></td>
  </tr>
  <tr>
    <td width='23%'>Kategory </td>
    <td width='2%'>:</td>
    <td width='75%'><select size='1' name='cat'>";
$hasil  =  mysql_query("SELECT  *  FROM  ".$GLOBALS['tabel']['kat_blog']."
ORDER BY kat");
while ($data = mysql_fetch_array ($hasil)){
    $blog                                                       .="<option
value='$data[kat][|]$data[kid]'>$data[kat]</option>";
       }
    //<option value='indonesia'>Indonesia</option>
    $blog .="
    </select></td>
  </tr>
  <tr>
```

```
    <td width='20%' valign='top'>Isi</td>
    <td width='1%' valign='top'>:</td>
    <td       width='79%'><textarea       rows='19'       name='message'
cols='57'></textarea></td>
  </tr>
  <tr>
    <td width='20%'> </td>
    <td width='1%'> </td>
    <td width='79%'></td>
  </tr>
  <tr>
    <td width='20%'> </td>
    <td width='1%'> </td>
    <td       width='79%'><input       type='submit'       value='kirim'
name='submit'>  
    <input type='reset' value='Reset' name='B2'></td>
  </tr>
</table></form>";
}
return $blog;
}
function delete_news ($id){
       global $sql;
$result = mysql_query("DELETE FROM ".$GLOBALS['tabel']['blogs']." WHERE
id='$id'");
$result  =  mysql_query("DELETE  FROM  ".$GLOBALS['tabel']['komentar']."
WHERE artikel='$id'");
header ("location:admin.php?pilih=admin_news");
}
function news_kat () {
       global $submit,$kategory,$sql,$tambah;
$blog = '';
if (isset ($submit) && isset($tambah) && !empty ($kategory)){
$result  =  mysql_query("INSERT  INTO  ".$GLOBALS['tabel']['kat_blog']."
(kat) VALUES ('$kategory')");
}
$blog .='
<BR><b>Perhatian !!!</b><br>Menghapus kategori berarti menghapus berita
dan komentar<br>yang ada dalam kategori tersebut<br><br>
<form method="post" action="">
<table border="0" cellpadding="2" cellspacing="1" style="border-collapse:
collapse" bordercolor="#111111" width="100%">
  <tr>
    <td width="15%">Kategory</td>
    <td width="2%">:</td>
    <td       width="83%"><input       type="text"       name="kategory"
size="30">   
    <input type="hidden" value="peter" name="tambah">
    <input type="submit" value="add" name="submit"></td>
  </tr>
</table>
</form>
';
return $blog;
}
function list_kat (){
       global $sql;
       $blog = '';
$blog.="<table  class='tabel'  border='0'  cellspacing='0'  cellpadding='0'
width='100%'>
            <tr>
    <td  width='75%'  style=\"border-bottom:  1px  #CC6600  solid;\"><a
class=\"orange\">Rubik</a></td>
```

```
    <td  width='25%'  style=\"border-bottom:  1px  #CC6600  solid;\"><a
class=\"orange\">action</a></td>
  </tr>";
$hasil  =  mysql_query("SELECT  *  FROM  ".$GLOBALS['tabel']['kat_blog']."
ORDER BY kat");

while ($datas = mysql_fetch_array ($hasil)){
    $blog  .="<tr  onmouseover=\"this.style.backgroundColor='#CCFFCC';\"
onmouseout=\"this.style.backgroundColor='';\">
    <td     width='75%'     style=\"border-bottom:     #F0F0F0     1px
solid;\">$datas[kat]</td>
    <td width='25%' style=\"border-bottom: #F0F0F0 1px solid;\">
    <a
href='admin.php?pilih=admin_news&aksi=deletekat&kid=$datas[kid]&topik=".
    urlencode              ($datas['kat'])."'>Delete</a>              <a
href='admin.php?pilih=admin_news&aksi=editkat&kid=$datas[kid]'>Edit</a></
td>
  </tr>";
      }
$blog .="</table>";
  return $blog;
}
function edit_kat (){
      global $submit,$kategory,$sql,$tambah,$kid;
if (isset ($submit)){
$hasil  =  mysql_query("UPDATE  ".$GLOBALS['tabel']['kat_blog']."  SET
kat='$kategory' WHERE kid='$kid'");
if ($hasil){
$hasil   =   mysql_query("UPDATE   ".$GLOBALS['tabel']['blogs']."   SET
kategori='$kategory' WHERE kid='$kid'");
}
header ("location:?pilih=admin_news&aksi=katmanager");
}
else {
$hasil  =  mysql_query("SELECT  *  FROM  ".$GLOBALS['tabel']['kat_blog']."
WHERE kid='$kid'");
$data = mysql_fetch_array ($hasil);
}
$blog ='
<form method="post" action="">
<table border="0" cellpadding="2" cellspacing="1" style="border-collapse:
collapse" bordercolor="#111111" width="100%">
  <tr>
    <td width="15%">Kategory</td>
    <td width="2%">:</td>
    <td   width="83%"><input   type="text"   name="kategory"   size="30"
value="'.$data['kat'].'">   
    <input type="hidden" value="'.$data['kid'].'" name="kid">
    <input type="submit" value="edit" name="submit"></td>
  </tr>
</table>
</form>
';
return $blog;
}
function delete_kat (){
      global $sql,$kid,$topik,$confirm,$SES_TYPE;
      if ($SES_TYPE == 0){
header ("location:admin.php");
exit;
}
$cetak = '';
$Totalnya = mysql_query("SELECT judul FROM ".$GLOBALS['tabel']['blogs']."
WHERE kid='$kid'");
```

```
$resul = mysql_query("SELECT judul FROM ".$GLOBALS['tabel']['blogs']."
WHERE kid='$kid' LIMIT 50");
if ($tot = mysql_num_rows ($resul) > 0){
$cetak .= "Apakan anda yakin Ingin menghapus kategori <b>$topik</b> Total
<b>".mysql_num_rows ($Totalnya) ."</b>";
}else {
$cetak .= " kategori <b>$topik</b> Masih kosong nyantey aja lagi :) ";
}
while ($data = mysql_fetch_array ($resul)){
$cetak .="<li>$data[judul]";
}
$cetak .="<form method='post' action=''>
<input type='hidden' value='1' name='confirm'>
<br>
<input type='submit' value='ya' name='submit'>
</form>";
if ($confirm == 1){
$result = mysql_query("DELETE FROM ".$GLOBALS['tabel']['kat_blog']."
WHERE kid='$kid'");
$results = mysql_query("DELETE FROM ".$GLOBALS['tabel']['blogs']." WHERE
kid='$kid'");
$results = mysql_query("DELETE FROM ".$GLOBALS['tabel']['komentar']."
WHERE kid='$kid'");
header ("location:admin.php?pilih=admin_news&aksi=katmanager");
}
return $cetak;
}
function komentar (){
global $sql;
$cetak = '';
$result = mysql_query("SELECT * FROM ".$GLOBALS['tabel']['komentar']."
ORDER BY id DESC LIMIT 50");
while ($data = mysql_fetch_array ($result)){
$cetak .= '<b>' . $data['judul'] . '</b> <a
href="?pilih=admin_news&aksi=delkomentar&id='.$data['id'].'" title="Hapus
Komentar">Hapus</a><br>';
$cetak .= '' . $data['tgl'] . ' From: <a href=""
title="'.$data['email'].'">'.$data['user'] .'</a><br>';
$cetak .= $data['konten'] . '<br><br>';
}
return $cetak;
}
function delkomentar (){
global $sql,$id;
$query = mysql_query("DELETE FROM ".$GLOBALS['tabel']['komentar']." WHERE
id='$id'");
if ($query){
header ("location:?pilih=admin_news&aksi=komentar");
}
}
if (!isset ($id)) $id = '';
switch ($_GET['aksi']) {
case '':
    //echo "i equals 0";
    $admin .= index_news ();
    break;
case 'add':
    $admin .= add_news ();
    break;
case 'komentar':
    $admin .= komentar ();
    break;
case 'delkomentar':
    $admin .= delkomentar ();
```

```
    break;
case 'delete':
    delete_news ($id);
    break;
case 'katmanager':
    $admin .= news_kat ($id);
    $admin .= list_kat ();
    break;
case 'deletekat':
   $admin .= delete_kat ();
    break;
case 'editkat':
   $admin .= edit_kat ();
    break;
}
?>
```

(1.7)(2.7)admin_polling.php

```
<?php
/**
* my weblogs
* version 1.0
* Author : Peter Vannes
* Email  : peter_fu@yahoo.com
* File        : navigasi.php
*
* Last Modified : May 16, 2007 03:07:22 PM
**/
defined( 'peter' ) or die( 'Direct Access to this location is not
allowed.' );
if ($_SESSION['SES_PRIV'][0] == 'all'){
$sssssssssssssss = 'ok';
}
elseif(!in_array( basename(__FILE__), $_SESSION['SES_PRIV'], true)){
die( 'Direct Access to this location is not allowed.' );
}
if (!isset ($_GET['aksi'])) $_GET['aksi'] = NULL;
$admin         =         "<table         width=100%         cellspacing=0
cellpadding=0><tr><td>  Polling</td><td>                    <a
href='?pilih=admin_polling'>Home</a>                |                <a
href='?pilih=admin_polling&aksi=add'>Tambah                        Jajak
pendapat</a></td></tr></table><p> </p>";
if ($_GET['aksi'] == 'type'){
$hasil11   =   mysql_query("UPDATE   ".$GLOBALS['tabel']['polling']."   SET
type='$types' WHERE pid='$pid'");
header ("location:?pilih=admin_polling");
}
$admin .= <<<Js
 <script type="text/javascript" language="javascript">
    // Updates the title of the frameset if possible (ns4 does not allow
this)
    if (typeof(parent.document) != 'undefined' && typeof(parent.document)
!= 'unknown'
        && typeof(parent.document.title) == 'string') {
        parent.document.title = 'Administrasi';
    }
    // js form validation stuff
    var confirmMsg  = 'Apakah anda ingin ';
    </script>
    <script       type="text/javascript"    language="javascript">function
confirmLink(theLink, theSqlQuery)
{
    // Confirmation is not required in the configuration file
    // or browser is Opera (crappy js implementation)
```

```
    if (confirmMsg == '' || typeof(window.opera) != 'undefined') {
        return true;
    }
    var is_confirmed = confirm(confirmMsg + ' :' + theSqlQuery);
    if (is_confirmed) {
        theLink.href += '&is_js_confirmed=1';
    }
    return is_confirmed;
}
</script>
Js;
##########################
## publikaso
##########################
if ($_GET['aksi'] =='public'){
$hasil = mysql_query("SELECT * FROM ".$GLOBALS['tabel']['polling']."");
       while($data = mysql_fetch_array($hasil)){
 $hasil1   =   mysql_query("UPDATE   ".$GLOBALS['tabel']['polling']."   SET
public='0'");
}
mysql_free_result ($hasil);
 $hasil1   =   mysql_query("UPDATE   ".$GLOBALS['tabel']['polling']."   SET
public='1' WHERE pid='$pid'");
header ("location:?pilih=admin_polling");
//$admin.=      "berhasil      melakukan      publikasi      Klik      <a
href='?pilih=admin_polling'>Here</a>";
}
##################################################
## Delete Polling
##################################################
if ($_GET['aksi'] =='delete'){
if($proses <> 1)
             {
                    $admin.=    "<div  align='left'>Silakan  pilih  Polling
yang akan di-delete:<br><p>";
            $hasil       =       mysql_query("SELECT       *       FROM
".$GLOBALS['tabel']['polling']."");
                    $admin.=  "<table border='0' width='100%'>";
                    $no = 0;
                    while($data = mysql_fetch_array($hasil))
                    {   $td =$no % 2 ;
                $class ="table".$td;
                           $PID = $data["pid"];
                           $PJUDUL = $data["pjudul"];
                    $admin.=     "<tr   class=$class><td   width='5%'><img
src='images/quote.gif'></td><td  width='85%'>[PID:"  .  $PID  .  "]  "  .
$PJUDUL          .          "</td><td          width='10%'>          [<a
href='?pilih=admin_polling&aksi=delete&pid=$PID&proses=1'>DELETE</a>]</td
></tr>";
                           $no++;
                    }
                    mysql_free_result ($hasil);
                    $admin.=  "</table>";
                    $admin.=  "</div>";
             }
             if($proses == "1")
             {
            $query          =          mysql_query("DELETE          FROM
".$GLOBALS['tabel']['polling']." WHERE pid='$pid'");
$admin.= "Polling sudah di-delete.";
}

}
```

```
################################################
## Add Polling
################################################
if(!isset($_GET['aksi'])){
$admin.=      "<div   align='left'>Silakan   pilih   Polling   yang   akan
diPublikasi:<P>";
            $hasil       =       mysql_query("SELECT       *       FROM
".$GLOBALS['tabel']['polling']."");
            $admin.=  "<table  class='tabel'  border='0'  cellspacing='1'
cellpadding='2' width='100%'>
             <tr class=blockmonthon>
    <td width='4%'><b>No</b></td>
    <td width='47%'><b>Questions</b></td>
    <td width='25%' align='center'><b>Created</b></td>
    <td width='5%' align='center'><b>Public</b></td>
    <td width='5%' align='center'><b>Bar</b></td>
    <td width='14%' align='center'><b>Actions</b></td>
  </tr>";
            $no = 1 ;
                    while($data = mysql_fetch_array($hasil))
                    {
                            $td =$no % 2 ;
                $class ="table".$td;
                            $PID = $data["pid"];
                            $PJUDUL = $data["pjudul"];
                            $PUBLIC = $data["public"];
                            $CREATED = $data['created'];
                            $TYPE = $data['type'];
                            if ($TYPE == 'bar'){
                                    $IMG_P               =               "<a
href='?pilih=admin_polling&aksi=type&pid=$PID&types=chart'><img
src='images/yes.png' border='0' alt='edit menjadi Chart'></a>";
                            }elseif($TYPE == 'chart') {
                                    $IMG_P               =               "<a
href='?pilih=admin_polling&aksi=type&pid=$PID&types=bar'><img
src='images/no.png' border='0' alt='edit menjadi bar'></a>";
                            }else {
                                    $IMG_P = '';
                            }
             $img_p = ($PUBLIC == 1) ? 'yes.png' : 'no.png';
       $admin.=  "    <tr class=blockmonthoff>
    <td   width='4%'   align='center'   style=\"BORDER-TOP:   #f0f0f0   1px
solid\">$no</td>
    <td width='47%' style=\"BORDER-TOP: #f0f0f0 1px solid\">$PJUDUL</td>
    <td   width='25%'   align='center'   style=\"BORDER-TOP:   #f0f0f0   1px
solid\">$CREATED </td>
    <td   width='5%'   align='center'   style=\"BORDER-TOP:   #f0f0f0   1px
solid\"><a
href='?pilih=admin_polling&aksi=public&pid=$PID&public=$PUBLIC'><img
src='images/$img_p'   border='0'></a></td><td   width='5%'   align='center'
style=\"BORDER-TOP: #f0f0f0 1px solid\">$IMG_P</td>
    <td   width='14%'   align='center'   style=\"BORDER-TOP:   #f0f0f0   1px
solid\"><a      href='?pilih=admin_polling&aksi=delete&pid=$PID&proses=1'
onclick=\"return confirmLink(this, 'DELETE FROM `polling` WHERE `pid` =
\'$PID\' ')\"><img src='images/delete_button.gif' border='0' alt='delete
Polling'></a>                                                          <a
href='?pilih=admin_polling&aksi=edit&pid=$PID&proses=1'><img
src='images/edit.gif' border='0' alt='Edit Polling'></a> </td>
  </tr>";
                            $no++;
                    }
                    mysql_free_result ($hasil);
                    $admin.=  "</table>";
                    $admin.=  "</div>";
```

```
            }

if ($_GET['aksi'] == 'add'){
 if(!isset($submit))
            {
$admin.= "<form method='post' action='?pilih=admin_polling&aksi=add'>
                  <table class='formulir' border='0'>
                        <tr>
                              <td>Pejelasan Polling</td>
                              <td>:</td>
                              <td><input type='text' name='penjelasan'
size='50'></td>
                        </tr>
                        <tr>
                              <td valign='top'>Pilihan jawaban</td>
                              <td valign='top'>:</td>
                              <td>";
      if (empty ($jml_)){
            $jml_=5;
      }
      if($jml_ <= 30){
 for ($j=1; $j<=$jml_; $j++){
  $admin.=    "<div>Pilihan    $j    <input    type='text'    name='pil$j'
size='50'></div>";
}
}else {$admin.= "maaf max pilihan Polling 30 ";}
$admin.= "<br>Tipe Polling <select name='type_poll'>
<option    value='bar'    >bar</option><option    value='chart'    >pie
chart</option>
</select><br><br>
<input type='hidden' name='penambahan' value='$jml_'><input type='submit'
name='submit' value='MASUKKAN POLLING BARU'>
</form>";
$admin.= "<form method='post' action='?pilih=admin_polling&aksi=add'>add
colom<input         type='text'         name='jml_'         value='$jml_'
size='3'>  <input        type=submit        name='jumlahkotak'
value='add'></form></td></tr></table>";
}
      else
            {
      if(empty ($penjelasan)){
      $admin.= "Maaf Judul Polling harus diisi";
      }
            else{
                  $PJUDUL = $penjelasan;
                  $PPILIHAN = "";
                  $PJAWABAN = "";
                  for($i=1;$i<=$penambahan;$i++)
                  {
                        $pil = "pil" . $i;
                        if($$pil <> "")
                        {
                              $PPILIHAN .= $$pil . "#";
                              $PJAWABAN .= "0" . "#";
                        }
                  }
                  $PPILIHAN = substr_replace($PPILIHAN, "", -1, 1);
                  $PJAWABAN = substr_replace($PJAWABAN, "", -1, 1);
                  $sekarang = date("d-M-Y" , time () + $timeplus);
            $query          =          mysql_query("INSERT          INTO
".$GLOBALS['tabel']['polling']." (pjudul, ppilihan, pjawaban, created,
type)   VALUES   ('$PJUDUL',   '$PPILIHAN',   '$PJAWABAN',   '$sekarang',
'$type_poll')");
            $admin.= "Polling baru sudah masuk ke dalam database";
```

```
}
}
}
##################################################
## Edit Polling
##################################################
if ($_GET['aksi'] =='edit'){
if($proses <> 1 and $proses <> 2)
             {
                    $admin.=   "<div  align='left'>Silakan  pilih  Polling
yang akan diedit:<P>";
             $hasil       =       mysql_query("SELECT       *       FROM
".$GLOBALS['tabel']['polling']."");
             $admin.= "<table border='0' width='100%'>";
             $no = 0 ;
                    while($data = mysql_fetch_array($hasil))
                    {
                           $td =$no % 2 ;
                 $class ="table".$td;
                           $PID = $data["pid"];
                           $PJUDUL = $data["pjudul"];
                           $admin.=          "<tr      class=$class><td
width='5%'><img src='images/quote.gif'></td><td width='87%'>[PID:" . $PID
.     "]     "     .     $PJUDUL     .     "</td><td     width='7%'>     [<a
href='?pilih=admin_polling&aksi=edit&pid=$PID&proses=1'>EDIT</a>]</td></t
r>";
                           $no++;
                    }
                    mysql_free_result ($hasil);
                    $admin.=  "</table>";
                    $admin.=  "</div>";
             }
if($proses == 1)
             {

             $hasil       =       mysql_query("SELECT       *       FROM
".$GLOBALS['tabel']['polling']." WHERE pid='$pid'");
                    $data = mysql_fetch_array($hasil);
                    mysql_free_result ($hasil);
                    $PID = $data["pid"];
                    $PJUDUL = $data["pjudul"];
                    $Type_poll = $data['type'];
                    $PPILIHAN = explode("#", $data["ppilihan"]);
                    $PJAWABAN = explode("#", $data["pjawaban"]);
                    $jml_pil = count($PPILIHAN);
$admin.= "<form method='post' action='?pilih=admin_polling&aksi=edit'>
                    <table class='formulir' border='0'>
                           <tr>
                                  <td>Pejelasan Polling</td>
                                  <td>:</td>
                                  <td><input type='text' name='penjelasan'
size='50' value='$PJUDUL'></td>
                           </tr></table><table           class='formulir'
border='0'>
                           <tr>
                                  <td>";
if (isset($addq)){
$jml_pil = $jml_pil + $penambahan;
}

for ($a=0; $a<$jml_pil; $a++){
       $b= $a+1;
if (empty ($PJAWABAN[$a])){
$PJAWABAN[$a] = 0;
```

```
}
$admin.=    "<div>Pilihan    $b    <input    type='text'    name='pil$b'
value='$PPILIHAN[$a]'   size='50'><input   type='text'   name='jawaban$b'
size='2' value='$PJAWABAN[$a]'></div>";
}
$admin.= "<select name='type_poll'>";
$selected_bar = '';
$selected_chart = '';
if ($Type_poll == 'bar'){
$selected_bar = 'selected';
}else {
$selected_chart = 'selected';
}
$admin.=    "<option    value='bar'    $selected_bar>bar</option><option
value='chart' $selected_chart>pie chart</option>";
$admin.= "</select><br><br>
<input type='hidden' name='proses' value='2'>
<input type='hidden' name='pid' value='$PID'>
<input type='hidden' name='penambahan' value='$jml_pil'>
<input type='submit' name='submit' value='EDIT POLLING'>
</form>";
$admin.=       "Penambahan       Kolom       <form       method='post'
action='?pilih=admin_polling&aksi=edit&pid=$pid&proses=$proses'>
<input type='text' name='penambahan' size='5'>
<input type='submit' name='addq' value='Add'></td></tr></table>";
}
if($proses == 2)
            {
//*************************

            $hasil1       =       mysql_query("SELECT       *       FROM
".$GLOBALS['tabel']['polling']." WHERE pid='$pid'");

                    $data = mysql_fetch_array($hasil1);
                    mysql_free_result ($hasil1);
                    $PPILIHAN_TEMP = explode("#", $data["ppilihan"]);
                           $jml_pilihan = count($PPILIHAN_TEMP);
                    $PJUDUL = $penjelasan;
//*************************
$PPILIHAN = '';
$PJAWABAN = '';
                    for($i=1; $i<=$penambahan; $i++)
                    {
                           $pil = "pil" . $i;
                           $jwb = "jawaban" . $i;
                           if($$pil <> "" and $$jwb <> "")
                           {
                                  $PPILIHAN .= $$pil . "#";
                                  $PJAWABAN .= $$jwb . "#";
                           }
                    }
                    $PPILIHAN = substr_replace($PPILIHAN, "", -1, 1);
                    $PJAWABAN = substr_replace($PJAWABAN, "", -1, 1);
            $hasil1                  =                 mysql_query("UPDATE
".$GLOBALS['tabel']['polling']."          SET          pjudul='$PJUDUL',
ppilihan='$PPILIHAN',   pjawaban='$PJAWABAN',   type='$type_poll'   WHERE
pid='$pid'");
$admin.= "Polling sudah diedit ";

}
}

?>
```

(1.8)(2.8)admin_quiz.php

```
<?php
/**
* my weblogs
* version 1.0
* Author : Peter Vannes
* Email  : peter_fu@yahoo.com
* File        : navigasi.php
*
* Last Modified : May 16, 2007 03:07:22 PM
**/
defined( 'peter' ) or die( 'Direct Access to this location is not
allowed.' );
if ($_SESSION['SES_PRIV'][0] == 'all'){
$sssssssssssssss = 'ok';
}
elseif(!in_array( basename(__FILE__), $_SESSION['SES_PRIV'], true)){
die( 'Direct Access to this location is not allowed.' );
}
$abjad = array ('a',
                            'b',
                            'c',
                            'd',
                            'e',
                            'f',
                            'g',
                            'h',
                            'i',
                            'j'
                            );
$id_form = array ('id_a',
                            'id_b',
                            'id_c',
                            'id_d',
                            'id_e',
                            'id_f',
                            'id_g',
                            'id_h',
                            'id_i',
                            'id_j',
                            'id_k',
                            'id_l',
                            'id_m',
                            'id_n',
                            'id_o',
                            'id_p',
                            'id_q',
                            'id_r',
                            'id_s',
                            'id_t',
                            'id_u',
                            'id_v',
                            'id_w',
                            'id_x',
                            'id_y',
                            'id_z'
                            );
$jml_radio_array = '';

$filename = "js/alert.txt";
       $fp = fopen($filename, "r");
       $admin.= fread($fp, filesize($filename));
       fclose($fp);
```

```
$admin .="<h2>Admin Quiz </h2>";
$admin     .=     "<a     href='?pilih=admin_quiz'>Home</a>     |     <a
href='?pilih=admin_quiz&aksi=add'>Add        Quiz</a>        |        <a
href='?pilih=admin_quiz&aksi=yangjawab'>yang jawab</a>";
$admin .= "<p> </p>";
if (!isset($_GET['aksi'])) $_GET['aksi'] = '';
if ($_GET['aksi'] == 'clear') {
$query          =          mysql_query          ("TRUNCATE          TABLE
".$GLOBALS['tabel']['form_jawab']."");
header ("location:?pilih=admin_quiz");
}
if ($_GET['aksi'] == 'yangjawab') {
$query = mysql_query ("SELECT * FROM ".$GLOBALS['tabel']['form_jawab']."
ORDER BY id DESC");
while ($data = mysql_fetch_array ($query)){
$admin .= '<span title="' . $data['ip'] .'"><b>' . $data['judul_quiz']
.'</b></span>'. '<br>';
$admin .= 'Nilai : ' . $data['nilai'] . '<br>';
$admin .= 'Tanggal : ' . $data['tanggal'] . '<br>';
$admin .= '<br><br>';
}
if (mysql_num_rows ($query) > 0){
$admin .= '<a href="?pilih=admin_quiz&aksi=clear">Clear and empty</a>';
}
}
if ($_GET['aksi'] == 'public') {
$query = mysql_query ("UPDATE ".$GLOBALS['tabel']['form']." SET public=1
WHERE id=$_GET[id]");
header ("location:?pilih=admin_quiz");
}
if ($_GET['aksi'] == 'unpublic') {
$query = mysql_query ("UPDATE ".$GLOBALS['tabel']['form']." SET public=0
WHERE id=$_GET[id]");
header ("location:?pilih=admin_quiz");
}
if ($_GET['aksi'] == ''){
$query    =    mysql_query    ("SELECT    judul,id,author,public    FROM
".$GLOBALS['tabel']['form']." ORDER BY id DESC");
            $admin.="<table   class='tabel'   border='0'   cellspacing='0'
cellpadding='0' width='100%'>
             <tr>
    <td   width='6%'   style=\"border-bottom:   1px   #CC6600   solid;\"><a
class=\"orange\">No</a></td>
    <td   width='70%'   style=\"border-bottom:   1px   #CC6600   solid;\"><a
class=\"orange\">Judul</a></td>
    <td  width='2%'  align='center'  style=\"border-bottom:  1px  #CC6600
solid;\"><a class=\"orange\">Public</a></td>
    <td  width='11%'  align='center'  style=\"border-bottom:  1px  #CC6600
solid;\"><a class=\"orange\">Author</a></td>
    <td  width='12%'  align='center'  style=\"border-bottom:  1px  #CC6600
solid;\"><a class=\"orange\">Actions</a></td>
  </tr>";
  $no = 1;
while ($data = mysql_fetch_array ($query)){
 $ID = $data['id'];
$JUDUL = $data['judul'];
$AUTHOR = $data['author'];
$PUBLIC = $data['public'];
if ($PUBLIC == 0){
$IMG_P     =     "<a     href='?pilih=admin_quiz&aksi=public&id=$ID'><img
src='images/no.png' border='0' alt='Public'></a>";
}else {
$IMG_P    =    "<a    href='?pilih=admin_quiz&aksi=unpublic&id=$ID'><img
src='images/yes.png' border='0'></a>";
```

```
}
            $admin.=                                                    "<tr
onmouseover=\"this.style.backgroundColor='#CCFFCC';\"
onmouseout=\"this.style.backgroundColor='';\">
    <td width='6%' style=\"border-bottom: #F0F0F0 1px solid;\">$no</td>
    <td      width='70%'      style=\"border-bottom:      #F0F0F0      1px
solid;\">$JUDUL</td>
    <td  width='2%'  align='center'  style=\"border-bottom:  #F0F0F0  1px
solid;\">$IMG_P</td>
    <td  width='11%'  align='center'  style=\"border-bottom:  #F0F0F0  1px
solid;\">$AUTHOR </td>
    <td  width='12%'  align='center'  style=\"border-bottom:  #F0F0F0  1px
solid;\">
    <a    href='?pilih=admin_quiz&aksi=delete&id=$ID'    onclick=\"return
confirmLink(this, 'DELETE FROM `$JUDUL` WHERE `id` = \'$ID\' ')\"><img
src='images/delete_button.gif'  border='0'  alt='delete  Quiz  Where  Id
$ID'></a>        <a        href='?pilih=admin_quiz&aksi=edit&id=$ID'><img
src='images/edit.gif' border='0' alt='Edit Berita'></a></td>
  </tr>";
                          $no++;
}
        $admin ."<tr>
    <td width='6%' style=\"border-top: 1px #CC6600 solid;\"> </td>
    <td width='70%' style=\"border-top: 1px #CC6600 solid;\"> </td>
    <td width='2%' style=\"border-top: 1px #CC6600 solid;\"> </td>
    <td width='11%' style=\"border-top: 1px #CC6600 solid;\"> </td>
    <td width='12%' style=\"border-top: 1px #CC6600 solid;\"> </td>
  </tr>";
                    $admin.= "</table>";
}
if ($_GET['aksi'] == 'add'){
if (isset ($_POST['tambah'])) {
$_POST['pertanyaan'] = str_replace ('#', '', $_POST['pertanyaan']);
$_POST['pilihan'] = str_replace ('#', '', $_POST['pilihan']);
// memasukkan pertanyaan kedalam database
if (is_array ($_POST['pertanyaan'])){
$arr_pertanyaan = $_POST['pertanyaan']  ;
$scema = '';
foreach ($arr_pertanyaan as $a=>$b){
       if (!empty ($b)){
$scema .= '#' . $b;
}
}
}
$simpan_pertanyaan = htmlspecialchars(substr ($scema, 1));
// memasukkan pilihan kedalam database
if (is_array ($_POST['pilihan'])){
$arr_pilihan = $_POST['pilihan'] ;
$scema = '';
foreach ($arr_pilihan as $c=>$d){
       if (!empty ($d)){
$scema .= '#' ;
if (is_array ($d)){
$scema2 = '' ;
foreach ($d as $e=>$f){
$scema2 .= '|' .$f;
}
$scema .= substr ($scema2, 1);
//end if
}
}
}
}
$simpan_pilihan = htmlspecialchars(substr ($scema, 1));
```

```
if (is_array ($_POST['id_r'])){
$scema3 = '' ;
$w = $_POST['id_r'];
foreach ($w as $x=>$z){
$scema3 .= '#' .$z;
}
//end if
}
$simpan_nilai = substr ($scema3, 1);
$author = $_SESSION['SES_USERNAME'];
//echo "$simpan_pertanyaan <br> $simpan_pilihan";
$JudulQuiz = htmlspecialchars($_POST['judul_quiz']);
$S100 = str_replace ('#', '', $_POST['S100']);
$S75 = str_replace ('#', '', $_POST['S75']);
$S50 = str_replace ('#', '', $_POST['S50']);
$S25 = str_replace ('#', '', $_POST['S25']);
$S0 = str_replace ('#', '', $_POST['S0']);
$nilai_komentar = '100=>' . $S100 . '#' . '75=>' . $S75 . '#' . '50=>' .
$S50 . '#' . '25=>' . $S25. '#' . '0=>' . $S0 ;
$query   =   mysql_query   ("INSERT   INTO   ".$GLOBALS['tabel']['form']."
(judul,pertanyaan,jawaban,nilai,author,hasil)                    VALUES
('$JudulQuiz','$simpan_pertanyaan','$simpan_pilihan','$simpan_nilai','$au
thor','$nilai_komentar')");
if ($query) $admin .= 'Berhasil memasukkan data';
//end post tambah
}
if (isset ($_POST['submit']) && is_numeric ($_POST['jml_pertanyaan']) &&
is_numeric ($_POST['jml_jawaban']) && !isset($_POST['tambah'])){
$count_pertanyaan = $_POST['jml_pertanyaan'];
$count_jawaban = $_POST['jml_jawaban'];
$admin .= '<form method="POST" action="">';
$admin   .=   '   Judul   Quiz   :   <input   type="text"   name="judul_quiz"
size="92">';
$admin .= '<p> </p>';
$no = 1;
for ($i=0; $i<$count_pertanyaan; $i++){
$admin .= '<table cellPadding="2" width="100%" border="0">
  <tr>
    <td vAlign="top" width="3%">' .$no. '.</td>
    <td vAlign="top" width="97%" colSpan="2">
    <input type="text" name="pertanyaan['. $i .']" size="92"></td>
  </tr>';
 for ($w=0; $w<$count_jawaban ; $w++){
$admin .= "  <tr>
    <td width=\"3%\"> </td>
    <td width=\"3%\"> ".$abjad[$w]."</td>
    <td   width=\"94%\"><input   type=\"text\"   name=\"pilihan[$i][$w]\"
size=\"55\">
  <input  type=\"radio\"  value=\"$abjad[$w]\"    name=\"id_r["  .  $i  .
"]\"></td>
  </tr> ";
}
$admin .= '  <tr>
    <td width="3%"> </td>
    <td width="3%"> </td>
    <td width="94%"> </td>
  </tr>
</table>';
$no++;
}
$admin  .=  '<table  border="0"  cellpadding="2"  style="border-collapse:
collapse" bordercolor="#111111" width="100%">
  <tr>
    <td width="26%" valign="top">Jika nilainya &gt;= 100</td>
```

```
    <td width="2%" valign="top"> </td>
    <td   width="72%"    valign="top"><textarea    rows="5"    name="S100"
cols="37"></textarea></td>
  </tr>
  <tr>
    <td width="26%" valign="top">Jika nilainya &gt;= 75</td>
    <td width="2%" valign="top"> </td>
    <td    width="72%"    valign="top"><textarea    rows="5"    name="S75"
cols="37"></textarea></td>
  </tr>
  <tr>
    <td width="26%" valign="top">Jika nilainya &gt;= 50</td>
    <td width="2%" valign="top"> </td>
    <td    width="72%"    valign="top"><textarea    rows="5"    name="S50"
cols="37"></textarea></td>
  </tr>
  <tr>
    <td width="26%" valign="top">Jika nilainya &gt;= 25</td>
    <td width="2%" valign="top"> </td>
    <td    width="72%"    valign="top"><textarea    rows="5"    name="S25"
cols="37"></textarea></td>
  </tr>
  <tr>
    <td width="26%" valign="top">Jika nilainya &gt;= 0</td>
    <td width="2%" valign="top"> </td>
    <td    width="72%"    valign="top"><textarea    rows="5"    name="S0"
cols="37"></textarea></td>
  </tr>
</table>';
$admin .= '<input type="submit" name="tambah" value="Tambah">';
$admin .= '</form>';
}
elseif (!isset($_POST['tambah'])) {
$admin .= '
<form method="POST" action="">
<table   border="0"   cellpadding="2"   style="border-collapse:   collapse"
bordercolor="#111111" width="100%">
  <tr>
    <td width="36%">Jumlah pertanyaan</td>
    <td width="2%">:</td>
    <td     width="62%"><input     type="text"     name="jml_pertanyaan"
size="20"></td>
  </tr>
  <tr>
    <td width="36%">Jumlah pilihan jawaban misalnya a,b,c....</td>
    <td width="2%">:</td>
    <td width="62%"><input type="text" name="jml_jawaban" size="20"></td>
  </tr>
  <tr>
    <td width="36%"> </td>
    <td width="2%"> </td>
    <td width="62%"> </td>
  </tr>
  <tr>
    <td width="36%"> </td>
    <td width="2%"> </td>
    <td width="62%"><input type="submit" value="Buat" name="submit"></td>
  </tr>
</table>
</form>
';
}
}
if ($_GET['aksi'] == 'edit'){
```

```
if (isset ($_POST['edit'])) {
$_POST['pertanyaan'] = str_replace ('#', '', $_POST['pertanyaan']);
$_POST['pilihan'] = str_replace ('#', '', $_POST['pilihan']);
// memasukkan pertanyaan kedalam database
if (is_array ($_POST['pertanyaan'])){
$arr_pertanyaan = $_POST['pertanyaan']  ;
$scema = '';
foreach ($arr_pertanyaan as $a=>$b){
      if (!empty ($b)){
$scema .= '#' . $b;
      }
}
}
$simpan_pertanyaan = htmlspecialchars(substr ($scema, 1));
// memasukkan pilihan kedalam database
if (is_array ($_POST['pilihan'])){
$arr_pilihan = $_POST['pilihan'] ;
$scema = '';
foreach ($arr_pilihan as $c=>$d){
            if (!empty ($d)){
$scema .= '#' ;
if (is_array ($d)){
$scema2 = '' ;
foreach ($d as $e=>$f){
$scema2 .= '|' .$f;
}
$scema .= substr ($scema2, 1);
//end if
}
}
}
}
$simpan_pilihan = htmlspecialchars(substr ($scema, 1));

if (is_array ($_POST['id_r'])){
$scema3 = '' ;
$w = $_POST['id_r'];
foreach ($w as $x=>$z){
$scema3 .= '#' .$z;
}
//end if
}
$simpan_nilai = substr ($scema3, 1);
//'$JudulQuiz','$simpan_pertanyaan','$simpan_pilihan','$simpan_nilai'
//echo "$simpan_pertanyaan <br> $simpan_pilihan";
$JudulQuiz = htmlspecialchars($_POST['judul_quiz']);
$ID = $_POST['idnya'];
$S100 = str_replace ('#', '', $_POST['S100']);
$S75 = str_replace ('#', '', $_POST['S75']);
$S50 = str_replace ('#', '', $_POST['S50']);
$S25 = str_replace ('#', '', $_POST['S25']);
$S0 = str_replace ('#', '', $_POST['S0']);
$nilai_komentar = '100=>' . $S100 . '#' . '75=>' . $S75 . '#' . '50=>' .
$S50 . '#' . '25=>' . $S25. '#' . '0=>' . $S0 ;
$query   =   mysql_query   ("UPDATE   ".$GLOBALS['tabel']['form']."   SET
judul='$JudulQuiz',                    pertanyaan='$simpan_pertanyaan',
jawaban='$simpan_pilihan', nilai='$simpan_nilai', hasil='$nilai_komentar'
WHERE id='$ID'");
if ($query) $admin .= 'Berhasil memasukkan data';
//end post tambah
}
$query = mysql_query ("SELECT * FROM ".$GLOBALS['tabel']['form']." WHERE
id='$id'");
$data = mysql_fetch_array ($query);
```

```
$pertanyaan = explode ('#', $data['pertanyaan']);
$jawaban = explode ('#', $data['jawaban']);
$Nilai = explode ('#', $data['nilai']);
$count_pertanyaan = count ($pertanyaan);
$admin .= '<form method="POST" action="">';
$admin .= ' Judul Quiz : <input type="text" name="judul_quiz" value="' .
$data['judul'] . '" size="92">';
$admin .= '<p> </p>';
$no = 1;
for ($i=0; $i<$count_pertanyaan; $i++){
$admin .= '<table cellPadding="2" width="100%" border="0">
  <tr>
    <td vAlign="top" width="3%">' .$no. '.</td>
    <td vAlign="top" width="97%" colSpan="2">
    <input type="text" name="pertanyaan['. $i .']" size="92" value="' .
$pertanyaan[$i] . '"></td>
  </tr>';
$pecah =  explode ('|' , $jawaban[$i]);
$count_jawaban = count ($pecah) ;
 for ($w=0; $w<$count_jawaban ; $w++){
       if ($abjad[$w] == $Nilai[$i]){
$admin .= "  <tr>
    <td width=\"3%\"> </td>
    <td width=\"3%\"> ".$abjad[$w]."</td>
    <td   width=\"94%\"><input   type=\"text\"   name=\"pilihan[$i][$w]\"
size=\"55\" value=\"$pecah[$w]\">
  <input type=\"radio\" value=\"$abjad[$w]\" checked name=\"id_r[" . $i .
"]\"></td>
  </tr> ";
       }else {
$admin .= "  <tr>
    <td width=\"3%\"> </td>
    <td width=\"3%\"> ".$abjad[$w]."</td>
    <td   width=\"94%\"><input   type=\"text\"   name=\"pilihan[$i][$w]\"
size=\"55\" value=\"$pecah[$w]\">
  <input   type=\"radio\"   value=\"$abjad[$w]\"   name=\"id_r["   .   $i   .
"]\"></td>
  </tr> ";
             }
}
$admin .= '  <tr>
    <td width="3%"> </td>
    <td width="3%"> </td>
    <td width="94%"></td>
  </tr>
</table>';
$no++;
$end_i = $i;
$end_w = $w;
}
if (isset ($_POST['tambahlagi'])){
$count_pertanyaan = $_POST['penambahan'];
for ($i=($end_i+1); $i<($end_i+$count_pertanyaan)+1; $i++){
$admin .= '<table cellPadding="2" width="100%" border="0">
  <tr>
    <td vAlign="top" width="3%">' .$no. '.</td>
    <td vAlign="top" width="97%" colSpan="2">
    <input type="text" name="pertanyaan['. $i .']" size="92"></td>
  </tr>';
$ii = 0;
 for ($w=$end_w; $w<($end_w+$count_jawaban) ; $w++){
$admin .= "  <tr>
    <td width=\"3%\"> </td>
    <td width=\"3%\"> ".$abjad[$ii]."</td>
```

```
    <td   width=\"94%\"><input   type=\"text\"   name=\"pilihan[$i][$ii]\"
size=\"55\">
  <input  type=\"radio\"  value=\"$abjad[$ii]\"    name=\"id_r["  .  $i  .
"]\"></td>
  </tr> ";
$ii++;
}
$admin .= '  <tr>
    <td width="3%"> </td>
    <td width="3%"> </td>
    <td width="94%"> </td>
  </tr>
</table>';

$no++;
}
}
if (!empty($data['hasil'])){
$komentar = explode ('#', $data['hasil']);
foreach ($komentar as $kunci=>$nilai){
$get_nilai = explode ('=>', $nilai);
$N_100[] = $get_nilai[1];
}
}
$admin  .=  '<table  border="0"  cellpadding="2"  style="border-collapse:
collapse" bordercolor="#111111" width="100%">
  <tr>
    <td width="26%" valign="top">Jika nilainya &gt;= 100</td>
    <td width="2%" valign="top"> </td>
    <td   width="72%"    valign="top"><textarea    rows="5"    name="S100"
cols="37">'. $N_100[0]  .'</textarea></td>
  </tr>
  <tr>
    <td width="26%" valign="top">Jika nilainya &gt;= 75</td>
    <td width="2%" valign="top"> </td>
    <td    width="72%"    valign="top"><textarea    rows="5"    name="S75"
cols="37">'. $N_100[1]  .'</textarea></td>
  </tr>
  <tr>
    <td width="26%" valign="top">Jika nilainya &gt;= 50</td>
    <td width="2%" valign="top"> </td>
    <td    width="72%"    valign="top"><textarea    rows="5"    name="S50"
cols="37">'. $N_100[2]  .'</textarea></td>
  </tr>
  <tr>
    <td width="26%" valign="top">Jika nilainya &gt;= 25</td>
    <td width="2%" valign="top"> </td>
    <td    width="72%"    valign="top"><textarea    rows="5"    name="S25"
cols="37">'. $N_100[3]  .'</textarea></td>
  </tr>
  <tr>
    <td width="26%" valign="top">Jika nilainya &gt;= 0</td>
    <td width="2%" valign="top"> </td>
    <td    width="72%"    valign="top"><textarea    rows="5"    name="S0"
cols="37">'. $N_100[4]  .'</textarea></td>
  </tr>
</table>';
$admin  .=  'Tambah  lagi  <input  type="text"  name="penambahan"  size="5"
value="1">    <input    type="submit"    name="tambahlagi"    value="GO">
<br><br><input  type="hidden"  name="idnya"  value="'  .  $_GET['id']  .
'"><input type="submit" name="edit" value="Edit">';
$admin .= '</form>';
}
if ($_GET['aksi'] == 'delete'){
```

```
$query = mysql_query ("DELETE FROM ".$GLOBALS['tabel']['form']." WHERE
id='$id'");
header ("location:?pilih=admin_quiz");
}
?>
```

(1.9) admin_sql.php

```
<?php
/**
* my weblogs
* version 1.0
* Author : Peter Vannes
* Email  : peter_fu@yahoo.com
* File        : navigasi.php
*
* Last Modified : May 16, 2007 03:07:22 PM
**/
defined( 'peter' ) or die( 'Direct Access to this location is not
allowed.' );
if ($_SESSION['SES_PRIV'][0] == 'all'){
$sssssssssssssss = 'ok';
}
elseif(!in_array( basename(__FILE__), $_SESSION['SES_PRIV'], true)){
die( 'Direct Access to this location is not allowed.' );
}
if ($SES_TYPE == 0){
header ("location:admin.php");
exit;
}
if (!eregi ( 'set_time_limit' , ini_get ('disable_functions')) && ini_get
('safe_mode') == '0'){
set_time_limit(0) ;
}
if (!isset($aksi)) $aksi ='';
if (!isset($logout)) $logout ='';
if (!isset($do_drop_table)) $do_drop_table ='';
if (!isset($do_copy_table)) $do_copy_table ='';
if (!isset($do_rename_table)) $do_rename_table ='';
if ($logout) {
session_unregister ('server');
unset ($server);
}
if (!isset ($server)){
$server = 1;
}else {
session_register ('server');
$server = $server;
}
function  wwrap ($nama, $limit){
if (strlen ($nama) > $limit) {
$nama = substr($nama, 0, $limit) .'...';
}else {
$nama = $nama;
}
return $nama;
}
   function  sqlAddslashes($a_string  =  '',  $is_like  =  FALSE,  $crlf  =
FALSE)
        {
            if ($is_like) {
                $a_string = str_replace('\\', '\\\\\\\\', $a_string);
            } else {
                $a_string = str_replace('\\', '\\\\', $a_string);
            }
```

```
            if ($crlf) {
                $a_string = str_replace("\n", '\n', $a_string);
                $a_string = str_replace("\r", '\r', $a_string);
                $a_string = str_replace("\t", '\t', $a_string);
            }
            $a_string = str_replace('\'', '\\\'', $a_string);
            return $a_string;
        }
        function remove_remarks($SQL)
{
    $lines = explode("\n", $SQL);
    // try to keep mem. use down
    $SQL = "";
    $linecount = count($lines);
    $output = "";
    for ($i = 0; $i < $linecount; $i++) {
        if (($i != ($linecount - 1)) || (strlen($lines[$i]) > 0)) {
            if ($lines[$i][0] != "#") {
                $output .= $lines[$i] . "\n";
            } else {
                $output .= "\n";
            }
            // Trading a bit of speed for lower mem. use here.
            $lines[$i] = "";
        }
    }
    return $output;
}
//  split_sql_file  will  split  an  uploaded  sql  file  into  single  sql
statements.
// Note: expects trim() to have already been run on $SQL.
function split_sql_file($SQL, $delimiter)
{
    // Split up our string into "possible" SQL statements.
    $tokens = explode($delimiter, $SQL);
    // try to save mem.
    $SQL = "";
    $output = array();
    // we don't actually care about the matches preg gives us.
    $matches = array();
    // this is faster than calling count($oktens) every time thru the
loop.
    $token_count = count($tokens);
    for ($i = 0; $i < $token_count; $i++) {
        // Don't wanna add an empty string as the last thing in the
array.
        if (($i != ($token_count - 1)) || (strlen($tokens[$i] > 0))) {
            // This is the total number of single quotes in the token.
            $total_quotes = preg_match_all("/'/", $tokens[$i], $matches);
            // Counts single quotes that are preceded by an odd number of
backslashes,
            // which means they're escaped quotes.
            $escaped_quotes                                              =
preg_match_all("/(?<!\\\\)(\\\\\\\\)*\\\\'/", $tokens[$i], $matches);
            $unescaped_quotes = $total_quotes - $escaped_quotes;
            //  If  the  number  of  unescaped  quotes  is  even,  then  the
delimiter did NOT occur inside a string literal.
            if (($unescaped_quotes % 2) == 0) {
                // It's a complete sql statement.
                $output[] = $tokens[$i];
                // save memory.
                $tokens[$i] = "";
            } else {
```

```
                // incomplete sql statement. keep adding tokens until we
have a complete one.
                // $temp will hold what we have so far.
                $temp = $tokens[$i] . $delimiter;
                // save memory..
                $tokens[$i] = "";
                // Do we have a complete statement yet?
                $complete_stmt = false;
                for ($j = $i + 1; (!$complete_stmt && ($j <
$token_count)); $j++) {
                    // This is the total number of single quotes in the
token.
                    $total_quotes = preg_match_all("/'/", $tokens[$j],
$matches);
                    // Counts single quotes that are preceded by an odd
number of backslashes,
                    // which means they're escaped quotes.
                    $escaped_quotes                                    =
preg_match_all("/(?<!\\\\)(\\\\\\\\)*\\\\'/", $tokens[$j], $matches);
                    $unescaped_quotes = $total_quotes - $escaped_quotes;
                    if (($unescaped_quotes % 2) == 1) {
                        // odd number of unescaped quotes. In combination
with the previous incomplete
                        //  statement(s), we now have a complete
statement. (2 odds always make an even)
                        $output[] = $temp . $tokens[$j];
                        // save memory.
                        $tokens[$j] = "";
                        $temp = "";
                        // exit the loop.
                        $complete_stmt = true;
                        // make sure the outer loop continues at the
right point.
                        $i = $j;
                    } else {
                        // even number of unescaped quotes. We still
don't have a complete statement.
                        // (1 odd and 1 even always make an odd)
                        $temp .= $tokens[$j] . $delimiter;
                        // save memory.
                        $tokens[$j] = "";
                    }
                } // for..
            } // else
        }
    }
    return $output;
}
function snull ($name){
if (empty ($name)){
      $name = 'NULL';
}else {
      $name = $name;
}
return $name;
}
$admin .= <<<js
<script type="text/javascript">
function increment(fieldName)
{
      document.getElementById(fieldName).value++;
}
all_checked = true;
function checkall(formName, boxName) {
```

```
	for(i = 0; i < document.getElementById(formName).elements.length;
i++)
	{
		var 			formElement 			=
document.getElementById(formName).elements[i];
		if(formElement.type == 'checkbox' && formElement.name ==
boxName && formElement.disabled == false)
		{
			formElement.checked = all_checked;
		}
	}
all_checked = all_checked ? false : true;
}
</script>
js;
$admin .="<b>MySQL backup</b><br><br>";
$admin	.="<a	href='?pilih=admin_sql'>Home</a>	|	<a
href='?pilih=admin_sql&aksi=query'>SQL</a>		|		<a
href='?pilih=admin_sql&aksi=backup'>Backup</a>";

$admin .="<p> </p>";

if ($aksi ==''){
$admin  .="<form  method=post  action=''  id='sql'><table  class='tabel'
border='0' cellspacing='0' cellpadding='0' width='100%'>
		<tr>
    <td style=\"border-bottom: 1px #CC6600 solid;\"> </td>
    <td  style=\"border-bottom: 1px #CC6600 solid;\">
    <a class=\"orange\">Table</a> </td>
    <td style=\"border-bottom: 1px #CC6600 solid;\">
    <a class=\"orange\">Record</a> </td>
    <td style=\"border-bottom: 1px #CC6600 solid;\">
    <a class=\"orange\">Size</a> </td>
    <td style=\"border-bottom: 1px #CC6600 solid;\">
    <a class=\"orange\">Auto Inc</a> </td>
   <td style=\"border-bottom: 1px #CC6600 solid;\">
    <a class=\"orange\">Created</a> </td>
  </tr>";
$SQL->connect($server);
$quer = mysql_query('SHOW TABLE STATUS');
$SQL->close();
$j = 0;
$total_rows = '';
$total_size = '';
while ($data = mysql_fetch_array ($quer)){
	if ($j % 2 == 0){
	$bgcp = 'bgcolor=#fcfcfc';
	}else {
		$bgcp = '';
	}
	$j++;
$total_rows = $total_rows + $data['Rows'];
$total_size	=	$total_size	+	$data['Data_length']	+
$data['Avg_row_length'] + $data['Index_length'];
//$admin .="$data[Name]";
$admin.= "<tr $bgcp onmouseover=\"this.style.backgroundColor='#FBFBFB';\"
onmouseout=\"this.style.backgroundColor='';\">
    <td	style=\"border-bottom:	#F0F0F0	1px	solid;\"><input
id=\"selected[]\" name=\"selected[]\" type=\"checkbox\" value=\"".
    $data['Name']
    ."\"	style=\"border:none\"  /></td>  <td  style=\"border-bottom:
#F0F0F0 1px solid;\">
    <a                                                  class=image
href='?pilih=admin_sql&aksi=property&table=$data[Name]'>
```

```
    $data[Name]
    </a>
    </td>
    <td style=\"border-bottom: #F0F0F0 1px solid;\">".
    $data['Rows']
    ."</td>
    <td style=\"border-bottom: #F0F0F0 1px solid;\">".
    fsize($data['Data_length']      +      $data['Avg_row_length']      +
$data['Index_length'])
    ."</td>
    <td style=\"border-bottom: #F0F0F0 1px solid;\">".
    snull ($data['Auto_increment'])
    ."</td>
    <td style=\"border-bottom: #F0F0F0 1px solid;\">
    $data[Create_time]
    </td>
  </tr>";
}
 $admin .="<tr>
    <td style=\"border-top: 1px #CC6600 solid;\"> </td>
    <td      style=\"border-top:      1px      #CC6600      solid;\"><a
href=\"javascript:checkall('sql',      'selected[]')\"      title='Select
All'>Check All</a>
    Total ".($j) ."
    </td>
    <td style=\"border-top: 1px #CC6600 solid;\">$total_rows</td>
    <td style=\"border-top: 1px #CC6600 solid;\">".
    fsize ($total_size)
    ."</td>
    <td style=\"border-top: 1px #CC6600 solid;\"> </td>
    <td style=\"border-top: 1px #CC6600 solid;\"> </td>
  </tr>";
                    $admin.= "</table>";
                    $admin .="With Selected :
  <select size=\"1\" name=\"eksekusi\">
  <option selected value='no'>------</option>
  <option value=\"Rename\">Rename Table</option>
  <option value=\"Drop\">Drop Table</option>
  <option value=\"Copy\">Copy Table</option>
  <option value=\"Check\">Check Table</option>
  <option value=\"Optimize\">Optimize Table</option>
  <option value=\"Repair\">Repair Table</option>
  <option value=\"Analyze\">Analyze Table</option>
  </select>
  <input type='hidden' name='aksi' value='pilih'>
<input  type=\"submit\"  name=\"action\"  value=\"Go\"  style=\"background-
color: red; color: white;\"/>
                    </form>";
//end if isset
}
if ($aksi == 'pilih'){
if  ($eksekusi  ==  'Check'  or  $eksekusi  ==  'Optimize'  or  $eksekusi  ==
'Repair'  or $eksekusi == 'Analyze'){
       $schema = $eksekusi ;
if (is_array ($selected)){
$str = '';
foreach ($selected as $key=>$val){
$str .= ", `$val`";
}
$str = substr ($str , 1);
$SQL->connect ($server);
$bertanya = mysql_query ("$schema TABLE $str");
$SQL->close();
$admin .="<table border=0 cellSpacing=0 cellPadding=0>";
```

```
$admin .="<tr><td  style=\"border-bottom: 1px #CC6600 solid;\">
    <a class=\"orange\">Table</a>  </td>
    <td style=\"border-bottom: 1px #CC6600 solid;\">
    <a class=\"orange\">Op</a>  </td>
    <td style=\"border-bottom: 1px #CC6600 solid;\">
    <a class=\"orange\">Msg_type</a>  </td>
    <td style=\"border-bottom: 1px #CC6600 solid;\">
    <a class=\"orange\">Msg_text </a>  </td></tr>";
    $j = 0;
while ($data = mysql_fetch_array ($bertanya)){
       if ($j % 2 == 0){
       $bgcp = 'bgcolor=#eefeef';
       }else {
              $bgcp = '';
       }
       $j++;
$admin  .="<tr  $bgcp  height=20><td  style=\"border-bottom:  #F0F0F0  1px
solid;\">$data[Table] </td><td  style=\"border-bottom:  #F0F0F0  1px
solid;\">  $data[Op]   </td><td  style=\"border-bottom:  #F0F0F0  1px
solid;\">$data[Msg_type] </td><td style=\"border-bottom: #F0F0F0 1px
solid;\"> $data[Msg_text] </td></tr>";
}
 $admin .="<tr>
    <td style=\"border-top: 1px #CC6600 solid;\"> </td>
    <td style=\"border-top: 1px #CC6600 solid;\"> </td>
    <td style=\"border-top: 1px #CC6600 solid;\"> </td>
    <td style=\"border-top: 1px #CC6600 solid;\"> </td>
  </tr>";
$admin .="</table>";
}
}
if ($eksekusi == 'Copy' && count($selected) <= 1){
if  ($do_copy_table == 1){
$SQL->connect ($server);
$bertanya = mysql_query ("SHOW CREATE TABLE `$table_history`");
$SQL->close();
while ($data = mysql_fetch_row ($bertanya)){
$Schema =  $data[1];
}
$Schema = str_replace ($table_history, $copy_table, $Schema);
$SQL->connect ($server);
$bertanya3 = mysql_query ("SHOW TABLE STATUS LIKE '$table_history'");
$SQL->close();
while ($data = mysql_fetch_array ($bertanya3)){
$Schema .=" AUTO_INCREMENT=$data[Auto_increment] ";
}
$Schema .= " ; \n\n\n";
$SQL->connect ($server);
$bertanya4 = mysql_query ("SELECT * FROM `$table_history`");
$bertanya5 = mysql_query ("SHOW FIELDS FROM `$table_history`");
$SQL->close();
$jumlahfield = mysql_num_rows ($bertanya5);
$search  =  array("\x00",  "\x0a",  "\x0d",  "\x1a");  //\x08\\x09,  not
required
$replace = array('\0', '\n', '\r', '\Z');
while ($data = mysql_fetch_row ($bertanya4)){
$Schema .= "INSERT INTO `$copy_table` VALUES  (";
for ($i=0; $i<$jumlahfield; $i++){
$Schema .= "'". str_replace($search, $replace, sqlAddslashes($data[$i]))
."'";
if ($i >= 0 && $i <($jumlahfield-1)){
$Schema .= ", ";
}
}
```

```
$Schema .= ") ;\n\n";
}
$SQL->connect ($server);
//echo $Schema;
$output = remove_remarks($Schema);
$datas = split_sql_file($Schema, ';');
for ($i=0; $i<count($datas); $i++){
 mysql_query ($datas[$i]);
}
$SQL->close();
header ("location:?pilih=admin_sql");
}
$admin .="
<form method='post' action=''>
<input type='hidden' name='eksekusi' value='Copy'>
<input type='hidden' name='aksi' value='pilih'>
<input type='hidden' name='table_history' value='$selected[0]'>
<input type='hidden' name='do_copy_table' value='1'>
Nama table nya : <input type='text' name='copy_table' size='23'
value=\"$selected[0]_copy\"> <input type='submit' name='submit'
value='submit' size='55'>
</form>
";
//end copy tables
}
if ($eksekusi == 'Drop'){
if  ($do_drop_table == 1 && is_array($table_to_delete)){
$SQL->connect ($server);
foreach ($table_to_delete as $key=>$val){
$bertanya = mysql_query ("DROP TABLE `$val`");
}
$SQL->close();
session_unregister ("table_to_delete");
header ("location:?pilih=admin_sql");
}
// end $do_drop_table
$admin .="
<form method='post' action=''>
<input type='hidden' name='eksekusi' value='Drop'>
<input type='hidden' name='aksi' value='pilih'>
<input type='hidden' name='do_drop_table' value='1'>
Apakah anda Ingin Menghapus tabel<br><br>
";
session_register ("table_to_delete");
$table_to_delete = Array ();
foreach ($selected as $key=>$val){
$admin .="<li>$val";
$table_to_delete[] = $val;
}
$admin .="
<br><br> <input type='submit' name='submit' value='ya' size='55'>
</form>
";
}
if ($eksekusi == 'Rename'){
if  ($do_rename_table == 1 && is_array($table_to_rename)){
$SQL->connect ($server);
foreach ($table_to_rename as $key=>$val){
if (!eregi (" ", $current_tab[$key])){
$bertanya = mysql_query ("ALTER TABLE `$val` RENAME
`$current_tab[$key]`");
}
}
$SQL->close();
```

```
session_unregister ("table_to_rename");
header ("location:?pilih=admin_sql");
}
// end $do_drop_table
$admin .="
<form method='post' action=''><table>";
$admin .="
<input type='hidden' name='eksekusi' value='Rename'>
<input type='hidden' name='aksi' value='pilih'>
<input type='hidden' name='do_rename_table' value='1'>
<br><br>
";
session_register ("table_to_rename");
$table_to_rename = Array ();
if (!is_array ($selected)){
header ("location:?pilih=admin_sql");
}
foreach ($selected as $key=>$val){
$admin.="<tr><td>$val</td><td>     ->     </td><td><input     type='text'
name='current_tab[]' value=\"$val\" size='55'></td></tr>";
$table_to_rename[] = $val;
}
$admin .="
<tr><td></td><td></td><td><input      type=\"submit\"      name=\"action\"
value=\"Rename\"    style=\"background-color:    red;    color:    white;\"
/></td></tr></table></form>
";
}
//end if aksi
}
if ($aksi == 'property'){
       function kosong ($text){
              if (empty ($text)){
                     $text = ' ';
              }else {
                     $text = $text;

              }
              return $text;
       }
$admin              .=             'Structur             |             <a
href="?pilih=admin_sql&aksi=browse&table='.cleanTEXT($_GET['table']).'">B
rowse</a>                                  |                                  <a
href="?pilih=admin_sql&aksi=truncate&table='.cleanTEXT($_GET['table']).'"
>Kosongkan</a> | Insert';
$admin .= '<p> </p>';
$link = $SQL->connect ($server);
$result = mysql_query ("SHOW FIELDS FROM `$table`") ;
$SQL->close();
              $fields = mysql_num_fields ($result);
              $rows   = mysql_num_rows ($result);
              if ($rows != 0)           {
                     $admin  .=  '<table  width="100%"    cellpadding="2"
cellspacing="1" summary="sql result">'
                            .'<tr>';
                     for ($i = 0; $i < $fields; $i++)        {
                                   $admin  .=  '<td    style="border-bottom:
1px #CC6600 solid;"><a class=orange>' . mysql_field_name ($result, $i) .
'</a></td>';
                     }
                     $admin .= '</tr>';
                     $j = 1; // initialize
                     while ($row = mysql_fetch_row ($result))      {
                            if ($j % 2 == 0){
```

```
                                        $bgcp = 'bgcolor=#fcfcfc';
                                    }else {
                                        $bgcp = '';
                                        }
                                $admin          .=          "<tr          $bgcp
onmouseover=\"this.style.backgroundColor='#FBFBFB';\"
onmouseout=\"this.style.backgroundColor='';\">";
                                for ($i = 0; $i < $fields; $i++)        {
                                    $admin    .=    '<td        valign="top"
style="border-bottom: #F0F0F0 1px solid;" nowrap>' .  $row[$i] . '</td>';
                                }
                                $admin .= '</tr>';
                                $j++;
                        }
                        $admin .= '</table>';
                }
$link = $SQL->connect ($server);
$result = mysql_query ("SHOW TABLE STATUS LIKE '$table'") ;
$SQL->close();
$fields = mysql_num_fields ($result);
$rows   = mysql_num_rows ($result);
                if ($rows != 0)           {
                $admin .="<p> </p>";
                $admin .="<table border=0 cellSpacing=0 cellPadding=0>";
                $admin  .="<tr><td     style=\"border-bottom:   1px   #CC6600
solid;\">
    <a class=\"orange\">Variable</a>  </td>
    <td style=\"border-bottom: 1px #CC6600 solid;\">
    <a class=\"orange\">Value</a>  </td></tr>";
                for ($i = 0; $i < $fields; $i++){
                        $variable[] = mysql_field_name ($result, $i);
                }
                        while ($row = mysql_fetch_row ($result))       {
                        for ($i = 0; $i < $fields; $i++){
                                $value[] = $row[$i] ;
                        }
                        }
                        //isi
                        for ($w=0; $w<count($variable); $w++){
                        if ($w % 2 == 0){
                                        $bgcp = 'bgcolor=#fcfcfc';
                                    }else {
                                        $bgcp = '';
                                        }
                                  $admin .="<tr $bgcp height=20>
                                  <td   style=\"border-bottom:   #F0F0F0   1px
solid;\">$variable[$w] </td>
                                  <td   style=\"border-bottom:   #F0F0F0   1px
solid;\"> $value[$w]  </td>
                                  </tr>"
                        }
                        //end isi
                         $admin .="<tr>
                                <td     style=\"border-top:     1px     #CC6600
solid;\"> </td>
                                <td     style=\"border-top:     1px     #CC6600
solid;\"> </td>
                                    </tr>";
                         $admin .="</table>";
                        //end if ($rows != 0)
                }
}
if ($aksi == 'query'){
```

```
$admin  .=  '<form  action=""  method="post"  enctype  ="multipart/form-
data">';
$admin .= '<div class="boxhead">Execute Query</div>';
$admin .= '<table width="100%" class="boxcontent" summary="form part">
        <tr>
        <td><b>Enter  query</b></td><td><textarea  name="query"  cols="50"
rows="8">';
if (isset ($_POST['query']))     {
      $admin .= stripslashes ($_POST['query']);
}
$admin    .=    '</textarea><br><br><input    class=input    type="file"
name="namafile" size=40></td>
        </tr>
        <tr>
        <td colspan=2><input class="button" type="submit" name="submit"
value="Execute"></td>
        </tr>
        </table>';
$admin .= '</form>';
$admin .= '<br>';
if (isset ($_POST['submit']) && $_POST['submit'] == 'Execute')     {
      $link = $SQL->connect ($server);
      $query = stripslashes ($_POST['query']);
      if                                                    (preg_match
('/^(select|describe|show|explain|check|backup|restore|analyze|repair)/i'
, $query) && empty ($namafile))  {
            $result = mysql_query ($query) ;
            $fields = mysql_num_fields ($result);
            $rows   = mysql_num_rows ($result);
            if ($rows != 0)           {
                  $admin  .=  '<table  width="100%"    cellpadding="2"
cellspacing="0" summary="sql result">'
                        .'<tr>';
                  for ($i = 0; $i < $fields; $i++)        {
                        $admin  .=  '<td   style="border-bottom:
1px #CC6600 solid;"><a class=orange>' . mysql_field_name ($result, $i) .
'</a></td>';
                  }
                  $admin .= '</tr>';
                  $j = 0; // initialize
                  while ($row = mysql_fetch_row ($result))      {
                        if ($j % 2 == 0){
                              $bgcp = 'bgcolor=#eefeef';
                        }else {
                              $bgcp = '';
                              }
                        $admin          .=          "<tr          $bgcp
onmouseover=\"this.style.backgroundColor='#FBFBFB';\"
onmouseout=\"this.style.backgroundColor='';\">";
                        for ($i = 0; $i < $fields; $i++)        {
                              $admin     .=     '<td     valign="top"
style="border-bottom:   #F0F0F0   1px   solid;"   nowrap>'   .   nl2br   (
htmlentities($row[$i])) . '</td>';

                        }
                        $admin .= '</tr>';
                        $j++;
                  }
                  $admin .= '</table>';
            }
                  $admin .= 'Query OK. ' . $rows . ' rows retrieved';
      } else {
                  if (!empty ($namafile)){
```

```
                        $userfile_tmp                                   =
$_FILES['namafile']['tmp_name'];
                        $finame = $_FILES['namafile']['name'];
                        $temp_file = rand (132, 455743) .'_'. $finame;
                        move_uploaded_file($userfile_tmp,
'temp/'.$temp_file);
                        $fileop = bukafile('temp/'.$temp_file);
                        unlink ('temp/'.$temp_file);
                        $output = remove_remarks($fileop);
                        $datasd = split_sql_file($output, ';');
                  }else {
                  $output = remove_remarks($query);
                  $datasd = split_sql_file($output, ';');
                  }
                  for ($i=0; $i<count($datasd); $i++){
                  mysql_query ($datasd[$i]);
                  }
            //mysql_query ($query) ;
            if    (preg_match    ('/\bcreate    table\b/i',    $query))
$message = 'Table created';
            elseif   (preg_match   ('/\bcreate   database\b/i',   $query))
$message = 'Database created';
            elseif    (preg_match    ('/\balter    table\b/i',    $query))
$message = 'Table altered';
            elseif    (preg_match    ('/\bdrop    table\b/i',    $query))
$message = 'Table dropped';
            elseif   (preg_match   ('/\bdrop   database\b/i',   $query))
$message = 'Database dropped';
            else $message = 'Query OK';
            $admin  .=  ''  .  $message  .  '.  Affected  row(s)  '  .
mysql_affected_rows ($link) . '';
      }
$SQL->close();
}
}
if ($aksi == 'backup'){
$compres = !isset ($compres) ? '' : $compres;
$phpversi ='PHP Version : ' .phpversion();
//$mysqlversi ="MySQL server version: ". mysql_get_server_info();
$host = $dbs['host'][$server];
if (@$_POST['compres'] >=1 && isset($_POST['submit'])){
//$filename = $db.'.zip';
include "includes/zip.php";
$SQL->connect($server);
$quer = mysql_query('SELECT VERSION() AS version');
$dataae = mysql_fetch_array ($quer);
$mysqlversi = 'MySQL Nya versi : ' . $dataae['version'];
$db = $dbs['dbname'][$server];
$namafile = $db.'.zip';
##########################################
$GLOBALS['buffer_needed'] ='';
$GLOBALS['asfile'] ='awam.zip';
include "includes/sql2.php";
 $timer4 = new microTimer;
$timer4->start();
if ($_POST['compres'] <= 1){
            $dump_buffer  ='#-------------------------------------------
---'."\n";
            $dump_buffer .='#-- From '.$host."\n";
            $dump_buffer .='#-- '.$phpversi."\n";
            $dump_buffer .='#-- '.$mysqlversi."\n";
            $dump_buffer .="#-- Pembuatan database Untuk `$db`"."\n";
            $dump_buffer  .='#--  '.tanggal  ($GLOBALS['timeplus']).'  WIB
'."\n";
```

```
            $dump_buffer .='#-- Copyright@2007 By Peter Vannes'."\n";
            $dump_buffer .='#-- Email : peter_fu@yahoo.com'."\n";
            $dump_buffer .='#-- Homepage http://www.dirahost.biz'."\n";
            $dump_buffer  .='#-----------------------------------------------
----'."\n";
            for ($i=0; $i<count($tables); $i++) {
                $table = $tables[$i];
                $local_query   = 'SELECT * FROM ' . PMA_backquote($db) .
'.' . PMA_backquote($table);
                if($typebackup =='1'){
             $dump_buffer   .=  PMA_exportStructure($db,  $table,  $crlf,
$error_url)."\n";
              $dump_buffer    .=    PMA_exportData($db,    $table,    $crlf,
$error_url, $local_query);
           }elseif($typebackup =='2'){
                 $dump_buffer  .= PMA_exportStructure($db, $table, $crlf,
$error_url)."\n";
           }else{
                 $dump_buffer   .=   PMA_exportData($db,   $table,   $crlf,
$error_url, $local_query);
           }
            }
$SQL->close();
$dump_buffer .= "\r\n". '#-- Execute time  '. $timer4->stop() .' detik';
}
$filename = $db.'.zip';
//tulisfile('../temp/'.$filename  ,$dump_buffers);
if (@$gofile == 'on'){
      if (!file_exists ('backups')) mkdir ('backups', 0777);
if   (!file_exists   ('backups/sql'))   mkdir   ('backups/sql',   0777);
fopen("backups/sql/index.html", "wb");
$zipfile = new zipfile();
$zipfile -> addFile($dump_buffer, $db.'.sql');
$dump_buffers = $zipfile -> file();
 tulisfile("backups/sql/" .$filesql. "".'.zip' , $dump_buffers);
$admin .="Sukses DumpSQL into <b>backups/sql/" .$filesql. ".zip </b>";
}else {
while (@ob_end_clean());
if ($_POST['compres'] == 2){
@header("Content-type: application/gz");
@header("Content-disposition: attachment; filename=$db.sql.gz");
            $dump_buffer  ='#-----------------------------------------------
---'."\n";
            $dump_buffer .='#-- From '.$host."\n";
            $dump_buffer .='#-- '.$phpversi."\n";
            $dump_buffer .='#-- '.$mysqlversi."\n";
            $dump_buffer .="#-- Pembuatan database Untuk `$db`"."\n";
            $dump_buffer  .='#--  '.tanggal  ($GLOBALS['timeplus']).'  WIB
'."\n";
            $dump_buffer .='#-- Copyright@2007 By Peter Vannes'."\n";
            $dump_buffer .='#-- Email : peter_fu@yahoo.com'."\n";
            $dump_buffer .='#-- Homepage http://www.dirahost.biz'."\n";
            $dump_buffer  .='#-----------------------------------------------
----'."\n";
           echo @gzencode ($dump_buffer,9 );
$crlf = "\n ";
           $error_url = '';
            for ($i=0; $i<count($tables); $i++) {
                $table = $tables[$i];
                $local_query   = 'SELECT * FROM ' . PMA_backquote($db) .
'.' . PMA_backquote($table);
                if($typebackup =='1'){
```

```
            echo @gzencode ( @PMA_exportStructure($db, $table, $crlf,
$error_url)   .   @PMA_exportData($db,   $table,   $crlf,   @$error_url,
$local_query),9);
          }elseif($typebackup =='2'){
               echo   @gzencode   (   @PMA_exportStructure($db,   $table,
$crlf, $error_url),9 );
          }else{
               echo @gzencode ( @PMA_exportData($db, $table, $crlf,
$error_url, $local_query),9 );
          }
           }
$SQL->close();
echo @gzencode( "\n". '#-- Execute time  '. $timer4->stop() .' detik',9
);
exit;
}
if ($_POST['compres'] == 1){
@header("Content-type: application/zip");
@header("Content-disposition: attachment; filename=$filename");
$zipfile = new zipfile();
$zipfile -> addFile($dump_buffer, $db.'.sql');
$dump_buffers = $zipfile -> file();
echo $dump_buffers;
exit;
}
}
################################################################################
####################
}
######################
## kompers 2
####################
if(@$_POST['compres'] == 0 && isset ($_POST['submit'])){
$SQL->connect($server);
$db = $dbs['dbname'][$server];
$nama = $db.'.sql';
$quer = mysql_query('SELECT VERSION() AS version');
$dataae = mysql_fetch_array ($quer);
$mysqlversi = 'MySQL Nya versi : ' . $dataae['version'];
//@header("Content-type: text/x-delimtext");
//@header("Content-disposition: attachment; filename=$nama");
//$buka->opendb('1');
   include "includes/sql2.php";
 $timer4 = new microTimer;
$timer4->start();
            $dump_buffer ='#-----------------------------------------------
---'."\n";
            $dump_buffer .='#-- From '.$host."\n";
            $dump_buffer .='#-- '.$phpversi."\n";
            $dump_buffer .='#-- '.$mysqlversi."\n";
            $dump_buffer .="#-- Pembuatan database Untuk `$db`"."\n";
            $dump_buffer  .='#--  '.tanggal  ($GLOBALS['timeplus']).'  WIB
'."\n";
            $dump_buffer .='#-- Copyright@2007 By Peter Vannes'."\n";
            $dump_buffer .='#-- Email : peter_fu@yahoo.com'."\n";
            $dump_buffer .='#-- Homepage http://www.dirahost.biz'."\n";
            $dump_buffer  .='#-----------------------------------------------
----'."\n";
            for ($i=0; $i<count($tables); $i++) {
                $table = $tables[$i];
                $local_query   = 'SELECT * FROM ' . PMA_backquote($db) .
'.' . PMA_backquote($table);
                if($typebackup =='1'){
```

```
            $dump_buffer  .=  PMA_exportStructure($db,  $table,  $crlf,
$error_url)."\n";
            $dump_buffer   .=   PMA_exportData($db,   $table,   $crlf,
$error_url, $local_query);
          }elseif($typebackup =='2'){
               $dump_buffer  .=  PMA_exportStructure($db,  $table,  $crlf,
$error_url)."\n";
          }else{
              $dump_buffer   .=   PMA_exportData($db,   $table,   $crlf,
$error_url, $local_query);
          }
           }
// tulisfile("../temp/$nama" , $dump_buffer);
$SQL->close();
$dump_buffer .= "\r\n". '#-- Execute time  '. $timer4->stop() .' detik';
$gofile = !isset($gofile) ? '' : $gofile;
if ($gofile == 'on'){
if (!file_exists ('backups')) mkdir ('backups', 0777);
if   (!file_exists   ('backups/sql'))   mkdir   ('backups/sql',   0777);
fopen("backups/sql/index.html", "wb");
 tulisfile("backups/sql/$filesql".'.sql' , $dump_buffer);
$admin .="Sukses DumpSQL into <b>backups/sql/" .$filesql. ".sql </b>";
}else {
$admin  .="<textarea  rows=\"20\"  name=\"S1\"  cols=\"70\"  style=\"font-
size:              8pt;              font-family:              Courier
New\">".htmlspecialchars($dump_buffer)."</textarea>";
//echo $dump_buffer;
}
}
if (!isset ($_POST['compres'])){
$SQL->connect ($server);
$result = mysql_list_tables($dbs['dbname'][$server]);
$SQL->close();
$admin .="<form method='post' action='' id=\"files\">";

$admin .=" <select size='7' name='tables[]' multiple>";
while ($row = mysql_fetch_row($result)) {
    $admin .= "<option value='$row[0]'>$row[0]</option>";
}
$admin .="</select>";
if ($aksi =='backup'){
$filenyadisave = str_replace (':', '-', tanggal ($GLOBALS['timeplus']));
$admin .="
<br><br>
<div  style='text-align:center;background-color:#EAE7E0;padding:3px;font-
weight:bold;color:#909590;width:400;'>Backup SQL</div>
<table   class='coment'   border='0'   cellpadding='0'   cellspacing='1'
width='400' id='AutoNumber1'>

  <tr  style='background-color:#F0F0F0;'>
    <td width='50%'>Full backup</td>
    <td     width='50%'><input     type='radio'     value='1'     checked
name='typebackup'></td>
  </tr>
  <tr style='background-color:#FAFAFA;'>
    <td width='50%'>Structure-Only backup</td>
    <td width='50%'><input type='radio' value='2' name='typebackup'></td>
  </tr>
  <tr  style='background-color:#F0F0F0;'>
    <td width='50%'>Data-Only backup</td>
    <td width='50%'><input type='radio' value='3' name='typebackup'></td>
  </tr>
  <tr style='background-color:#FAFAFA;'>
    <td width='50%'>compres file</td>
```

```
    <td width='50%'><input type='radio' value='0' checked name='compres'>
Tidak 
    <input  type='radio'  value='1'  name='compres'>  Ya  zip    <input
type='radio' value='2' name='compres'> Ya gz</td>
  </tr>
  <tr  style='background-color:#F0F0F0;'>
  <td width='50%'>Gunakan backquote</td>
    <td  width='50%'><input  type='radio'  value='1'  name='backquote'>
Tidak         
    <input type='radio' value='2' name='backquote' checked> Ya</td>
  </tr>
  <tr style='background-color:#FAFAFA;'>
    <td width='50%'>Drop if exist</td>
    <td  width='50%'><input  type='radio'  value='1'  name='dropp'  checked>
Tidak         
    <input type='radio' value='2' name='dropp'> Ya</td>
  </tr>
  <tr  style='background-color:#F0F0F0;'>
    <td width='50%'>Auto increment</td>
    <td width='50%'>
    <input type='checkbox' name='autoincrement' value='ON' checked></td>
  </tr>
  <tr style='background-color:#FAFAFA;'>
    <td width='50%'>Into File</td>
    <td width='50%'>
    <input type='checkbox' name='gofile' value='on'></td>
  </tr>
  <tr  style='background-color:#F0F0F0;'>
    <td width='50%'>Into File</td>
    <td width='50%'>
    <input    type='text'    name='filesql'    value='".$filenyadisave."'
size=30></td>
  </tr>
  <tr>
    <td  width='100%'  colspan='2'  align='center'><input  type='submit'
value='start backup' name='submit'></td>
  </tr>
</table>";
}
$admin .="</form>";
}
}
if (@$_GET['aksi'] == 'browse'){

       if (@$_GET['lakukan'] == 'perintah_update'){
             if(is_array(@$_SESSION['pesan_update'])){
                   foreach ($_SESSION['pesan_update'] as $k=>$v){
                         $admin .= $v;
                   }
                   $admin .= '<br><br>';
             }
             session_unregister ('pesan_update');
       }
//////////////////////////////////////////////////////
$arr = explode("&",$_SERVER["QUERY_STRING"]);
        if (is_array($arr)) {
            $qs = '';
        for ($i=0;$i<count($arr);$i++) {
          if           (!is_int(strpos($arr[$i],"sortby="))           &&
!is_int(strpos($arr[$i],"order=")) && trim($arr[$i]) != "") {
                $qs .= $arr[$i]."&";
          }
        }
      }
```

```
      if (!isset ($_GET['sortby'])){$_GET['sortby'] = '';}
      if (!isset ($_GET['order'])){$_GET['order'] = '';}
      $J = '';
      $T = '';

      if (!empty($_GET['sortby']) && !empty($_GET['order'])){
           $ORDER = " ORDER BY `".$_GET['sortby']."` ".$_GET['order']."
";
      }else {
            $ORDER = '';
      }
//////////////////////////////////////////
       if (empty($_GET['offset']) and !isset ($_GET['offset'])) {
                     $offset = 0;
                     }else {
                            $offset = int_filter ($_GET['offset']);
                     }
                     $limit = 30;
       if ($offset == 0){
       $query = 'SELECT * FROM ' . $_GET['table'] .' '.$ORDER.' LIMIT 0,
30';
       }else {
       $query = "SELECT * FROM ".$_GET['table']." $ORDER LIMIT  $offset,
$limit";
       }
       $result = mysql_query ($query) ;
       $keyss = mysql_query ("SHOW KEYS FROM ".$_GET['table']." ");
       $rows   = mysql_num_rows ($result);
       $fields = mysql_num_fields ($result);
       if ($rows <= $limit)      {
              $f_field = mysql_field_name ($result, 0);
              $was     =     mysql_query     ("SELECT     $f_field     FROM
".$_GET['table']."");
              $jumlah = mysql_num_rows ($was);
                     $a = new paging ($limit);
              if (!isset ($_GET['pg'],$_GET['stg'],$_GET['offset'])){
         $pg = 1;
         $stg = 1;
         $offset = 0;
  }else {
        $pg = int_filter ($_GET['pg']);
        $stg = int_filter ($_GET['stg']);
        $offset = int_filter ($_GET['offset']);
  }
              $admin .= '<br> '.$a-> getPaging($jumlah, $pg, $stg).'<br>';
       }
              while ($data = mysql_fetch_array ($keyss)){
                     if ($data['Key_name'] == 'PRIMARY'){
                            $nama_key = $data['Column_name'];
                            }
                     }
                     if (empty($nama_key)) $nama_key = '';
              if ($rows != 0)           {
                     $admin         .=         '<form         method="POST"
action="?pilih=admin_sql&aksi=mass_edit" name="sql" id="sql">';
                     $admin   .=  '<table  width="100%"    cellpadding="2"
cellspacing="1" summary="sql result">'
                            .'<tr><td   style="border-bottom:  1px  #CC6600
solid;"><a class=orange>Sel</a></td>';
                     for ($i = 0; $i < $fields; $i++)        {
                            $fname = mysql_field_name ($result, $i);
                                   $admin  .=  '<td    style="border-bottom:
1px        #CC6600        solid;"        width=100%><a        class=orange
href="?'.$qs.'sortby='.$fname.'&amp;order='.
```

```
            ($_GET['order']=='asc'&&$_GET['sortby']==$fname?'desc':'asc')
             .'">' . $fname . '</a></td>';
                                if (@$nama_key == $fname) {
                                        $index_key = $i;
                                }
                                if ($nama_key == ''){
                                        $shintax[]          =          '
`'.$fname.'`=\'$row['.$i.']\' ';
                                }

                        }
                        if ($nama_key == ''){
                        $sintax = implode ('AND', $shintax);
                        }
                        $admin .= '</tr>';
                        $j = 0; // initialize
                        while ($row = mysql_fetch_row ($result))      {
                                if ($j % 2 == 0){
                                        $bgcp = 'bgcolor=#eefeef';
                                }else {
                                        $bgcp = '';
                                        }
                                //$id = mysql_field_name ($result, $j);
                                $admin          .=          "<tr          $bgcp
onmouseover=\"this.style.backgroundColor='#FBFBFB';\"
onmouseout=\"this.style.backgroundColor='';\">";
                                $check = '';
                                $data = '';
                                for ($i = 0; $i < $fields; $i++)       {
                                        if ($nama_key == ''){
                                        eval("\$str = \"$sintax\";");
                                        }
                                if (@$index_key == $i && !empty ($nama_key)){
                                        $check .= "<td><input type=\"checkbox\"
name=\"ind_key[]\" value=\"".$row[$i]."\" style=\"border:none\"></td>";
                                        }elseif ($i == 0 && empty($nama_key)) {
                                                $check       .=       "<td><input
type=\"checkbox\"          name=\"sintax[]\"          value=\"".@$str."\"
style=\"border:none\"></td>";
                                        }
                                        $data     .=     '<td     valign="top"
style="border-bottom:   #F0F0F0   1px   solid;"   nowrap>'   .   wwrap   (
htmlentities($row[$i]), 30) . '</td>';

                                }
                                $admin .= $check;
                                $admin .= $data;
                                $admin .= '</tr>';
                                $j++;
                        }
                        $admin .= '</table><br><br>';
                        $admin   .=   "<a   href=\"javascript:checkall('sql',
'ind_key[]')\" title='Select All'>Check All</a><br><br>";
                        $ref = $_SERVER['REQUEST_URI'];
                        $ref = preg_replace ('/&lakukan=.*/','', $ref);
                        $admin  .=  "<input  type='hidden'  name='http_referer'
value=\"$ref\">";
                        $admin  .=  "<input  type='hidden'  name='nama_tabel'
value=\"".$_GET['table']."\">";
                        $admin   .=   "<input   type='hidden'   name='nama_key'
value=\"".$nama_key."\">";
                        $admin   .=   '<input   type="submit"   name="sql_edit"
value="edit">   <input   type="submit"   name="sql_delete"
value="delete">';
```

```
                    $admin .= '</form>';
                }
}
if (@$_GET['aksi'] == 'edit_ok'){
       if (isset($_POST['submit'])){
              $tabel = $_POST['nama_tabel'];
       //$query_scema = "";
       $pecah = $_POST['fields'];
       //echo count($pecah);
       //$sc = '';
       $nama_key = $_POST['nama_key'];
       $no_index_keys2 = $_POST['no_index_keys2'];
       session_register ('pesan_update');
       $pesan_update = array ();
       if (empty ($nama_key)){
       $total = count($_POST['fields'][$no_index_keys2]);
       }else {
       $total = count($_POST['fields'][$nama_key]);
       }
       for ($i=0; $i<$total; $i++){
       foreach ($pecah as $k=>$v){
              $nilai = $pecah[$k][$i];
              $sc[] = " `$k`='$nilai'";
              if (@$_POST['nama_key'] == $k && !empty($nama_key)){
                     $key_nilai = $nilai;
                     }
              }
              $scs = implode (',', $sc);
              if (empty ($nama_key)){
              $query_scema = "UPDATE `$tabel` SET " . $scs . " WHERE " .
stripslashes($_POST['no_index_keys']) . "";
              }else {
              $query_scema = "UPDATE `$tabel` SET " . $scs . " WHERE " .
$nama_key . "='$key_nilai'";
                     }
              $id = mysql_query ($query_scema) ;
              if ($id){
                     $pesan_update[]   =   "<li><font   color=red>Berhasil
Update $query_scema</font></li>";
              }else {
                     $pesan_update[] = "<li><font color=red>GAGAL Update
$query_scema</font></li>";
              }
       }
       header
("location:".$_POST['http_referer']."&lakukan=perintah_update");
       exit;
       }
}
if (@$_GET['aksi'] == 'mass_edit'){
       $admin .= '<br><br>';
$hitung = @count ($_POST['ind_key']);
$tabel = $_POST['nama_tabel'];
$nama_key = $_POST['nama_key'];
if (isset ($_POST['sql_edit'])){
$s_fields = mysql_query ("SHOW FIELDS FROM `$tabel`");
$form_field = '<table border=\'0\' width=\'100%\' id=\'table1\'>';
       while ($data = mysql_fetch_array ($s_fields))  {
              $fields = $data['Field'];
              $Type = $data['Type'];
              if (eregi ('text', $Type)){
              $input    =    '<textarea    name=\'fields['.$fields.'][]\'
rows=\'6\' cols=\'36\'>$value['.$fields.']</textarea>';
              }else {
```

```
            $input          =          '<input          type=\'text\'
name=\'fields['.$fields.'][]\'                                  size=\'38\'
value=\"$value['.$fields.']\">';
            }
            $form_field .= '<tr>
            <td width=\'25%\'>'.$fields.'</td>
            <td width=\'5%\'>:</td>
            <td width=\'70%\'>'.$input.'</td>
      </tr>';
            }
$form_field .= '</table>';
//$admin .= $form_field;
$admin .= '<form method="POST" action="?pilih=admin_sql&aksi=edit_ok">';
if ($hitung <= 0 && !isset ($_POST['ind_key'])){
$hitung = @count ($_POST['sintax']);
}
for ($i=0; $i<$hitung; $i++){
      //echo stripslashes($_POST['sintax'][$i]);

      if (empty ($nama_key)){
            $sintax = stripslashes($_POST['sintax'][$i]);
      }else {
            $id_key = $_POST['ind_key'][$i];
            $sintax = "`$nama_key`='$id_key'";
      }
      $result = mysql_query ("SELECT * FROM `$tabel` WHERE $sintax");
      $a = 0;
      while ($value = mysql_fetch_array ($result)){
            eval("\$str = \"$form_field\";");
            $admin .= $str;
            $a++;
            $admin .= '<br><br>';
            $admin   .=   '<input   type="hidden"   name="no_index_keys"
value="'.$sintax.'">';
      }
      mysql_free_result ($result);
}
$ref = $_POST['http_referer'];
$admin .= '<input type="hidden" name="http_referer" value="'.$ref.'">';
$admin .= '<input type="hidden" name="nama_key" value="'.$nama_key.'">';
//$fields
$admin      .=      '<input      type="hidden"      name="no_index_keys2"
value="'.$fields.'">';
$admin .= '<input type="hidden" name="nama_tabel" value="'.$tabel.'">';
$admin .= '<input type="submit" name="submit" value="EDIT"></form>';
}
if (isset ($_POST['sql_delete'])){
      $admin     .=     '<b><font     color=red>Apakah     Anda     Ingin
Menghapus</font></b><br><br>';
      $admin             .=             '<form             method="POST"
action="?pilih=admin_sql&aksi=delete_ok">';
      session_register ('SQL_QUERY');
      $SQL_QUERY = Array ();
      if (!empty ($_POST['nama_key'])){
      for ($i=0; $i<$hitung; $i++){
      $sintak   =   "DELETE   FROM   `$tabel`   WHERE   `$nama_key`   =
".$_POST['ind_key'][$i]."";
      $SQL_QUERY[] = $sintak;
      $admin .= $sintak . ' ; <br>';
      }
      }else {
            for ($i=0; $i<count($_POST['sintax']); $i++){
      $sintak       =       "DELETE       FROM       `$tabel`       WHERE
".stripslashes($_POST['sintax'][$i])."";
```

```
	$SQL_QUERY[] = $sintak;
	$admin .= $sintak . ' ; <br>';
	}
	}
	$ref = $_POST['http_referer'];
	$admin	.=	'<input	type="hidden"	name="http_referer"
value="'.$ref.'">';
	$admin .= '<br><br><input type="submit" name="submit" value="   YA
">   <input  type="submit"  name="cancel"  value="    Tidak
">';
	$admin .= '</form>';
}
}
if (@$_GET['aksi'] == 'delete_ok'){
if (isset ($_POST['cancel'])){
	session_unregister ('SQL_QUERY');
header ("location:".$_POST['http_referer']."");
exit;
}
if (isset ($_POST['submit'])){
	if (is_array ($_SESSION['SQL_QUERY'])){
		session_register ('pesan_update');
		$pesan_update = array ();
		foreach ($_SESSION['SQL_QUERY'] as $k=>$v){
			$quer = mysql_query ($v);
			if ($quer){
			$pesan_update[]		=		"<li><font
color=red>$v</font></li>";
		}else {
			$pesan_update[]	=	"<li><font	color=red>GAGAL
!!!</font></li>";
		}
			}
		header ("location:".$_POST['http_referer']."");
		exit;
		}
}
}
if (@$_GET['aksi'] == 'truncate'){
if (isset ($_POST['submit'])){
$query = mysql_query ("TRUNCATE TABLE `".$_POST['table']."`");
if ($query) {
$ref = $_SERVER['HTTP_REFERER'];
header ("location:$ref");
exit;
}
}
$admin  .=  '<br><font  color=red>Apakah  anda  ingin  mengkosongkan  tabel
<b>'.cleanTEXT($_GET['table']).'</b></font><br><br>';
$admin .= '<form method="POST" action="">';
$admin	.=	'<input	type="hidden"	name="table"
value="'.cleanTEXT($_GET['table']).'">';
$admin .= '<input type="submit" value="   YA   " name="submit">';
$admin .= '</form>';
}
?>
```

(1.10) admin_users.php

```
<?php
/**
* my weblogs
* version 1.0
* Author : Peter Vannes
* Email  : peter_fu@yahoo.com
```

```
* File        : navigasi.php
*
* Last Modified : May 16, 2007 03:07:22 PM
**/
defined( 'peter' ) or die( 'Direct Access to this location is not
allowed.' );
if ($_SESSION['SES_PRIV'][0] == 'all'){
$sssssssssssssss = 'ok';
}
elseif(!in_array( basename(__FILE__), $_SESSION['SES_PRIV'], true)){
die( 'Direct Access to this location is not allowed.' );
}
if ($SES_TYPE == 0){
header ("location:admin.php");
exit;
}
include 'includes/login.auth.lib.php';
$SQL->connect(1);
$filename = "js/alert.txt";
       $fp = fopen($filename, "r");
       $admin.= fread($fp, filesize($filename));
       fclose($fp);
if (!isset($_GET['aksi'])) $_GET['aksi'] ='';
$admin .="<h2>Add Users </h2>";
$admin     .="     <a     href='?pilih=admin_users'>Home</a>     |     <a
href='?pilih=admin_users&aksi=add'>Add User</a> ";
$admin .="<p> </p>";
if ($_GET['aksi'] == 'delete'){
$hasilss  =  mysql_query("SELECT  *  FROM  ".$GLOBALS['tabel']['users']."
WHERE id='$id'");
$data = mysql_fetch_array ($hasilss);
if ($data['username'] != $_SESSION['SES_USERNAME'] && $data['type'] != 1
){
$hasil  =  mysql_query("DELETE  FROM  ".$GLOBALS['tabel']['users']."  WHERE
id='$id'");
mysql_query("DELETE    FROM    ".$GLOBALS['tabel']['calendar']."    WHERE
user='$data[username]'");
}
header ("location:?pilih=admin_users");
}
if ($_GET['aksi'] == 'edit'){
$hasilss  =  mysql_query("SELECT  *  FROM  ".$GLOBALS['tabel']['users']."
WHERE id='$id'");
$data = mysql_fetch_array ($hasilss);
if ($data['username'] != $_SESSION['SES_USERNAME'] && $data['type'] != 1
){
if (isset ($submit)){
if (is_array ($arr_priv)){
foreach ($arr_priv as $key=>$val){
$priveleges .=      '#'. $val;
}
}
//(username,password,email,priv)                                    VALUES
('$username','$password','$email','$priveleges')
$password = peter_encrypt($password, $GLOBALS['rahasia_password']);
$priveleges = substr ($priveleges, 1);
$cekuser  =  mysql_query("SELECT  *  FROM  ".$GLOBALS['tabel']['users']."
WHERE username='$username'");
if (mysql_num_rows($cekuser) == 0){
$hasil    =    mysql_query("UPDATE    ".$GLOBALS['tabel']['users']."    SET
username='$username',        password='$password',        email='$email',
priv='$priveleges' WHERE id='$id'");
}else {
```

```
$hasil    =    mysql_query("UPDATE    ".$GLOBALS['tabel']['users']."    SET
password='$password',     email='$email',     priv='$priveleges'     WHERE
id='$id'");
}
header ("location:?pilih=admin_users");
}else {
$hasils = mysql_query("SELECT * FROM ".$GLOBALS['tabel']['users']." WHERE
id='$id'");
$data = mysql_fetch_array ($hasils);
}
$data['password']           =           peter_decrypt($data['password'],
$GLOBALS['rahasia_password']);
$admin .="
  <!-- user cp content loaded here -->
            <form action='' method='post'>
  <div                                 style='text-align:center;background-
color:#EAE7E0;padding:3px;font-weight:bold;color:#909590;'>Email    &amp;
Password</div>
  <table cellspacing='1' cellpadding='3' style='width:100%'>
    <tr style='background-color:#F0F0F0;'>
      <td  colspan='2'>For  security  reasons,  please  enter  your  current
password before continuing. Enter the new password if you want to change
your password, otherwise leave the fields blank.</td>
    </tr>
    <tr style='background-color:#FAFAFA;'>
      <td>Username </td>
      <td><input   type='text'   name='username'   value='$data[username]'
maxlength='20'/></td>
    </tr>
    <tr style='background-color:#F0F0F0;'>
      <td>New Password</td>
      <td><input   type='text'   name='password'   value='$data[password]'
maxlength='20'/></td>

    <tr style='background-color:#FAFAFA;'>
      <td>Email Address</td>
      <td><input     type='text'     name='email'     value='$data[email]'
maxlength='100' size='25'/></td>
    </tr>
    <tr style='background-color:#F0F0F0;'>
      <td valign=top>Privileges</td>
      <td>";
      $databases = explode ('#', $data['priv']);
      $ARR = glob("admin/*.php");
 foreach ($ARR as $key=>$filename) {
        foreach ($databases as $finame){
                if (substr ($filename, 6) == $finame){
                        $admin   .=   "<input   type=\"checkbox\"   checked
name=\"arr_priv[]\"    value=\"".substr    ($filename,    6)."\">".substr
($filename, 12, -4)."<br>";
                        continue 2;
                  }
       }
        $admin    .=    "<input    type=\"checkbox\"    name=\"arr_priv[]\"
value=\"".substr ($filename, 6)."\">".substr ($filename, 12, -4)."<br>";
  }
      $admin .="</td>
    </tr>
    <tr style='background-color:#FAFAFA;'>
      <td></td>
      <td><input type='submit' name='submit' value='submit' /></td>
    </tr>
  </table>
</form>
```

```
            <!-- end user cp content -->

";
}
}
if ($_GET['aksi'] == 'add'){
       $admin .= <<<jav
<script type="text/javascript">
function increment(fieldName)
{
       document.getElementById(fieldName).value++;
}
all_checked = true;
function checkall(formName, boxName) {
       for(i = 0; i < document.getElementById(formName).elements.length;
i++)
       {
              var                        formElement                        =
document.getElementById(formName).elements[i];
              if(formElement.type == 'checkbox' && formElement.name ==
boxName && formElement.disabled == false)
              {
                     formElement.checked = all_checked;
              }
       }
all_checked = all_checked ? false : true;
}
</script>
jav;
if (isset ($_POST['submit'])){
if (!empty($username)){
$hasil = mysql_query("SELECT * FROM ".$GLOBALS['tabel']['users']." WHERE
username='$username'");
$data = mysql_fetch_array($hasil);
if (strtolower($username) == strtolower($data['username'])){
$admin .="Username nya sudah ada";
}
elseif ($password !== $password1){
$admin .="Maaf Password Anda tidak sama";
}else {
$password = strtolower($password);
$password1 = strtolower($password1);
$arr_priv = isset ($arr_priv) ? $arr_priv : array ();
if ($password == $password1 and !empty($email)){
if (is_array ($arr_priv)){
$priveleges = '';
foreach ($arr_priv as $key=>$val){
$priveleges .=      '#'. $val;
}
}
$priveleges = isset ($priveleges) ? substr ($priveleges, 1) : '';
$password = peter_encrypt($password, $GLOBALS['rahasia_password']);
$time_login = 3600;
$hasil   =   mysql_query("INSERT   INTO   ".$GLOBALS['tabel']['users']."
(username,password,email,priv,timelogin)                              VALUES
('$username','$password','$email','$priveleges','$time_login')");
$admin .="Account $username sudah di add";
}else {
$admin .="Account $username Gagal di add";
}
}
}else {
$admin .="maaf Username tidak boleh kosong";
}
```

```
$admin .="<p> </p>";
}
$admin .="
  <!-- user cp content loaded here -->
             <form action='' method='post'  id='users'>
  <div                                style='text-align:center;background-
color:#EAE7E0;padding:3px;font-weight:bold;color:#909590;'>Email    &amp;
Password</div>
  <table cellspacing='1' cellpadding='3' style='width:100%'>
    <tr style='background-color:#F0F0F0;'>
      <td  colspan='2'>For  security  reasons,  please  enter  your  current
password before continuing. Enter the new password if you want to change
your password, otherwise leave the fields blank.</td>
    </tr>
    <tr style='background-color:#FAFAFA;'>
      <td>Username </td>
      <td><input        type='text'        name='username'        value=''
maxlength='20'/></td>
    </tr>
    <tr style='background-color:#F0F0F0;'>
      <td>New Password</td>
      <td><input       type='password'       name='password'       value=''
maxlength='20'/></td>
    </tr>
    <tr style='background-color:#F0F0F0;'>
      <td>Confirm Password</td>
      <td><input       type='password'       name='password1'      value=''
maxlength='20'/></td>
    </tr>
    <tr style='background-color:#FAFAFA;'>
      <td>Email Address</td>
      <td><input       type='text'       name='email'       maxlength='100'
size='25'/></td>
    </tr>

    <tr style='background-color:#FAFAFA;'>
      <td valign=top>Privileges</td>
      <td>";
      $ARR = glob("admin/*.php");
      foreach ($ARR as $key=>$filename) {
           $admin   .=   "<input   type=\"checkbox\"   name=\"arr_priv[]\"
value=\"".substr ($filename, 6)."\">".substr ($filename, 12, -4)."<br>";
            }
    $admin .= "<br><a href=\"javascript:checkall('users', 'arr_priv[]')\"
title='Select All'><b>Check All</b></a>";
      $admin .="</td>
    </tr>
    <tr style='background-color:#FAFAFA;'>
      <td></td>
      <td><input type='submit' name='submit' value='submit' /></td>
    </tr>
  </table>
</form>
           <!-- end user cp content -->
";
}
if ($_GET['aksi'] ==''){
if (isset ($action['account'])){
foreach ($userid as $key=>$value){
$hasil    =    mysql_query("UPDATE    ".$GLOBALS['tabel']['users']."    SET
status='$userid[$key]' WHERE id='$key'");
}
}
$admin .="
```

```
<form  id='account' action='' method='post'>
  <table style='width: 100%'>
    <tr>
      <td><strong>ID</strong></td>
      <td><strong>Username</strong></td>
      <td><strong>Email</strong></td>
      <td><strong>Last Login</strong></td>
      <td><strong>Status</strong></td>
    </tr>";
$numresult1 = mysql_query("SELECT id FROM peter_users");
$jmlrec = mysql_num_rows($numresult1);
if (empty($_GET['offset']) and !isset ($_GET['offset'])) {
$offset = 0;
}else {
       $offset = int_filter ($_GET['offset']);
}
$jml = 5;
$a = new paging ($jml);
$hasil = mysql_query("SELECT * FROM ".$GLOBALS['tabel']['users']." WHERE
type='0' ORDER BY username LIMIT $offset, $jml");
$no = 1;
while ($data = mysql_fetch_array ($hasil)){
       if ($no % 2 == 0 ){
              $style = 'style="background-color: #F4F4F4"';
       }else {
              $style = 'style="background-color: white"';
       }
       $ID = $data['id'];
       $INFOLOG = explode ('|',$data['lastlogin']);
       if ($data['status'] == 0){
              $status  =  "Closed<input  type='radio'  name='userid[$ID]'
value='0' checked='checked' />
        Open<input type='radio' name='userid[$ID]' value='1' />";
       }elseif ($data['status'] == 1) {
              $status  =  "Closed<input  type='radio'  name='userid[$ID]'
value='0'/>
        Open<input     type='radio'     name='userid[$ID]'     value='1'
checked='checked' />";
       }
if (!array_key_exists("1", $INFOLOG)) $INFOLOG[1] = '';
$admin .="<tr $style>
      <td>$no</td>
      <td>$data[username]</td>
      <td>$data[email]</td>
      <td>".date ('d/m/Y', $INFOLOG[1])."</td>
      <td>$status       <a    href='?pilih=admin_users&aksi=delete&id=$ID'
onclick=\"return   confirmLink(this,   'DELETE   FROM   `$data[username]`
')\">delete</a>                                                          <a
href='?pilih=admin_users&aksi=edit&id=$ID'>Edit</a></td>
    </tr>";
 $no++;
}
if (!isset ($_GET['pg'],$_GET['stg'])){
       $pg = 1;
       $stg = 1;
}else {
       $pg = int_filter(@$_GET['pg']);
       $stg = int_filter(@$_GET['stg']);
}
$pager = $a-> getPaging($jmlrec, $pg, $stg);
$admin .="
    <tr>
      <td     colspan='4'>".$pager."     <br     /><input     type='submit'
value='Submit' name='action[account]' /></td>
```

```
    </tr>
  </table>
</form>
";
}
?>
```

(1.11)(2.11) admin.php

```
<?php
/**
* my weblogs
* version 1.0
* Author : Peter Vannes
* Email  : peter_fu@yahoo.com
*
*
* Last Modified : May 6, 2007 03:07:22 PM
**/
session_cache_limiter('none');
session_name("Log");
session_start();
//ob_start();
include 'includes/template.php';
include 'includes/config.php';
include 'includes/fungsi.php';
include 'includes/HTTPauthen.php';
include 'includes/admin.lib.php';
$SQL = new SQL;
$SQL->connect(1);
$timer = new microTimer;
$timer->start();
include "includes/authentication.php";
if(!authen())
{
session_destroy ();
header("location:login.php");
exit;
}
define("peter", "Hello world.");
$ws = '';
$admin= '';
$SCRIPT = '';
if(!isset($_GET['pilih'])){
$ws .= 'Welcome to Administration Peter Vannes Websites';
$ARR = glob("admin/*.php");
$IMG = glob ("admin/*.gif");
if (is_array ($ARR)){
$nn = 1;
$ws .= "<table border=\"0\"><tr><td width=50%>";
$ws .= "<table border=\"0\" width=100%><tr>";
foreach ($ARR as $key=>$filename) {
       if(in_array(substr ($filename, 6), $_SESSION['SES_PRIV'], true) or
$_SESSION['SES_PRIV'][0] == 'all'){
       if (preg_match("/admin_/i", $filename)) {
    $ws  .=  "<td><table  class='album'  cellSpacing='1'  cellPadding='0'
border='0'>
  <tr>
    <td>
    <table class='album1' cellSpacing='0' cellPadding='0' border='0'>
      <tr>
        <td  width=70  height=60  align=center><img  src='admin/".substr
($filename,       6,-4).".gif'><br><a       href='admin.php?pilih=".substr
($filename, 6,-4) ."'>". substr ($filename, 12, -4)."</a></td>
      </tr>
```

```
    </table>
    </td>
  </tr>
</table><!--/star border--></td>";
       if ( $nn % 4 == 0 ) {
    $ws .= "</tr><tr>";
  }
//$i++;
$nn++;
}
}
}
$ws .= "</tr></table>";
$INFOLOG = explode ('|',$LASTLOGIN);
if (!array_key_exists("1", $INFOLOG)) $INFOLOG[1] = '';
$ws .= "</td>
<td  valign=top  width=50%><!--  user  cp  content  loaded  here  -->
<div  style='text-align:center;background-color:#EAE7E0;padding:3px;font-
weight:bold;color:#909590;'>Account Information</div>
  <table cellspacing='1' cellpadding='3' width=100%>
     <tr style='background-color:#FAFAFA;'>
      <td>Welcome</td>
      <td>$_SESSION[SES_USERNAME]                                    [<a
href='admin.php?pilih=admin_info'>edit</a>]</td>
    </tr>
    <tr style='background-color:#F0F0F0;'>
      <td>Email Address</td>
      <td>$_SESSION[SES_EMAIL]</td>
    </tr>
    <tr style='background-color:#FAFAFA;'>
      <td>Last Login</td>
      <td>".date ('d/m/Y H:i:s' ,$INFOLOG[1])."</td>
    </tr>
   </tr>
    <tr style='background-color:#F0F0F0;'>
      <td>Ip Address</td>
      <td>$INFOLOG[0]</td>
    </tr>
     <tr style='background-color:#FAFAFA;'>
      <td>Time remain</td>
      <td>"  .  uptime  ((int)$_SESSION['SES_TIME_LIMIT']  -  (time  ()  +
(int)$GLOBALS['timeplus']), true) . "</td>
    </tr>
     <tr style='background-color:#F0F0F0;'>
      <td>Query took login</td>
      <td>". $_SESSION['TOOK'] ."</td>
    </tr>
  </table>";
 //warningggggggggggg
/*
$ws .= '<br><br>';
$sql->connect(1);
$num = $sql->query("SELECT id FROM ".$GLOBALS['tabel']['link']."  WHERE
public=0 ORDER BY id DESC");
$jumlah = $sql->num_rows ($num);
if  ($jumlah  >  0)  $ws  .=  '<li>Ada  '  .  $jumlah  .  '  <a
href="?pilih=admin_link&aksi=incomming"><b>Link</b></a>  yang  belum  di
Validasi';
 $result1          =          $sql->query("SELECT          *          FROM
".$GLOBALS['tabel']['mod_lyrics']." WHERE  public='0'");
 $jumlah = $sql->num_rows ($result1);
if  ($jumlah  >  0)  $ws  .=  '<li>Ada  '  .  $jumlah  .  '  <a
href="?pilih=admin_lyrics"><b>Lyrics</b></a> yang belum di Validasi';
$sql->close_db();
```

```
*/
$ws .="           <!-- end user cp content --></td>
</tr></table>";
}
}else {
if(file_exists('admin/'   .   $_GET['pilih']   .   '.php')   &&   !isset
($_GET['mod'])){
include "admin/$pilih.php";
}elseif  (file_exists('mod/'   .  $_GET['pilih']   .   '.php')  &&  isset
($_GET['mod'])){
include "mod/$pilih.php";
}
else {
$ws .= 'Welcome to Administration Peter Vannes Websites';
}
}
$ws .= $admin;
$fotter = nl2br (bukafile ('txt/footer.txt'));
$load = str_replace ('{browser}', '', $fotter);
$load = str_replace ('{online}', '', $load);
$load  =  str_replace  ('{time}',  'Execute  time    '.  $timer->stop()  .'
Detik', $load);
//************************************************************************
*******
// hasil akhir
//************************************************************************
*******
$define = array ('header'  => $ws,
                 'isi'     => '',
                 'tanggal' => tanggal ($GLOBALS['timeplus']),
                 'fotter' => $load,
                 'script' => $SCRIPT
               );
$tpl = new template ('themes/admin/admin.html');
$tpl-> define_tag($define);
$tpl->cetak();
?>
```

(1.12) install.php

```
<?
$raw = phpversion();
list($v_Upper,$v_Major,$v_Minor) = explode(".",$raw);

if (($v_Upper == 4 && $v_Major <1) || $v_Upper <4) {
    $_FILES = $HTTP_POST_FILES;
    $_ENV = $HTTP_ENV_VARS;
    $_GET = $HTTP_GET_VARS;
    $_POST = $HTTP_POST_VARS;
    $_COOKIE = $HTTP_COOKIE_VARS;
    $_SERVER = $HTTP_SERVER_VARS;
    $_SESSION = $HTTP_SESSION_VARS;
    $_FILES = $HTTP_POST_FILES;
}
if (!ini_get('register_globals')) {
    while(list($key,$value)=each($_FILES)) $GLOBALS[$key]=$value;
    while(list($key,$value)=each($_ENV)) $GLOBALS[$key]=$value;
    while(list($key,$value)=each($_GET)) $GLOBALS[$key]=$value;
    while(list($key,$value)=each($_POST)) $GLOBALS[$key]=$value;
    while(list($key,$value)=each($_COOKIE)) $GLOBALS[$key]=$value;
    while(list($key,$value)=each($_SERVER)) $GLOBALS[$key]=$value;
    while(list($key,$value)=@each($_SESSION)) $GLOBALS[$key]=$value;
    foreach($_FILES as $key => $value){
        $GLOBALS[$key]=$_FILES[$key]['tmp_name'];
        foreach($value as $ext => $value2){
```

```
            $key2 = $key . '_' . $ext;
            $GLOBALS[$key2] = $value2;
        }
    }
}
$cetak .="
<html>
<head>
<title>Dump mysql :: Database ::</title>
<style>
BODY {
      FONT-SIZE:   10px;      FONT-FAMILY:   Verdana,   Helvetica;   TEXT-
DECORATION: none
}
TD {
      FONT-SIZE: 10px; FONT-FAMILY: Verdana, Helvetica
}
TH {
      FONT-SIZE: 10px; FONT-FAMILY:  Verdana, Helvetica
}
P {
      FONT-SIZE: 10px; FONT-FAMILY: Verdana,Helvetica
}
SPAN {
      FONT-SIZE: 10px; FONT-FAMILY: Verdana,Helvetica
}
DIV {
      FONT-SIZE: 11px; FONT-FAMILY: Verdana,Helvetica
}
INPUT {
      BORDER-TOP-WIDTH:  1px;  BORDER-LEFT-WIDTH:  1px;  FONT-SIZE:  10px;
BORDER-LEFT-COLOR:  #000000;  BORDER-BOTTOM-WIDTH:  1px;  BORDER-BOTTOM-
COLOR:     #000000;     BORDER-TOP-COLOR:     #000000;     FONT-FAMILY:
Verdana,Helvetica; BORDER-RIGHT-WIDTH: 1px; BORDER-RIGHT-COLOR: #000000
}
TEXTAREA {
      BORDER-TOP-WIDTH:  1px;  BORDER-LEFT-WIDTH:  1px;  FONT-SIZE:  10px;
BORDER-LEFT-COLOR:  #000000;  BORDER-BOTTOM-WIDTH:  1px;  BORDER-BOTTOM-
COLOR:     #000000;     BORDER-TOP-COLOR:     #000000;     FONT-FAMILY:
Verdana,Helvetica; BORDER-RIGHT-WIDTH: 1px; BORDER-RIGHT-COLOR: #000000
}
SELECT {
      BORDER-TOP-WIDTH:  1px;  BORDER-LEFT-WIDTH:  1px;  FONT-SIZE:  10px;
BORDER-LEFT-COLOR:  #000000;  BORDER-BOTTOM-WIDTH:  1px;  BORDER-BOTTOM-
COLOR:     #000000;     BORDER-TOP-COLOR:     #000000;     FONT-FAMILY:
Verdana,Helvetica; BORDER-RIGHT-WIDTH: 1px; BORDER-RIGHT-COLOR: #000000
}
FORM {
      FONT-SIZE: 10px; FONT-FAMILY: Verdana,Helvetica
}
</style>
</head>
<body>
";
function remove_comments(&$output)
{
    $lines = explode("\n", $output);
    $output = "";
    // try to keep mem. use down
    $linecount = count($lines);
    $in_comment = false;
    for($i = 0; $i < $linecount; $i++) {
        if (preg_match("/^\/\*/", preg_quote($lines[$i]))) {
            $in_comment = true;
```

```
        }
        if (!$in_comment) {
            $output .= $lines[$i] . "\n";
        }
        if (preg_match("/\*\/$/", preg_quote($lines[$i]))) {
            $in_comment = false;
        }
    }
    unset($lines);
    return $output;
}
// remove_remarks will strip the sql comment lines out of an uploaded sql
file
function remove_remarks($sql)
{
    $lines = explode("\n", $sql);
    // try to keep mem. use down
    $sql = "";
    $linecount = count($lines);
    $output = "";
    for ($i = 0; $i < $linecount; $i++) {
        if (($i != ($linecount - 1)) || (strlen($lines[$i]) > 0)) {
            if ($lines[$i][0] != "#") {
                $output .= $lines[$i] . "\n";
            } else {
                $output .= "\n";
            }
            // Trading a bit of speed for lower mem. use here.
            $lines[$i] = "";
        }
    }
    return $output;
}
//  split_sql_file  will  split  an  uploaded  sql  file  into  single  sql
statements.
// Note: expects trim() to have already been run on $sql.
function split_sql_file($sql, $delimiter)
{
    // Split up our string into "possible" SQL statements.
    $tokens = explode($delimiter, $sql);
    // try to save mem.
    $sql = "";
    $output = array();
    // we don't actually care about the matches preg gives us.
    $matches = array();
    // this is faster than calling count($oktens) every time thru the
loop.
    $token_count = count($tokens);
    for ($i = 0; $i < $token_count; $i++) {
        // Don't wanna add an empty string as the last thing in the
array.
        if (($i != ($token_count - 1)) || (strlen($tokens[$i] > 0))) {
            // This is the total number of single quotes in the token.
            $total_quotes = preg_match_all("/'/", $tokens[$i], $matches);
            // Counts single quotes that are preceded by an odd number of
backslashes,
            // which means they're escaped quotes.
            $escaped_quotes                                              =
preg_match_all("/(?<!\\\\)(\\\\\\\\)*\\\\'/", $tokens[$i], $matches);

            $unescaped_quotes = $total_quotes - $escaped_quotes;
            //  If  the  number  of  unescaped  quotes  is  even,  then  the
delimiter did NOT occur inside a string literal.
            if (($unescaped_quotes % 2) == 0) {
```

```
                // It's a complete sql statement.
                $output[] = $tokens[$i];
                // save memory.
                $tokens[$i] = "";
            } else {
                // incomplete sql statement. keep adding tokens until we
have a complete one.
                // $temp will hold what we have so far.
                $temp = $tokens[$i] . $delimiter;
                // save memory..
                $tokens[$i] = "";
                // Do we have a complete statement yet?
                $complete_stmt = false;

                for ($j = $i + 1; (!$complete_stmt && ($j <
$token_count)); $j++) {
                    // This is the total number of single quotes in the
token.
                    $total_quotes = preg_match_all("/'/", $tokens[$j],
$matches);
                    // Counts single quotes that are preceded by an odd
number of backslashes,
                    // which means they're escaped quotes.
                    $escaped_quotes                                    =
preg_match_all("/(?<!\\\\)(\\\\\\\\)*\\\\'/", $tokens[$j], $matches);
                    $unescaped_quotes = $total_quotes - $escaped_quotes;
                    if (($unescaped_quotes % 2) == 1) {
                        // odd number of unescaped quotes. In combination
with the previous incomplete
                        //  statement(s), we now have a complete
statement. (2 odds always make an even)
                        $output[] = $temp . $tokens[$j];
                        // save memory.
                        $tokens[$j] = "";
                        $temp = "";
                        // exit the loop.
                        $complete_stmt = true;
                        // make sure the outer loop continues at the
right point.
                        $i = $j;
                    } else {
                        // even number of unescaped quotes. We still
don't have a complete statement.
                        // (1 odd and 1 even always make an odd)
                        $temp .= $tokens[$j] . $delimiter;
                        // save memory.
                        $tokens[$j] = "";
                    }
                } // for..
            } // else
        }
    }
    return $output;
}
function bukafile($filename){
$fp = fopen($filename, "r");
$sizeof = (filesize($filename) == 0) ? 1 : filesize($filename);
return fread($fp, $sizeof);
      fclose($fp);
}
if (isset ($submit)){
mysql_connect($host, $username, $password) or die
("Koneksi ke MySQL gagal!");
mysql_select_db($dbname);
```

```
$output = bukafile ($file);
//echo remove_comments(&$output);
$output = remove_remarks($output);
$data = split_sql_file($output, ';');

for ($i=0; $i<count($data); $i++){
$data[$i] =  str_replace ('prefixdatasql_',$_POST['prefix'],$data[$i]);
 $q = mysql_query ($data[$i]);
 //echo $data[$i];
 if ($q) {$cetak .= '<h3>Berhasil Dump SQL</h3>' . $data[$i] . '<br>';}
       else { $cetak .= '<h3>Gagal Dump SQL</h3> ' . $data[$i] . '<br>';
}
}
///$cetak .="Berhasil dump file";
}
$cetak .="
<form method='post' action=''>
<table  border='0'  cellpadding='3'  style='border-collapse:  collapse'
bordercolor='#111111' width='100%'>
  <tr>
    <td width='26%'>Host</td>
    <td width='2%'>:</td>
    <td width='72%'><input type='text' name='host' size='29'></td>
  </tr>
  <tr>
    <td width='26%'>Username</td>
    <td width='2%'>:</td>
    <td width='72%'><input type='text' name='username' size='29'></td>
  </tr>
  <tr>
    <td width='26%'>Password</td>
    <td width='2%'>:</td>
    <td      width='72%'><input      type='password'      name='password'
size='29'></td>
  </tr>
  <tr>
    <td width='26%'>Database name</td>
    <td width='2%'>:</td>
    <td width='72%'><input type='text' name='dbname' size='29'></td>
  </tr>
  <tr>
    <td width='26%'>Prefix</td>
    <td width='2%'>:</td>
    <td   width='72%'><input    type='text'    name='prefix'    size='29'
value='data_'></td>
  </tr>
  <tr>
    <td width='26%'>File sql to dump</td>
    <td width='2%'>:</td>
    <td width='72%'><select size='1' name='file'>
    <option selected>------</option>
";
//    <option selected>------</option>
$arr = glob("*.sql");
if (is_array ($arr)){
foreach ($arr as $filename) {
    //echo "$filename size " . filesize($filename) . "\n";
     $cetak .="<option value='$filename'>$filename</option>";
}
}
$cetak .="
    </select></td>
  </tr>
  <tr>
```

```
    <td width='26%'> </td>
    <td width='2%'> </td>
    <td width='72%'> </td>
  </tr>
  <tr>
    <td width='26%'> </td>
    <td width='2%'> </td>
    <td       width='72%'><input       type='submit'       value='Submit'
name='submit'></td>
  </tr>
</table>
</form>
</body>
</html>
";
$cetak .= '<p><p>
<font color=red>Keterangan :
<br><br>
silahkan dump file sql anda
<br>setelah itu edit files config.php di folder "includes/config.php"<br>
parameter yang bisa diedit :
<br><br>
//---- konfigurasi untuk database<br>
$dbs[\'host\'][\'1\']="localhost";<br>
$dbs[\'user\'][\'1\']="root";<br>
$dbs[\'password\'][\'1\']="";<br>
$dbs[\'dbname\'][\'1\']="data";<br>
<br><br>
//tabel untuk data base<br>
$tab_prefix = \'kudel_\';
</font>
';
echo $cetak;
?>
```

(1.13)(2.13) login.php

```
<?php
/**
* my weblogs
* version 1.0
* Author : Peter Vannes
* Email  : peter_fu@yahoo.com
*
*
* Last Modified : May 6, 2007 03:07:22 PM
**/
session_name("Log");
session_start();
if ($_GET['aksi'] == 'logout'){
session_destroy ();
}
include "includes/template.php";
include "includes/config.php";
include "includes/fungsi.php";
$timer = new microTimer;
$timer->start();
$SQL = new SQL;
$ws ="<h2>Login Administration</h2>";
if (isset ($_POST['submit'])){
include 'includes/login.auth.lib.php';
//$GLOBALS['rahasia_password']
$username = $_POST['username'];
$password               =              peter_encrypt($_POST['password'],
$GLOBALS['rahasia_password']);
```

```
$timer = new microTimer;
$timer->start();
$SQL->connect(1);
$query = mysql_query("SELECT * FROM ".$GLOBALS['tabel']['users']." WHERE
username='$username' AND password='$password' AND status='1'");
$SQL->close();
$data = mysql_fetch_array($query);
$USERNAME = $data['username'];
$PASSWORD = $data['password'];
$lastlogin=$data['lastlogin'];
$Email = $data['email'];
$times_login = $data['timelogin'];
$querytook = $timer->stop();
if   ($username   ==   $USERNAME   AND   $password   ==   $PASSWORD   AND
!empty($password) AND !empty($username))
{
      $jam = date("H:i:s");
      $mnt = date('h');
      $SPASS =md5($PASSWORD);
    session_register("SES_USERNAME");
    session_register("SES_PASSWORD");
    session_register("LASTLOGIN");
    session_register("SES_EMAIL");
    session_register("SES_TYPE");
    session_register("SES_PRIV");
    session_register("SES_THEME_CAL");
    session_register("SES_TIME_LIMIT");
    session_register("TOOK");
    $TOOK = $querytook;
    $SES_TIME_LIMIT = time () + $GLOBALS['timeplus'] + $times_login;
    $SES_THEME_CAL = $data['theme'];
    $SES_USERNAME = $USERNAME;
    $SES_PASSWORD = $SPASS;
    $LASTLOGIN =$lastlogin;
    $SES_EMAIL = $Email;
    $SES_TYPE = $data['type'];
    $SES_PRIV = array ();
    $privs = explode ('#', $data['priv']);
    if (is_array ($privs)){
          foreach ($privs as $key=>$val){
                $SES_PRIV[] = $val;
          }
    }
$loginter =$_SERVER['REMOTE_ADDR'] .'|'. (time ()+ $GLOBALS['timeplus']);
$SQL->connect(1);
$query   =   mysql_query("UPDATE   ".$GLOBALS['tabel']['users']."   SET
lastlogin='$loginter' WHERE username='$username'");
$SQL->close();
header ("location:admin.php");
}
else{
$ws .= "<font color=red>Password anda salah</font>";
}
}
$ws .= "
<form method='post' action=''  name='login'>
<table border='0' cellpadding='2' cellspacing='1' style='border-collapse:
collapse' bordercolor='#111111' width='100%'>
  <tr>
    <td width='29%'>Username</td>
    <td width='2%'>:</td>
    <td width='69%'><input type='text' name='username' size='20'></td>
  </tr>
  <tr>
```

```
    <td width='29%'>Password</td>
    <td width='2%'>:</td>
    <td      width='69%'><input      type='password'      name='password'
size='20'></td>
  </tr>
  <tr>
    <td width='29%'> </td>
    <td width='2%'> </td>
    <td width='69%'> </td>
  </tr>
  <tr>
    <td width='29%'> </td>
    <td width='2%'> </td>
    <td       width='69%'><input       type='hidden'       value='Submit'
name='submit'><input type='submit'  value='Submit' name='B1'></td>
  </tr>
</table>
</form>
";
$fotter = nl2br (bukafile ('txt/footer.txt'));
$load = str_replace ('{time}', 'Execute time  '. $timer->stop() .' Sec',
$fotter);
//************************************************************************
*******
// hasil akhir
//************************************************************************
*******
$define = array ('header'  => $ws,
                 'isi'     => '',
                 'tanggal' => '',
                 'fotter'  => $load
               );
$tpl = new template ('themes/admin/error.html');
$tpl-> define_tag($define);
$tpl-> cetak();
?>
```

(1.14) online.php

```
<?
/**
* my weblogs
* version 1.0
* Author : Peter Vannes
* Email  : peter_fu@yahoo.com
* file   : index.php
*
* Last Modified : May 6, 2007 03:07:22 PM
**/
include 'includes/config.php';
include 'includes/template.php';
include 'includes/fungsi.php';
$timer = new microTimer;
$timer->start();
$SQL = new SQL;
$SQL->connect (1);
include 'includes/menu.php';
//content
$content = '';
$content .= '<!-- content ............................... -->
<DIV id=content>';
$content .= '<h2>User Online</h2>';
$content .= '<div class=normal_sekali>';

$content .="<style>
```

```
.tabel { background-color: #999999; border: 0px #d8d8c4 solid; }
.blockmonthon {
       font-weight: bold;
       BACKGROUND-COLOR: #efefef;cursor:hand
}
.blockmonthoff {
       BACKGROUND-COLOR: #f6f6eb;
}
</style>";
function navigasi() {

        $cetak ="<div align=center class=tiny>";
        $cetak .=" [ <a href=\"?view=now\">Online Now</a> ] |";
        $cetak .=" [ <a href=\"?view=day\">Online This Day</a> ] |";
        $cetak .=" [ <a href=\"?view=month\">Online This Month</a> ]";
        $cetak .="</div><p>";
return $cetak;
}
function GetOnline ($tipe, $pg, $stg, $offset){
if ($tipe == 'now'){
$tabel = 1;
$judul = 'sekarang';
$view = 'now';
}elseif ($tipe == 'day'){
$tabel = 2;
$judul = 'Hari Ini';
$view = 'day';
}else {
$tabel = 3;
$judul = 'Bulan Ini';
$view = 'month';
}
$cetak   =   "<table   width=100%   cellspacing=0   cellpadding=0><tr><td
align=left><img
src=images/nama.gif>  ".$judul."</td><td> </td></tr></tabl
e>";
$cetak    .=    "<table    width=100%    cellspacing=0    cellpadding=1
class='album'><tr><td>";
$cetak    .=    "<table    width=100%    cellspacing=2    cellpadding=2
class='album1'><tr><td>";
$cetak   .=   "<table   width='100%'       border='0'   cellspacing='1'
cellpadding='2'>
            <tr class=album><td width='30%'><b>Visitor
IP</b></td><td    width='55%'><b>Host</b></td><td    width='15%'><b>Last
visit</b></td></tr>";
$was = mysql_query ("SELECT id FROM ".$GLOBALS['tabel']['online']." WHERE
type='$tabel'");
$jumlah = mysql_num_rows ($was);
if (empty($offset) and !isset ($offset)) {
$offset = 0;
}
$limit = 20;
$a = new paging ($limit);
$rs=@mysql_query("select  *  from  ".$GLOBALS['tabel']['online']."  WHERE
type='$tabel' ORDER BY timevisit DESC LIMIT $offset, $limit");
while ($ro=@mysql_fetch_array($rs)){
$IP_V = $ro['visitor'];
$md5 = $ro['mdhash'];
$Pecahan = explode ("|", $IP_V);
$cetak               .=               "<tr               bgcolor=#efefef
onmouseover=\"this.style.backgroundColor='#CCFFCC';\"
onmouseout=\"this.style.backgroundColor='';\"       style=\"cursor:hand\"
title='".transCAL ($ro['timevisit'], true)."
Ip Address : $Pecahan[1]
```

```
Ip Proxy : $Pecahan[0]
Host : $Pecahan[2]
Proxy : $Pecahan[3]
$ro[info]'
onclick=\"javascript:location.href='?view=detail&id=$ro[id]';\"><td
width='30%'>".$Pecahan[0]."</td><td                width='55%'>".limitTXT
($Pecahan[2],45)."</td><td
width='15%'>".date('H:i',$ro['timevisit'])."</td></tr>";
}
$cetak .= "</table>";
$cetak .= "</table>";
$cetak.= "</td></tr></table>";
$cetak.= $a-> getPaging($jumlah, $pg, $stg);
return $cetak;
}
function Getdetail ($id){
$id = int_filter ($id);
$rs=@mysql_query("select  *  from  ".$GLOBALS['tabel']['online']."  WHERE
id='$id'");
$ro=@mysql_fetch_array($rs);
if (mysql_num_rows ($rs)> 0){
$IP_V = $ro['visitor'];
$md5 = $ro['mdhash'];
$Pecahan = explode ("|", $IP_V);
$halaman = array ();
$halaman = explode ('#', $ro['halaman']);
$halaman_2 = '';
foreach ($halaman as $k=>$v){
$halaman_2 .= $v . '<br>';
}
$cetak = '<p> </p>';
$cetak .= "<table border='0' cellspacing='1'  width='100%'>
  <tr>
    <td width='25%'><b>Waktu kunjungan</b></td>
    <td width='2%'>:</td>
    <td width='73%'>".transCAL ($ro['timevisit'], true)."</td>
  </tr>
  <tr>
    <td width='25%'><b>Ip Address</b></td>
    <td width='2%'>:</td>
    <td width='73%'>$Pecahan[1]</td>
  </tr>
  <tr>
    <td width='25%'><b>Ip Proxy</b></td>
    <td width='2%'>:</td>
    <td width='73%'>$Pecahan[0]</td>
  </tr>
  <tr>
    <td width='25%'><b>Host </b></td>
    <td width='2%'>:</td>
    <td width='73%'>$Pecahan[2]</td>
  </tr>
  <tr>
    <td width='25%'><b>Proxy</b></td>
    <td width='2%'>:</td>
    <td width='73%'>$Pecahan[3]</td>
  </tr>
    <tr>
    <td width='25%'><b>Operation Sistem</b></td>
    <td width='2%'>:</td>
    <td width='73%'>" . GetOs( $ro['info'] ) . "</td>
  </tr>
  <tr>
    <td width='25%'><b>Browser</b></td>
```

```
    <td width='2%'>:</td>
    <td width='73%'>" . GetBrowser( $ro['info'] ) . "</td>
  </tr>
  <tr>
    <td width='25%' valign='top'><b>Halaman </b></td>
    <td width='2%' valign='top'>:</td>
    <td width='73%' valign='top'>$halaman_2</td>
  </tr>
</table>";
return $cetak;
}else {
return 'Tidak ada';
}
}
if (!isset ($pg,$stg,$offset)){
         $pg = 1;
         $stg = 1;
         $offset = 0;
  }
$content .= navigasi();
if (!isset ($view)){$view = '';}
switch($view) {
    case "now":
        $content .= GetOnline ('now', $pg, $stg, $offset);
        break;
    case "detail":
        $content .= Getdetail ($id);
        break;
    case "day":
       $content .= GetOnline ('day', $pg, $stg, $offset);
        break;
    case "month":
       $content .= GetOnline ('month', $pg, $stg, $offset);
        break;
    default:
        $content .= GetOnline ('now', $pg, $stg, $offset);
        break;
}
$content .= '</div>';
$content .= '</DIV><!-- /content -->';
$define = array ('menu'    => $menu,
                           'content'     => $content,
                           'navigasi' => $navigasi,
                           'online' => link_online (),
                           'title'  => $GLOBALS['title'],
                           'tanggal'  => tanggal ($GLOBALS['timeplus']),
                           'exec'    => 'Execute time  '. $timer->stop()
.' Sec'              );
$SQL->close();
$tpl = new template ($GLOBALS['themes']['index']);
$tpl-> define_tag($define);
$tpl-> cetak();
?>
```

(3.1) about.php

```
<?
/**
* my weblogs
* version 1.0
* Author : Peter Vannes
* Email  : peter_fu@yahoo.com
* file   : index.php
*
* Last Modified : May 6, 2007 03:07:22 PM
```

```
**/
include 'includes/config.php';
include 'includes/template.php';
include 'includes/fungsi.php';
$timer = new microTimer;
$timer->start();
$SQL = new SQL;
$SQL->connect (1);
include 'includes/menu.php';
//content
$content = '';
$content .= '<!-- content ............................... -->
<DIV id=content>';
$query = mysql_query ("SELECT * FROM ".$GLOBALS['tabel']['content']."
WHERE id='1'");
$data = mysql_fetch_array ($query);
$content .= '<h2>'. $data['judul'] .'</h2>';
$content .= '<div>' . $data['isi'] .'</div>';
$content .= '</DIV><!-- /content -->';
$define = array ('menu'    => $menu,
                          'content'     => $content,
                          'navigasi' => $navigasi,
                          'online' => link_online (),
                          'title'  => $GLOBALS['title'],
                          'tanggal'  => tanggal ($GLOBALS['timeplus']),
                          'exec'    => 'Execute time  '. $timer->stop()
.' Sec'
                );
$SQL->close();
$tpl = new template ($GLOBALS['themes']['index']);
$tpl-> define_tag($define);
$tpl-> cetak();
?>
```

(3.2) angket.php

```
<?
/**
* my weblogs
* version 1.0
* Author : Peter Vannes
* Email  : peter_fu@yahoo.com
* file   : index.php
*
* Last Modified : May 6, 2007 03:07:22 PM
**/
include 'includes/config.php';
include 'includes/template.php';
include 'includes/fungsi.php';
$timer = new microTimer;
$timer->start();
$SQL = new SQL;
$SQL->connect (1);
include 'includes/menu.php';
//content
$content = '';
$content .= '<!-- content ............................... -->
<DIV id=content>';
$content .= '<h2>Quiz...</h2>';
//$content  .=  '<div  class=albumcontent>'  .  bukafile  ('txt/about.txt')
.'</div>';
$abjad = array ('a',
                          'b',
                          'c',
                          'd',
```

```
                            'e',
                            'f',
                            'g',
                            'h',
                            'i',
                            'j'
                            );
$id_form = array ('id_a',
                            'id_b',
                            'id_c',
                            'id_d',
                            'id_e',
                            'id_f',
                            'id_g',
                            'id_h',
                            'id_i',
                            'id_j',
                            'id_k',
                            'id_l',
                            'id_m',
                            'id_n',
                            'id_o',
                            'id_p',
                            'id_q',
                            'id_r',
                            'id_s',
                            'id_t',
                            'id_u',
                            'id_v',
                            'id_w',
                            'id_x',
                            'id_y',
                            'id_z'
                            );
$jml_radio_array = '';
if (!isset ($_GET['aksi'])) $_GET['aksi'] ='';
if ($_GET['aksi'] == ''){
$content .= 'wahh pusing.. atau lagi bt... coba anda iseng mengikuti quiz
berikut ini <p> </p>';
$query = mysql_query ("SELECT judul,id FROM ".$GLOBALS['tabel']['form']."
WHERE public=1 ORDER BY id DESC");
while ($data = mysql_fetch_array ($query)){
$ID = $data['id'];
$content.=   "<li><a   href=\"?aksi=go&id=$ID\">"   .   $data['judul']   .
'</a><br>';
}
}
if (isset ($_GET['id']) && $_GET['aksi'] == 'go'){
$id = int_filter ($_GET['id']);
if (isset ($_POST['submit'])){
$nilai_akhir = array ();
$pembagi = explode ('#', $_POST['jml_radio']);
foreach ($pembagi as $a=>$b){
       //echo $_POST[$b] .'<br>';
if (isset ($_POST[$b])){
$nilai_akhir[] = $_POST[$b];
}else {
$nilai_akhir[] = '';
}
}
//$desc = array_count_values($nilai_akhir);
//echo count ($nilai_akhir);
//print_r ($nilai_akhir);
if (count ($nilai_akhir) > 0){
```

```
$query = mysql_query ("SELECT * FROM ".$GLOBALS['tabel']['form']." WHERE
id='$id'");
$data = mysql_fetch_array ($query);
$nilai_database = explode ('#', $data['nilai']);
$jumlah_pertanyaan = count ($nilai_database);
$hitung_kesalahan = 0;
$hitung_kebenaran = 0;
foreach ($nilai_database as $w=>$z){
       if ($z == $nilai_akhir[$w]){
              $hitung_kebenaran++;
       }else {
              $hitung_kesalahan++;
       }
}
//$content .= 'anda menjawab Benar sebanyak : ' . $hitung_kebenaran;
//$content .= '<br>';
//$content .= 'anda menjawab salah sebanyak : ' . $hitung_kesalahan ;
$nilai_anda = round (($hitung_kebenaran/$jumlah_pertanyaan)*100);
$content .= '<DIV class=articleSummary>';
if (!empty($data['hasil'])){
$komentar = explode ('#', $data['hasil']);
foreach ($komentar as $kunci=>$nilai){
$get_nilai = explode ('=>', $nilai);
if ($nilai_anda >= $get_nilai[0]){
       $content .= nl2br ($get_nilai[1]);
       break;
}
}
}
//end if empty
$content .= '<br>';
$content .= '<br>';
$content .= "Anda mendapat kan nilai  <b>$nilai_anda</b> ";
$content .= '<br>';
$content  .=  "dari  total  pertanyaan  sebanyak  <b>$jumlah_pertanyaan</b>
hanya terjawab <b>$hitung_kebenaran</b>";
$content .= '<br>';
$content .= '<br>';
$content .= '</div>';
}
$AGENT = getenv('HTTP_USER_AGENT');
$uvisitorss=getenv("REMOTE_ADDR");
$ip = 'Ip Proxy :' .$uvisitorss."\r\n";
$ip .= 'Ip Address :'.getenv("HTTP_X_FORWARDED_FOR")."\r\n";
$ip .= 'Host :'.gethostbyaddr($uvisitorss)."\r\n";
$ip .= 'proxy :'.getenv("HTTP_VIA")."\r\n";
$ip .= 'Browser :' .GetBrowser( $AGENT )."\r\n";
$ip .= 'Os :' . GetOS( $AGENT ) ;
$tanggal = tanggal ($GLOBALS['timeplus']);
$judul_quiz = $_POST['judul_quiz'];
$query  =  mysql_query  ("INSERT  INTO  ".$GLOBALS['tabel']['form_jawab']."
(ip,judul_quiz,nilai,tanggal)                                          VALUES
('$ip','$judul_quiz','$nilai_anda','$tanggal')");
}
else {
$query = mysql_query ("SELECT * FROM ".$GLOBALS['tabel']['form']." WHERE
id='$id'");
$data = mysql_fetch_array ($query);
$content .='<h3>'. $data['judul'] .'</h3>';
if (mysql_num_rows ($query) > 0){
$pertanyaan = explode ('#', $data['pertanyaan']);
$jawaban = explode ('#', $data['jawaban']);
$no = 1;
$random = 1;
```

```
$content .='<form method="POST" action="">';
foreach ($pertanyaan as $key=>$nilai){
$content .= '<table border="0" cellpadding="2" style="border-collapse:
collapse" bordercolor="#111111" width="100%">
  <tr>
    <td width="3%" valign=top>'. $no .'.</td>
    <td width="97%" colspan="2" valign=top><b>'. $nilai .'</b></td>
  </tr>';
$jawaban2 = explode ('|', $jawaban[$key]);
foreach ($jawaban2 as $w=>$jawab){
if (!empty ($jawab)){
$content .= '<tr>
    <td width="3%"> </td>
    <td width="3%" valign=top><input class=radio type="radio" value="'.
$abjad[$w] .'" name="'. $id_form[$key] .'" id="id_'. $random .'"></td>
    <td width="94%"><label for="id_'. $random .'" style="cursor:hand;
width:auto" onmouseover="this.style.textDecoration = \'underline\'"
onmouseout="this.style.textDecoration = \'none\'" >'. $jawab
.'</label></td>
  </tr>';
}
$random++;
}
$jml_radio_array .='#'. $id_form[$key] ;
$content .= '<tr>
    <td width="3%"> </td>
    <td width="3%"> </td>
    <td width="94%"> </td>
  </tr>
</table>';
$no++;
$random++;
}
$content .= '<input type="hidden" name="judul_quiz" value="'.
$data['judul'] .'"><input type="hidden" name="jml_radio" value="'. substr
($jml_radio_array, 1).'">
<input type="submit" name="submit" value="kirim" class=button>
</form>
';
}else {
      $content .= 'Maaf Ga ada .....';
}
}
}
$content .= '</DIV><!-- /content -->';
$define = array ('menu'    => $menu,
                          'content'     => $content,
                          'navigasi' => $navigasi,
                          'online' => link_online (),
                          'title'  => $GLOBALS['title'],
                          'tanggal'  => tanggal ($GLOBALS['timeplus']),
                          'exec'    => 'Execute time  '. $timer->stop()
.' Sec'
                );
$SQL->close();
$tpl = new template ($GLOBALS['themes']['index']);
$tpl-> define_tag($define);
$tpl-> cetak();
?>
```

(3.3) biography.php

```
<?
/**
* my weblogs
```

```
* version 1.0
* Author : Peter Vannes
* Email  : peter_fu@yahoo.com
* file   : index.php
*
* Last Modified : May 6, 2007 03:07:22 PM
**/
include 'includes/config.php';
include 'includes/template.php';
include 'includes/fungsi.php';
$timer = new microTimer;
$timer->start();
$SQL = new SQL;
$SQL->connect (1);
include 'includes/menu.php';

//content
$content = '';
$content .= '<!-- content ............................... -->
<DIV id=content>';
$content .= '<h2>Biography</h2>';
$content .= '<div class=albumcontent>';
if (!isset ($_GET['id'])){
$query = mysql_query ("SELECT * FROM ".$GLOBALS['tabel']['biodata']."
WHERE id='1'");
$data = mysql_fetch_array ($query);
}else {
      $IDNYA = int_filter($_GET['id']);
$query = mysql_query ("SELECT * FROM ".$GLOBALS['tabel']['biodata']."
WHERE id='$IDNYA'");
$data = mysql_fetch_array ($query);
}
//print_r ($data);
$content .= "<!-- user cp content loaded here -->
<br><br>
<b>Personal Info</b>
  <table cellspacing='1' cellpadding='2' style='width:977'>";
foreach ($data as $k=>$v) {
      if (!is_integer ($k) && $k != 'id' && (trim($v) != '')){
            if ($k == 'lahir'){
                  $k = 'Kelahiran';
                  list     ($tgl,$bln,$thn)     =     explode     ('-',
$data['lahir']);
                  $v =  "$tgl $bln $thn";
                  }
                  if ($k == 'fav_book'){
                  $k = 'Favorite Book';
                  }
                  if ($k == 'fav_music'){
                  $k = 'Favorite Music';
                  }
                  if ($k == 'fav_tv'){
                  $k = 'Favorite TV';
                  }
                  if ($k == 'tinggi'){
                  $v = $v . ' cm';
                  }
                  if ($k == 'berat'){
                  $v = $v . ' kg';
                  }
                  if ($k == 'pendidikan'){
                  $v = nl2br ($v) ;
                  }
```

```
      $content                  .=                                    "<tr
onmouseover=\"this.style.backgroundColor='#fbfbfb';\"
onmouseout=\"this.style.backgroundColor='';\">
      <td      width=189      style=\"BORDER-TOP:      #f0f0f0      1px
solid\"><b>$k</b></td>
      <td style=\"BORDER-TOP: #f0f0f0 1px solid\" width=\"656\">$v</td>
    </tr>";
      }
}
$content .= ' <tr>
        <td style="BORDER-TOP: #f0f0f0 1px solid" width="189"> </td>
        <td style="BORDER-TOP: #f0f0f0 1px solid" width="656"> </td>
        </tr>';
$content .=  '</table>';
$content .= '</div>';
$content .= '</DIV><!-- /content -->';
$define = array ('menu'    => $menu,
                          'content'     => $content,
                          'navigasi' => $navigasi,
                          'online' => link_online (),
                          'title'  => $GLOBALS['title'],
                          'tanggal'  => tanggal ($GLOBALS['timeplus']),
                          'exec'    => 'Execute time  '. $timer->stop()
.' Sec'
                );
$SQL->close();
$tpl = new template ($GLOBALS['themes']['index']);
$tpl-> define_tag($define);
$tpl-> cetak();
?>
```

(3.4) blogs.php

```
<?
/**
* my weblogs
* version 1.0
* Author : Peter Vannes
* Email  : peter_fu@yahoo.com
* file   : index.php
*
* Last Modified : May 6, 2007 03:07:22 PM
**/
include 'includes/config.php';
include 'includes/template.php';
include 'includes/fungsi.php';
$timer = new microTimer;
$timer->start();
$SQL = new SQL;
$SQL->connect (1);
include 'includes/menu.php';
//content
$content = '';
$content .= '<!-- content ............................... -->
<DIV id=content>';
if (isset ($_GET['id']) && !isset ($_GET['cat'])){
$id = int_filter ($_GET['id']);
$query = mysql_query ("SELECT * FROM ".$GLOBALS['tabel']['blogs']." WHERE
id='$id'");
$data = mysql_fetch_array ($query);
if (mysql_num_rows ($query) > 0){
$content .= '<DIV class=entry align=justify>
<H2>'. $data['judul'] .'</H2>';
$content .= '<strong><small>'. transCAL ($data['datetime'], $bahasa='id',
$jam=true) . '</small></strong><br>';
```

```
$ISI = $data['isi'];
if (isset ($_GET['m'])){
	include 'includes/search.lib.php';
	$words 		= 		explode(' 		',
trim(htmlspecialchars(urldecode($_GET['m']))));
	$highlight_match = '';
	for($i = 0; $i < sizeof($words); $i++)
	{
		if (trim($words[$i]) != '')
		{
			$highlight_match .= (($highlight_match != '') ? '|' :
'') . str_replace('*', '\w*', phpbb_preg_quote($words[$i], '#'));
		}
	}
	unset($words);
	$ISI 		= 		str_replace('\"', 		'"',
substr(preg_replace('#(\>(((?>([^><]+|(?R)))*)\<))#se',
"preg_replace('#("	.	$highlight_match	.	")#i',	'<span
class=pencarian>\\\\1</span>', '\\0')", '>' . $data['isi'] . '<'), 1, -
1));
}
$content .= nl2br (auto_link(replace_smiles ($ISI)));
$content .= '</DIV>';
}else {
	$content .= 'Maaf artikelnya ga ada GPP kan!!!!!';
}
}
if (!isset ($_GET['id']) && isset ($_GET['cat'])){
$cat = int_filter ($_GET['cat']);
$limit = 4;
if (empty($_GET['offset']) and !isset ($_GET['offset'])) {
$offset = 0;
}else {
$offset = int_filter ($_GET['offset']);
}
$num	=	mysql_query("SELECT	COUNT(id)	as	t	FROM
".$GLOBALS['tabel']['blogs']." WHERE kid='$cat'");
$rows = mysql_fetch_row ($num);
$jumlah = $rows[0];
mysql_free_result ($num);
$a = new paging ($limit);
$query = mysql_query ("SELECT * FROM ".$GLOBALS['tabel']['blogs']." WHERE
kid='$cat' ORDER BY id DESC LIMIT $offset, $limit");
if (mysql_num_rows ($query) > 0) {
while ($data = mysql_fetch_array ($query)){
$content .= '<DIV class=entry align=justify>
<H2><A	href="blogs.php?id='.	$data['id']	.'">'.	$data['judul']
.'</A></H2>';
$content .= '<strong><small>'. transCAL ($data['datetime'], $bahasa='id',
$jam=true) . '</small></strong><br>';
	$content .= nl2br (replace_smiles (penggal ($data['isi'])));
$content .= '</DIV>';
}
}else {
	$content .= 'Maaf Tidak Ada Artikel Pada Kategori Ini';
}
// Pembagian halaman dimulai
 if (!isset ($_GET['pg'],$_GET['stg'])){
	$_GET['pg'] = 1;
	$_GET['stg'] = 1;
  }
$content.= $a-> getPaging($jumlah, int_filter ($_GET['pg']), int_filter
($_GET['stg']));
}
```

```
$content .= '</DIV><!-- /content -->';
$define = array ('menu'    => $menu,
                            'content'     => $content,
                            'navigasi' => $navigasi,
                            'online' => link_online (),
                            'title'  => $GLOBALS['title'],
                            'tanggal'  => tanggal ($GLOBALS['timeplus']),
                            'exec'    => 'Execute time  '. $timer->stop()
.' Sec'
                );
$SQL->close();
$tpl = new template ($GLOBALS['themes']['index']);
$tpl-> define_tag($define);
$tpl-> cetak();
?>
```

(3.5) gallery.php

```
<?
/**
* my weblogs
* version 1.0
* Author : Peter Vannes
* Email  : peter_fu@yahoo.com
* file   : index.php
*
* Last Modified : May 6, 2007 03:07:22 PM
**/
include 'includes/config.php';
include 'includes/template.php';
include 'includes/fungsi.php';
$timer = new microTimer;
$timer->start();
$SQL = new SQL;
$SQL->connect (1);
include 'includes/menu.php';
//content
$content = '';
$content .= '<!-- content ................................ -->
<DIV id=content>';
include 'includes/hft_image.php';
$timer = new microTimer;
$timer->start();
$bingkai = <<<EOT
<!--star border-->
<table   class='album'   cellSpacing='1'   cellPadding='0'   width='90'
height='90' border='0'>
  <tr>
    <td>
    <table  class='album1'  cellSpacing='0'  cellPadding='0'  width='90'
height='90' border='0'>
      <tr             onmouseover="this.style.backgroundColor='#fffbf0';"
onmouseout="this.style.backgroundColor='';">
        <td><center>{photo}</center></td>
      </tr>
    </table>
    </td>
  </tr>
</table><!--/star border-->
EOT;
$content .="<H2>Gallery Photo</H2>";
if (!isset ($_GET['aksi'])) $_GET['aksi'] = '';
if (!isset ($_GET['type'])) $_GET['type'] = '';
if (isset ($_GET['pg'])) $pg = int_filter ($_GET['pg']); else $pg = 1;
if (isset ($_GET['stg'])) $stg = int_filter ($_GET['stg']); else $stg =
1;
```

```
if (isset ($_GET['offset'])) $offset = int_filter ($_GET['offset']); else
$offset = '';
if (isset ($_GET['order'])) $order = $_GET['order']; else $order = Null;
if (isset ($_GET['sort'])) $sort = $_GET['sort']; else $sort = Null;
if ($_GET['aksi'] == '' && $_GET['type'] != 'getalbums'){
//$content .= '<br>';
 $arr = explode("&",$_SERVER["QUERY_STRING"]);
      if (is_array($arr)) {
            $qs = '';
        for ($i=0;$i<count($arr);$i++) {
          if            (!is_int(strpos($arr[$i],"sort="))            &&
!is_int(strpos($arr[$i],"order=")) && trim($arr[$i]) != "") {
                $qs .= $arr[$i]."&";
          }
        }
      }
      //$order = 'asc';
$content .= '<p align=right class="albumcontent">Sorting : <a href="?' .
$qs    .  'sort=name&order='.($order=='asc'?'dsc':'asc').'">Name</a>  |  <a
href="?'               .               $qs                              .
'sort=modified&order='.($order=='asc'?'dsc':'asc').'">Modified</a>  |  <a
href="?'               .               $qs                              .
'sort=size&order='.($order=='asc'?'dsc':'asc').'">Size</a> </p>';
//$open = @unserialize (bukafile('data/_.txt'));
$query = mysql_query ("SELECT * FROM ".$GLOBALS['tabel']['gallery_kat']."
ORDER BY name");
//$open = array ();
while ($data = mysql_fetch_array ($query)){
$open['albums'][]    =    array    ('name'    =>$data['name'],    'albums'=>
$data['id'], 'images'=>$data['total']);
}
$query  =  mysql_query  ("SELECT  *  FROM  ".$GLOBALS['tabel']['gallery']."
WHERE kid='0' ORDER BY id DESC");
//$open = array ();
while ($data = mysql_fetch_array ($query)){
$open['images'][]    =    array    ('name'    =>$data['name'],    'thumb'=>
$data['name'],     'width'=>$data['width'],     'height'=>$data['height'],
'modified'=>$data['modified'], 'size'=>$data['size']);
}
if (is_array (@$open))
{
             if (isset ($sort) && $sort == 'name'){
      @multisort($open['images'], $sort, $order);
      @multisort($open['albums'], $sort, $order);
}elseif ($sort == 'modified'){
@multisort($open['images'], $sort, $order, SORT_NUMERIC);
}elseif ($sort == 'size'){
      @multisort($open['albums'], 'images', $order, SORT_NUMERIC);
      @multisort($open['images'], $sort, $order, SORT_NUMERIC);
}
if (!is_array (@$open['images'])){
      $open['images'] = array ();
}
if (!is_array (@$open['albums'])){
      $open['albums'] = array ();
}
      $merge = array_merge (@$open['albums'], @$open['images']);
      $content.=  "<table  border=\"0\"  cellpadding=\"4\"  width=\"100%\"
class=\"albumcontent\"><tr>";
             $jumlah =  count ($merge);
             $limit = 12;
             $awal = 0;
             $pembagian = new paging ($limit);
             $jml = $limit;
```

```
            if ($offset == ''){
                  $page = 0;
                  $offset = NULL;
                  $awal = 0;
                  $jml = $limit;
            }elseif ($offset != 0) {
                  $awal = $offset ;
                  $jml =  $jumlah;
            }
            if ($jumlah < $limit){
                        $jml = $jumlah;
                        }
//$a = 1;
 $arr = explode("&",$_SERVER["QUERY_STRING"]);
      if (is_array($arr)) {
            $qs = '';
        for ($i=0;$i<count($arr);$i++) {
          if             (!is_int(strpos($arr[$i],"pg="))             &&
!is_int(strpos($arr[$i],"stg="))  &&  !is_int(strpos($arr[$i],"offset="))
&& trim($arr[$i]) != "") {
                $qs .= $arr[$i]."&";
          }
        }
      }
      $a = 1;
     $totalalbum = count ($open['albums']);
      for ($i=$awal; $i<$jml; $i++){
            //echo $val['file'];
if (isset ($merge[$i]['albums'])){
             $content.= "<td height='150' align='center'>";
$dataphoto          ="<a          href=\"?".$qs."type=getalbums&albums=".
$merge[$i]['albums']   ."\" title=\"Album : ".$merge[$i]['name']."\"><img
src=\"images/folder.gif\" border='0' ></a>";
#################################################################
$content .= str_replace('{photo}', $dataphoto , $bingkai);
#################################################################
$content  .="<center>".  limitTXT($merge[$i]['name'],  10)  ."<br>  Image
".$merge[$i]['images']."</center></td>";
 if ( $a % $pptabel == 0 ) {
    $content.= "</tr><tr>";
  }
$a = $a + 1;
if ($a == ($limit+1)){
      break;
}
}
if (isset ($merge[$i]['thumb'])){
             $content.= "<td height='150' align='center'>";
             $lengtim = $i-$totalalbum;
$dataphoto ="<a href='?".$qs."aksi=lihat&image=$lengtim' title=\"FileName
: ".$merge[$i]['name']."\"><img  src=\"$tnpath/" . $merge[$i]['thumb'] .
"\" border='0' ></a>";
#################################################################
$content .= str_replace('{photo}', $dataphoto , $bingkai);
#################################################################
$content  .="<center>".  limitTXT($merge[$i]['name'],  10)  ."<br>  size  ".
fsize ($merge[$i]['size']) ."</center></td>";
 if ( $a % $pptabel == 0) {
    $content.= "</tr><tr>";
  }
$a = $a + 1;
if ($a == ($limit+1)){
      break;
}
```

```
}                  }

$content.= "</td></tr></table>";
$content .= '<div  class="albumcontent">';
$content .= $pembagian-> getPaging($jumlah, $pg, $stg);
$content .= '</div>';
//end isset $open['images']
}
}
if ($_GET['type'] == 'getalbums'){
       //buatTHUMB ('thumb', 'mypict', $_GET['albums'], $_GET['albums']);
       $content .= '';
        $arr = explode("&",$_SERVER["QUERY_STRING"]);
      if (is_array($arr)) {
            $qs = '';
        for ($i=0;$i<count($arr);$i++) {
          if            (!is_int(strpos($arr[$i],"sort="))            &&
!is_int(strpos($arr[$i],"order=")) && trim($arr[$i]) != "") {
                $qs .= $arr[$i]."&";
          }
        }
      }
      //$order = 'asc';
$content .= '<p align=right class="albumcontent">Sorting : <a href="?' .
$qs    .  'sort=name&order='.($order=='asc'?'dsc':'asc').'">Name</a>  |  <a
href="?'               .               $qs                              .
'sort=modified&order='.($order=='asc'?'dsc':'asc').'">Modified</a>  |  <a
href="?'               .               $qs                              .
'sort=size&order='.($order=='asc'?'dsc':'asc').'">Size</a> </p>';
$id = int_filter ($_GET['albums']);
       $query       =       mysql_query       ("SELECT       *       FROM
".$GLOBALS['tabel']['gallery']." WHERE kid='$id' ORDER BY id DESC");
       while ($data = mysql_fetch_array ($query)) {
              $open['images'][] = array ('name' =>$data['name'], 'thumb'=>
$data['name'],     'width'=>$data['width'],     'height'=>$data['height'],
'modified'=>$data['modified'], 'size'=>$data['size']);
       }
 if (isset ($open['images'])){
              $content.=     "<table     border=\"0\"     cellpadding=\"4\"
width=\"100%\" class=\"albumcontent\"><tr>";
       if (isset ($sort) && $sort == 'name'){
       multisort($open['images'], $sort, $order);
}elseif ($sort == 'modified'){
multisort($open['images'], $sort, $order, SORT_NUMERIC);
}elseif ($sort == 'size'){
       multisort($open['images'], $sort, $order, SORT_NUMERIC);
}
              $count = 12;
              $jumlah = count ($open['images']);
              $limit = 12;
              $awal = 0;
              $pembagian = new paging ($limit);
              $jml = $limit;
              if ($offset == ''){
                     $page = 0;
                     $offset = NULL;
                     $awal = 0;
                     $jml = $limit;
              }elseif ($offset != 0) {
                     $awal = $offset ;
                     $jml =  $jumlah;
              }
              if ($jumlah < $limit){
                           $jml = $jumlah;
```

```
                        }
$a = 1;
 $arr = explode("&",$_SERVER["QUERY_STRING"]);
      if (is_array($arr)) {
            $qs = '';
        for ($i=0;$i<count($arr);$i++) {
          if             (!is_int(strpos($arr[$i],"pg="))             &&
!is_int(strpos($arr[$i],"stg="))  &&  !is_int(strpos($arr[$i],"offset="))
&& !is_int(strpos($arr[$i],"type=")) && trim($arr[$i]) != "") {
                $qs .= $arr[$i]."&";
          }
        }
      }
       for ($i=$awal; $i<$jml; $i++){

              $content.= "<td height='150' align='center'>";
$dataphoto  ="<a  href='?".$qs."aksi=lihat&image=$i'  title=\"FileName  :
".$open['images'][$i]['name']."\"><img             src=\"$tnpath"       .
$open['images'][$i]['thumb'] . "\" border='0'></a>";
#####################################################################
$content .= str_replace('{photo}', $dataphoto , $bingkai);
#####################################################################
$content  .="<center>".  limitTXT($open['images'][$i]['name'],  12)  ."<br>
size ". fsize ($open['images'][$i]['size']) ."</center></td>";
 if ( $a % $pptabel == 0 ) {
    $content.= "</tr><tr>";
  }
$a= $a + 1;
if ($a == ($limit+1)){
       break;
}
             }
$content.= "</td></tr></table>";
$content .= '<div class="albumcontent">';
$content .= $pembagian-> getPaging($jumlah, $pg, $stg);
$content .= '</div>';
}
//end isset $open['images']
}
if ($_GET['aksi'] == 'lihat'){
       $content .= '<br>';
$content .= '<div class="albumcontent">';
if (!isset ($_GET['albums'])){
       //$open = unserialize (bukafile('data/_.txt'));
       $query       =       mysql_query       ("SELECT       *       FROM
".$GLOBALS['tabel']['gallery']." WHERE kid='0' ORDER BY id DESC");
//$open = array ();
while ($data = mysql_fetch_array ($query)){
$open['images'][]    =    array    ('name'    =>$data['name'],    'thumb'=>
$data['name'],     'width'=>$data['width'],     'height'=>$data['height'],
'modified'=>$data['modified'], 'size'=>$data['size']);
}
       $count = count($open['images']);
if (isset ($sort) && $sort == 'name'){
       multisort($open['images'], $sort, $order);
}elseif ($sort == 'modified'){
multisort($open['images'], $sort, $order, SORT_NUMERIC);
}elseif ($sort == 'size'){
       multisort($open['images'], $sort, $order, SORT_NUMERIC);
}
 $arr = explode("&",$_SERVER["QUERY_STRING"]);
      if (is_array($arr)) {
            $qs = '';
        for ($i=0;$i<count($arr);$i++) {
```

```
          if            (!is_int(strpos($arr[$i],"aksi="))            &&
!is_int(strpos($arr[$i],"image=")) && trim($arr[$i]) != "") {
                $qs .= $arr[$i]."&";
            }
          }
        }
        $intimg = int_filter ($_GET['image']);
        if ($intimg > $count-1) {
               header ("location:gallery.php");
               exit;
        }
        $images = $open['images'][$intimg]['name'];
        $dimensi       =       cekimage($open['images'][$intimg]['width'],
$open['images'][$intimg]['height'],300,300);
        $current = "Image " .($intimg+1). " Of $count <br> $images <br>
Dimension   :   "   .   $open['images'][$intimg]['width']   .   "   x   "   .
$open['images'][$intimg]['height']."    <br>    Size    :    "    .    fsize
($open['images'][$intimg]['size'])      ."<br>      "      .      transCAL
($open['images'][$intimg]['modified'], true)  ." ";
        $prevImg = '';
        if ($intimg > 0){
        $imgprev = $open['images'][$intimg-1]['thumb'];
        $imgf = limitTxt ($open['images'][$intimg-1]['name'], 12);
        $prevImg = '<td width=25% valign=top align=center>
     <table  class="album"  cellSpacing="1"  cellPadding="0"  width="90"
height="90" border="0">
  <tr>
    <td>
    <table  class="album1"  cellSpacing="0"  cellPadding="0"  width="90"
height="90" border="0">
      <tr>
        <td><center>
      <a   href="?'.$qs.'aksi=lihat&image='    .($intimg-1).       '"><img
src="'.$tnpath.$imgprev.'" border=0></a>
      </td>
      </tr>
    </table>
    </td>
  </tr>
</table><!--/star border-->
' . $imgf . '<br>
     &laquo; Previous
    </td>';
              }
        $nextImg = '';
        if ($intimg < $count-1){
        $imgnext = $open['images'][$intimg+1]['thumb'];
        $imgn = limitTxt ($open['images'][$intimg+1]['name'], 12);
        $nextImg = '<td width=25% valign=top align=center>
        <table  class="album"  cellSpacing="1"  cellPadding="0"  width="90"
height="90" border="0">
  <tr>
    <td>
    <table  class="album1"  cellSpacing="0"  cellPadding="0"  width="90"
height="90" border="0">
      <tr>
        <td><center>
      <a   href="?'.$qs.'aksi=lihat&image='    .($intimg+1).       '"><img
src="'.$tnpath.$imgnext.'" border=0></a>
      </td>
      </tr>
    </table>
    </td>
  </tr>
```

```
</table><!--/star border-->
' . $imgn . '<br>
Next &raquo;
    </td>';
            }
       $content  .=  '<table  width="650"  cellSpacing="1"  cellPadding="1"
align=center>
  <tr>
    ' . $prevImg . '
    <td width=50% bgcolor="#e2e2e2">
  <table border="0"  width="100%" bgcolor="#fbfbfb">
  <tr>
    <td align=center>
    <img  src="'.$tpath.$images.'"  border=0  width="'.  $dimensi[0]  .'"
height="'. $dimensi[1]  .'"><br><br>
   ' . $current . '
    </td>
  </tr>
</table>
    </td>
    ' . $nextImg . '
  </tr>
</table>';
}
else{
       $ID = int_filter ($_GET['albums']);
             $query      =      mysql_query      ("SELECT      *      FROM
".$GLOBALS['tabel']['gallery']." WHERE kid='$ID' ORDER BY id DESC");
while ($data = mysql_fetch_array ($query)){
$open['images'][]    =    array    ('name'    =>$data['name'],    'thumb'=>
$data['name'],     'width'=>$data['width'],     'height'=>$data['height'],
'modified'=>$data['modified'], 'size'=>$data['size']);
}
       $count = count($open['images']);
if (isset ($sort) && $sort == 'name'){
       multisort($open['images'], $sort, $order);
}elseif ($sort == 'modified'){
multisort($open['images'], $sort, $order, SORT_NUMERIC);
}elseif ($sort == 'size'){
       multisort($open['images'], $sort, $order, SORT_NUMERIC);
}
 $arr = explode("&",$_SERVER["QUERY_STRING"]);
      if (is_array($arr)) {
            $qs = '';
        for ($i=0;$i<count($arr);$i++) {
          if            (!is_int(strpos($arr[$i],"aksi="))            &&
!is_int(strpos($arr[$i],"image=")) && trim($arr[$i]) != "") {
                $qs .= $arr[$i]."&";
          }
        }
      }
       $intimg = int_filter ($_GET['image']);
       if ($intimg > $count-1) {
             header ("location:gallery.php");
             exit;
       }
       $images = $open['images'][$intimg]['name'];
       $dimensi       =       cekimage($open['images'][$intimg]['width'],
$open['images'][$intimg]['height'],300,300);
       $current = "Image " .($intimg+1). " Of $count <br> $images <br>
Dimension   :   "   .   $open['images'][$intimg]['width']   .   "   x   "   .
$open['images'][$intimg]['height']."    <br>    Size    :    "    .    fsize
($open['images'][$intimg]['size'])      ."<br>      "      .      transCAL
($open['images'][$intimg]['modified'], true)  ." ";
```

```
       $prevImg = '';
       if ($intimg > 0){
       $imgprev = $open['images'][$intimg-1]['thumb'];
       $imgf = limitTxt ($open['images'][$intimg-1]['name'], 12);
       $prevImg = '<td width=25% valign=top align=center>
     <table  class="album"  cellSpacing="1"  cellPadding="0"  width="90"
height="90" border="0">
  <tr>
    <td>
    <table  class="album1"  cellSpacing="0"  cellPadding="0"  width="90"
height="90" border="0">
      <tr>
        <td><center>
      <a   href="?'.$qs.'aksi=lihat&image='   .($intimg-1).       '"><img
src="'.$tnpath.$imgprev.'" border=0></a>
      </td>
      </tr>
    </table>
    </td>
  </tr>
</table><!--/star border-->
' . $imgf . '<br>
     &laquo; Previous
    </td>';
             }
       $nextImg = '';
       if ($intimg < $count-1){
       $imgnext = $open['images'][$intimg+1]['thumb'];
       $imgn = limitTxt ($open['images'][$intimg+1]['name'], 12);
       $nextImg = '<td width=25% valign=top align=center>
        <table  class="album"  cellSpacing="1"  cellPadding="0"  width="90"
height="90" border="0">
  <tr>
    <td>
    <table  class="album1"  cellSpacing="0"  cellPadding="0"  width="90"
height="90" border="0">
      <tr>
        <td><center>
      <a   href="?'.$qs.'aksi=lihat&image='   .($intimg+1).       '"><img
src="'.$tnpath.$imgnext.'" border=0></a>
      </td>
      </tr>
    </table>
    </td>
  </tr>
</table><!--/star border-->
' . $imgn . '<br>
Next &raquo;
    </td>';
             }
       $content  .=  '<table  width="650"  cellSpacing="1"  cellPadding="1"
align=center>
  <tr>
    ' . $prevImg . '
    <td width=50% bgcolor="#e2e2e2">
  <table border="0"  width="100%" bgcolor="#fbfbfb">
  <tr>
    <td align=center>
    <img  src="'.$tpath.$images.'"  border=0  width="'.  $dimensi[0]  .'"
height="'. $dimensi[1]  .'"><br><br>
   ' . $current . '
    </td>
  </tr>
</table>
```

```
    </td>
    ' . $nextImg . '
  </tr>
</table>';
}
$content .= '</div>';
}
$content .= '</DIV><!-- /content -->';
if    (@$_GET['aksi']    ==    'lihat')    $GLOBALS['themes']['index']    =
$GLOBALS['themes']['1'];
$define = array ('menu'    => $menu,
                            'content'     => $content,
                            'navigasi' => $navigasi,
                            'online' => link_online (),
                            'title'  => $GLOBALS['title'],
                            'tanggal'  => tanggal ($GLOBALS['timeplus']),
                            'exec'    => 'Execute time  '. $timer->stop()
.' Sec'
                );
$SQL->close();
$tpl = new template ($GLOBALS['themes']['index']);
$tpl-> define_tag($define);
$tpl-> cetak();
?>
```

(3.6) guestbook.php

```
<?
/**
* my weblogs
* version 1.0
* Author : Peter Vannes
* Email  : peter_fu@yahoo.com
* file   : index.php
*
* Last Modified : May 6, 2007 03:07:22 PM
**/
include 'includes/config.php';
include 'includes/template.php';
include 'includes/fungsi.php';
include 'includes/char.php';
$timer = new microTimer;
$timer->start();
$SQL = new SQL;
$SQL->connect(1);
include 'includes/menu.php';
//content
$content = '';
$content .= '<!-- content ............................... -->
<DIV id=content>';
if (!isset ($_GET['aksi']))  $_GET['aksi'] = '';
if (isset ($_GET['pg'])) $pg = int_filter ($_GET['pg']); else $pg = 1;
if (isset ($_GET['stg'])) $stg = int_filter ($_GET['stg']); else $stg =
1;
if (isset ($_GET['offset'])) $offset = int_filter ($_GET['offset']); else
$offset = NULL;
$content .= '<h2>Guestbook</h2>';
////////////////////////////////////////////////////////////////////////
///////////
if (!isset ($_SERVER['HTTP_REFERER'])){
      //$content    .=    '<font    color=red>Sorry    Your    Submit    not
alowed</font><br><br>';
      unset ($_POST['submit']);
}
```

```
//////////////////////////////////////////////////////////////////////
///////////
if (isset($_POST['submit']) && $_GET['aksi'] =='isi'){
$valid_name = "^[a-z0-9]+[.,a-z0-9 ]+$";
$valid_mail    =    "^([._a-z0-9-]+[._a-z0-9-]*)@(([a-z0-9-]+\.)*([a-z0-9-
]+)(\.[a-z]{2,3}))$";
$url = strtolower ($_POST['url']);
if (validate_url($url)){
      $url =  'http://' . eregi_replace ('http://', '' , $url);
}
else {
      $url = '';
}
$error = '';
if (!eregi($valid_name, $_POST['name'])){
      $error .= '<li>Your Name Is Invalid Character</li>';
}
if (!is_valid_email($_POST['mail'])){
      $error .= '<li>Your Email Is Invalid Character</li>';
}
if ( !preg_match ('/\w/', $_POST['message'])){
      $error .= '<li>The Message Must be writer</li>';
}
if ($error != '') {
$content    .=    '<div    class=normal_sekali><font    color=red><b>Error
Message:</b>
            <ul>' . $error . '</ul>
            </font></div>';
            $content_name = stripslashes (cleanText ($_POST['name']));
            $content_mail = stripslashes(cleanText ($_POST['mail']));
            $content_url = $url;
            $content_message          =          stripslashes(cleanText
($_POST['message']));
} else {
      $name   = strip_tags($_POST['name']);
      $mail   = strip_tags($_POST['mail']);
      $message = cleanText ($_POST['message']);
      $url    = strip_tags($url);
      $date   = tanggal ($GLOBALS['timeplus']);
$AGENT      = getenv('HTTP_USER_AGENT');
$uvisitorss = getenv("REMOTE_ADDR");
$ip  = 'Ip Proxy :' .$uvisitorss."\r\n";
$ip .= 'Ip Address :'.getenv("HTTP_X_FORWARDED_FOR")."\r\n";
$ip .= 'Host :'.gethostbyaddr($uvisitorss)."\r\n";
$ip .= 'proxy :'.getenv("HTTP_VIA")."\r\n";
$ip .= 'Browser :' .GetBrowser( $AGENT )."\r\n";
$ip .= 'Os :' . GetOS( $AGENT ) ;
       $SQL->connect (1);
      $result           =           mysql_query("INSERT           INTO
".$GLOBALS['tabel']['guestbook']." (name , mail, date, message, url,ip)
                  VALUES
('$name','$mail','$date','$message','$url','$ip')");
      if ($result) {
            header ("location:guestbook.php");
      } else {
            $alert  .=   "Sorry,  an  error  has  occured  during  executing
your submission!";
      }
}
}
if ($_GET['aksi'] =='isi'){
      $content .= '<div class=normal_sekali>';
$form_guestbook = <<<EOT
<form method="POST" action="">
```

```
<table border="0" cellpadding="2"  width="100%" height="236" >
    <tr>
      <td width="15%" height="22">Name*</td>
      <td width="2%" height="22">:</td>
      <td width="83%" height="22" colspan="2">
      <input  class="input"  type="text"  name="name"  value="{ses_name}"
size="35"></td>
    </tr>
    <tr>
      <td width="15%" height="22">Email*</td>
      <td width="2%" height="22">:</td>
      <td width="83%" height="22" colspan="2">
      <input  class="input"  type="text"  name="mail"  value="{ses_mail}"
size="35"></td>
    </tr>
    <tr>
      <td width="15%" height="22">homepage</td>
      <td width="2%" height="22">:</td>
      <td width="83%" height="22" colspan="2">
      <input   class="input"   type="text"   name="url"   value="{ses_url}"
size="35"></td>
    </tr>
    <tr>
      <td width="15%" height="87" valign="top">Message</td>
      <td   width="2%"   height="87"   valign="top"><font   face="Verdana"
size="1">:</font></td>
      <td width="38%" height="87" valign="top">
      <textarea   rows="7"   name="message"   cols="67"   style="overflow-
y:auto;">{ses_message}</textarea></td>
      <td width="45%" height="87" valign="top">
</td>
    </tr>
    <tr>
      <td width="15%" height="22" valign="top"> </td>
      <td width="2%" height="22" valign="top"> </td>
      <td width="83%" height="22" valign="top" colspan="2">
<input type="hidden" name="kirim" value="ya"></td>
    </tr>
    <tr>
      <td width="15%" height="25"> </td>
      <td width="2%" height="25"> </td>
      <td width="83%" height="25" colspan="2">
      <input type="submit"  value="submit" name="submit" class=button>
      </font></td>
    </tr>
  </table>
</form>
<br><br>
Keterangan :<br>
email akan di hidden
EOT;
$ses_name = isset ($content_name) ? $content_name : '';
$ses_mail = isset ($content_mail) ? $content_mail : '';
$ses_url = isset ($content_url) ? $content_url : '';
$ses_message = isset ($content_message) ? $content_message : '';
$contents = str_replace ("{ses_name}" , $ses_name , $form_guestbook);
$contents = str_replace ("{ses_mail}" , $ses_mail , $contents);
$contents = str_replace ("{ses_url}" , $ses_url , $contents);
$contents = str_replace ("{ses_message}" , $ses_message , $contents);
$content .= $contents;
$content .= '</div>';
}
if ($_GET['aksi'] == ''){
$limit = 4;
```

```
if (empty($offset) and !isset ($offset)) {
$offset = 0;
}
$num     =     mysql_query("SELECT     COUNT(id)     as     t     FROM
".$GLOBALS['tabel']['guestbook']." ");
$rows = mysql_fetch_row ($num);
$jumlah = $rows[0];
mysql_free_result ($num);
$a = new paging ($limit);
$result = mysql_query("SELECT * FROM ".$GLOBALS['tabel']['guestbook']."
ORDER BY id DESC LIMIT $offset, $limit");
$content .="<div align=right><b><a class=regText href='?aksi=isi'>:: sign
guestbook</a></b></div>";
$content .= '<div class=normal_sekali>';
// Pembagian halaman dimulai
 if (!isset ($pg,$stg)){
        $pg = 1;
        $stg = 1;
  }
$content.= $a-> getPaging($jumlah, $pg, $stg);
// Pembagian halaman selesai
$no = 0;
$content.=   '<table   cellSpacing="1"   cellPadding="3"   width="100%"
align="center" border="0">
  <tr bgColor="#efefef" class=gb>
    <td width="32%"><b>Name</b></td>
    <td width="68%"><b>Comments</b></td>
  </tr>
  ';
 $tot = $jumlah;
if (isset ($offset)){
$tot = $tot - $offset;
}
while ($row = mysql_fetch_array($result)) {
$message = $row['message'];
$pesan = char($message,false);
$jawab = char ($row['jawab'],false);
$url = $row['url'];
$pesan = nl2br (auto_link ($pesan));
list ($user,$domain) = explode ('@', $row['mail']);
$user = substr ($user, 0, -4) . 'xxxx';
$email = $user . '@' . $domain;
if ($no % 2 == 0) {
$class ="#fbfbfb";
}else {
$class = '#ffffff';
}
$content .='<tr bgColor="'.$class.'">
    <td width="32%" valign=top>';
$content .='<table cellSpacing="0" cellPadding="2" border="0">
      <tr>
        <td>'.$tot.'</td>
        <td><b><span     class="gb"     title="'.$row['ip'].'">'.limitTXT
($row['name'],22).'</span></b></td>
      </tr>
      <tr>
        <td>
        <img alt src="images/read_email.gif"></td>
        <td>'.limitTXT ($email,22).'</td>
      </tr>';
if (!empty ($url) && validate_url($url)){
$content.='      <tr>
        <td>
        <img alt src="images/rumah.gif"></td>
```

```
        <td><a      class="gb"      href="'.$url.'"      target="_blank"
title="'.$url.'">
        '.limitTXT ($url,22).'</a></td>
      </tr>';
}
$content .='</table>';
$content .=' </td>
    <td width="68%">';
$content .= $pesan;
if (!empty ($jawab)){
$content .= '<br><br><i>' . $jawab . '</i>';
}
$content .='<hr SIZE="1" color=#ebebeb>
    <div align="left">
      <img src="images/post.gif" width="9" height="9">'.$row['date'].'
     </div>
    </td>';
$no++;
$tot--;
}
mysql_free_result ($result);
 $content.= "</tr>
</table>";
$content.= "<p> </p>";
$content .='</div>';
}
$content .= '</DIV><!-- /content -->';
$define = array ('menu'    => $menu,
                            'content'     => $content,
                            'navigasi' => $navigasi,
                            'online' => link_online (),
                            'title'  => $GLOBALS['title'],
                            'tanggal'  => tanggal ($GLOBALS['timeplus']),
                            'exec'    => 'Execute time  '. $timer->stop()
.' Sec'
                );
$SQL->close();
$tpl = new template ($GLOBALS['themes']['index']);
$tpl-> define_tag($define);
$tpl-> cetak();
?>
```

(3.7) index.php

```
<?
/**
* my weblogs
* version 1.0
* Author : Peter Vannes
* Email  : peter_fu@yahoo.com
* file   : index.php
*
* Last Modified : May 6, 2007 03:07:22 PM
**/
include 'includes/config.php';
include 'includes/template.php';
include 'includes/fungsi.php';
$timer = new microTimer;
$timer->start();
$SQL = new SQL;
$SQL->connect (1);
include 'includes/menu.php';
//content
$content = '';
$content .= '<!-- content ..............................  -->
```

```
<DIV id=content>';
if (!isset ($_GET['search'])){
$query = mysql_query ("SELECT * FROM ".$GLOBALS['tabel']['blogs']." ORDER
BY id DESC LIMIT 3");
while ($data = mysql_fetch_array ($query)){
$content .= '<DIV class=entry align=justify>
<H2><A    href="blogs.php?id='.    $data['id']    .'">'.    $data['judul']
.'</A></H2>';
$content .= '<strong><small>'. transCAL ($data['datetime'], $bahasa='id',
$jam=true) . '</small></strong><br>';
      $content .= replace_smiles (penggal ($data['isi']));
$content .= '</DIV>';
}
}else {
$search = $_GET['search'];
$_GET['type'] = 1;
$querytook = new microTimer;
$querytook->start();
$limit = 25;
if ($_GET['type'] == 1){

if (empty($offset) and !isset ($offset)) {
$offset = 0;
}
$num = mysql_query ("SELECT id,
                                judul,
                                tanggal,
                                author,
                                datetime,
                                MATCH(judul,isi) AGAINST ('$search'   IN
BOOLEAN MODE) AS score                                FROM
".$GLOBALS['tabel']['blogs']." where MATCH(judul,isi) AGAINST ('$search'
IN BOOLEAN MODE)");
$jumlah = mysql_num_rows ($num);
$A = new paging ($limit);
//INSERT INTO $table
$result = mysql_query ("SELECT id,
                           judul,
                           tanggal,
                           author,
                           datetime,
                           MATCH(judul,isi)   AGAINST   ('$search'      IN
BOOLEAN MODE) AS score
                           FROM    ".$GLOBALS['tabel']['blogs']."    where
MATCH(judul,isi) AGAINST ('$search'  IN BOOLEAN MODE)
                           ORDER BY score DESC
                           LIMIT $offset, $limit");
//menutup database
}
elseif ($_GET['type'] == 2){
 $bool ='AND';
 $keywords_array= str_word_count($search, 1);
   $retornar = " ( ";
   foreach ($keywords_array as $keyw) {
          if (strlen ($keyw) > 1){
       if ($retornar!=" ( ") {$retornar .= " ".$bool." ";}
       $retornar   .=   "   (judul   LIKE   '%".$keyw."%')   OR   (isi   LIKE
'%".$keyw."%')";
       }else {
             if ($retornar!=" ( ") {$retornar .= " ".$bool." ";}
       $retornar  .=  "  (judul  LIKE  '%cvbcvbcvbcvb%')  OR  (isi  LIKE
'%cvbcvbcvb%') ";
       }
   }
```

```
   $retornar .= " ) ";
$was = mysql_query ("SELECT * FROM ".$GLOBALS['tabel']['blogs']." WHERE
$retornar");
$jumlah = mysql_num_rows ($was);
$A = new paging ($limit);
if (empty($offset) and !isset ($offset)) {
$offset = 0;
}
$result = mysql_query("SELECT * FROM ".$GLOBALS['tabel']['blogs']." WHERE
$retornar LIMIT $offset, $limit");
}
else {
$retornar   =   "   (judul   LIKE   '%".$search."%')   OR   (isi   LIKE
'%".$search."%')";
$was = mysql_query ("SELECT * FROM ".$GLOBALS['tabel']['blogs']." WHERE
$retornar");
$jumlah = mysql_num_rows ($was);
$A = new paging ($limit);
if (empty($offset) and !isset ($offset)) {
$offset = 0;
}
$result = mysql_query("SELECT * FROM ".$GLOBALS['tabel']['blogs']." WHERE
$retornar  LIMIT $offset, $limit");
}
if ($jumlah > 0) {
$content.=  "Ditemukan  <b>".$jumlah  ."</b>  Artikel  dengan  kata  kunci
<b>".strip_tags  (urldecode  ($search))."</b>  in  ".$querytook->stop()."
Sec<p>";
}else {
      $content.=   "Tidak   Ditemukan   artikel   dengan   kata   kunci
<b>".strip_tags (urldecode ($search))."</b><p>";
}
if (mysql_num_rows($result) > 0 ){
$pencari = urlencode ($search);
 $hasilpencarian ="<ul>";
  $no = 1;
if (isset ($offset) && $offset > 0) $no = 1 + $offset;
include 'includes/search.lib.php';
$m = urlencode (CleanText($_GET['search']));
while ($data = mysql_fetch_array ($result)){
$words = explode(' ', trim(htmlspecialchars(urldecode($search))));
      $highlight_match = '';
      for($i = 0; $i < sizeof($words); $i++)
      {
            if (trim($words[$i]) != '')
            {
                  $highlight_match .= (($highlight_match != '') ? '|' :
'') . str_replace('*', '\w*', phpbb_preg_quote($words[$i], '#'));
            }
      }
      unset($words);
$JUDUL               =              str_replace('\"',               '"',
substr(preg_replace('#(\>(((?>([^><]+|(?R)))*)\<))#se',
"preg_replace('#("     .     $highlight_match     .     ")#i',     '<span
class=pencarian>\\\\1</span>', '\\0')", '>' . $data['judul'] . '<'), 1, -
1));
//$hasilpencarian                                                  .="<li><a
href='news.php?id=$data[search_id]&search=$pencari'>$data[search_title]</
a>";
       $ID = $data['id'];
                        //$JUDUL = $data['judul'];
                        $TANGGAL = $data['tanggal'];
                        $AUTHOR = $data['author'];
```

```
                          $hasilpencarian           .=           "<li><a
href='blogs.php?id=$ID&m=$m'>$JUDUL</a>";
                          $no++;
}
 $hasilpencarian .="</ul>";
Session_register ("ses_pencarian");
$ses_pencarian      = $hasilpencarian;
$content .= $hasilpencarian;
 if (!isset ($_GET['pg'],$_GET['stg'])){
        $_GET['pg'] = 1;
        $_GET['stg'] = 1;
  }
$content.=      $A->      getPaging($jumlah,      int_filter($_GET['pg']),
int_filter($_GET['stg']));
}else {
$content  .="Keyword  :  <b>".  strip_tags  ($search)  ."</b>  found  in
myDATABASE : 0 item(s)";
}
}
$content .= '</DIV><!-- /content -->';
$define = array ('menu'    => $menu,
                          'content'     => $content,
                          'navigasi' => $navigasi,
                          'online' => link_online (),
                          'title'  => $GLOBALS['title'],
                          'tanggal'  => tanggal ($GLOBALS['timeplus']),
                          'exec'    => 'Execute time  '. $timer->stop()
.' Sec'
                );
$SQL->close();
$tpl = new template ($GLOBALS['themes']['index']);
$tpl-> define_tag($define);
$tpl-> cetak();
?>
```

(3.8) polling.php

```
<?
/**
* my weblogs
* version 1.0
* Author : Peter Vannes
* Email  : peter_fu@yahoo.com
* file   : index.php
*
* Last Modified : May 6, 2007 03:07:22 PM
**/
include 'includes/config.php';
include 'includes/template.php';
include 'includes/fungsi.php';
$timer = new microTimer;
$timer->start();
$SQL = new SQL;
$SQL->connect (1);
include 'includes/menu.php';
//content
$content = '';
$content .= '<!-- content ............................... -->
<DIV id=content>';
$content .= '<h2>Polling</h2>';
$content .= '<div class=normal_sekali>';
////////////////////////////
////////////////////////////////////////////////////////////////////////
///////////
if (!isset ($_SERVER['HTTP_REFERER'])){
```

```
	//$content	.=	'<font	color=red>Sorry	Your	Submit	not
alowed</font><br><br>';
	unset ($_POST['submit']);
}
////////////////////////////////////////////////////////////////////
///////////

if(isset($_POST['submit']))
{
	setcookie("COOKIE_VOTE", "vote", time()+3600);
	$query1 = "SELECT * FROM ".$GLOBALS['tabel']['polling']." WHERE
pid='$pid'";
	if(isset ($_COOKIE['COOKIE_VOTE']))
	{
	$vote_lebih2x = true;
	}
	else
	{
		//---- baca data ".$GLOBALS['tabel']['polling']."
		$hasil = mysql_query($query1);
		$data = mysql_fetch_array($hasil);
		$PJAWABAN_TMP = explode("#", $data["pjawaban"]);
		$jmljwb = count($PJAWABAN_TMP);
		$PJAWABAN_TMP[$pilihan]++;
		$PJAWABAN = '';
		for($i=0;$i<$jmljwb;$i++)
		{
			$PJAWABAN .= $PJAWABAN_TMP[$i] . "#";
		}
		$PJAWABAN = substr_replace($PJAWABAN, "", -1, 1);
		//-----------------------------------------------

		//---- simpan data terbaru
		$query2 = "UPDATE ".$GLOBALS['tabel']['polling']." SET
pjawaban='$PJAWABAN' WHERE pid='$pid'";
		mysql_query($query2);
		// ------------------------------------------------------------
-------------
	}
	if (isset ($_POST['pid'])){
$content .= "<table width=100% cellspacing=0 cellpadding=0><tr><td
class=rubrik>  Vote Result</td><td> </td></tr></table>";
$content	.=	"<table	width=100%	cellspacing=0	cellpadding=2
class=rubrik><tr><td>";
$content	.=	"<table	width=100%	cellspacing=4	cellpadding=4
class=tambahan><tr><td>";
//$type_poll = 'chart';
$data_s	=	mysql_fetch_array(	mysql_query("SELECT	*	FROM
".$GLOBALS['tabel']['polling']." WHERE pid='$pid'"));
$type_poll = $data_s['type'];
if ($type_poll != 'chart'){
//tampilkan data terbaru
$hasil = mysql_query("SELECT * FROM ".$GLOBALS['tabel']['polling']."
WHERE pid='$pid'");
$data = mysql_fetch_array($hasil);
$PJUDUL = $data["pjudul"];
$PPILIHAN = explode("#", $data["ppilihan"]);
$PJAWABAN = explode("#", $data["pjawaban"]);
$jmlpil = count($PPILIHAN);
$JMLVOTE = 0;
for($i=0;$i<$jmlpil;$i++)
{
	$JMLVOTE = $JMLVOTE + $PJAWABAN[$i];
}
```

```
// Jika tidak ada vote, tetapkan jumlah vote = 1 untuk menghindari
pembagian dengan nol
if($JMLVOTE == 0)
{
	$JMLVOTE = 1;
}
$content.= "<b>Vote Result For Polling:</b><p>$PJUDUL<p>";
$content.= "<table  border='0'>";
	asort($PJAWABAN);
	$no = 0;
	foreach ($PJAWABAN as $key => $val) {
	$persentase = round($PJAWABAN[$key] / $JMLVOTE * 100, 2);
	$content.= "<tr>";
	$content.= "<td>" . $PPILIHAN[$key] . "</td>";
	$loop = floor($persentase)*2;
	$content.= "<td>";
	if ($loop <= 1 ){
		$loop = 1;
	}
		$td =$no % 12 ;
	 $class ="bar".$td;
		$gambar = "bar/$class.gif";
		$content.= "<img src='$gambar' width='$loop' height='10'>";
	$content.= "</td>";
	$content.= "<td>";
	$content.= $PJAWABAN[$key] . " = $persentase%";
	$content.= "</td>";
	$content.= "</tr>";
	$no++;
}
$content.= "</table>";
$content.= "<p>total voting : $JMLVOTE";
if (isset ($_COOKIE['COOKIE_VOTE'])){
$content.= "<br><br>You have already voted!
";
}else {
$content.= "<br><br>Thanks For Vote";
}
}
else {
if (isset ($submit)){
$nama_pemilih = "submit=1";
}else {
}
//$content.= "<img src='pie.php?pid=$pid' width=500 height=300>";
$content .= 'Saat Ini Belum Tersedia';
}
$content.= "</table>";
$content .= "</td></tr></table>";
}
}
else {
	$query  =  "SELECT  *  FROM  ".$GLOBALS['tabel']['polling']."  WHERE
public='1'";
	$hasil = mysql_query($query);
	$data = mysql_fetch_array($hasil);
	$PID = $data["pid"];
	$PJUDUL = $data["pjudul"];
	$PPILIHAN = explode("#", $data["ppilihan"]);
	$jmlpil = count($PPILIHAN);
	if (mysql_num_rows($hasil) > 0){
mysql_free_result ($hasil);
	$content .= "$PJUDUL<p>";
```

```
      $content   .=   "<form   style='margin-top:1px;margin-bottom:1px'
method='post' action='' name='form'>";
      $content  .=  "<table  border='0'  cellpadding='0'  cellspacing='0'
width='100%'>";
      $content .= "<tr><td width='2%' valign='top'><input class='radio'
type='radio'          name='pilihan'          value='0'          id='pil0'
checked=\"checked\"></td><td        width='98%'><label        for=\"pil0\"
style=\"cursor:hand; width:auto\" onmouseover=\"this.style.textDecoration
=       'underline'\"       onmouseout=\"this.style.textDecoration      =
'none'\">$PPILIHAN[0]</label></td></tr>\n";
      for($i=1;$i<$jmlpil;$i++)
      {
            $content   .=   "<tr><td   width='2%'   valign='top'><input
class='radio' type='radio' name='pilihan' value='$i' id='pil$i'></td><td
width='98%'><label   for=\"pil$i\"   style=\"cursor:hand;   width:auto\"
onmouseover=\"this.style.textDecoration          =          'underline'\"
onmouseout=\"this.style.textDecoration             =             'none'\"
>$PPILIHAN[$i]</label></td></tr>\n";
      }
      $content .= "</table>";
      $content .= "<input type='hidden' name='pid' value='$PID'>";
      $content .= "<p>";
      $content  .=  "<input  type='submit'  name='submit'  value='Vote'
class='button'> ";
      $content  .=  "<input  type='submit'  name='result'  value='Hasil'
class='button'>";
      $content .= "</form>";
}else {
$content .= "<br>Tidak ada polling yang dipublikasikan<br>";
}
}
//////////////////////////////
$content .= '</div>';
$content .= '</DIV><!-- /content -->';

$define = array ('menu'    => $menu,
                          'content'     => $content,
                          'navigasi' => $navigasi,
                          'online' => link_online (),
                          'title'  => $GLOBALS['title'],
                          'tanggal'  => tanggal ($GLOBALS['timeplus']),
                          'exec'    => 'Execute time  '. $timer->stop()
.' Sec'
               );
$SQL->close();
$tpl = new template ($GLOBALS['themes']['index']);
$tpl-> define_tag($define);
$tpl-> cetak();
?>
```

(1.15) admin.lib.php

```
<?
/**
* my weblogs
* version 1.0
* Author : Peter Vannes
* Email  : peter_fu@yahoo.com
* File        : admin.lib.php
*
* Last Modified : May 16, 2007 03:07:22 PM
**/
if(ereg(basename (__FILE__), $_SERVER['PHP_SELF']))
{
      header("HTTP/1.1 404 Not Found");
```

```
      exit;
}
function Uptime ($waktu, $mundur=false) {
$Waktu_sekarang = $waktu;
$times = <<<EEE
<SCRIPT language=javascript>
var i_upSeconds=$Waktu_sekarang;
function doUptime() {
  var i_secs = parseInt(i_upSeconds % 60);
  var i_mins = parseInt(i_upSeconds / 60 % 60);
  var i_hours = parseInt(i_upSeconds / 3600 % 24);
  var i_days = parseInt(i_upSeconds / 86400);
EEE;
if ($mundur){
$times .= <<<EEE
var uptimeString = "";
  if (i_days > 0) {
    uptimeString += i_days;
    uptimeString += ((i_days == 1) ? " day" : " days") + ", ";
  }
  if (i_hours >= 0) {
        if (i_hours < 10){
        var leads = '0';
        uptimeString += leads;
  }
    uptimeString += i_hours;
    uptimeString += ((i_hours == 1) ? " " : "") + " : ";
  }
  if (i_mins >= 0) {
        if (i_mins < 10){
        var leads = '0';
        uptimeString += leads;
  }
    uptimeString += i_mins;
    uptimeString += ((i_mins == 1) ? " " : "") + " : ";
  }
  if (i_secs < 10){
        var leads = '0';
        uptimeString += leads;
  }
  uptimeString +=  i_secs;
  uptimeString += ((i_secs == 1) ? " " : " ");
  document.getElementById("uptime").innerHTML       =       uptimeString;
i_upSeconds--;
  if (i_mins > 0 | i_secs > 0 | i_hours > 0){
    setTimeout("doUptime()",1000);
            }
EEE;
}else {
$times .= <<<EEE
var uptimeString = "&raquo; Uptime: ";
  if (i_days > 0) {
    uptimeString += i_days;
    uptimeString += ((i_days == 1) ? " day" : " days") + ", ";
  }
  if (i_hours >= 0) {
        if (i_hours < 10){
        var leads = '0';
        uptimeString += leads;
  }
    uptimeString += i_hours;
    uptimeString += ((i_hours == 1) ? " " : "") + " : ";
  }
  if (i_mins >= 0) {
```

```
        if (i_mins < 10){
        var leads = '0';
        uptimeString += leads;
  }
    uptimeString += i_mins;
    uptimeString += ((i_mins == 1) ? " " : "") + " : ";
  }
  if (i_secs < 10){
        var leads = '0';
        uptimeString += leads;
  }
  uptimeString +=  i_secs;
  uptimeString += ((i_secs == 1) ? " " : " ");
  document.getElementById("uptime").innerHTML       =       uptimeString;
i_upSeconds++;  setTimeout("doUptime()",1000);
EEE;
}
$times .= <<<EEE
}
</SCRIPT>
<body onload="doUptime();">
</body>
EEE;
$times .='<DIV id="uptime"> </DIV>';
return $times;
}
?>
```

(1.16) authentication.php

```
<?php
/**
* my weblogs
* version 1.0
* Author : Peter Vannes
* Email  : peter_fu@yahoo.com
* File        : authentication.php
* Ket    : File ini untuk login
* Last Modified : May 16, 2007 03:07:22 PM
**/
/*
$PASSW = md5($PASSWORD);
$sql->connect(1);
$result = $sql->query("SELECT * FROM ".$GLOBALS['tabel']['users']." WHERE
username='$SES_USERNAME'");
$sql->close_db();
    $data = mysql_fetch_array($result);
    $USERNAME = $data["username"];
    $PASSWORD = $data["password"];
    $PASS = md5($PASSWORD);
*/
 if(ereg(basename (__FILE__), $_SERVER['PHP_SELF']))
{
       header("HTTP/1.1 404 Not Found");
       exit;
}
    function authen()
    {

        if(       (time      ()      +      $GLOBALS['timeplus'])      <
$_SESSION['SES_TIME_LIMIT'])
        {
            return TRUE;
        }
```

```
        else
        {
            return FALSE;
        }
    }
?>
```

(1.17) char.php

```
<?php
/**
* my weblogs
* version 1.0
* Author : Peter Vannes
* Email  : peter_fu@yahoo.com
* File   : char.php
*
* Last Modified : May 8, 2007 03:09:54 PM
**/
if(ereg(basename (__FILE__), $_SERVER['PHP_SELF']))
{
      header("HTTP/1.1 404 Not Found");
      exit;
}
function char($nama,$url){
$folder = 'char';
$kode = array (';)',
                      ';-)',
                      ':D',
                      ';-D',
                      ':-)',
                      ':)',
                      ':0',
                      ':-0',
                      ':?',
                      ':-?',
                      ':???:',
                      ':|',
                      ':-|',
                      ':!:',
                      ':p',
                      ':P',
                      ':-p',
                      ':-P',
                      '&gt;-',
                      'o-y',
                      'o-x',
                      '^%^',
                      '^o^',
                      ':(',
                      ':-('
                      );
$img = array ("<img src='$url$folder/emwink.gif'>",
                     "<img src='$url$folder/emwink.gif'>",
                     "<img src='$url$folder/embd.gif'>",
                     "<img src='$url$folder/embd.gif'>",
                     "<img src='$url$folder/emsmile.gif'>",
                     "<img src='$url$folder/emsmile.gif'>",
                     "<img src='$url$folder/emsmileo.gif'>",
```

```
                    "<img src='$url$folder/emsmileo.gif'>",
                    "<img src='$url$folder/emcrook.gif'>",
                    "<img src='$url$folder/emcrook.gif'>",
                    "<img src='$url$folder/emcrook.gif'>",
                    "<img src='$url$folder/emdgust.gif'>",
                    "<img src='$url$folder/emdgust.gif'>",
                    "<img src='$url$folder/emexclaim.gif'>",
                    "<img src='$url$folder/emsmilep.gif'>",
                    "<img src='$url$folder/emsmilep.gif'>",
                    "<img src='$url$folder/emsmilep.gif'>",
                    "<img src='$url$folder/emsmilep.gif'>",
                    "<img src='$url$folder/emrose.gif'>",
                    "<img src='$url$folder/emfemale.gif'>",
                    "<img src='$url$folder/emmale.gif'>",
                    "<img src='$url$folder/emunlove.gif'>",
                    "<img src='$url$folder/emlove.gif'>",
                    "<img src='$url$folder/emsad.gif'>",
                    "<img src='$url$folder/emsad.gif'>"
                    );
return str_replace ($kode, $img, $nama);
}
?>
```

(1.18) config.php

```
<?php
/**
* my weblogs
* version 1.0
* Author : Peter Vannes
* Email  : peter_fu@yahoo.com
* File        : config.php
*
* Last Modified : May 6, 2007 03:07:22 PM
**/
ob_start ('ob_gzhandler');
error_reporting (E_ALL);
if(ereg(basename (__FILE__), $_SERVER['PHP_SELF']))
{
       header("HTTP/1.1 404 Not Found");
       exit;
}
$raw = phpversion();
list($v_Upper,$v_Major,$v_Minor) = explode(".",$raw);
if (($v_Upper == 4 && $v_Major <1) || $v_Upper <4) {
    $_FILES = $HTTP_POST_FILES;
    $_ENV = $HTTP_ENV_VARS;
    $_GET = $HTTP_GET_VARS;
    $_POST = $HTTP_POST_VARS;
    $_COOKIE = $HTTP_COOKIE_VARS;
    $_SERVER = $HTTP_SERVER_VARS;
    $_SESSION = $HTTP_SESSION_VARS;
    $_FILES = $HTTP_POST_FILES;
}
if (!ini_get('register_globals')) {
    while(list($key,$value)=each($_FILES)) $GLOBALS[$key]=$value;
    while(list($key,$value)=each($_ENV)) $GLOBALS[$key]=$value;
    while(list($key,$value)=each($_GET)) $GLOBALS[$key]=$value;
    while(list($key,$value)=each($_POST)) $GLOBALS[$key]=$value;
    while(list($key,$value)=each($_COOKIE)) $GLOBALS[$key]=$value;
    while(list($key,$value)=each($_SERVER)) $GLOBALS[$key]=$value;
    while(list($key,$value)=@each($_SESSION)) $GLOBALS[$key]=$value;
    foreach($_FILES as $key => $value){
```

```
        $GLOBALS[$key]=$_FILES[$key]['tmp_name'];
        foreach($value as $ext => $value2){
            $key2 = $key . '_' . $ext;
            $GLOBALS[$key2] = $value2;
        }
    }
}
//---- konfigurasi untuk database
$dbs['host']['1']="localhost";
$dbs['user']['1']="root";
$dbs['password']['1']="";
$dbs['dbname']['1']="globe";
$sales_email = 'peter_fu@yahoo.com';
$Theme   = 'default';
//$beritat = 'theme/' .$Theme .'/berita.html';
$GLOBALS['themes']['index']  = 'themes/'. $Theme .'/theme00.html';
$GLOBALS['themes']['1']  = 'themes/'. $Theme .'/theme01.html';
$GLOBALS['themes']['indexm']   = 'themes/'. $Theme .'/menu.html';
$GLOBALS['themes']['menuadmin']   = 'themes/'. $Theme .'/adminmenu.html';
$admin_theme   = 'themes/'. $Theme .'/admin.html';
//variable untuk kapasitas space yang di berikan dalam webhosting
$fize_webhosting = 50000000; //in byte
$lokasigambar="images/";
//konfigyrasi album
$tpath= 'album/normal/';
$tnpath='album/thumb/';
$image_max_width = 90;
$image_max_height = 90;
$limit = 16;
$pptabel = 4;
$max_width= 1024;
$max_height=1024;
$max_size=290000;
$limit_numb1 = 1;
$pph = 5;
$CONFIG['jpeg_qual'] = 85 ;
$CONFIG['thumb_method'] = 'gd2';
$CONFIG['thumb_width'] = 90 ;
//tabel untuk data base
$tab_prefix = 'data_';
$GLOBALS['tabel']['guestbook']          = $tab_prefix .'guestbook';
$GLOBALS['tabel']['biodata']            = $tab_prefix .'biodata';
$GLOBALS['tabel']['download']           = $tab_prefix .'download';
$GLOBALS['tabel']['cat_download']       = $tab_prefix .'cat_download';
$GLOBALS['tabel']['kat_blog']           = $tab_prefix .'kat_blog';
$GLOBALS['tabel']['komentar']           = $tab_prefix .'komentar';
$GLOBALS['tabel']['statistik']          = $tab_prefix .'statistik';
$GLOBALS['tabel']['users']                    = $tab_prefix .'users';
$GLOBALS['tabel']['blogs']                 = $tab_prefix .'blog';
$GLOBALS['tabel']['content']            = $tab_prefix .'content';
$GLOBALS['tabel']['polling']            = $tab_prefix .'polling';
$GLOBALS['tabel']['form']             = $tab_prefix .'form';
$GLOBALS['tabel']['form_jawab']     = $tab_prefix .'form_jawab';
$GLOBALS['tabel']['gallery_kat']    = $tab_prefix .'gallery_kat';
$GLOBALS['tabel']['gallery']        = $tab_prefix .'gallery';
$GLOBALS['tabel']['online']         = $tab_prefix .'online';
//$_SERVER["REQUEST_URI"]
$GLOBALS['URLSITE'] = 'http://localhost/proyek12/';
//variable untuk encrypt hati hati jangan sampai berubah parameternya
//kalo berubah anda harus merubah juga database nya
$GLOBALS['rahasia_password']                                                =
'HHasdfsihfghrtw45439sjfskdjhfso84gdfg32i';
//limit waktu dalam login
$GLOBALS['time_login'] = 3600;
```

```
$GLOBALS['timeplus'] = 21660;
$timeplus = 0;
$GLOBALS['title'] = 'Peter Vannes Website';
$GLOBALS['menu_header'] = array ('Home' => 'index.php',
                          'Guestbook' => 'guestbook.php',
                          'gallery' => 'gallery.php'
                          );
?>
```

(1.19) fungsi.php

```
<?
/**
* my weblogs
* version 1.0
* Author : Peter Vannes
* Email  : peter_fu@yahoo.com
* Kumpulan fungsi-fungsi yang sering digunakan
*
* Last Modified : May 6, 2007 03:07:22 PM
**/
if(ereg(basename (__FILE__), $_SERVER['PHP_SELF']))
{
       header("HTTP/1.1 404 Not Found");
       exit;
}
function bukafile($filename){
$fp = @fopen($filename, "r");
$sizeof = (@filesize($filename) == 0) ? 1 : filesize($filename);
return @fread($fp, $sizeof);
       fclose($fp);
}
##------ End Fungsi

##------ Fungsi Tulis file
function tulisfile ($filename , $nilai){
$file = fopen ($filename, "w+");
fputs ($file,$nilai);
fclose($file);
}
function dir_info ( $dir )
{
       $allow = array ('.jpg', '.jpeg', '.png');

    $dir = $dir != '' && $dir != '/' ? trim ( $dir, '/' ) . '/' : '';
    $h = @opendir ( $dir );
    if ( !$h )
    {
        exit ( 'Unable to open ' . $dir );
    }
    $count['dirs'] = 0;
    $count['files'] = 0;
    $count['size'] = 0;
    while ( false != ( $f = readdir ( $h ) ) )
    {
        if ( $f != '.' && $f != '..' )
        {
            if ( is_dir ( $dir . $f ) )
            {
                $count['dirs']++;
            }
            elseif ( in_array (cekEXT($f), $allow) )
            {
                $count['files']++;
                $count['size'] += filesize ( $dir . $f );
```

```
            }
        }
    }
    return $count;
}
function dir_get_contents ( $root, $dir )
{
       $allow = array ('.jpg', '.jpeg', '.png');
    $dir = $dir != '' && $dir != '/' ? trim ( $dir, '/' ) : '';
    $path = $root . $dir . '/';
    $h = opendir ( $path );
    if ( !$h )
    {
        exit ( 'Unable to open ' . $path );
    }
    $contents['images'] = array( );
    $contents['albums'] = array ( );
    while ( false != ( $f = readdir ( $h ) ) )
    {
        if ( $f != '.' && $f != '..' )
        {
            if ( is_dir ( $path . $f ) )
            {
                $info = dir_info ( $path . $f );
                $contents['albums'][] = array ( 'name' => $f, 'albums' =>
$info['dirs'], 'images' => $info['files'] );
            }
            elseif ( in_array (cekEXT($f), $allow) )
            {
                $info = getimagesize ( $path . $f );
                //$dimension = $info[0] . 'x' . $info[1];
                $width = $info[0];
                $height = $info[1];
                $contents['images'][] = array ( 'name' => $f, 'thumb' =>
'thumbs_' . $f, 'width' => $width, 'height' => $height, 'modified' =>
filemtime ( $path . $f ), 'size' => filesize ( $path . $f ) );
            }
        }
    }
    ksort ($contents);
    return $contents;
}
function cekimage($width, $height,$image_max_width,$image_max_height){
$Stop = true;
if ($width <=$image_max_width or $height <= $image_max_height)
{
       //$testsize = getimagesize ("");
       $lebar = $width;
       $tinggi = $height;
       $Stop = true;
}
if ($width >=$image_max_width or $height >= $image_max_height)
{
       //$testsize = getimagesize ("");
       //$lebar = $width;
       //$tinggi = $height;
       $Stop = false;
}
//periksa lebar dan tinggi
if ($width > $height && !$Stop) {
             $lebar = $image_max_width ;
             $tinggi = round ( ceil(($height / $width) * $lebar) , 0);
             $Stop = true;
       }
```

```
// periksa apakah tinggi lebih besar dari lebar
if  ($height > $width && !$Stop) {
                    $tinggi = $image_max_height;
                    $lebar =  round ( ceil(($width / $height       )     *
$tinggi) , 0);
                    $Stop = true;
               }
return array ($lebar, $tinggi);
} //--end fungsi
class microTimer {
    function start() {
        global $starttime;
        $mtime = microtime ();
        $mtime = explode (' ', $mtime);
        $mtime = $mtime[1] + $mtime[0];
        $starttime = $mtime;
    }
    function stop() {
        global $starttime;
        $mtime = microtime ();
        $mtime = explode (' ', $mtime);
        $mtime = $mtime[1] + $mtime[0];
        $endtime = $mtime;
        $totaltime = round (($endtime - $starttime), 5);
        return $totaltime;
    }
}
function tanggal ($timeplus = 0, $bahasa='english'){
if ($bahasa == 'indonesia'){
$hari_arr = Array ('Minggu',
                               'Senin',
                               'Selasa',
                               'Rabu',
                               'Kamis',
                               'Jumat',
                               'Sabtu'
                               );
$bulan_arr = Array ('Januari',
                                   'Februari',
                                   'Maret',
                                   'April',
                                   'Mei',
                                   'Juni',
                                   'Juli',
                                   'Agustus',
                                   'September',
                                   'Oktober',
                                   'November',
                                   'Desember'
                                   );
}elseif ($bahasa == 'english') {
$hari_arr = Array ('Sunday',
                               'Monday',
                               'Tuesday',
                                   'Wednesday',
                                   'Thursday',
                                   'Friday',
                                   'Saturday'
                               );
$bulan_arr = Array ('January',
                                   'February',
                                   'March',
                                   'April',
                                   'May',
```

```
                                'June',
                                'July',
                                'August',
                                'September',
                                'October',
                                'November',
                                'December'
                                );

}
//yanggal.............
//18060
     $hari       = date('w', time() + $timeplus);
     $tanggal= date('d', time() + $timeplus);
     $bulan  = date('m', time() + $timeplus);
     $tahun  = date('Y', time() + $timeplus);
     switch ($hari) {
       case 0: $hari = $hari_arr[0];
       break;
       case 1: $hari = $hari_arr[1];
       break;
       case 2: $hari = $hari_arr[2];
       break;
       case 3: $hari = $hari_arr[3];
       break;
       case 4: $hari = $hari_arr[4];
       break;
       case 5: $hari = $hari_arr[5];
       break;
       case 6: $hari = $hari_arr[6];
       break;
       }
     switch ($bulan) {
       case "01": $bulan = $bulan_arr[0];
       break;
       case "02": $bulan = $bulan_arr[1];
       break;
       case "03": $bulan = $bulan_arr[2];
       break;
       case "04": $bulan = $bulan_arr[3];
       break;
       case "05": $bulan = $bulan_arr[4];
       break;
       case "06": $bulan = $bulan_arr[5];
       break;
       case "07": $bulan = $bulan_arr[6];
       break;
       case "08": $bulan = $bulan_arr[7];
       break;
       case "09": $bulan = $bulan_arr[8];
       break;
       case "10": $bulan = $bulan_arr[9];
       break;
       case "11": $bulan = $bulan_arr[10];
       break;
       case "12": $bulan = $bulan_arr[11];
       break;
       }
//fungsi untuk jam
$jam = date ('H', time () + $timeplus);
$menit = date ('i' , time() + $timeplus);
$detik = date ('s' , time() + $timeplus);
$pukul ="$jam:$menit:$detik";
$waktu = "$hari, $tanggal $bulan $tahun  $pukul";
```

```
return $waktu;
}
      function cleanText ( &$text ) {
            $text  =  preg_replace(  "'<script[^>]*>.*?</script>'si",  '',
$text );
            $text                        =                        preg_replace(
'/<a\s+.*?href="([^"]+)"[^>]*>([^<]+)<\/a>/is', '\2 (\1)', $text );
            $text = preg_replace( '/<!--.+?-->/', '', $text );
            $text = preg_replace( '/{.+?}/', '', $text );
            $text = preg_replace( '/ /', ' ', $text );
            $text = preg_replace( '/&amp;/', ' ', $text );
            $text = preg_replace( '/&quot;/', ' ', $text );
            $text = strip_tags( $text );
            $text = htmlspecialchars( $text );
            return $text;
      }
function auto_link($str) {
  # don't use target if tail is follow
  $regex['file']                                                          =
"gz|tgz|tar|gzip|zip|rar|mpeg|mpg|exe|rpm|dep|rm|ram|asf|ace|viv|avi|mid|
gif|jpg|png|bmp|eps|mov";
  $regex['file'] = "(\.($regex[file])\") TARGET=\"_blank\"";

  # define URL ( include korean character set )
  $regex['http']  =  "(http|https|ftp|telnet|news|mms):\/\/([\xA1-\xFEa-
z0-9:_\-]+\.[\xA1-\xFEa-z0-9:;&#=_~%\[\]\?\/\.\,\+\-]+)([\.]*[\/a-z0-
9\[\]]|=[\xA1-\xFE]+))";
  # define E-mail address ( include korean character set )
  $regex['mail']    =    "([\xA1-\xFEa-z0-9_\.\-]+)@([\xA1-\xFEa-z0-9_\-
]+\.[\xA1-\xFEa-z0-9\-\._\-]+[\.]*[a-z0-9]\??[\xA1-\xFEa-z0-9=]*)";
  # If use "wrap=hard" option in TEXTAREA tag,
  # connected link tag that devided sevral lines
  $src[] = "/<([^<>\n]*)\n([^<>\n]+)\n([^<>\n]*)>/i";
  $tar[] = "<\\1\\2\\3>";
  $src[] = "/<([^<>\n]*)\n([^\n<>]*)>/i";
  $tar[] = "<\\1\\2>";
  $src[]               =               "/<(A|IMG)[^>]*(HREF|SRC)[^=]*=[
'\"\n]*($regex[http]|mailto:$regex[mail])[^>]*>/i";
  $tar[] = "<\\1 \\2=\"\\3\">";
  # replaceed @ charactor include email form in URL
  $src[] = "/(http|https|ftp|telnet|news|mms):\/\/([^ \n@]+)@/i";
  $tar[] = "\\1://\\2_HTTPAT_\\3";
  # replaced special char and delete target
  # and protected link when use html link code
  $src[] = "/&(quot|gt|lt)/i";
  $tar[] = "!\\1";
  $src[] = "/<a([^>]*)href=[\"' ]*($regex[http])[\"']*[^>]*>/i";
  $tar[] = "<A\\1HREF=\"\\3_orig://\\4\" TARGET=\"_blank\">";
  $src[] = "/href=[\"' ]*mailto:($regex[mail])[\"']*>/i";
  $tar[] = "HREF=\"mailto:\\2#-#\\3\">";
  $src[]      =      "/<([^>]*)(background|codebase|src)[      \n]*=[\n\"'
]*($regex[http])[\"']*/i";
  $tar[] = "<\\1\\2=\"\\4_orig://\\5\"";
  # auto linked url and email address that unlinked
  $src[] = "/((SRC|HREF|BASE|GROUND)[ ]*=[ ]*|[^=]|^)($regex[http])/i";
  $tar[] = "\\1<A HREF=\"\\3\" TARGET=\"_blank\">\\3</a>";
  $src[] = "/($regex[mail])/i";
  $tar[] = "<A HREF=\"mailto:\\1\">\\1</a>";
  $src[] = "/<A HREF=[^>]+>(<A HREF=[^>]+>)/i";
  $tar[] = "\\1";
  $src[] = "/<\/A><\/A>/i";
  $tar[] = "</A>";
  # restored code that replaced for protection
  $src[] = "/!(quot|gt|lt)/i";
```

```
  $tar[] = "&\\1";
  $src[] = "/(http|https|ftp|telnet|news|mms)_orig/i";
  $tar[] = "\\1";
  $src[] = "'#-#'";
  $tar[] = "@";
  $src[] = "/$regex[file]/i";
  $tar[] = "\\1";
  # restored @ charactor include Email form in URL
  $src[] = "/_HTTPAT_/";
  $tar[] = "@";
  # put border value 0 in IMG tag
  $src[] = "/<(IMG SRC=\"[^\"]+\")>/i";
  $tar[] = "<\\1 BORDER=0>";
  # If not MSIE, disable embed tag
  if(!ereg("MSIE", $_SERVER['HTTP_USER_AGENT'])) {
    $src[] = "/<embed/i";
    $tar[] = "&lt;embed";
  }
  $str = preg_replace($src,$tar,$str);
  return $str;
}
class paging {
    function paging ($limit) {
      $this->rowperpage = $limit;
      $this->pageperstg = 5;
       $this->sendiri = $_SERVER['PHP_SELF'];
    }
    function getPaging($jumlah, $pg, $stg) {
          if (!isset ($pg,$stg)){
                   $pg = 1;
                   $stg = 1;
             }
      $arr = explode("&",$_SERVER["QUERY_STRING"]);
      if (is_array($arr)) {
            $qs = '';
        for ($i=0;$i<count($arr);$i++) {
          if             (!is_int(strpos($arr[$i],"pg="))             &&
!is_int(strpos($arr[$i],"stg=")) && !is_int(strpos($arr[$i],"offset="))&&
trim($arr[$i]) != "") {
                $qs .= $arr[$i]."&";
          }
        }
      }
      if ($this->rowperpage<$jumlah) {
        $allpage = ceil($jumlah/$this->rowperpage);
        $allstg  = ceil($allpage/$this->pageperstg);
        $minpage = (($stg-1)*$this->pageperstg)+1;
        $maxpage = $stg*$this->pageperstg;
        if ($maxpage>$allpage) $maxpage = $allpage;
        if ($allpage>1) {
               if (($pg-1) == 1){
                        $newoffset = 0;
                   } else {
                        $newoffset = (($pg-2)*$this->rowperpage);
                   }
          $rtn   = "<table cellpadding=2 cellspacing=0><tr align=center
valign=middle><td class=\"smallbody\">";
          if ($stg>1) $rtn .= "<a class=\"nextstage\" href=\"".$this-
>sendiri."?".$qs."pg=".($minpage-1)."&stg=".($stg-1).         "&offset=".
$newoffset ."\">&laquo;&laquo;&laquo;</a> | ";
          if ($pg>1) {
            if ($pg==$minpage) {
                  if (($pg-1) == 1){
                        $newoffset = 0;
```

```
                } else {
                      $newoffset = (($pg-2)*$this->rowperpage);
                }
             $rtn    .=    "<a    class=\"nextpage\"    href=\"".$this-
>sendiri."?".$qs."pg=".($pg-1)."&stg=".($stg-1).
"&offset=".$newoffset."\">&laquo; Previous</a> | ";
           } else {
                if (($pg-1) == 1){
                   $newoffset = 0;
                } else {
                      $newoffset = (($pg-2)*$this->rowperpage);
                }
             $rtn    .=    "<a    class=\"nextpage\"    href=\"".$this-
>sendiri."?".$qs."pg=".($pg-1)."&stg=$stg&offset=".$newoffset."\">&laquo;
Previous</a> | ";
           }
         }
         for ($i=$minpage;$i<=$maxpage;$i++) {
           if ($i==$pg) {
             $rtn .= "<b>$i</b> | ";
           } else {
                if  ($i==1) {
                    $newoffset = 0;
               }else {
                     $newoffset = ($i-1)*$this->rowperpage;
                }
             $rtn            .=            "<a            href=\"".$this-
>sendiri."?".$qs."pg=$i&stg=$stg&offset=$newoffset\"          title='Page
$i'>$i</a> | ";
           }
         }
         if ($pg<=$maxpage) {
           if ($pg==$maxpage && $stg<$allstg) {
             $rtn   .=    "    <a    class=\"nextpage\"    href=\"".$this-
>sendiri."?".$qs."pg=".($pg+1)."&stg=".($stg+1)."&offset=".(($pg)*$this-
>rowperpage)."\">Next &raquo;</a> | ";
           } elseif ($pg<$maxpage) {
             $rtn   .=    "    <a    class=\"nextpage\"    href=\"".$this-
>sendiri."?".$qs."pg=".($pg+1)."&stg=$stg&offset="         .(($pg)*$this-
>rowperpage). "\">Next &raquo;</a> | ";
           }
         }
         if ($stg<$allstg) {
              $rtn   .=   "<a   class=\"nextstage\"   href=\"".$this-
>sendiri."?".$qs."pg=".($maxpage+1)."&stg=".($stg+1)."&offset=".(($maxpag
e)*$this->rowperpage)."\"> &raquo;&raquo;&raquo;</a> | ";
           }
         $rtn = substr($rtn,0,strlen($rtn)-3);
         $rtn .= "</td></tr></table>";
         return $rtn;
       }
     }
   }
 }
 class paging_s {
   function paging_s ($limit, $aksi='', $query='') {
     $this->rowperpage = $limit;
     $this->pageperstg = 5;
      $this->sendiri      =      $GLOBALS['URLSITE']      .      basename
($_SERVER['PHP_SELF'], '.php') . $aksi;
      $this->query = $query;
   }
   function getPaging($jumlah, $pg, $stg) {
         if (!isset ($pg,$stg)){
```

```
                $pg = 1;
                $stg = 1;
            }
      if ($this->rowperpage<$jumlah) {
        $allpage = ceil($jumlah/$this->rowperpage);
        $allstg  = ceil($allpage/$this->pageperstg);
        $minpage = (($stg-1)*$this->pageperstg)+1;
        $maxpage = $stg*$this->pageperstg;
        if ($maxpage>$allpage) $maxpage = $allpage;
        if ($allpage>1) {
               if (($pg-1) == 1){
                      $newoffset = 0;
                  } else {
                       $newoffset = (($pg-2)*$this->rowperpage);
                  }
          $rtn   = "<table cellpadding=2 cellspacing=0><tr align=center
valign=middle><td class=\"smallbody\">";
          if ($stg>1) $rtn .= "<a class=\"nextstage\" href=\"".$this-
>sendiri."/".($minpage-1)."/".($stg-1).    "/".    $newoffset    ."/$this-
>query\">&laquo;&laquo;&laquo;</a> | ";
          if ($pg>1) {
            if ($pg==$minpage) {
                  if (($pg-1) == 1){
                        $newoffset = 0;
                  } else {
                        $newoffset = (($pg-2)*$this->rowperpage);
                  }
              $rtn    .=    "<a    class=\"nextpage\"    href=\"".$this-
>sendiri."/".($pg-1)."/".($stg-1).                "/".$newoffset."/$this-
>query\">&laquo; Previous</a> | ";
            } else {
                  if (($pg-1) == 1){
                        $newoffset = 0;
                  } else {
                        $newoffset = (($pg-2)*$this->rowperpage);
                  }
              $rtn    .=    "<a    class=\"nextpage\"    href=\"".$this-
>sendiri."/".($pg-1)."/$stg/".$newoffset."/$this->query\">&laquo;
Previous</a> | ";
            }
          }
          for ($i=$minpage;$i<=$maxpage;$i++) {
            if ($i==$pg) {
              $rtn .= "<b>$i</b> | ";
            } else {
                  if  ($i==1) {
                      $newoffset = 0;
                 }else {
                       $newoffset = ($i-1)*$this->rowperpage;
                  }
              $rtn           .=           "<a           href=\"".$this-
>sendiri."/$i/$stg/$newoffset/$this->query\" title='Page $i'>$i</a> | ";
            }
          }
          if ($pg<=$maxpage) {
            if ($pg==$maxpage && $stg<$allstg) {
              $rtn   .=   "   <a   class=\"nextpage\"   href=\"".$this-
>sendiri."/".($pg+1)."/".($stg+1)."/".(($pg)*$this->rowperpage)."/$this-
>query\">Next &raquo;</a> | ";
            } elseif ($pg<$maxpage) {
              $rtn   .=   "   <a   class=\"nextpage\"   href=\"".$this-
>sendiri."/".($pg+1)."/$stg/"     .(($pg)*$this->rowperpage).     "/$this-
>query\">Next &raquo;</a> | ";
            }
```

```
          }
          if ($stg<$allstg) {
                $rtn   .=   "<a   class=\"nextstage\"   href=\"".$this-
>sendiri."/".($maxpage+1)."/".($stg+1)."/".(($maxpage)*$this-
>rowperpage)."/$this->query\"> &raquo;&raquo;&raquo;</a> | ";
              }
          $rtn = substr($rtn,0,strlen($rtn)-3);
          $rtn .= "</td></tr></table>";
          return $rtn;
        }
      }
    }
  }
function multisort($array, $column, $order = 'asc', $type = SORT_STRING)
{
    if(!isset($array[0][$column]))
    {
        return $array;
    }
    for($i = 0; $i < count($array); $i++)
    {
        $temp[$i] = $array[$i][$column];
    }
    switch($order)
    {
        default:
        case 'asc':
            $order = SORT_ASC;
        break;
        case 'dsc':
        case 'desc':
            $order = SORT_DESC;
        break;
    }
    array_multisort($temp, $order, $type , $array);
    return $array;
}
  function int_filter ($nama){
//memfilter karakter alpa menjadi kosong
if (is_numeric ($nama)){
return (int)(int)preg_replace ( '/\D/i', '', $nama);
}
else {
       $nama = ltrim($nama, ';');
$nama = explode (';', $nama);
return (int)preg_replace ( '/\D/i', '', $nama[0]);
}
}
function limitTXT ($nama, $limit){
if (strlen ($nama) > $limit) {
$nama = substr($nama, 0, $limit) .'...';
}else {
$nama = $nama;
}
return $nama;
}
function cekEXT($file)
{
    $pos = strrpos($file,'.');
    if(!$pos)
        return 'Unknown';
    $str = substr($file, $pos, strlen($file));
    return strtolower ($str);
}
```

```
function fsize($zahl) {
	//Creates Filesize-Info
	//number_format($_FILES["wcsfile"]["size"] / 1024, 0, ',', '.')."
kB)
	if($zahl < 1000) {
		$zahl = $zahl."";
	} else {
		if($zahl < 1048576) {
			$zahl    =    number_format($zahl/1024,    1,    '.',
'.')." Kb";
		} else {
			$zahl   =   number_format($zahl/1048576,   1,   '.',
'.')." Mb";
		}
	}
	return $zahl;
}
function GetBrowser( $agent ) {
	 include "includes/agent_browser.php";
	if (preg_match( "/msie[\/\sa-z]*([\d\.]*)/i", $agent, $m )
	&& !preg_match( "/webtv/i", $agent )
	&& !preg_match( "/omniweb/i", $agent )
	&& !preg_match( "/opera/i", $agent )) {
		// IE
		return "MS Internet Explorer $m[1]";
	} else if (preg_match( "/netscape.?\/([\d\.]*)/i", $agent, $m )) {
		// Netscape 6.x, 7.x ...
		return "Netscape $m[1]";
	} else if ( preg_match( "/mozilla[\/\sa-z]*([\d\.]*)/i", $agent,
$m )
	&& !preg_match( "/gecko/i", $agent )
	&& !preg_match( "/compatible/i", $agent )
	&& !preg_match( "/opera/i", $agent )
	&& !preg_match( "/galeon/i", $agent )
	&& !preg_match( "/safari/i", $agent )) {
		// Netscape 3.x, 4.x ...
		return "Netscape $m[2]";
	} else {
		// Other
		$found = false;
		foreach ($browserSearchOrder as $key) {
			if (preg_match( "/$key.?\/([\d\.]*)/i", $agent, $m ))
{
				$name = "$browsersAlias[$key] $m[1]";
				return $name;
				break;
			}
		}
	}
	return 'Unknown';
}
function GetOS( $agent ) {
	include "includes/agent_os.php";
	foreach ($osSearchOrder as $key) {
		if (preg_match( "/$key/i", $agent )) {
			return $osAlias[$key];
			break;
		}
	}
	return 'Unknown';
}
function check_URL($url) {
	//checks if URL is valid
	$fp = @fopen($url, "r");
```

```
      if(!$fp) {
            $url_status = 0;
      } else {
            $url_status = 1;
            fclose($fp);
      }
      return $url_status;
}
function validate_url($url) {
      // checks if the URL is well formatted
    return      preg_match("/(((ht|f)tps*:\/\/)*)((([a-z0-9-]+(\.[a-z0-9-
]+)*(\.[a-z]{2,3}))|(([0-9]{1,3}\.){3}([0-9]{1,3})))((\/|\?)[a-z0-
9~#%&'_\+=:\?\.-]*)*)$/", $url);
}
function is_valid_email($mail) {
      // checks email address for correct pattern
      // simple:   "/^[-_a-z0-9]+(\.[-_a-z0-9]+)*@[-a-z0-9]+(\.[-a-z0-
9]+)*\.[a-z]{2,6}$/i"
      $r = 0;
      if($mail) {
            $p  =  "/^[-_a-z0-9]+(\.[-_a-z0-9]+)*@[-a-z0-9]+(\.[-a-z0-
9]+)*\.(";
            // TLD  (01-30-2004)
            $p                                                          .=
      "com|edu|gov|int|mil|net|org|aero|biz|coop|info|museum|name|pro|ar
pa";
            // ccTLD (01-30-2004)
            $p                                                          .=
      "ac|ad|ae|af|ag|ai|al|am|an|ao|aq|ar|as|at|au|aw|az|ba|bb|bd|";
            $p                                                          .=
      "be|bf|bg|bh|bi|bj|bm|bn|bo|br|bs|bt|bv|bw|by|bz|ca|cc|cd|cf|";
            $p                                                          .=
      "cg|ch|ci|ck|cl|cm|cn|co|cr|cu|cv|cx|cy|cz|de|dj|dk|dm|do|dz|";
            $p                                                          .=
      "ec|ee|eg|eh|er|es|et|fi|fj|fk|fm|fo|fr|ga|gd|ge|gf|gg|gh|gi|";
            $p                                                          .=
      "gl|gm|gn|gp|gq|gr|gs|gt|gu|gw|gy|hk|hm|hn|hr|ht|hu|id|ie|il|";
            $p                                                          .=
      "im|in|io|iq|ir|is|it|je|jm|jo|jp|ke|kg|kh|ki|km|kn|kp|kr|kw|";
            $p                                                          .=
      "ky|kz|la|lb|lc|li|lk|lr|ls|lt|lu|lv|ly|ma|mc|md|mg|mh|mk|ml|";
            $p                                                          .=
      "mm|mn|mo|mp|mq|mr|ms|mt|mu|mv|mw|mx|my|mz|na|nc|ne|nf|ng|ni|";
            $p                                                          .=
      "nl|no|np|nr|nu|nz|om|pa|pe|pf|pg|ph|pk|pl|pm|pn|pr|ps|pt|pw|";
            $p                                                          .=
      "py|qa|re|ro|ru|rw|sa|sb|sc|sd|se|sg|sh|si|sj|sk|sl|sm|sn|so|";
            $p                                                          .=
      "sr|st|sv|sy|sz|tc|td|tf|tg|th|tj|tk|tm|tn|to|tp|tr|tt|tv|tw|";
            $p                                                          .=
      "tz|ua|ug|uk|um|us|uy|uz|va|vc|ve|vg|vi|vn|vu|wf|ws|ye|yt|yu|";
            $p .=  "za|zm|zw";
            $p .=  ")$/i";
            $r = preg_match($p, $mail) ? 1 : 0;
      }
      return $r;
}
function transCAL ($time, $bahasa='en', $jam=false){
$DATE = date ('w j m Y H i s', $time);
$pecah = explode (' ', $DATE);
     $hari       = $pecah[0];
     $tanggal= $pecah[1];
     $bulan   = $pecah[2];
     $tahun   = $pecah[3];
```

```
     if ($jam){
     $waktu     = "$pecah[4]:$pecah[5]:$pecah[6]";
       }else {
              $waktu = '';
       }

       if ($bahasa == 'id'){
$hari_arr = Array ('Minggu',
                              'Senin',
                              'Selasa',
                              'Rabu',
                              'Kamis',
                              'Jumat',
                              'Sabtu'
                              );
$bulan_arr = Array ('Januari',
                                  'Februari',
                                  'Maret',
                                  'April',
                                  'Mei',
                                  'Juni',
                                  'Juli',
                                  'Agustus',
                                  'September',
                                  'Oktober',
                                  'November',
                                  'Desember'
                                  );
}elseif ($bahasa == 'en') {
$hari_arr = Array ('Sunday',
                              'Monday',
                              'Tuesday',
                                 'Wednesday',
                                 'Thursday',
                                 'Friday',
                                 'Saturday'
                              );
$bulan_arr = Array ('January',
                                  'February',
                                  'March',
                                  'April',
                                  'May',
                                  'June',
                                  'July',
                                  'August',
                                  'September',
                                  'October',
                                  'November',
                                  'December'
                                  );

}
     switch ($hari) {
       case 0: $hari = $hari_arr[0];
       break;
       case 1: $hari = $hari_arr[1];
       break;
       case 2: $hari = $hari_arr[2];
       break;
       case 3: $hari = $hari_arr[3];
       break;
       case 4: $hari = $hari_arr[4];
       break;
       case 5: $hari = $hari_arr[5];
```

```
       break;
       case 6: $hari = $hari_arr[6];
       break;
       }
     switch ($bulan) {
       case "01": $bulan = $bulan_arr[0];
       break;
       case "02": $bulan = $bulan_arr[1];
       break;
       case "03": $bulan = $bulan_arr[2];
       break;
       case "04": $bulan = $bulan_arr[3];
       break;
       case "05": $bulan = $bulan_arr[4];
       break;
       case "06": $bulan = $bulan_arr[5];
       break;
       case "07": $bulan = $bulan_arr[6];
       break;
       case "08": $bulan = $bulan_arr[7];
       break;
       case "09": $bulan = $bulan_arr[8];
       break;
       case "10": $bulan = $bulan_arr[9];
       break;
       case "11": $bulan = $bulan_arr[10];
       break;
       case "12": $bulan = $bulan_arr[11];
       break;
       }
return "$hari, $tanggal $bulan $tahun $waktu";
}
class SQL {
       var $conn_id;
       var $db = array ();
       function connect ($w){
              global $dbs;
              $this->db = $dbs;
              $this->conn_id = @mysql_connect($this->db['host'][$w],$this-
>db['user'][$w],$this->db['password']
        [$w]);
        if ($this->conn_id == 0) {
           die("Can't Connect to DataBase");
        }
        if (!mysql_select_db($this->db['dbname'][$w], $this->conn_id)) {
            die("Database Error");
        }
        return $this->conn_id;
       }
                 function close() {
        if($this->conn_id) {
            return mysql_close($this->conn_id);
        } else {
            return false;
        }
    }
}
  function strip_ext($name)
{
     $ext = strrchr($name, '.');
     if($ext !== false)
     {
         $name = substr($name, 0, -strlen($ext));
     }
```

```
     return $name;
}
function cek_baru ($kid, $expire=2073600, $kategori='kid', $tabel){
$waktu = time () + $GLOBALS['timeplus'] - $expire;
$query1 = mysql_query("SELECT date FROM $tabel  WHERE date>='$waktu' AND
$kategori='$kid'");
if (mysql_num_rows ($query1) > 0){
return "<b><sup style=\"color:red\">New</sup></b>";
}
}
function menu_header ($array){
                        $cetak = '<UL>';
       if (is_array ($array)){
              foreach ($array as $kunci=>$nilai){
                        if   (basename   ($_SERVER['SCRIPT_NAME'])   ==
$nilai){
                        $cetak   .=   '<LI   class=selected><A   href="'.
$nilai .'">'. $kunci .'</A></LI>';
       }else {
                        $cetak   .=   '<LI><A   href="'.   $nilai   .'">'.
$kunci .'</A> </LI>';
                                                  }
              }
       }
                        $cetak .= '</UL>';
       return $cetak;
}
function menu_kiri_pembuka (){
return '<!-- subcontent ................................ -->
<DIV id=subcontent>';
}
function menu_kiri_penutup (){
return '</DIV><!-- /subcontent -->';
}
function menu_kiri ($judul, $array, $type='categories') {
$cetak = '';
$cetak .= '<H2><EM>'. $judul .'</EM></H2>';
       if (is_array ($array)){
              $cetak .= '<UL class='. $type .'>';
                     foreach ($array as $k=>$v) {
                        $cetak .= '<LI><A title=""
                                                              href="'.    $v
.'">'. $k .'</A>';
                                    }
       $cetak .= '</LI></UL>';
}
       return $cetak;
}
function penggal ($data, $kata=100) {
$txt = explode (' ', $data);
$count = count($txt);
$more = ' <b>More...</b>';
if ($count <= $kata) {
       $kata = $count;
       $more = '';
}
$tmp = array ();
for ($i=0; $i<$kata; $i++){
$tmp[] = $txt[$i];
}
return implode (' ', $tmp) . $more;
}
function restore_smiles($str) {
```

```
    $str        =        str_replace(        "<img        align=absmiddle
src='images/smilies/biggrin.gif' alt='Big Grin'>", ':D', $str );
    $str        =        str_replace(        "<img        align=absmiddle
src='images/smilies/smile.gif' alt='Smile'>", ':)', $str );
    $str        =        str_replace(        "<img        align=absmiddle
src='images/smilies/frown.gif' alt='Frown'>", ':(', $str );
    $str        =        str_replace(        "<img        align=absmiddle
src='images/smilies/eek.gif' alt='Eek!'>", '8O', $str );
    $str        =        str_replace(        "<img        align=absmiddle
src='images/smilies/confused.gif' alt='Confused'>", ':?', $str );
    $str        =        str_replace(        "<img        align=absmiddle
src='images/smilies/cool.gif' alt='Cool'>", 'B)', $str );
    $str        =        str_replace(        "<img        align=absmiddle
src='images/smilies/lol.gif' alt='Laughing Out Loud'>", ':lol:', $str );
    $str        =        str_replace(        "<img        align=absmiddle
src='images/smilies/mad.gif' alt='Angry'>", ':x', $str );
    $str        =        str_replace(        "<img        align=absmiddle
src='images/smilies/razz.gif' alt='Razz'>", ':P', $str );
    $str        =        str_replace(        "<img        align=absmiddle
src='images/smilies/redface.gif' alt='Oops!'>", ':oops:', $str );
    $str        =        str_replace(        "<img        align=absmiddle
src='images/smilies/surprised.gif' alt='Surprised!'>", ':o', $str );
    $str        =        str_replace(        "<img        align=absmiddle
src='images/smilies/cry.gif' alt='Cry'>", ':cry:', $str );
    $str        =        str_replace(        "<img        align=absmiddle
src='images/smilies/evil.gif' alt='Evil'>", ':evil:', $str );
    $str        =        str_replace(        "<img        align=absmiddle
src='images/smilies/twisted.gif' alt='Twisted Evil'>", ':twisted:', $str
);
    $str        =        str_replace(        "<img        align=absmiddle
src='images/smilies/rolleyes.gif' alt='Rolling Eyes'>", ':roll:', $str );
    $str        =        str_replace(        "<img        align=absmiddle
src='images/smilies/wink.gif' alt='Wink'>", ';)', $str );
    $str        =        str_replace(        "<img        align=absmiddle
src='images/smilies/exclaim.gif' alt='Exclaimation'>", ':!:', $str );
    $str        =        str_replace(        "<img        align=absmiddle
src='images/smilies/question.gif' alt='Question'>", ':question:', $str );
    $str        =        str_replace(        "<img        align=absmiddle
src='images/smilies/idea.gif' alt='Idea'>", ':idea:', $str );
    $str        =        str_replace(        "<img        align=absmiddle
src='images/smilies/arrow.gif' alt='Arrow'>", ':arrow:', $str );
    $str        =        str_replace(        "<img        align=absmiddle
src='images/smilies/neutral.gif' alt='Neutral'>", ':|', $str );
    $str        =        str_replace(        "<img        align=absmiddle
src='images/smilies/mrgreen.gif' alt='Mr. Green'>", ':mrgreen:', $str );
Return $str;
}
function replace_smiles ($str){
    $str         =         str_replace(':D',"<img         align=absmiddle
src='images/smilies/biggrin.gif' alt='Big Grin'>", $str );
    $str      =      str_replace(      ':)',      "<img      align=absmiddle
src='images/smilies/smile.gif' alt='Smile'>", $str );
    $str       =       str_replace(':(',       "<img       align=absmiddle
src='images/smilies/frown.gif' alt='Frown'>",  $str );
    $str       =       str_replace('8O',       "<img       align=absmiddle
src='images/smilies/eek.gif' alt='Eek!'>",  $str );
    $str       =       str_replace(':?',       "<img       align=absmiddle
src='images/smilies/confused.gif' alt='Confused'>",  $str );
    $str       =       str_replace('B)',       "<img       align=absmiddle
src='images/smilies/cool.gif' alt='Cool'>",  $str );
    $str      =      str_replace(':lol:',      "<img      align=absmiddle
src='images/smilies/lol.gif' alt='Laughing Out Loud'>",  $str );
    $str       =       str_replace(':x',       "<img       align=absmiddle
src='images/smilies/mad.gif' alt='Angry'>",  $str );
```

```
    $str       =       str_replace(':P',       "<img       align=absmiddle
src='images/smilies/razz.gif' alt='Razz'>",  $str );
    $str      =      str_replace(':oops:',      "<img      align=absmiddle
src='images/smilies/redface.gif' alt='Oops!'>",  $str );
    $str       =       str_replace(':o',       "<img       align=absmiddle
src='images/smilies/surprised.gif' alt='Surprised!'>",  $str );
    $str      =      str_replace(':cry:',      "<img      align=absmiddle
src='images/smilies/cry.gif' alt='Cry'>",  $str );
    $str      =      str_replace(':evil:',      "<img      align=absmiddle
src='images/smilies/evil.gif' alt='Evil'>",  $str );
    $str     =     str_replace(':twisted:',     "<img     align=absmiddle
src='images/smilies/twisted.gif' alt='Twisted Evil'>",  $str );
    $str      =      str_replace(':roll:',      "<img      align=absmiddle
src='images/smilies/rolleyes.gif' alt='Rolling Eyes'>",  $str );
    $str       =       str_replace(';)',       "<img       align=absmiddle
src='images/smilies/wink.gif' alt='Wink'>",  $str );
    $str       =       str_replace(':!:',       "<img       align=absmiddle
src='images/smilies/exclaim.gif' alt='Exclaimation'>",  $str );
    $str     =     str_replace(':question:',     "<img     align=absmiddle
src='images/smilies/question.gif' alt='Question'>",  $str );
    $str      =      str_replace(':idea:',      "<img      align=absmiddle
src='images/smilies/idea.gif' alt='Idea'>",  $str );
    $str      =      str_replace(':arrow:',      "<img      align=absmiddle
src='images/smilies/arrow.gif' alt='Arrow'>",  $str );
    $str       =       str_replace(':|',       "<img       align=absmiddle
src='images/smilies/neutral.gif' alt='Neutral'>",  $str );
    $str     =     str_replace(':mrgreen:',     "<img     align=absmiddle
src='images/smilies/mrgreen.gif' alt='Mr. Green'>",  $str );
Return $str;
}
function tabel_online ($datetime, $lama, $prefix){
$uvisitorss=getenv("REMOTE_ADDR");
$uvisitor = '';
$agent_Usr = getenv("HTTP_USER_AGENT");
$uvisitor.=
getenv("REMOTE_ADDR").'|'.getenv("HTTP_X_FORWARDED_FOR").'|'.gethostbyadd
r($uvisitorss).'|'.getenv("HTTP_VIA");
$utime = time() + $datetime;
$exptime = $utime - $lama; // (in seconds)
$mdhash = md5 ($uvisitor);
$halaman = basename ($_SERVER['PHP_SELF']);
@mysql_query("delete    from    ".$GLOBALS['tabel']['online']."    where
timevisit<$exptime AND type='$prefix'");
$Query        =        @mysql_query("select        id,halaman        from
".$GLOBALS['tabel']['online']."      where      mdhash='$mdhash'      AND
type='$prefix'");
$uexists=@mysql_num_rows($Query);
$data = mysql_fetch_array ($Query);
$HALAMAN = $data['halaman'];
$arr_hal = explode ('#', $HALAMAN);
if ($uexists>0){
       if (!in_array ($halaman, $arr_hal)){
$halaman2 = $halaman . '#' . $HALAMAN;
@mysql_query("update          ".$GLOBALS['tabel']['online']."          set
halaman='$halaman2' where mdhash='$mdhash' AND type='$prefix'");
       }else {
@mysql_query("update ".$GLOBALS['tabel']['online']." set halaman='' where
timevisit<$exptime AND type='$prefix'");

       }
@mysql_query("update          ".$GLOBALS['tabel']['online']."          set
timevisit='$utime' where mdhash='$mdhash'  AND type='$prefix'");
} else {
```

```
@mysql_query("insert         into         ".$GLOBALS['tabel']['online']."
(type,visitor,ipd,info,timevisit,mdhash,halaman)                    values
('$prefix','$uvisitor','$uvisitorss','$agent_Usr','$utime','$mdhash','$ha
laman')");
}
}
function online (){
tabel_online ($GLOBALS['timeplus'], 600, 1);
tabel_online ($GLOBALS['timeplus'], 86400, 2);
tabel_online ($GLOBALS['timeplus'], 2592000, 3);
$Query  =  @mysql_query("select  id  from  ".$GLOBALS['tabel']['online']."
where type=1");
return (int) @mysql_num_rows($Query);
}
function link_online (){
return  '<a  href="online.php">UserOnline</a>  <font  color=red>'.  online()
.'</fon
}
function get_hari ($tgl,$bln,$thn) {
$int = date("w", mktime(0, 0, 0, $bln, $tgl, $thn));
       if ($int == 0) {
              $hari = 'Minggu';
              }elseif ($int == 1) {
              $hari = 'Senin';
              }elseif ($int == 2) {
              $hari = 'Selasa';
              }elseif ($int == 3) {
              $hari = 'Rabu';
              }elseif ($int == 4) {
              $hari = 'Kamis';
              }elseif ($int == 5) {
              $hari = 'Jumat';
              }elseif ($int == 6) {
              $hari = 'Sabtu';
              }
return $hari;
}
?>
```

(1.20) HTTPauthen.php

```
<?
/**
* my weblogs
* version 1.0
* Author : Peter Vannes
* Email  : peter_fu@yahoo.com
*
*
* Last Modified : May 6, 2007 03:07:22 PM
**/
if(ereg(basename (__FILE__), $_SERVER['PHP_SELF']))
{
       header("HTTP/1.1 404 Not Found");
       exit;
}
Class HTTP_auth {

       var $username;
       var $password;
       var $total = 1;
       var $old;
       var $waktu;
       var $expire;
       var $ses_waktu;
```

```
       var $detik = 10;
       function HTTP_auth ($waktu = 10){
             $this->old = '';
             $this->detik = $waktu;
             //$ses_waktu = time ();
             //$this->waktu = $ses_waktu;
             $this->expire();
             // echo $this->get_var("HTTPusername") ;
              //echo $this->get_var("HTTPpassword") ;
             //echo $this->get_var("expire") ;
       }
        function set_var($varname,$varvalue)
    {
        if(!isset($varname) && !isset($varvalue) )
        {
            die("Function  setvar(  String  $varname,  mixed  $varvalue  )
expects two parameters!");
        }
        if(phpversion() >= "4.1.0")
        {
            $_SESSION[$varname] = $varvalue;
        }
        if(!isset($GLOBALS[$varname]) )
        {
            $GLOBALS[$varname] = $varvalue;
        }else{
            global $HTTP_SESSION_VARS;
            session_register($varname);
            $GLOBALS['HTTP_SESSION_VARS'][$varname] = $varvalue;
            if(!isset($GLOBALS[$varname]) )
            {
                $GLOBALS[$varname] = $varvalue;
            }
        }
    }
    function get_var( $varname )
    {
        if(!isset($varname))
        {
            die('Function   getvar(   String   $varname   )   expects   a
parameter!');
        }
        if( phpversion() >= "4.1.0" )
        {
            if (isset($GLOBALS[$varname]))
            {
                return $GLOBALS[$varname];
            }
            elseif (isset($GLOBALS['_SESSION'][$varname]))
            {
                $GLOBALS[$varname] = $GLOBALS['_SESSION'][$varname];
                return $GLOBALS['_SESSION'][$varname];
            }
        }else{
            if (isset($GLOBALS[$varname]))
            {
                return $GLOBALS[$varname];
            }
            elseif (isset($GLOBALS['HTTP_SESSION_VARS'][$varname]))
            {
                $GLOBALS[$varname]                                          =
$GLOBALS['HTTP_SESSION_VARS'][$varname];
                return $GLOBALS['HTTP_SESSION_VARS'][$varname];
            }
```

```
        }
    }
     function var_unset($varname)
    {
        if(!isset($varname))
        {
            die('Function   var_unset(   String   $varname   )   expects   a
parameter!');
        }
        if( phpversion() >= '4.1.0')
        {
            if(isset($GLOBALS[$varname]))
            {
                unset($GLOBALS[$varname] );
            }
            if (isset($GLOBALS['_SESSION'][$varname]))
            {
                unset($GLOBALS['_SESSION'][$varname]);
            }
        }else{
            if (isset($GLOBALS[$varname]))
            {
                unset($GLOBALS[$varname] );
            }
            if (isset($GLOBALS['HTTP_SESSION_VARS'][$varname]))
            {
                unset($GLOBALS['HTTP_SESSION_VARS'][$varname]);
            }
        }
    }
         function authenticate($title, $admin = true) {
               $this->waktu = time () + $this->detik;
              $this->set_var("expire",  $this->waktu);
              if (function_exists ('apache_get_version') or preg_match (
'/apache/i', php_sapi_name())){
       header('WWW-Authenticate: Basic realm="'.$title.'"');
       header('HTTP/1.0 401 Unauthorized');
       header('status: 401 Unauthorized');
              if ($admin){
                    //echo "You must enter a valid login ID and password
to access this resource\n";
                    $this->Error();
                    }else {
                    // $this->Error();
                    $this->login_html ();
                    }
                    exit;
              }else {
                     $this->login_html ();
                    exit;
              }
              }
              function database (){

        $result = mysql_query("select * from _users where type='aktif'
AND username='".$_SERVER['PHP_AUTH_USER']."'");
        $row = mysql_fetch_array($result);
        $this->total = mysql_num_rows ($result);
        $this->password = $row['password'];
        $this->username = $row['username'];
              }
              function identify ($username, $password){
                    $this->username = $username;
                    $this->password = $password;
```

```
            }
            function Lihat (){
                  return $this->get_var("expire") ;
            }
            function expire (){
                  if (time () > $this->get_var("expire") ){
                        $this->logout ();
                  }
            }
              function protect_halaman (){
                   if               (!isset($_SERVER['PHP_AUTH_USER']))
$_SERVER['PHP_AUTH_USER'] = null;
                    if                (!isset($_SERVER['PHP_AUTH_PW']))
$_SERVER['PHP_AUTH_PW'] = null;
             if      (function_exists      ('apache_get_version')      or
php_sapi_name() == 'apache'){
         if             (!isset($_SERVER['PHP_AUTH_USER'])             &&
$_SERVER['PHP_AUTH_USER'] !== ''   && $_SERVER['PHP_AUTH_PW'] !== '' &&
$this->total == 0 && $old == $_SERVER['PHP_AUTH_USER']) {
               $this->authenticate('Silahkan Login dahulu '.$judul_situs,
false);
               return false;
    //return true;
  }     else   if   ($_SERVER['PHP_AUTH_USER']   ==   $this->username   &&
$_SERVER['PHP_AUTH_PW'] == $this->password && $this->total > 0 && $this-
>old !== $_SERVER['PHP_AUTH_USER']){
         return true;
    }else {
            $_SERVER['PHP_AUTH_USER'] = '';
                $this->authenticate('Silahkan Login dahulu ', false);
           return false;
    }
              }else {
                    if  ($this->get_var("HTTPusername")  <>  ''  &&  $this-
>get_var("HTTPusername") <> '' && $this->get_var("HTTPusername") != 'boo'
&& $this->get_var("HTTPusername") != 'boo' ){
                          return true;
                    }else {
                          $this->authenticate('Silahkan  Login  dahulu  ',
false);
                    }
                    }

  }
       function html_style () {
             $style = <<<ii
             <style>
body
{
       font-family: verdana, tahoma , arial;
       font-size: 10px;
       line-height: 13px;
}
label
{
       cursor: hand;
}
form
{
       margin: 0px;
       padding: 0px;
}
input.bg
{
```

```
	border: 1px rgb(205, 203, 204) solid;
	background-repeat: repeat-x;
	background-position:top;
}
INPUT {
	BORDER-RIGHT: #b6b6b6 1px solid; BORDER-TOP: #b6b6b6 1px solid;
FONT-SIZE: 10px; BORDER-LEFT: #b6b6b6 1px solid; COLOR: #505050; BORDER-
BOTTOM: #b6b6b6 1px solid; FONT-FAMILY:verdana, Tahoma; BACKGROUND-COLOR:
#f8f8f8
}
TEXTAREA {
	BORDER-RIGHT: #b6b6b6 1px solid; BORDER-TOP: #b6b6b6 1px solid;
FONT-SIZE: 8pt; BORDER-LEFT: #b6b6b6 1px solid; COLOR: #505050; BORDER-
BOTTOM: #b6b6b6 1px solid; FONT-FAMILY: Tahoma; BACKGROUND-COLOR: #f8f8f8
}
select
{
	margin-top: 4px;
	font-family: verdana, tahoma, arial;
	font-size: 10px;
	color: gray;
}
h1
{
	font-family: tahoma, verdana;
	font-size: 11px;
	border-bottom: 1px #D0D0D0 solid;
	margin-top: 2px;
	padding-bottom: 3px;
	margin-bottom: 10px;
	color: #888888;
}
h2
{
	font-family: tahoma, verdana;
	font-size: 11px;
	border-bottom: 1px #D0D0D0  solid;
	margin-top: 2px;
	padding-bottom: 4px;
	margin-bottom: 3px;
	color: #888888;
}
p
{
	margin: 2px;
}
hr
{
	height: 1px;
	color: #cccccc;
}
strong
{
	color: #888888;
	font-family: tahoma, verdana;
	font-size: 11px;
}
TD {
	FONT-FAMILY: Verdana, Tahoma; FONT-SIZE: 10px; color: #666666;
}
div.white_box
{
	color: #666666;
	background-color: #FFFFFF;
```

```
	padding: 10px;
	margin-left:auto;
	margin-right:auto;
	margin-top: 0px;
	border-width: 1px 1px 1px 1px;
	border-style: solid;
	border-color: #cccccc;
	line-height: 14px;
}
div.gray
{
	background-color: #f0f0f0;
	padding: 5px;
	line-height: 16px;
	margin-bottom: 1px;
}
div.white
{
	background-color: #fefefe;
	padding: 5px;
	line-height: 16px;
	margin-bottom: 1px;
}
div.big_div
{
	border: 1px #cccccc solid;
	background-color: #cccccc;
	padding: 0px;
}
#container
{
	position: inline;
	background-color: white;
	margin-left: auto;
	margin-right: auto;
	border: 1px #EFEFEF solid;
	padding: 3px;
	width: 620px;
	margin-bottom: 8px;
}
#container_inside
{
	margin: 0px;
	position: inline;
	background-color: #f9f9f9;
	padding: 5px;
	color: black;
}
a
{
	text-decoration: none;
	border-bottom: #654569 1px solid;
	color: #654569;
}
a:hover
{
	color: #FF6600;
	text-decoration: none;
	border-bottom: #0066CC 1px solid;
}
a:visited
{
	text-decoration: none;
	color: none;
```

```
	border-bottom: #888888 1px solid;
}
image
{
	border: 0px;
	margin: 0px;
}
a.image
{
	text-decoration: none;
	border: 0px;
}
a.image:visited
{
	text-decoration: none;
	border: 0px;
}
a.image:hover
{
	text-decoration: none;
	border: 0px;
}
a.lyrics
{
	font-family : tahoma, verdana;
	font-size : 7pt;
	text-decoration: none;
	border: 0px;
}
a.lyrics:visited
{
	text-decoration: none;
	border: 0px;
}
a.lyrics:hover
{
	text-decoration: none;
	border: 0px;
}
a.orange
{
	font-weight: bold;
	color: #FF8040;
	border: 0px;
	text-decoration: none;
}
a.orange:visited
{
	text-decoraiton:none;
	color: #FF8040;
	border: 0px;
}

a.orange:hover
{
	text-decoration: none;
	border: 0px;
	color: #FF8040;
}
.album {
BACKGROUND :#cccccc;
}
.album1 {
BACKGROUND :#ffffff;
```

```
}
.navtext {
width:260px;
font-size:11;
font-family:Tahoma,Verdana;
border-width:1px;
border-style:dotted ;
border-color:#777777;
layer-background-color:#000000;
background-color:#fefefe;
color:#1A4D86;
}
.tableb_compact {
       PADDING-RIGHT:   5px;   PADDING-LEFT:   5px;   BACKGROUND:   #ffffff;
PADDING-BOTTOM: 2px; PADDING-TOP: 2px
}
.tableh2_compact {
       PADDING-RIGHT:   5px;   PADDING-LEFT:   5px;   BACKGROUND:   #cccccc;
PADDING-BOTTOM: 2px; COLOR: #444444; PADDING-TOP: 2px
}
.maintable {
       BORDER-RIGHT: none 1px solid; BORDER-TOP: none 1px solid; MARGIN-
TOP: 1px; MARGIN-BOTTOM: 1px; BORDER-LEFT: none 1px solid; BORDER-BOTTOM:
none 1px solid; BACKGROUND-COLOR: #cccccc
}
.pencarian {
color:orange
}
</style>
ii;
return $style;
}
    function login_html (){
          global $submit,$username,$password;
           $HTML = '';
          if (isset ($_POST['submit'])){
               if  ($this->username  ==  $username  &&  $this->password  ==
$password){
                     $this->set_var("HTTPusername",  $this->username);
                      $this->set_var("HTTPpassword",  $this->password);
                      header ("location:".$_SERVER['REQUEST_URI']."");
          }else {
                   $this->set_var("HTTPusername",  "boo");
                        $this->set_var("HTTPpassword",  "boo");
          }
               }
          $HTML .= <<<IWAN
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML>
<HEAD>
<TITLE>::Peter Vannes Weblogs::</TITLE>
<META http-equiv=Content-Type content="text/html; charset=windows-1252">
<META content="Microsoft FrontPage 5.0" name=GENERATOR></HEAD>
IWAN;
$HTML .= $this->html_style ();
$HTML .= <<<IWAN
<BODY>
<CENTER>
<div id="container">
  <div id="container_inside">
<TABLE cellSpacing=0 cellPadding=0 width=600>
  <TBODY>
  <TR>
    <TD valign="top">
```

```
            <!--star border-->
<table   bgColor=#cecece   cellSpacing='1'   cellPadding='0'   width='100%'
border='0'>
  <tr>
    <td>
    <table  bgColor=#ffffff  cellSpacing='3'  cellPadding='5'  width='100%'
border='0'>
      <tr>
        <td><h2>Login Administration</h2>
<form method='post' action=''>
<table border='0' cellpadding='2' cellspacing='1' style='border-collapse:
collapse' bordercolor='#111111' width='100%'>
  <tr>
    <td width='29%'>Username</td>
    <td width='2%'>:</td>
    <td width='69%'><input type='text' name='username' size='20'></td>
  </tr>
  <tr>
    <td width='29%'>Password</td>
    <td width='2%'>:</td>
    <td      width='69%'><input      type='password'      name='password'
size='20'></td>
  </tr>
  <tr>
    <td width='29%'> </td>
    <td width='2%'> </td>
    <td width='69%'> </td>
  </tr>
  <tr>
    <td width='29%'> </td>
    <td width='2%'> </td>
    <td       width='69%'><input       type='submit'       value='Submit'
name='submit'></td>
  </tr>
</table>
</form>
<p> </p>
                      </td>
      </tr>
    </table>
    </td>
  </tr>
</table><!--/star border-->

     </td>
      </TR></TBODY></TABLE>
      </div></div>
      </CENTER>
      </BODY></HTML>
IWAN;
          echo $HTML;
  }

       function logout (){
              if                     (!isset($_SERVER['PHP_AUTH_USER']))
$_SERVER['PHP_AUTH_USER'] = null;
              $this->old = $_SERVER['PHP_AUTH_USER'];
              $this->var_unset("expire");
              $this->var_unset("HTTPusername");
              $this->var_unset("HTTPpassword");
              $this->protect_halaman ();
       }
       function Error () {
              echo $ERR = <<<is
```

```
            <!DOCTYPE    HTML    PUBLIC    "-//W3C//DTD    HTML    4.0
Transitional//EN">
<HTML>
<HEAD>
<TITLE>::Peter Vannes Weblogs::</TITLE>
<META http-equiv=Content-Type content="text/html; charset=windows-1252">
<META content="Microsoft FrontPage 5.0" name=GENERATOR></HEAD>
is;
echo $this->html_style ();
echo $ERR .= <<<is
<BODY>
<CENTER>
<div id="container">
  <div id="container_inside">
<TABLE cellSpacing=0 cellPadding=0 width=600>
  <TBODY>
  <TR>
    <TD valign="top">
            <!--star border-->
<table  bgColor=#cecece  cellSpacing='1'  cellPadding='0'  width='100%'
border='0'>
  <tr>
    <td>
    <table  bgColor=#ffffff  cellSpacing='3'  cellPadding='5'  width='100%'
border='0'>
      <tr>
        <td><center><h3>401 - Authorization Required </h3>
                Please        notify        the        System        <a
href="message.php">Administrator</a></center><p> </p> <p> </p>
                    </center> </td>
      </tr>
    </table>
    </td>
  </tr>
</table><!--/star border-->
     </td>
      </TR></TBODY></TABLE>
      </div></div>
      </CENTER>
      </BODY></HTML>
is;
    }
}
/*
$a = new HTTP_auth (1800);
$a-> identify ('peter', 'rahasia');
//$a->database ();
$a->protect_halaman ();
if ($aksi == 'logout'){
$a->logout ();
//session_destroy ();
}
*/
?>
```

(1.21) menu.php

```
<?
$navigasi = menu_header ($GLOBALS['menu_header']);
$menu_kiri =  array ('Quiz...' => 'angket.php',
                                  'Polling' => 'polling.php',
                                  'Contact Us' => 'contact.php'
                                                          );
$personal =  array ('About Me' => 'about.php',
                                  'Biography' => 'biography.php'
```

```
                                    );

$menu = '';
if (@$_GET['aksi'] != 'lihat') {

$menu .= menu_kiri_pembuka ();
//kategori blogs
$query = mysql_query ("SELECT * FROM ".$GLOBALS['tabel']['kat_blog']."");
$categori = array ();
while ($data = mysql_fetch_array ($query)){
$categori[$data['kat']] = 'blogs.php?cat=' . $data['kid'];
}
mysql_free_result ($query);

$menu .= menu_kiri ('Categories', $categori );
$menu .= menu_kiri ('Menu Utama', $menu_kiri, 'links');
$menu .= menu_kiri ('Personal Menu', $personal, 'pages');
$tanya = mysql_query ("SELECT id FROM ".$GLOBALS['tabel']['biodata']."
WHERE id > 1");
$numnya = mysql_num_rows ($tanya);
if ($numnya > 0) {
      //Biodata teman
$query = mysql_query ("SELECT * FROM ".$GLOBALS['tabel']['biodata']."
WHERE id > 1 LIMIT 8");
$biodata_teman = array ();
while ($data = mysql_fetch_array ($query)){
$biodata_teman[$data['nama']] = 'biography.php?id=' . $data['id'];
}
mysql_free_result ($query);
$menu .= menu_kiri ('Biodata Teman', $biodata_teman, 'pages');
}
$menu .= menu_kiri_penutup ();
}
?>
```