Home / Archives / Vol. 24 No. 1 (2022): 1upo 2022		
Home / Alchives / Yol. 24 No. 1 (2022). June 2022	Focus ar	nd Scope
Vol. 24 No. 1 (2022): June 2022		Suidelines
The Jurnal Teknik Industri (p-ISSN 1411-	2485 e-ISSN 2087-7439) is published biannually, Peer Revie	ew Process
Teknik Industri in June and December, by Petra Christian	University. Jurnal Teknik Industri aims to: Publicati	ion Ethics
as well as incorporating viewpoints of diff	erent disciplines in industrial engineering. Autho	or Fees
Strengthen academic exchange with othe	r institutions Open	Access
activities.	and others to conduct research and other similar Plagiaris	sm Check
The Jurnal Teknik Industri accredited by t	he Ministry of Education and Culture of the Journal	Template
Republic of Indonesia since 2003, with its 45/DIKTI/Kep/2006; No. 83/DIKTI/Kep/20O9; No. 56/DIKTI/Kep/2012; No. 32	decree: No. 35/DIKTI/Kep/2003; No. a/E/KPT/2017; No. 105/E/KPT/2022.	
accreditation certificate		
Published: 2022-05-31	e-ISSN 2087-743	39
Articles	9"//2541"416008"	
Application of the Mahalanobis-Taguchi System in Renal Profile of	f the Methadone Flexi Dispensing	
Program Siti Khadijah Mat Saad, Sri Nur Areena Mohd Zaini, Mohd Yazid Ahu	Accredited by the	e Ministry o
	Education and Cu	ulture of th
Application of the Mahalanobis-Taguchi System in Renal Profile of Program Siti khadijah Mat Saad, Sri Nur Areena Mohd Zaini, Mohd Yazid Abu	of the Methadone Flexi Dispensing 1-12 Accredited by the	e Ministry (
	Education and Co Republic of Indo	ulture of th nesia
	Vol 5 - Vol 7 :	
The Influence of Perceived Ease of Use and Perceived Usefulness	on E-Wallet Continuance Intention Vol 5 - Vol 7 : No. 35/DIKTI/Kep/	2003
The Influence of Perceived Ease of Use and Perceived Usefulness Intervening Role of Customer Satisfaction Michelle Olivia, Nony Kezia Marchyta	Vol 5 - Vol 7 : on E-Wallet Continuance Intention No. 35/DIKTI/Kep/ Vol 8 - Vol 10 : No. 45/DIKTI/Kep/ 13-22 No. 45/DIKTI/Kep/	2003 2006
The Influence of Perceived Ease of Use and Perceived Usefulness Intervening Role of Customer Satisfaction Michelle Olivia, Nony Kezia Marchyta	Vol 5 - Vol 7 : on E-Wallet Continuance Intention No. 35/DIKTI/Kep/ 13-22 Vol 8 - Vol 7 : No. 45/DIKTI/Kep/ No. 45/DIKTI/Kep/ 13-22 No. 45/DIKTI/Kep/	2003 2006 2009
The Influence of Perceived Ease of Use and Perceived Usefulness Intervening Role of Customer Satisfaction Michelle Olivia, Nony Kezia Marchyta	on E-Wallet Continuance Intention Vol 5 - Vol 7 : No. 35/DIKT/Kep/ 13-22 Vol 8 - Vol 10 : No. 45/DIKT/Kep/ Vol 11 - Vol 13 : No. 83/DIKT/Kep/ Vol 14 - Vol 13 : No. 52/DIKT/Kep/	2003 2006 2009
The Influence of Perceived Ease of Use and Perceived Usefulness Intervening Role of Customer Satisfaction Michele Olivia, Nony Kezia Marchyta	on E-Wallet Continuance Intention Vol 5 - Vol 7 : No. 35/DIKT/Kep/ 13-22 Vol 8 - Vol 10 : No. 45/DIKT/Kep/ 13-24 Vol 11 - Vol 13 : No. 83/DIKT/Kep/ 13-25 Vol 14 - Vol 18 : No. 55/DIKT/Kep/ 13-26 Vol 14 - Vol 18 : No. 55/DIKT/Kep/	2003 2006 2009 /2012
The Influence of Perceived Ease of Use and Perceived Usefulness Intervening Role of Customer Satisfaction Michelle Olivia, Nony Kezia Marchyta PDF A Modified Camel Algorithm for Optimizing Green Vehicle Routin Dana Marsetiya Utama, Wa Ode Nadhilah Safitri, Annisa Kesy Garside	Vol 5 - Vol 7 : on E-Wallet Continuance Intention No. 35/DIKTI/Kep/ 13-22 Vol 8 - Vol 10 : No. 45/DIKTI/Kep/ Vol 11 - Vol 13 : No. 83/DIKTI/Kep/ Vol 14 - Vol 18 : No. 56/DIKTI/Kep/ Vol 19 - Vol 22: No. 32a/E/KPT/201 Vol 19 - Vol 22:	2003 2006 2009 /2012
The Influence of Perceived Ease of Use and Perceived Usefulness Intervening Role of Customer Satisfaction Michelle Olivia, Nony Kezia Marchyta PDF A Modified Carnel Algorithm for Optimizing Green Vehicle Routin Dana Marsetiya Utama, Wa Ode Nadhilah Safitri, Annisa Kesy Garside PDF	Vol 5 - Vol 7 : on E-Wallet Continuance Intention No. 35/DIKTI/Kep/ 13-22 Vol 8 - Vol 10 : 13-22 No. 45/DIKTI/Kep/ ag Problem with Time Windows 23-36 23-36 Vol 14 - Vol 18 : No. 32a/E/KPT/201 Vol 32a/E/KPT/201 Vol 22 - Vol 72: No. 32a/E/KPT/202	2003 2006 2009 /2012 17 22
The Influence of Perceived Ease of Use and Perceived Usefulness Intervening Role of Customer Satisfaction Michele Olivia, Nony Kezia Marchyta PDF A Modified Camel Algorithm for Optimizing Green Vehicle Routis Dana Marsetiya Utama, Wa Ode Nadhilah Safitri, Annisa Kesy Garside PDF Freight Forwarding Company Selection Using Hybrid IFAHP-IFTO	on E-Wallet Continuance Intention Vol 5 - Vol 7 : No. 35/DIKTI/Kep/ 13-22 No. 45/DIKTI/Kep/ 13-22 Vol 11 - Vol 13 : No. 83/DIKTI/Kep/ ng Problem with Time Windows 23-36 23-36 Vol 19 - Vol 22: No. 32a/E/KPT/201 DDIM Method DDIM Method	2003 2006 2009 /2012 17 22
The Influence of Perceived Ease of Use and Perceived Usefulness Intervening Role of Customer Satisfaction Michele Olivia, Nony Kezia Marchyta PDF A Modified Carnel Algorithm for Optimizing Green Vehicle Routin Dana Marsetiye Utama, Wa Ode Nadhilah Safitri, Annisa Kesy Garside PDF Freight Forwarding Company Selection Using Hybrid IFAHP-IFTO Fare El Nandhita Pratiwi, Agus Widodo, Isnani Darti	on E-Wallet Continuance Intention Vol 5 - Vol 7 : No. 35/DIKT/Kep/ 13-22 Vol 8 - Vol 10 : No. 45/DIKT/Kep/ ng Problem with Time Windows 23-36 23-36 Vol 19 - Vol 22: No. 32a/E/KPT/201 DDIM Method 37-44	2003 2006 2009 /2012 .7 22 Indexina
The Influence of Perceived Ease of Use and Perceived Usefulness Intervening Role of Customer Satisfaction Michelle Olivia, Nony Kezia Marchyta PDF A Modified Carnel Algorithm for Optimizing Green Vehicle Routin Dana Marsetiya Utama, Wa Ode Nadhilah Safitri, Annisa Kesy Garside PDF Freight Forwarding Company Selection Using Hybrid IFAHP-IFTO Fara El Nandhita Pratiwi, Agus Widodo, Isnani Darti PDF	on E-Wallet Continuance Intention 13-22 No. 35/DIKTI/Kep/ Vol 8 - Vol 7: No. 45/DIKTI/Kep/ Vol 11 - Vol 13: No. 83/DIKTI/Kep/ Vol 14 - Vol 83: No. 35/DIKTI/Kep/ Vol 14 - Vol 83: No. 35/DIKTI/Kep/ Vol 14 - Vol 82: No. 32a/E/KPT/201 Vol 22: Vol 27: No. 105/E/KPT/202 2DIM Method	2003 2006 2009 /2012 17 22 Indexing
The Influence of Perceived Ease of Use and Perceived Usefulness Intervening Role of Customer Satisfaction Michele Olivia, Nony Kezia Marchyta PDF A Modified Camel Algorithm for Optimizing Green Vehicle Routis Dana Marsetiya Utama, Wa Ode Nadhilah Safitri, Annisa Kesy Garside PDF Freight Forwarding Company Selection Using Hybrid IFAHP-IFTO Fara El Nandhita Pratiwi, Agus Widodo, Isnani Darti PDF A Goal Programming Model for Joint Decision Making of Order A	on E-Wallet Continuance Intention Vol 5 - Vol 7 : No. 35/DIKTI/Kep/ Vol 8 - Vol 10 : No. 45/DIKTI/Kep/ Vol 11 - Vol 13 : No. 83/DIKTI/Kep/ Vol 14 - Vol 13 : No. 83/DIKTI/Kep/ Vol 14 - Vol 13 : No. 32/E/KPT/201 Vol 22 - Vol 22: No. 322/E/KPT/201 Vol. 22 - Vol 27: No. 105/E/KPT/202 DDIM Method 37-44	2003 2006 2009 /2012 17 22 Indexing
The Influence of Perceived Ease of Use and Perceived Usefulness Intervening Role of Customer Satisfaction Michele Olivia, Nony Kezia Marchyta PDF A Modified Carnel Algorithm for Optimizing Green Vehicle Routin Dana Marsetiye Utama, Wa Ode Nadhilah Safitri, Annisa Kesy Garside PDF Freight Forwarding Company Selection Using Hybrid IFAHP-IFTG Fara El Nandhita Pratiwi, Agus Widodo, Isnani Darti PDF A Goal Programming Model for Joint Decision Making of Order A Selection Considering Corporate Social Responsibility	on E-Wallet Continuance Intention Vol 5 - Vol 7 : No. 35/DIKTI/Kep/ 13-22 Vol 8 - Vol 10 : No. 45/DIKTI/Kep/ ag Problem with Time Windows Vol 11 - Vol 13 : No. 83/DIKTI/Kep/ 23-36 Vol 14 - Vol 8 : No. 56/DIKTI/Kep/ DDIM Method 37-44 Ilocation, Supplier Selection, and Carrier	2003 2006 2009 /2012 17 22 Indexing



Scopus ID = 23974215900, Department of Industrial Engineering, Petra Christian University, Surabaya, Indonesia, Subject area: Mathematical Modeling, Industrial Statistics (Scopus H-Index = 4)

EDITORS

Hui Ming Wee

Scopus ID= 7003796494, Department of Industrial and Systems Engineering, Chung Yuan Christian University, Chung-Li, Taiwan, Subject Area: Industrial Engineering(Scopus H-Index = 50)

Daniel Indarto Prajogo

Scopus ID= 6507982121, Department of Management, Monash University, Melbourne, Australia, Subject Area: Business, Management and Accounting, Decision Sciences (Scopus H-Index = 42)

I Gede Agus Widyadana

Scopus ID = 25655499500, Department of Industrial Engineering, Petra Christian University, Surabaya, Indonesia, Subject Area: Logistics, Optimization, Industrial Engineering (Scopus H-Index = 13)

> Accredited by the Ministry of **Education and Culture of the**

Open Access Plagiarism Check

Journal Template

e-ISSN 2087-7439

Erwie Zahara

<u>Siana Halim</u>

Scopus ID = 23974215900, Department of Industrial Engineering, Petra Christian University, Surabaya, Indonesia, Subject area: Mathematical Modeling, Industrial Statistics (Scopus H-Index = 4)

EDITORS

Hui Ming Wee

Scopus ID= 7003796494, Department of Industrial and Systems Engineering, Chung Yuan Christian University, Chung-Li, Taiwan, Subject Area: Industrial Engineering(Scopus H-Index = 50)

Daniel Indarto Prajogo

Scopus ID= 6507982121, Department of Management, Monash University, Melbourne, Australia, Subject Area: Business, Management and Accounting, Decision Sciences (Scopus H-Index = 42)

I Gede Agus Widyadana

Scopus ID = 25655499500, Department of Industrial Engineering, Petra Christian University, Surabaya, Indonesia, Subject Area: Logistics, Optimization, Industrial Engineering (Scopus H-Index = 13)

Erwie Zahara

Scopus ID = 23092411400, Department of Marketing and Logistics Management, St. John's University Taiwan, Tamsui, Taiwan, Subject Area: Logistics Management(Scopus H-Index = 10)

Huynth Trung Luong

Scopus ID = 7005600332, Department of Industrial and Systems Engineering, Asian Institute of Technology Thailand, Bangkok, Thailand, Subject Area: Industrial Engineering (Scopus H-Index = 14)

Kardi Teknomo

Scopus ID = 14012002200, International Business Engineering, Petra Christian University, Subject Area: Data Science, Business Intelligent (Scopus H-Index = 7)

Author Guidelines
Peer Review Process
Publication Ethics
Author Fees
Open Access
Plagiarism Check
Journal Template

e-ISSN 2087-7439



Accredited by the Ministry of Education and Culture of the Republic of Indonesia

Vol 5 - Vol 7 : No. 35/DIKTI/Kep/2003

Vol 8 - Vol 10 :

No. 45/DIKTI/Kep/2006 Vol 11 - Vol 13 :

No. 83/DIKTI/Kep/2009 Vol 14 - Vol 18 :

No. 56/DIKTI/Kep/2012

Green Supply Chain Performance Measurement using Green SCOR Model in Agriculture Industry: A Case Study

Arjuna¹, Santoso^{1*}, Rainisa Maini Heryanto¹

Abstract: The agriculture industry has proliferated in the last decades, increasing the environmental footprint. Several development concepts include integrating the ecological aspect into the supply chain to reduce environmental degradation. In implementing the idea, companies in the agriculture industry need to evaluate their performance in the environmental area. This measurement uses the Green Supply Chain Operations Reference (GSCOR) Model that provides its entire supply chain aspect. This study demonstrates that the enable parameter criterion, which shows the magnitude of employee management toward environmental requirements, significantly impacts supply chain performance. Other criteria are also critical, such as a plan that considers every entity's usage and a source that considers the supply of the entities. The performance measurement produces a 6.357 value in the yellow color category with an average condition in the company. It produces three key performance indicators (KPI), such as water usage, percentage hazardous materials in inventory, and percentage hazardous waste, with a red classification that should be improved.

Keywords: Agriculture industry, green supply chain, green supply chain operations reference (GSCOR), performance measurement.

Introduction

The agriculture industry has proliferated in the past 50 years to accommodate the demand escalation in the rural area and export sector [1]. This condition shows the importance of improving a company and other parties in the related supply chain[2]. The biggest obstacle faced by the agriculture industry is the challenge of environmental issues [3]. According to Vermeulen et al. [4], the agriculture industry is the main contributor to emissions that contribute more than 19% of the global emission of greenhouse gases. The modern agriculture system uses various resources that increase the environmental footprint, such as agrochemicals contamination, fossil fuels, and high energy and water use [5]. Therefore, various concepts have been expertly developed to reduce environmental degradation, such as integrating ecological aspects and, managing the supply chain, producing green supply chain concepts [6].

This solution aims to develop the performance of an organization regarding environmental management, performance, and green initiation [7,8]. However, measuring performance in the green supply chain has been studied across various industries. Saputra *et al.* [9] studied the performance of pulp and paper companies, which resulted in the integration of internal and external stakeholders in their supply chain, such as

¹ Faculty of Engineering, Department of Industrial Engineering, Universitas Kristen Maranatha, Jl. Surya Sumantri no. 65, Bandung 40164, Indonesia. Email: junaar99@gmail.com,

santoso@eng.maranatha.edu, rainisa.mh@eng.maranatha.edu

supplier requirements and government or regulator requirements, with the limitation of adhering to the SCOR model's systematic approach. Susanty et al. [10] used an importance-performance analysis (IPA) to implement a green supply chain practice in small and medium enterprises focused on batik business. They focus more on their performance in using environmentally friendly raw materials rather than other results such as scheduling to minimize energy consumption and maximize production capacity. Suryaningrat et al. [11] determined the implementtation of a green supply chain by evaluating and measuring the performance of ribbed smoke sheet companies, with minor detail on the measurement of entities between indicator and analysis of each parameter and also limited on determining to enable criteria to develop the performance in managing their strategy implementation. According to previous studies, it is seen that various literature used different combinations in developing performance measurements. To the best of our knowledge, there is no literature from Indonesia on the agriculture sector that focuses on highland vegetables using GSCOR. Therefore, this study can accommodate the combination and development to measure with the GSCOR model.

This study contributes a novel approach to the development of performance measurement by utilizing industrial conditions to improve the green industry as determined by various literature on various criteria, attributes, performance indicators, and models in conjunction with the Analytical Hierarchy Process (AHP), Objective Matrix (OMAX),

^{*} Corresponding author

and Traffic Light System (TLS). The new approach provides a priority scale, integrates all parameters with different purposes into one scale, and analyzes easier to classify priority categories for producing performance measurements in the highland vegetable industry. Furthermore, these method combinations are never used to measure the supply chain performance with the GSCOR approach.

This research was carried out in a company specializing in agriculture, specifically highland vegetables, and does seeding, cultivation, processing, and packaging, focusing on export markets such as Japan and Singapore. The company faces several challenges in the expert segment, which must meet requirements such as green businesses and green products. However, to ensure that the company's products and business processes meet the requirements, the organization must examine its operations through an ecological lens.

Methods

This study used the conceptual framework design to examine the company's entire supply chain, including suppliers to the customer. Hence, the concept begins with collecting data, processing the data gradually, and constructing a conclusion.

Data Collection

We collected the data via interviews and questionnaires, which produced qualitative and quantitative data. In the interview, we inquired about the industry's needs. We divided the questionnaires into several steps, such as scoring the importance of each parameter with pairwise comparison.

Systematic of Performance Measurement

Step 1: Designing the Measurement Model

The GSCOR process is used to measure the environmental footprint based on the standards [8]. The first stage is designing the green requirement that considers industry, stakeholders, and literature review. Afterward, the green objectives are developed from the green requirements. The final stage is forming the criteria, attributes, and performance indicators that refer to each stakeholder's green objective using the GSCOR metric.

Step 2: Determining the Weight of Parameter

The Analytical Hierarchy Process (AHP) technique is employed to provide weights and prioritize each criterion, attribute, and performance indicator [12]. Data processing using the AHP method is assisted by Expert Choice Software v.11, which helps to calculate the weighting stage.

Table	1.	OMAX	categories
-------	----	------	------------

Color	Level of achievement	Category
	8 - 10	Excellent
	3 - 7	Average
	0 - 2	Poor

Step 3: Scoring System

Objective Matrix (OMAX) is applied to generate the performance score and the index for each parameter [13]. OMAX connects every criterion on performance into a model [14]. In addition, the systematics of the OMAX method is first determined by setting a minimum level score, which will be the achievement of the minimum target in the performance indicators. After that, optimistic and pessimistic values or scores were assigned to determine a scale of 10 (Optimistic) and 0 (Pessimistic) in the OMAX metric.

We then defined the level of achievement from the current performance. Next, we deduced the score by multiplying the weight that we got from the AHP by the defined achievement level. The results are then identified using Traffic Light System (TLS) [15] (see Tabel 1).

Results and Discussions

This section shows the performance of designing a model for a scoring system. First, the model result was discussed for each stage, consisting of green requirement, green objective, and the GSCOR metrics. Then, the parameters were used to apply the weighting and scoring system to identify performance.

Green Requirements Identification

Forming the green requirement consists of the needs of the industry that consider the environmental aspects. The requirements are determined by considering stakeholders in the supply chain and literature on measuring performance indicators, especially green areas. Defining the stakeholders will lead to the needs and consideration of measuring performance indicators.

Supplier

(GR1) Environmentally friendly material or substance.

(GR2) Environmental Management System (EMS) or ISO 14001 certification.

Direct Employee

(GR3) The employee's understanding of Standard Operation Procedure (SOP) in the assigned task. (GR4) Training on environmental aspects and job requirements.

No	Green objective	Stakeholder	Realization of green requirement
1	Selection of the right supplier according to environmental friendliness	Purchasing	GR13
2	Environmentally fiendly supplier performance	Supplier, purchasing	GR1, GR15
3	Delivery with environmental aspect	Supplier, purchasing, logistic	GR2, GR5, GR8, GR9, GR10, GR14
4	Minimize the use of hazardous materials	Supplier, direct employee, production, logistic, purchasing	GR1, GR4, GR5, GR6, GR7, GR8, GR13
5	Minimize the use of resources (material, energy, fuel, water, etc)	Supplier, overall unit in the company	GR2, GR3, GR4, GR7, GR9, GR11, GR12, GR14
6	Minimization and handling of hazardous waste	Supplier, direct employee, production, logistic	GR2, GR3, GR5, GR6, GR9
7	Reuse of resources	Overall unit in the company	GR3, GR4, GR5
8	Worker training regarding green business requirements	Direct employee, production, logistic, purchasing	GR3, GR5, GR7, GR9, GR14
9	Food safety	Supplier, production , logistic, purchasing	GR1, GR2, GR5, GR6, GR7, GR8, GR13

Table 2. Green objective

Table 3. GSCOR metrics

Criteria	Configuration	Attributes	No	Performance indicator	References
		Reliability	1	Energy usage	[18, 19]
Dlam	Plan malza daliwan		2	Water usage	[19, 20]
1 1411	i ian make, denver		3	Fuel consumption	[16,18]
			4	% Synthetic chemical usage	[9, 21]
			5	% Supplier with an EMS or ISO 14001 certification	[10, 22]
Source	Source stocked product	Reliability	6	% of suppliers meeting environmental metrics/criteria	[22]
			7	% of hazardous material in inventory	[23]
		Reliability	8	% Material efficiency	[9, 11]
Malaa	Make to stock		9	% of recycleable product waste/scrap from production	[19, 22]
маке			ock Kenability	10	% Hazardous waste as % of total waste
			11	% Hazardous waste treatment	[11]
Deliver	Deliver stocked product	Reliability	12	% of vehicle fuel derived from alternative fuels	[9]
		Reliability	13	% of product return	[22]
Return	Return defective product	Responsiveness	14	% of complaints regarding missing environmental requirements from product	[11,20]
Enable	Manage supply chain human resources	Assets	15	% Employee trained on enviromental requirements	[9,18,]

Production

(GR5) Managing Good Agricultural Practices (GAP). (GR6) Managing Hazard Analysis Critical Control Point (HACCP).

 $(\mathrm{GR7})$ Availability of technology to support cleaner production (GR7).

Logistic

(GR8) Availability of packaging materials and storage media for delivery by the terms and the required quantity.

(GR9) Cleaner warehouse operation.

(GR10) Complete shipping documentation and reliable information system.

Marketing

(GR11) Legal and environmentally friendly requirements to minimize the number of customer complaints.

(GR12) Convenience administration (Document requirement, Estimate Time Arrival (ETA), etc.).

Purchasing

(GR13) Purchase of environmentally friendly goods. (GR14) Reliable information system to procure goods. (GR15) Supplier monitoring.

Green Objectives Identification

The green objective is defined by considering the correlation between the green requirements and the company's goal. The objective is to be achieved at a particular time, which could be different in various industries. For example, the stakeholders who need to purchase environmentally friendly goods set the objective to select the right supplier according to environmental friendliness. Table 2 illustrates the output of completing the green requirements to the green objectives.

Green Supply Chain Operations Reference Formulation Metrics

The criteria, attributes, and performance indicators construction refer to each green objective for each stakeholder by considering the parameters in several previous case studies. One example is the construction of performance indicators of product returns. The product returns should meet the green objectives by ensuring food safety. Companies must also ensure production safety and environmentally friendly products. Additionally, we add the fuel consumption indicators to develop metrics as suggested by some literature (see Table 3). Fuel consumption, particularly fossil fuel consumption, is one of the factors contributing to agricultural emissions [16]. Therefore, reducing fossil fuel consumption will reduce emissions [17]. Finally, we include the enable criteria in the model to accommodate the human resources in the supply chain in the system [8].

The green supply chain model is measured using the following metrics:

(KPI1) Energy usage is the total electricity used to produce products. Unit: kWh/ton [18,19]

(KPI2) Water usage is the total use of water to produce products. Unit: m3/ton [19,20]

(KPI3) Fuel consumption is the total use of fossil fuel, for example, solar, to deliver or produce products. Unit: liter/ton [16,18]

(KPI4) % Synthetic chemical usage is the percentage of total pesticides or other chemicals in the production system, such as controlling pests and washing products [9,21].

(KPI5) % Suppliers with an EMS or ISO 14001 are the portion of the overall supply companies with ecological accreditation [10,22].

m 11 4		•	C	· 1	• •
Tahle 4	Structi	iring noi	tormanco	ind	leafor
Table 1	• Dur actu	unig pu	mance	mu	icator
		<u> </u>			

No	Green objective	Performance indicator
1	Selection of the right supplier according to environmental friendliness	KPI5
2	Environmentally fiendly supplier performance	KPI6
3	Delivery with enviromental aspect	KPI12
4	Minimize the use of hazardous materials	KPI7
5	Minimize the use of resources (material, energy, fuel, water, etc)	KPI1 KPI2 KPI8 KPI3
6	Minimization and handling of hazardous waste	KPI4 KPI10 KPI11
7	Reuse of resources	KPI9 KPI13
8	Worker training regarding green business requirements	KPI15
9	Food safety	KPI14

(KPI6) % of suppliers meeting environmental metrics or criteria is the percentage of suppliers with environmentally friendly products or an agreement with the company [22].

(KPI7) %Hazardous materials in inventory is the percentage of materials that are unable to be recycled and causing environmental damage [23].

(KPI8) % Material efficiency is the percentage of raw material used in production [9,11].

(KPI9) % of recyclable product waste or scrap is the percentage of recycled products in production [22]

(KPI10)% Hazardous waste as % of total waste is the percentage of hazardous waste such as chemical and non-recycled material [9].

(KPI11) % Hazardous waste treatment is the percentage of recycled hazardous waste [11].

(KPI12) % of vehicle fuel derived from alternative fuels is the percentage of total vehicles that are environmentally friendly [9]

(KPI13) % of product return is the percentage of returns from the customer [22].

(KPI14) % of complaints regarding missing environmental requirements from the product is the number of customer complaints regarding the environment [11,20]

(KPI15)% employee trained on environmental requirements is the percentage of the number of workers equipped with knowledge of environmental friendliness [18].

Table 4 shows the structuring key performance indicators which fulfilled the green objective.



Figure 1. Hierarchy model

Tabel 5. The GSCOR Weight

Criteria	Weight	Attributes	Weight	Performance indicator	Weight	Total weight
Plan	0.190	Reliability	1	KPI1	0.054	0.010
				KPI2	0.249	0.047
				KPI3	0.105	0.020
				KPI4	0.592	0.112
Source	0.190	Reliability	1	KPI5	0.091	0.017
				KPI6	0.091	0.017
				KPI7	0.818	0.155
Make	0.105	Reliability	1	KPI8	0.278	0.029
				KPI9	0.043	0.005
				KPI10	0.251	0.026
				KPI11	0.428	0.045
Deliver	0.032	Reliability	1	KPI12	1	0.032
Return	0.029	Reliability	0.833	KPI13	1	0.024
		Responsiveness	0.167	KPI14	1	0.005
Enable	0.453	Assets	1	KPI15	1	0.453

The GSCOR Metric Parameter Weight

The weight of GSCOR metrics parameter is calculated via AHP (see Figure 1, for the AHP model). Table 5 exhibits the GSCOR metrics parameter weight. The weight shows that realizing governance planning and implementation is crucial in the supply chain process, including understanding each employee with green business and all aspects of the environmental area.

Furthermore, if the employee understands the requirement and implements a green system, it will bring the companies to achieve their objective in the environmental area. Meanwhile, the return criteria are the most overlooked among the other values shown to handle customers.

The weight of GSCOR metrics parameter is calculated via AHP (see Figure 1, for the AHP model). Table 5

exhibits the GSCOR metrics parameter weight. The weight shows that realizing governance planning and implementation is crucial in the supply chain process, including understanding each employee with green business and all aspects of the environmental area. Furthermore, if the employee understands the requirement and implements a green system, it will bring the companies to achieve their objective in the environmental area. Meanwhile, the return criteria are the most overlooked among the other values shown to handle customers.

Scoring System

The scoring system uses the OMAX and TLS methods to determine the score and value in the green supply chain performance [24]. The score is identified as the level of achievement to determine which parameters meet the target at every level. The achievement level will be considered an element to be multiplied by the weight of parameters. The assessment weight in the OMAX technique incorporates input from the AHP method and will be calculated with the level of achievement (Score) to show the value of each parameter.

Table 6 presents the overall scoring stages, which were calculated using the OMAX method. Table 7 illustrates the scoring system with each parameter's level of achievement and value. For example, the KPI7 is colored red with a value of 0.233, indicating that the hazardous material in inventory is still at a higher number because it does not meet the minimum target for the created parameter. Another example is the KPI8 shown in yellow, with a value of 0.156 indicating efficiency in raw material usage; the number of the value meets the minimum of the target in the parameters.

Table 6. OMAX method on plan-criteria

KPI	1	2	3	4
Performance	225.13	210.00	92.91	98.82%
	10	213.87	190.00	83.62
	9	215.48	191.42	84.94
	8	217.08	192.85	86.27
	7	218.69	194.28	87.59
	6	220.30	195.71	88.93
Scale	5	221.91	197.14	90.25
	4	223.52	198.57	91.58
	3	225.12	200.00	92.91
	2	228.88	208.33	96.00
	1	232.63	216.66	99.10
	0	236.38	225.00	102.19
Score	3	1.8	3	3
Weight	0.010	0.047	0.020	0.112
Value	0.031	0.085	0.060	0.337

Table 7. Scoring result

Performance indicator	Value	Level achievement	Color
KPI1	0.031	3	
KPI2	0.085	1.8	
KPI3	0.060	3	
KPI4	0.337	3	
KPI5	0.052	3	
KPI6	0.173	10	
KPI7	0.233	1.497	
KPI8	0.156	5.333	
KPI9	0.045	10	
KPI10	0.035	1.333	
KPI11	0.449	10	
KPI12	0.097	3	
KPI13	0.024	10	
KPI14	0.049	10	
KPI15	4.532	10	
Total		6.357	

Table 7 shows the overall score from each performance indicator, gives a value of 6.357, and is categorized as yellow. This result implies that the green supply chain is now in average performance. Of fifteen performance indicators, there are six performance indicators in the excellent or green category, six in the average or yellow category, and three in the poor or red category.

Several indicators need to be improved to achieve the objective (see Table 7). For example, The KPI7 is one of the red categories; it should be improved because of the poor performance of the parameter. Another example is the KPI8 (the indicator is yellow, with a value of 0.156). This value indicates efficiency in raw material usage; it meets the minimum of the target in the parameters. Furthermore, the value of KPI7 is higher than KPI8 because the company's goals are more focused on minimizing hazardous materials rather than considering the cost of material efficiency, and the company is still in the early stages of developping the parameters.

To improve the KPIs, which have red indicators, the company requires specifically handling hazardous material, such as using a material datasheet. The material can be substituted with more environmentally friendly materials such as green oil lubricants [25] and biodegradable natural rubber latex gloves [26]. Additionally, the company also needs to control water waste. The water pinch analysis method can be added to calculate the minimal water requirement (MWR) and minimal effluent treatment (MET) [27].

Conclusion

This study finds that the enable criteria are critical parameters. Those criteria support the governance planning to achieve the green supply chain concept, particularly in the highland vegetable industries. Other criteria, such as plan and source, are also critical in supplementing the current performance measurement. The performance assessment using the GSCOR model is in yellow (average category) with a value of 6.357. It requires improvement on numerous prioritized metrics that will change how business processes in agriculture address environmental challenges. The performance measurement metrics in other similar companies may differ, but this study is intended to serve as a reference for developing performance metrics. The future research will include other standardization indicators such as ISO 14001 or export standardization from specific locations that have prioritized green industries.

References

- Grodek-Szostak, Z., Malik, G.,Kajrunajtys, D., Szelag-Sikora, A., Sikora, J., Kubon, M., Niemiec, M., and Kapustan-Duch, J., Modeling the Dependency between Extreme Prices of Selected Agricultural Products on The Derivatives Market Using The Linkage Function, *Sustainability*, 11(4144), 2019, pp. 71–84.
- Liputra, D. T., Santoso, S., and Susanto, N.A., Pengukuran Kinerja Rantai Pasok dengan Model Supply Chain Operations Reference (SCOR) dan Metode Perbandingan Berpasangan, *Jurnal Rekayasa Sistem Industri*, 7(2), 2018, p. 119-125.
- 3. Ait El Mekki, A., and Ghanmat, E., The Challenges of Sustainable Agricultural Development in Southern and Eastern Mediterranean Countries: The Case of Morocco, *Sustainable Agricultural Development*, 2015, pp. 65-82.
- Vermeulen, S. J., Campbell, B. M., and Ingram, J. S. I., Climate Change and Food Systems, *Annual Review of Environment and Resources*, 37, 2012, pp. 195-222.
- Miranda-Ackerman, M.A., Azzaro-Pantel, C., Aguilar-Lasserre, A.A., A Green Supply Chain Network Design Framework for the Processed Food Industry: Application to the Orange Juice Agrofood Cluster, *Computers & Industrial Engineering*, 109, 2017, pp. 369-389.
- Achillas, C., Bochtis, D., Aidonis, D., and Folinas D., *Green Supply Chain Management*. Routledge, 2018.
- Cash, R., and Wilkerson, T., Green SCOR Developing a Green Supply Chain Analytical Tool, 2003.
- 8. APICS, Supply Chain Operations Reference Model, Supply Chain Council, 2011.
- Saputra, H., and Fithri, P., Perancangan Model Pengukuran Kinerja Green Supply Chain Pulp dan Kertas, *Optimasi Sistem Industri*, 11(1), 2016, pp.193–202.
- 10. Susanty, A., Santosa, H., and Tania, F., Penilaian Implementasi Green Supply Chain Management di UKM Batik Pekalongan dengan Pendekatan GreenSCOR, *International Journal Agile Systems* and Management, 16(1), 2017, pp. 55-63.
- 11. Suryaningrat, I. B., Rezky, E., and Novita, E., Penerapan Metode Green Supply Chain Operation Reference (GSCOR) pada Pengolahan Ribbed Smoke Sheet (RSS) (Studi Kasus Di PTPN XII Sumber Tengah Silo, Jember), Jurnal Teknologi Industri Pertanian, 15(1), 2021, pp. 272–283.
- Saaty, T. L., Fundamentals of the Analytic Hierarchy Process, *The Analytic Hierarchy Process* in Natural Resource and Environmental Decision Making, 3, 2001, pp. 15–35.

- Aliafari, N., Suryoputro, M. R. and Rahman, N. M., Productivity Analysis on Batik Production Line Using Objective Matrix (OMAX) Method, *Industrial Engineering Management System*, 18(4), 2019, pp. 726–734.
- Wibowo, M. A., and Sholeh, M. N., The Analysis of Supply Chain Performance Measurement at Construction Project, *Proceedia Engineering*, 125, 2015, pp. 25–31.
- 15. Mukharromah, I. N., Deoranto, P., Mustaniroh, S. A. and Sita, K., Analisis Pengukuran Kinerja Perusahaan Dengan Metode Green Supply Chain Management (GSCM) di Unit Bisnis Teh Hitam, *Jurnal Penelitian Teh dan Kina*, 20(1), 2017, pp. 48–58.
- 16. Jaiswal, B., and Agrawal, M., Carbon Footprints of Agriculture Sector. 2020.
- 17. Gerber, P., Steinfeld, H., and Henderson, B., Tackling Climate Change through Livestock: A Global Assessment of Emissions and Mitigation Opportunities, 2013.
- 18. Susanty, A., Hidayatika, S.R.P.N. and Jie, F., Using GreenSCOR to Measure Performance of The Supply Chain of Furniture Industry, *International Journal Agile Systems and Mana*gement, 9(2), 2016, pp.89–113.
- 19. Mustaniroh, S. A., Alvian, Z., Kurniawan, F., and Deoranto, P., Evaluasi Kinerja pada Green Supply Chain Management Susu Pasteurisasi di Koperasi Agro Niaga Jabung, *Jurnal Teknologi dan Manajemen Agroindustri*, 8(1), 2019, pp. 57– 66.
- 20. Pulansari, F., and Putri, A., Green Supply Chain Operation Reference (Green SCOR) Performance Evaluation (Case Study: Steel Company), *Journal* of *Physics: Conference Series*, 1569(3), 2020.
- 21. Nicolopoulou-Stamati, P., Maipas, S., Kotampasi, C., Stamatis, P., and Hens, L., Chemical Pesticides and Human Health: The Urgent Need for a New Concept in Agriculture, *Frontiers Public Health*, 4, 2016, pp. 1–8.
- 22. Tundys, B., and Wiśniewski, T., The Selected Method and Tools for Performance Measurement in The Green Supply Chain-Survey Analysis in Poland, *Sustainability*, 10(2), 2018, pp. 1–26.
- 23. Lestari, F., and Dinata, R. S., Green Supply Chain Management untuk Evaluasi Manajemen Lingkungan Berdasarkan Sertifikasi ISO 14001, *Jurnal Teknologi dan Manajemen Agroindustri*, 8(3), 2019, pp. 209–217.
- 24. Alda, T., Siregar, K., and Ishak, A., Analisis Sistem Pengukuran Kinerja Dengan Metode Integrated Performance Measurement Systems pada PT. X, *Jurnal Teknik Industri USU*, 2(1), 2013, pp. 37– 41.
- 25. Karmakar, G., Ghosh, P., and Sharma, B.K., Chemically Modifying Vegetable Oils to Prepare Green

Lubricants, *Lubricants*, 5(4), 2017, pp. 1–17.

- 26. Potential of Biodegradable Natural Rubber Latex Gloves for Commercialization, *Advanced Materials Research*, 844, 2014, pp. 486–489.
- 27. Rad, S. J., and Lewis, M. J., Water Utilisation, Energy Utilisation and Waste Water Management in the Dairy Industry: A Review, *Intenational Jour*nal of Dairy Technology, 67(1), 2014, pp. 1–20, 2014.