

## DAFTAR PUSTAKA

- Bochen K., Krasowska A., Milaniuk S., et al. 2011. Erythrocyte sedimentation rate –an old marker with new applications. *Journal of Pre-Clinical and Clinical Research, Vol 5, No 2, 50-5*
- Bridgen ML. 1999. *Clinical utility of erythrocyte sedimentation rate.* <http://www.aafp.org/afp.html>. 6 Desember 2011.
- Burns C. 2004. Routine hematology procedure. In: McKenzie S. B., editor: *Clinical laboratory hematology*. New Jersey: Pearson Education.
- CLSI. 2011. Procedures for the Erythrocyte Sedimentation Rate Test; Approved Standard-Fifth Edition. *CLSI document H02-A5*. Wayne, PA: Clinical and Laboratory Standards Institute.
- Chung YG, Won YS, Kwon YJ, et al. 2011. Comparison of Serum CRP and Procalcitonin in Patients after Spine Surgery. *J Korean Neurosurg Soc* 49 :43-8.
- Desai SP, Isa-Pratt S. 2000. *Clinician's guide to laboratory medicine*. Hudson, Ohio: Lexi Comp Inc.
- Dugdale D.C. 2011. ESR. Washington : University of Washington school of medicine. <http://www.nlm.nih.gov/medlineplus.htm>. 11 Agustus 2012
- Emelike OF, Akpan JE, Obigwe BU, Jeremiah ZA. 2010. Comparison Study of Erythrocyte Sedimentation Rate (ESR) Using Trisodium Citrate, Normal Saline and Whole Blood in Ethylene Di Amine Tetra Acetic Acid (EDTA). *J. Appl. Sci. Environ. Manage.* Vol 14(1) 23-7.
- Estridge BH, Reynolds AP, Walters NJ. 2000. *Basic medical laboratory techniques*. Albany, New York: Thomson Learning.
- Fischbach F, Dunning III MB. 2009. Erythrocyte Sedimentation Rate (ESR). In: Fischbach F, Dunning III MB (Eds.), *A Manual of Laboratory and Diagnostic Tests*, 8<sup>th</sup> Edition. Philadelphia Baltimore New York : Wolter Kluwer / Lippincott Williams & Wilkins. p.110-2.

- Gabay C., Irving K. 2001. *Acute phase Proteins*. USA : Nature Publishing Group.[http : www.els.net](http://www.els.net).13Oktober2012
- Herdiman T. Pohan. 2004. Manfaat klinik pemeriksaan laju endap darah. Dalam: Djoko Widodo, Herdiman T. Pohan (penunting), *Bunga rampai penyakit infeksi*. Jakarta: Pusat Informasi dan Penerbitan Departemen Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Indonesia.
- Horsti J, Kovanen M. 2000. Using EDTA as an anticoagulant for ESR to replace citrate. *Kliin Lab*.4:97-100.
- ICSH (*International Council for Standardization in Haematology*). 1993. ICSH recommendations for measurement of erythrocyte sedimentation rate. *J Clin Pathol* 1993;46:198-203.
- Indro Handojo. 2004. Imunoasai Untuk Penyakit yang Terkait dengan Infeksi Jasad Renik : Imunoasai untuk Penentuan C-reactive Protein. Dalam : *Indro Handojo, Imunoasai Terapan Pada Beberapa Penyakit Infeksi*. Edisi 1. Surabaya : Airlangga University Press. 272-4.
- Ismailov RM, Shevcuk NA, Khusanov H. 2005. Mathematical model describing erythrocyte sedimentation rate. Implication for blood viscosity changes in traumatic shock dan crush syndrome. *BioMedical Engineering OnLine* 2005, 4:24 doi:10.1186/1475-925X-4-24.[www.biomedical-engineering-online.com](http://www.biomedical-engineering-online.com) diunduh : 24 Januari 2013.
- Jou JM, Lewis SM, Briggs C, et al. 2011. ICSH review of the measurement of erythrocyte sedimentation rate. *Int. Jnl. Lab. Hem.* 2011;33:125-32.
- Kushner I.,Ballou SP. 2009. Acute-phase reactants and the concept of inflammation. In: firestein GS, Budd RC, Harris ED, et al, eds. *Kelley's Textbook of rheumatology*. 8<sup>th</sup> ed. Philadelphia, Pa: Saunders Elsevier:chap 52.
- Lewis SM. 2001. Miscellaneous tests. In: Lewis SM, Bain BJ, Bates I (Eds.), *Dacie and lewis practical haematology*. 9<sup>th</sup> ed. London: Harcourt Publisher Limited.

Lewis SM. 2006. Miscellaneous tests. In: Lewis SM, Bain BJ, Bates I (Eds.), *Dacie and lewis practical haematology*. 10<sup>th</sup> ed. London: Harcourt Publisher Limited.

Morris MW, Davey FR. 2001. Basic examination of blood. In: Henry JB (Ed.), *Clinical diagnosis and management by laboratory methods*. Philadelphia, Pennsylvania: WB Saunders Company.

Moullec J.M, Jullienne A, Chenais J *et al.* 1984. The complete sequence of human preprocalcitonin. *FEBS Lett* . 167: 93-7.

National Committee for Clinical Laboratory Standards. 2000. *Reference and Selected Procedure for Erythrocyte Sedimentation Rate (ESR) Test; Approved Standard, 4th ed. H2-A4*. Villanova, PA: NCCLS.

Norderson NJ. 2004. *Erythrocyte sedimentation rate*. <http://www.ehendrick.com.htm>. 12 Desember 2011.

Piva E, Sanzari MC, Servidio G, et al. 2001. Length of sedimentation reaction in undiluted blood (erythrocyte sedimentation rate): variations with sex and age and reference limits. *Clin Chem Lab Med*.39:451-4.

Plebani M, Piva E. 2002. Use of Fresh Blood for Quality Control. *Am J Clin Pathol*. 117:621-6.

Shantaram M., et al. 2011. A Comparative study of erythrocyte sedimentation rate (ESR) using sodium citrate and EDTA. *Int. J. Pharm. Bio. Sci.* 2011;1:393-6.

Van Gool J. 1980. Acute Fase Eiwitten; Betekenis Voor de Onstekings Reactie. *Ned. T. Geneesk.* 124: 869-79.

<http://www.cmaj.ca.html>