DAFTAR RIWAYAT HIDUP

Nama lengkap : Fadhli Firman Fauzi

NRP : 0710149

Tempat dan tanggal lahir : Sumedang, 1 Februari 1990

Alamat : Jl. Sadang Sari No. 11 RT/RW 09/14

Kecamatan Coblong, Bandung

Riwayat Pendidikan

a. SD Negeri Merdeka V : Tahun 1995-2001
b. SMP Negeri 5 Bandung : Tahun 2001-2004
c. SMA Negeri 5 Bandung : Tahun 2004-2007

d. Mahasiswa Fakultas Kedokteran

Universitas Kristen Maranatha : Tahun 2007-sekarang

N	us	pendid	pekerj	status		stadi
0	ia	ikan	aan	ginekologis	jenis histologi	um
	39	sd	ibu rt	p1a0	Non Keratinizing epidermoid cancer cervix well,	III b
	39	Su	IDU I L	hiao	moderately, poor differentiated Non Keratinizing epidermoid cancer cervix well,	
	71	sd	ibu rt	p2a0	moderately, poor differentiated	III b
	48	sd	ibu rt	p8a2	Non Keratinizing squamous cancer cervix well, moderately, poor differentiated	IV a
					Non Keratinizing squamous cancer cervix well,	
	51	s1	pns	p4a0	moderately, poor differentiated	II a
		diplom			Keratinizing epidermoid cancer cervix well,	
	47	а	guru	p4a0	moderately, poor differentiated	Ιb
	53	sd	ibu rt	p3a0	Non Keratinizing epidermoid cancer cervix well, moderately, poor differentiated	III b
	Ε0	مما	:		Non Keratinizing epidermoid cancer cervix well,	III b
	59	sd	ibu rt	p3a0	moderately, poor differentiated Non Keratinizing epidermoid cancer cervix well,	III b
	37	sd	ibu rt	p1a0	moderately, poor differentiated	III b
	58	sma	ibu rt	p3a1	Non Keratinizing epidermoid cancer cervix well,	III b
			ibuit		moderately, poor differentiated Non Keratinizing squamous cancer cervix well,	
	51	s1	pns	p3a1	moderately, poor differentiated	II a
	55	sd	ibu rt	p2a1	Keratinizing epidermoid cancer cervix well, moderately, poor differentiated	Ιb
			pemba	P=0.=		1.2
	45	sd	ntu	p4a0	Non Keratinizing epidermoid cancer cervix well, moderately, poor differentiated	III b
	10	30			Non Keratinizing epidermoid cancer cervix well,	111.0
	48	sma	ibu rt	p5a4	moderately, poor differentiated	II a
	36	sd	ibu rt	p1a0	Non Keratinizing epidermoid cancer cervix well, moderately, poor differentiated	III b
					Adenocarcinoma cervix uteri well, moderately, poor	
	49	sd	ibu rt	p3a0	differentiated	II a
	50	sd	ibu rt	p3a0	Adenocarcinoma cervix uteri well, moderately, poor differentiated	Ιb
					Non Keratinizing epidermoid cancer cervix well,	
	42	sd	ibu rt	p2a0	moderately, poor differentiated	III b
	58	sd	ibu rt	p3a2	Non Keratinizing epidermoid cancer cervix well, moderately, poor differentiated	II b
	7.0				Non Keratinizing epidermoid cancer cervix well,	1
	76	sd	ibu rt	p12a1	moderately, poor differentiated	III a
	45	s1	guru	p3a0	Non Keratinizing squamous cancer cervix well, moderately, poor differentiated	IJb
	41	cd	ibr+	2120	Non Keratinizing epidermoid cancer cervix well,	l b
	41	sd	ibu rt	p1a0	moderately, poor differentiated Non Keratinizing epidermoid cancer cervix well,	Ιb
	50	sd	ibu rt	p5a0	moderately, poor differentiated	III b
	65	cma	ibu rt	n721	Non Keratinizing epidermoid cancer cervix well,	III b
	65	sma	IDU I L	p7a1	moderately, poor differentiated Non Keratinizing epidermoid cancer cervix well,	III D
	49	sd	ibu rt	p3a0	moderately, poor differentiated	IV a
	52	<u></u>	nns	n2a0	Adenocarcinoma cervix uteri well, moderately, poor	Ша
	32	s1	pns	p3a0	differentiated Non Keratinizing epidermoid cancer cervix well,	II a
	62	sd	ibu rt	p8a0	moderately, poor differentiated	Ιb
			pemba		Non Keratinizing squamous cancer cervix well,	
	42	sd	ntu	p3a0	moderately, poor differentiated	III b

	1	1	1	1	I w _ w	1 1
	41	sd	ibu rt	p3a0	Non Keratinizing epidermoid cancer cervix well, moderately, poor differentiated	II b
	-0		:la		Non Keratinizing epidermoid cancer cervix well,	111.15
	50	sd	ibu rt	p3a0	moderately, poor differentiated Non Keratinizing squamous cancer cervix well,	III b
	44	sd	ibu rt	p4a1	moderately, poor differentiated	II b
	Ε0	ad	ibe+	2420	Non Keratinizing epidermoid cancer cervix well,	III b
	50	sd	ibu rt	p4a0	moderately, poor differentiated Non Keratinizing squamous cancer cervix well,	III b
	47	sd	ibu rt	p4a1	moderately, poor differentiated	III a
	54	cd	ibu rt	n620	Non Keratinizing epidermoid cancer cervix well,	III b
	54	sd	IDU I L	p6a0	moderately, poor differentiated Non Keratinizing epidermoid cancer cervix well,	III D
	43	sd	lbu rt	P3a0	moderately, poor differentiated	
	го	ad	ibe+	2420	Non Keratinizing epidermoid cancer cervix well,	۱ ام
	58	sd	ibu rt	p4a0	moderately, poor differentiated Keratinizing squamous cancer cervix well,	Ιb
	77	smp	ibu rt	p2a0	moderately, poor differentiated	Ιb
		-		•	Non Keratinizing squamous cancer cervix well,	
	52	smp	ibu rt	p9a0	moderately, poor differentiated	III b
	40	sd	ibu rt	p8a0	Non Keratinizing epidermoid cancer cervix well, moderately, poor differentiated	Ιb
	-		., .		Non Keratinizing squamous cancer cervix well,	
	63	sd	ibu rt	p4a0	moderately, poor differentiated	III b
	50	sd	ibu rt	p3a0	Non Keratinizing epidermoid cancer cervix well, moderately, poor differentiated	III b
					Non Keratinizing epidermoid cancer cervix well,	
	47	sd	ibu rt	p4a1	moderately, poor differentiated	Ιb
	72	sd	ibu rt	p6a0	Non Keratinizing epidermoid cancer cervix well, moderately, poor differentiated	III b
					Non Keratinizing epidermoid cancer cervix well,	
	54	sd	ibu rt	p2a0	moderately, poor differentiated	Ιb
	45	sd	ibu rt	p5a0	Non Keratinizing squamous cancer cervix well, moderately, poor differentiated	II a
				·	Non Keratinizing squamous cancer cervix well,	
	50	sd	ibu rt	p4a0	moderately, poor differentiated	III a
	52	smp	ibu rt	p2a1	Non Keratinizing epidermoid cancer cervix well, moderately, poor differentiated	II b
		·		·	Non Keratinizing epidermoid cancer cervix well,	
	49	sd	ibu rt	p5a0	moderately, poor differentiated	II a
	38	sd	ibu rt	p3a0	Non Keratinizing epidermoid cancer cervix well, moderately, poor differentiated	III b
					Keratinizing epidermoid cancer cervix well,	
	28	sd	ibu rt	p3a1	moderately, poor differentiated	III b
	59	s1	guru	p3a2	Non Keratinizing squamous cancer cervix well, moderately, poor differentiated	II a
			_		Non Keratinizing squamous cancer cervix well,	
	31	smp	ibu rt	p2a0	moderately, poor differentiated	Ιb
	44	sd	ibu rt	p3a1	Non Keratinizing epidermoid cancer cervix well, moderately, poor differentiated	III b
	27	sd	ibu rt	p4a0	Displasia berat cervix	III b
	21				Non Keratinizing squamous cancer cervix well,	
	42	sd	ibu rt	p1a0	moderately, poor differentiated	II a
	63	sma	ibu rt	p5a0	Non Keratinizing epidermoid cancer cervix well,	III b
	03	JIIIG			moderately, poor differentiated Non Keratinizing squamous cancer cervix well,	111.0
	34	sd	ibu rt	p0a1	moderately, poor differentiated	II a
	48	s1	guru	p3a1	Adenosquamosa cervix uteri well, moderately, poor differentiated	Ιb
Щ.		,	0	1 200-	аурегенишей	. ~

				1	
50	s1	pns	p2a0	Non Keratinizing epidermoid cancer cervix well, moderately, poor differentiated	Ιb
42	sd	ibu rt	p4a0	Non Keratinizing epidermoid cancer cervix well, moderately, poor differentiated	III b
	34	16416	Pido	Non Keratinizing epidermoid cancer cervix well,	111.0
68	sd	ibu rt	p2a0	moderately, poor differentiated	III a
56	s1	pns	p4a1	Non Keratinizing squamous cancer cervix well, moderately, poor differentiated	Ιb
47	sd	ibu rt	p3a0	Non Keratinizing squamous cancer cervix well, moderately, poor differentiated	Пр
35	smp	ibu rt	p3a0	Non Keratinizing squamous cancer cervix well, moderately, poor differentiated	I b
	-		'	Non Keratinizing squamous cancer cervix well,	I b
50	sma	ibu rt	p2a0	moderately, poor differentiated Non Keratinizing epidermoid cancer cervix well,	10
59	sd	ibu rt	p4a0	moderately, poor differentiated	III b
61	sd	ibu rt	p5a0	Non Keratinizing squamous cancer cervix well, moderately, poor differentiated	II b
40	sd	ibu rt	p3a1	Non Keratinizing epidermoid cancer cervix well, moderately, poor differentiated	II b
25	sd	ibu rt	p6a1	Non Keratinizing epidermoid cancer cervix well, moderately, poor differentiated	III b
38	smp	ibu rt	p3a0	Non Keratinizing epidermoid cancer cervix well,	II a
				moderately, poor differentiated Non Keratinizing squamous cancer cervix well,	
43	sd	ibu rt	p1a1	moderately, poor differentiated	II b
		wirasw		Non Keratinizing squamous cancer cervix well,	
41	sma	asta	p4a1	moderately, poor differentiated	Ιb
51	s1	guru	p2a0	Non Keratinizing squamous cancer cervix well, moderately, poor differentiated	II a
41	sd	ibu rt	p4a0	Non Keratinizing squamous cancer cervix well, moderately, poor differentiated	Ιb
58	sd	ibu rt	p0a0	Non Keratinizing squamous cancer cervix well, moderately, poor differentiated	III b
45	sd	ibu rt	p5a0	Non Keratinizing epidermoid cancer cervix well,	III b
				moderately, poor differentiated Non Keratinizing epidermoid cancer cervix well,	
42	sd	ibu rt	p2a0	moderately, poor differentiated	III b
52	sd	ibu rt	p0a0	Non Keratinizing epidermoid cancer cervix well, moderately, poor differentiated	III b
50	sd	ibu rt	p3a0	Displasia berat cervix	IV a
81	sd	ibu rt	p8a1	Non Keratinizing epidermoid cancer cervix well, moderately, poor differentiated	III b
				Non Keratinizing epidermoid cancer cervix well,	
49	sd	ibu rt	p4a0	moderately, poor differentiated Non Keratinizing squamous cancer cervix well,	II b
59	sd	ibu rt	p7a1	moderately, poor differentiated Non Keratinizing epidermoid cancer cervix well,	II b
50	sd	ibu rt	p9a1	moderately, poor differentiated	III a
57	smp	ibu rt	p2a0	Non Keratinizing squamous cancer cervix well, moderately, poor differentiated	Ιb
33	sd	ibu rt	p2a1	Non Keratinizing epidermoid cancer cervix well, moderately, poor differentiated	III a
39	sma	ibu rt	p3a0	Non Keratinizing epidermoid cancer cervix well, moderately, poor differentiated	III b
42	sd	ibu rt	p3a1	Non Keratinizing squamous cancer cervix well, moderately, poor differentiated	II a
				Non Keratinizing epidermoid cancer cervix well,	III b
51	sd	ibu rt	p6a0	moderately, poor differentiated	ט ווו

		T		Non Keratinizing epidermoid cancer cervix well,	T
58	sd	ibu rt	p3a0	moderately, poor differentiated	II b
55	sd	ibu rt	p4a0	Non Keratinizing squamous cancer cervix well, moderately, poor differentiated	II a
45	sd	ibu rt	p6a1	Adenocarcinoma cervix uteri well, moderately, poor differentiated	III b
65	sd	ibu rt	p9a1	Adenocarcinoma cervix uteri well, moderately, poor differentiated	II a
54	sd	ibu rt	p4a0	Adenocarcinoma cervix uteri well, moderately, poor differentiated	II b
33	sd	ibu rt	p1a0	Adenocarcinoma cervix uteri well, moderately, poor differentiated	II b
50	sd	ibu rt	p2a0	Non Keratinizing squamous cancer cervix well, moderately, poor differentiated	III a
46	sd	ibu rt	p0a0	Adenocarcinoma cervix uteri well, moderately, poor differentiated	III b
39	sd	ibu rt	p2a0	Non Keratinizing squamous cancer cervix well, moderately, poor differentiated	III b
41	sd	ibu rt	p3a0	Non Keratinizing squamous cancer cervix well, moderately, poor differentiated	III a
51	sd	ibu rt	p3a1	Non Keratinizing epidermoid cancer cervix well, moderately, poor differentiated	III b
51	smp	ibu rt	p7a2	Non Keratinizing epidermoid cancer cervix well, moderately, poor differentiated	III b
53	sd	ibu rt	p4a0	Non Keratinizing epidermoid cancer cervix well, moderately, poor differentiated	III b
59	smp	ibu rt	p3a0	Non Keratinizing epidermoid cancer cervix well, moderately, poor differentiated	III b
51	smp	ibu rt	p3a0	Adenocarcinoma cervix uteri well, moderately, poor differentiated	Пb
65	sd	ibu rt	p12a1	Non Keratinizing epidermoid cancer cervix well, moderately, poor differentiated	III b
34	sma	ibu rt	p3a0	Adenocarcinoma cervix uteri well, moderately, poor differentiated	Ιb
60	sd	ibu rt	p7a0	Non Keratinizing squamous cancer cervix well, moderately, poor differentiated	II b
39	sd	ibu rt	p0a2	Displasia berat cervix	IV b
55	sd	ibu rt	p1a0	Non Keratinizing epidermoid cancer cervix well, moderately, poor differentiated	II b
43	sd	ibu rt	p2a0	Non Keratinizing squamous cancer cervix well, moderately, poor differentiated	II b
42	sd	ibu rt	p2a0	Non Keratinizing squamous cancer cervix well, moderately, poor differentiated	II b
46	sd	ibu rt	p4a0	Non Keratinizing epidermoid cancer cervix well, moderately, poor differentiated	III b
43	sma	ibu rt	p3a0	Non Keratinizing squamous cancer cervix well, moderately, poor differentiated	Ιb
40	sd	ibu rt	p0a0	Non Keratinizing squamous cancer cervix well, moderately, poor differentiated	Ιb
51	sd	ibu rt	p5a0	Non Keratinizing epidermoid cancer cervix well, moderately, poor differentiated	III b
51	sd	ibu rt	p5a1	Non Keratinizing squamous cancer cervix well, moderately, poor differentiated	II b
44	sma	ibu rt	p1a0	Non Keratinizing squamous cancer cervix well, moderately, poor differentiated	III b
47	sd	ibu rt	p2a0	Non Keratinizing epidermoid cancer cervix well, moderately, poor differentiated	III b
48	sd	ibu rt	p10a0	Non Keratinizing squamous cancer cervix well, moderately, poor differentiated	II a

	-		1	ı		1
3	38	sd	ibu rt	p1a0	Adenosquamosa cervix uteri well, moderately, poor differentiated	Ιb
Į,	53	sd	ibu rt	p2a0	Non Keratinizing squamous cancer cervix well, moderately, poor differentiated	III b
3	36	sd	ibu rt	p2a0	Adenocarcinoma cervix uteri well, moderately, poor differentiated	Ιb
3	39	sd	ibu rt	p3a1	Adenocarcinoma cervix uteri well, moderately, poor differentiated	Ιb
-	71	sd	ibu rt	p3a0	Non Keratinizing epidermoid cancer cervix well, moderately, poor differentiated	III b
4	44	sd	ibu rt	p3a0	Adenocarcinoma cervix uteri well, moderately, poor differentiated	Ιb
4	41	sd	ibu rt	p3a2	Displasia berat cervix	IV a
	50	sd	ibu rt	p3a0	Non Keratinizing squamous cancer cervix well,	III b
				•	moderately, poor differentiated Adenocarcinoma cervix uteri well, moderately, poor	
	40	sd	ibu rt	p5a0	differentiated Non Keratinizing squamous cancer cervix well,	Ιb
, 3	38	sma	ibu rt	p1a2	moderately, poor differentiated	III b
	57	s1	ibu rt	p2a1	Non Keratinizing epidermoid cancer cervix well, moderately, poor differentiated	III b
				•	Non Keratinizing epidermoid cancer cervix well,	
:	51	sma	ibu rt	p3a4	moderately, poor differentiated Non Keratinizing squamous cancer cervix well,	III b
į	54	sd	ibu rt	p5a0	moderately, poor differentiated	III b
4	40	sd	ibu rt	p3a0	Adenocarcinoma cervix uteri well, moderately, poor differentiated	Пb
-	75	sd	ibu rt	p9a1	Non Keratinizing epidermoid cancer cervix well, moderately, poor differentiated	IV a
4	46	smp	ibu rt	p3a1	Adenocarcinoma cervix uteri well, moderately, poor differentiated	Ιb
í	58	sd	ibu rt	p7a1	Adenocarcinoma cervix uteri well, moderately, poor differentiated	II a
į	51	sma	ibu rt	p3a2	Non Keratinizing squamous cancer cervix well, moderately, poor differentiated	III b
2	27	smp	ibu rt	p2a0	Non Keratinizing epidermoid cancer cervix well, moderately, poor differentiated	II a
2	26	sma	ibu rt	p0a0	Non Keratinizing epidermoid cancer cervix well, moderately, poor differentiated	III b
	48	smp	ibu rt	p7a1	Adenocarcinoma cervix uteri well, moderately, poor differentiated	Ιb
	57	sd .	ibu rt	p3a1	Adenocarcinoma cervix uteri well, moderately, poor	Ιb
- -	<i>J</i> /	diplom	150 It	PSGI	differentiated	1.0
ĺ	50	a	pns	p2a0	Adenocarcinoma cervix uteri well, moderately, poor differentiated	Iа
ĺ	57	smp	ibu rt	p2a0	Adenocarcinoma cervix uteri well, moderately, poor differentiated	Ιb
í	56	sd	ibu rt	p2a0	Non Keratinizing epidermoid cancer cervix well, moderately, poor differentiated	III b
3	36	sma	ibu rt	p2a0	Non Keratinizing squamous cancer cervix well, moderately, poor differentiated	III b
ĺ	59	sma	ibu rt	p3a0	Non Keratinizing squamous cancer cervix well, moderately, poor differentiated	III b
	70	s1	pns	p7a0	Non Keratinizing squamous cancer cervix well, moderately, poor differentiated	III b
	28	smp	ibu rt	p2a0	Non Keratinizing squamous cancer cervix well, moderately, poor differentiated	III b
	42	diplom	ibu rt	p2a0	Adenocarcinoma cervix uteri well, moderately, poor	l a
			_	<u> </u>	in the second se	

	а			differentiated	
57	sd	ibu rt	p4a0	Non Keratinizing epidermoid cancer cervix well, moderately, poor differentiated	Ιb
				Mikroinvassif epidermoid carcinoma	
25	sd	ibu rt	p1a0	cervix uteri	III b
58	sd	ibu rt	p5a0	Non Keratinizing epidermoid cancer cervix well, moderately, poor differentiated	II a
45	sd	ibu rt	p5a0	Non Keratinizing epidermoid cancer cervix well, moderately, poor differentiated	III b