

LAMPIRAN A

LISTING PROGRAM

- Berita.html

```
<?php
    include "inc.session.php";
?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />
<title>Untitled Document</title>
<style type="text/css">
<!--
body {
    background-image: url(../images/17.gif);
}
-->
</style></head>

<body>
```

```

<form id="form5" name="form5" method="post"
action="beritanewsim1.php">

<p>&nbsp;</p>

<p>&nbsp;</p>

<p>&nbsp;</p>

<table width="414" border="1" align="center" cellpadding="0"
cellspacing="0">

<tr>

<td height="31" colspan="2"><label></label>

<div align="center">

<object classid="clsid:D27CDB6E-AE6D-11cf-96B8-
444553540000"
codebase="http://download.macromedia.com/pub/shockwave/cabs/flash/s
wflash.cab#version=5,0,0,0" width="105" height="23">

<param name="BGCOLOR" value="#66605B" />

<param name="movie" value="button23.swf" />

<param name="quality" value="high" />

<embed src="button23.swf" width="105" height="23"
quality="high"
pluginspage="http://www.macromedia.com/shockwave/download/index.c
gi?P1_Prod_Version=ShockwaveFlash" type="application/x-shockwave-
flash" bgcolor="#66605B" ></embed>

</object>

```

```

<object classid="clsid:D27CDB6E-AE6D-11cf-96B8-
444553540000"
codebase="http://download.macromedia.com/pub/shockwave/cabs/flash/s
wflash.cab#version=5,0,0,0" width="105" height="23">

    <param name="BGCOLOR" value="#66605B" />

    <param name="movie" value="button24.swf" />

    <param name="quality" value="high" />

    <embed src="button24.swf" width="105" height="23"
quality="high"
pluginspage="http://www.macromedia.com/shockwave/download/index.c
gi?P1_Prod_Version=ShockwaveFlash" type="application/x-shockwave-
flash" bgcolor="#66605B" ></embed>

</object>

<object classid="clsid:D27CDB6E-AE6D-11cf-96B8-
444553540000"
codebase="http://download.macromedia.com/pub/shockwave/cabs/flash/s
wflash.cab#version=5,0,0,0" width="105" height="23">

    <param name="BGCOLOR" value="#66605B" />

    <param name="movie" value="button28.swf" />

    <param name="quality" value="high" />

    <embed src="button28.swf" width="105" height="23"
quality="high"
pluginspage="http://www.macromedia.com/shockwave/download/index.c

```

```

gi?P1_Prod_Version=ShockwaveFlash" type="application/x-shockwave-
flash" bgcolor="#66605B" ></embed>

</object>

</div></td>

</tr>

<tr>

<td width="89" height="31"><strong>Oleh</strong></td>

<td width="325"><input name="txtusername" type="text"
id="txtusername" size="30" maxlength="30" /></td>

</tr>

<tr>

<td height="78"><strong>Komentar </strong></td>

<td><textarea name="txtisi" cols="45" rows="4"
id="txtisi"></textarea></td>

</tr>

<tr>

<td height="35" colspan="2" align="left"><label></label>

<strong>

<input type="submit" name="Submit" value="Simpan" />

<label>

Belum ada user buat dulu di <a
href="FormDaftarUser.html">sini.</a></label>

</strong>

```

```

        <label> </label><div align="center"></div></td>

    </tr>

</table>

<p>&nbsp;</p>

</form>

<p>&nbsp;</p>

</body>

</html>

```

- Berita1.html

```

<?php

    include "inc.session.php";

?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0
Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-
1" />

<title>Untitled Document</title>

<style type="text/css">

<!--

body {

```

```

        background-image: url(../images/17.gif);
    }
-->
</style></head>

<body>

<form id="form5" name="form5" method="post"
action="beritanewsim1.php">

    <p>&nbsp;</p>

    <p>&nbsp;</p>

    <p>&nbsp;</p>

    <table width="414" border="1" align="center" cellpadding="0"
cellspacing="0">

        <tr>

            <td height="31" colspan="2"><label></label>

            <div align="center">

                <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-
444553540000"
codebase="http://download.macromedia.com/pub/shockwave/cabs/flash/s
wflash.cab#version=5,0,0,0" width="105" height="23">

                    <param name="BGCOLOR" value="#66605B" />

                    <param name="movie" value="button23.swf" />

                    <param name="quality" value="high" />

```

```

        <embed src="button23.swf" width="105" height="23"
quality="high"
pluginspage="http://www.macromedia.com/shockwave/download/index.c
gi?P1_Prod_Version=ShockwaveFlash" type="application/x-shockwave-
flash" bgcolor="#66605B" ></embed>

    </object>

    <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-
444553540000"
codebase="http://download.macromedia.com/pub/shockwave/cabs/flash/s
wflash.cab#version=5,0,0,0" width="105" height="23">

        <param name="BGCOLOR" value="#66605B" />

        <param name="movie" value="button24.swf" />

        <param name="quality" value="high" />

        <embed src="button24.swf" width="105" height="23"
quality="high"
pluginspage="http://www.macromedia.com/shockwave/download/index.c
gi?P1_Prod_Version=ShockwaveFlash" type="application/x-shockwave-
flash" bgcolor="#66605B" ></embed>

    </object>

    <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-
444553540000"
codebase="http://download.macromedia.com/pub/shockwave/cabs/flash/s
wflash.cab#version=5,0,0,0" width="105" height="23">

```

```

        <param name="BGCOLOR" value="#66605B" />

        <param name="movie" value="button28.swf" />

        <param name="quality" value="high" />

        <embed src="button28.swf" width="105" height="23"
quality="high"
pluginspage="http://www.macromedia.com/shockwave/download/index.c
gi?P1_Prod_Version=ShockwaveFlash" type="application/x-shockwave-
flash" bgcolor="#66605B" ></embed>

        </object>

    </div></td>

</tr>

<tr>

    <td width="89" height="31"><strong>Oleh</strong></td>

    <td width="325"><input name="txtusername" type="text"
id="txtusername" size="30" maxlength="30" /></td>

</tr>

<tr>

    <td height="78"><strong>Komentar </strong></td>

    <td><textarea name="txtisi" cols="45" rows="4"
id="txtisi"></textarea></td>

</tr>

<tr>

    <td height="35" colspan="2" align="left"><label></label>

```



```

        <strong>

        <input type="submit" name="Submit" value="Simpan" />

        <label>

        Belum ada user buat dulu di <a
href="FormDaftarUser.html">sini.</a></label>

        </strong>

        <label> </label></td>

    </tr>

</table>

<p>&nbsp;</p>

</form>

<p>&nbsp;</p>

</body>

</html>

```

- Berita2.html

```

<?php

    include "inc.session.php";

?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0
Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

```

```

<head>

<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-
1" />

<title>Untitled Document</title>

<style type="text/css">

<!--

body {

        background-image: url(../images/17.gif);

    }

-->

</style></head>

<body>

<form id="form5" name="form5" method="post"
action="beritanewsim2.php">

    <p>&nbsp;</p>

    <p>&nbsp;</p>

    <p>&nbsp;</p>

    <table width="414" border="1" align="center" cellpadding="0"
cellspacing="0">

        <tr>

            <td height="31" colspan="2"><label></label>

                <div align="center">

```

```

<object classid="clsid:D27CDB6E-AE6D-11cf-96B8-
444553540000"
codebase="http://download.macromedia.com/pub/shockwave/cabs/flash/s
wflash.cab#version=5,0,0,0" width="105" height="23">

    <param name="BGCOLOR" value="#66605B" />

    <param name="movie" value="button23.swf" />

    <param name="quality" value="high" />

    <embed src="button23.swf" width="105" height="23"
quality="high"
pluginspage="http://www.macromedia.com/shockwave/download/index.c
gi?P1_Prod_Version=ShockwaveFlash" type="application/x-shockwave-
flash" bgcolor="#66605B" ></embed>

</object>

<object classid="clsid:D27CDB6E-AE6D-11cf-96B8-
444553540000"
codebase="http://download.macromedia.com/pub/shockwave/cabs/flash/s
wflash.cab#version=5,0,0,0" width="105" height="23">

    <param name="BGCOLOR" value="#66605B" />

    <param name="movie" value="button24.swf" />

    <param name="quality" value="high" />

    <embed src="button24.swf" width="105" height="23"
quality="high"
pluginspage="http://www.macromedia.com/shockwave/download/index.c

```

```

gi?P1_Prod_Version=ShockwaveFlash" type="application/x-shockwave-
flash" bgcolor="#66605B" ></embed>

</object>

<object classid="clsid:D27CDB6E-AE6D-11cf-96B8-
444553540000"
codebase="http://download.macromedia.com/pub/shockwave/cabs/flash/s
wflash.cab#version=5,0,0,0" width="105" height="23">

<param name="BGCOLOR" value="#66605B" />
<param name="movie" value="button28.swf" />
<param name="quality" value="high" />
<embed src="button28.swf" width="105" height="23"
quality="high"
pluginspage="http://www.macromedia.com/shockwave/download/index.c
gi?P1_Prod_Version=ShockwaveFlash" type="application/x-shockwave-
flash" bgcolor="#66605B" ></embed>

</object>

</div></td>

</tr>

<tr>

<td width="89" height="31"><strong>Oleh</strong></td>

<td width="325"><input name="txtusername" type="text"
id="txtusername" size="30" maxlength="30" /></td>

</tr>

```

```

<tr>

<td height="78"><strong>Komentar </strong></td>

<td><textarea name="txtisi" cols="45" rows="4"
id="txtisi"></textarea></td>

</tr>

<tr>

<td height="35" colspan="2" align="left"><label></label>

<strong>

<input type="submit" name="Submit" value="Simpan" />

<label>

Belum ada user buat dulu di <a
href="FormDaftarUser.html">sini.</a></label>

</strong>

<label> </label></td>

</tr>

</table>

<p>&nbsp;</p>

</form>

<p>&nbsp;</p>

</body>

</html>

```

- FormDaftarUser.html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0
Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-
1" />

<title>Untitled Document</title>

<style type="text/css">

<!--

body {

    background-image: url(../images/17.gif);

    margin-top: 0px;

}

a:link {

    text-decoration: underline;

}

a:visited {

    text-decoration: underline;

}

a:hover {

    text-decoration: none;

}
```

```

a:active {
    text-decoration: underline;
}
-->

</style></head>

<body>

<form id="form1" name="form1" method="post"
action="insertdafteruser.php">

    <p>&nbsp;</p>

    <p>&nbsp;</p>

    <p>&nbsp;</p>

    <table width="870" border="0" align="center" cellpadding="0"
cellspacing="0">

        <tr>

            <td colspan="2"><map name="Map" id="Map24">

                <area shape="poly"
coords="63,146,40,141,26,124,24,106,24,89,25,76,28,63,37,63,47,62,50,6
2,61,44,71,35,80,27,101,12,115,10,126,13,143,6,166,3,181,8,194,21,201,3
0,225,43,233,64,235,76,236,90,226,106,221,119,218,132,214,146,209,157
,117,162,105,156,104,143,93,141" href="file:///C:/Documents and
Settings/COMPAQ/My Documents/Rusly/home.php" target="_self" />

                </map>

            <map name="Map" id="Map23">

```

```
<area shape="poly"
coords="63,146,40,141,26,124,24,106,24,89,25,76,28,63,37,63,47,62,50,6
2,61,44,71,35,80,27,101,12,115,10,126,13,143,6,166,3,181,8,194,21,201,3
0,225,43,233,64,235,76,236,90,226,106,221,119,218,132,214,146,209,157
,117,162,105,156,104,143,93,141" href="file:///C:/Documents and
Settings/COMPAQ/My Documents/Rusly/home.php" target="_self" />
```

```
</map>
```

```
<map name="Map" id="Map22">
```

```
<area shape="poly"
coords="63,146,40,141,26,124,24,106,24,89,25,76,28,63,37,63,47,62,50,6
2,61,44,71,35,80,27,101,12,115,10,126,13,143,6,166,3,181,8,194,21,201,3
0,225,43,233,64,235,76,236,90,226,106,221,119,218,132,214,146,209,157
,117,162,105,156,104,143,93,141" href="file:///C:/Documents and
Settings/COMPAQ/My Documents/Rusly/home.php" target="_self" />
```

```
</map>
```

```
<map name="Map" id="Map2">
```

```
<area shape="poly"
coords="59,185,36,180,22,163,20,145,20,128,21,115,24,102,33,102,43,10
1,46,101,57,83,67,74,76,66,97,51,111,49,122,52,139,45,162,42,177,47,19
0,60,197,69,221,82,229,103,231,115,232,129,222,145,217,158,214,171,21
0,185,205,196,113,201,101,195,100,182,89,180" href="home.php"
target="_self" />
```

```
</map>
```



```

<map name="Map" id="Map26">

  <area shape="poly"

coords="63,146,40,141,26,124,24,106,24,89,25,76,28,63,37,63,47,62,50,6
2,61,44,71,35,80,27,101,12,115,10,126,13,143,6,166,3,181,8,194,21,201,3
0,225,43,233,64,235,76,236,90,226,106,221,119,218,132,214,146,209,157
,117,162,105,156,104,143,93,141" href="file:///C:/Documents and
Settings/COMPAQ/My Documents/Rusly/home.php" target="_self" />

</map>

<map name="Map" id="Map27">

  <area shape="poly"

coords="63,146,40,141,26,124,24,106,24,89,25,76,28,63,37,63,47,62,50,6
2,61,44,71,35,80,27,101,12,115,10,126,13,143,6,166,3,181,8,194,21,201,3
0,225,43,233,64,235,76,236,90,226,106,221,119,218,132,214,146,209,157
,117,162,105,156,104,143,93,141" href="file:///C:/Documents and
Settings/COMPAQ/My Documents/Rusly/home.php" target="_self" />

</map>

<map name="Map" id="Map28">

  <area shape="poly"

coords="63,146,40,141,26,124,24,106,24,89,25,76,28,63,37,63,47,62,50,6
2,61,44,71,35,80,27,101,12,115,10,126,13,143,6,166,3,181,8,194,21,201,3
0,225,43,233,64,235,76,236,90,226,106,221,119,218,132,214,146,209,157
,117,162,105,156,104,143,93,141" href="file:///C:/Documents and
Settings/COMPAQ/My Documents/Rusly/home.php" target="_self" />

```

```

</map>

<map name="Map" id="Map29">

  <area shape="poly"
coords="63,146,40,141,26,124,24,106,24,89,25,76,28,63,37,63,47,62,50,6
2,61,44,71,35,80,27,101,12,115,10,126,13,143,6,166,3,181,8,194,21,201,3
0,225,43,233,64,235,76,236,90,226,106,221,119,218,132,214,146,209,157
,117,162,105,156,104,143,93,141" href="file:///C:/Documents and
Settings/COMPAQ/My Documents/Rusly/home.php" target="_self" />

</map>

<map name="Map" id="Map210">

  <area shape="poly"
coords="63,146,40,141,26,124,24,106,24,89,25,76,28,63,37,63,47,62,50,6
2,61,44,71,35,80,27,101,12,115,10,126,13,143,6,166,3,181,8,194,21,201,3
0,225,43,233,64,235,76,236,90,226,106,221,119,218,132,214,146,209,157
,117,162,105,156,104,143,93,141" href="file:///C:/Documents and
Settings/COMPAQ/My Documents/Rusly/home.php" target="_self" />

</map>

<map name="Map" id="Map211">

  <area shape="poly"
coords="63,146,40,141,26,124,24,106,24,89,25,76,28,63,37,63,47,62,50,6
2,61,44,71,35,80,27,101,12,115,10,126,13,143,6,166,3,181,8,194,21,201,3
0,225,43,233,64,235,76,236,90,226,106,221,119,218,132,214,146,209,157

```

```
,117,162,105,156,104,143,93,141" href="file:///C:/Documents and
Settings/COMPAQ/My Documents/Rusly/home.php" target="_self" />

</map>

<map name="Map" id="Map212">

  <area shape="poly"

coords="63,146,40,141,26,124,24,106,24,89,25,76,28,63,37,63,47,62,50,6
2,61,44,71,35,80,27,101,12,115,10,126,13,143,6,166,3,181,8,194,21,201,3
0,225,43,233,64,235,76,236,90,226,106,221,119,218,132,214,146,209,157
,117,162,105,156,104,143,93,141" href="file:///C:/Documents and
Settings/COMPAQ/My Documents/Rusly/home.php" target="_self" />

</map>

<map name="Map" id="Map213">

  <area shape="poly"

coords="63,146,40,141,26,124,24,106,24,89,25,76,28,63,37,63,47,62,50,6
2,61,44,71,35,80,27,101,12,115,10,126,13,143,6,166,3,181,8,194,21,201,3
0,225,43,233,64,235,76,236,90,226,106,221,119,218,132,214,146,209,157
,117,162,105,156,104,143,93,141" href="file:///C:/Documents and
Settings/COMPAQ/My Documents/Rusly/home.php" target="_self" />

</map>

<map name="Map" id="Map214">

  <area shape="poly"

coords="63,146,40,141,26,124,24,106,24,89,25,76,28,63,37,63,47,62,50,6
2,61,44,71,35,80,27,101,12,115,10,126,13,143,6,166,3,181,8,194,21,201,3
```

0,225,43,233,64,235,76,236,90,226,106,221,119,218,132,214,146,209,157
,117,162,105,156,104,143,93,141" href="file:///C:/Documents and
Settings/COMPAQ/My Documents/Rusly/home.php" target="_self" />

</map>

<map name="Map" id="Map215">

<area shape="poly"

coords="63,146,40,141,26,124,24,106,24,89,25,76,28,63,37,63,47,62,50,6
2,61,44,71,35,80,27,101,12,115,10,126,13,143,6,166,3,181,8,194,21,201,3
0,225,43,233,64,235,76,236,90,226,106,221,119,218,132,214,146,209,157
,117,162,105,156,104,143,93,141" href="file:///C:/Documents and
Settings/COMPAQ/My Documents/Rusly/home.php" target="_self" />

</map>

<map name="Map" id="Map216">

<area shape="poly"

coords="63,146,40,141,26,124,24,106,24,89,25,76,28,63,37,63,47,62,50,6
2,61,44,71,35,80,27,101,12,115,10,126,13,143,6,166,3,181,8,194,21,201,3
0,225,43,233,64,235,76,236,90,226,106,221,119,218,132,214,146,209,157
,117,162,105,156,104,143,93,141" href="file:///C:/Documents and
Settings/COMPAQ/My Documents/Rusly/home.php" target="_self" />

</map>

<map name="Map" id="Map217">

<area shape="poly"

coords="67,147,44,142,30,125,28,107,28,90,29,77,32,64,41,64,51,63,54,6

3,65,45,75,36,84,28,105,13,119,11,130,14,147,7,170,4,185,9,198,22,205,3
1,229,44,237,65,239,77,240,91,230,107,225,120,222,133,218,147,213,158
,121,163,109,157,108,144,97,142" href="file:///C:/Documents and
Settings/COMPAQ/My Documents/Rusly/home.php" />

</map>

<map name="Map" id="Map25">

<area shape="poly"

coords="66,147,43,142,29,125,27,107,27,90,28,77,31,64,40,64,50,63,53,6
3,64,45,74,36,83,28,104,13,118,11,129,14,146,7,169,4,184,9,197,22,204,3
1,228,44,236,65,238,77,239,91,229,107,224,120,221,133,217,147,212,158
,120,163,108,157,107,144,96,142" href="home.html" target="_self" />

</map> <table width="566" border="1" align="center"

cellpadding="2" cellspacing="1">

<tr>

<td height="44" colspan="2"><h3>Daftar Baru </h3></td>

</tr>

<tr>

<td width="105">Username</td>

<td width="444"><label>

<input name="txtUser" type="text" id="txtUser" size="20"

maxlength="18" />

</label></td>

</tr>

```

<tr>

<td><strong>Password</strong></td>

<td><label>

<input name="txtPassword" type="password" id="txtPassword"
size="20" maxlength="18" />

</label></td>

</tr>

<tr>

<td><strong>Email</strong></td>

<td><label>

<input name="txtEmail" type="text" id="txtEmail" size="25"
maxlength="15" />

</label></td>

</tr>

<tr>

<td><strong>Nama</strong></td>

<td><label>

<input name="txtNama" type="text" id="txtNama" size="25"
maxlength="18" />

</label></td>

</tr>

<tr>

<td><strong>Alamat</strong></td>

```

```

<td><label>

    <input name="txtAlamat" type="text" id="txtAlamat" size="40"
maxlength="25" />

</label></td>

</tr>

<tr>

<td><strong>Telepon</strong></td>

<td><label>

    <input name="txtTelepon" type="text" id="txtTelepon" size="18"
maxlength="18" />

</label></td>

</tr>

<tr>

<td>&nbsp;</td>

<td><label>

    <input type="submit" name="Submit" value="Submit" />

</label>

<label>

    <input type="reset" name="Submit2" value="Reset" />

    <a href="home.html">Click di sini untuk kembali ke home.

</a></label></td>

</tr>

</table></td>

```

```

        </tr>

    </table>

    <p>&nbsp;</p>

</form>

</body>

</html>

```

- Forum.html

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0
Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-
1" />

<title>Untitled Document</title>

<style type="text/css">

<!--

body {

    background-image: url(../images/10c.jpg);

}

a:link {

    text-decoration: underline;

```



```

}

a:visited {

    text-decoration: underline;

}

a:hover {

    text-decoration: none;

}

a:active {

    text-decoration: underline;

}

-->

</style></head>

<body>

<form id="form1" name="form1" method="post" action="">

    <p>&nbsp;</p>

    <table width="759" border="0" align="center" cellpadding="0"
cellspacing="0">

        <tr>

            <td colspan="3" rowspan="2"

bgcolor="#CCCCCC"><h2><strong>Luna Forum</strong></h2></td>

            <td width="116" height="27" bgcolor="#CCCCCC"><object

classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000"

```

```

codebase="http://download.macromedia.com/pub/shockwave/cabs/flash/s
wflash.cab#version=5,0,0,0" width="105" height="23">
    <param name="BGCOLOR" value="#CCCCCC" />
    <param name="movie" value="button25.swf" />
    <param name="quality" value="high" />
    <embed src="button25.swf" width="105" height="23" quality="high"
pluginspage="http://www.macromedia.com/shockwave/download/index.c
gi?P1_Prod_Version=ShockwaveFlash" type="application/x-shockwave-
flash" bgcolor="#CCCCCC" ></embed>
    </object></td>
</tr>
<tr>
    <td width="116" height="27" bgcolor="#CCCCCC"><a
href="adminedit.php">
        <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-
444553540000"
codebase="http://download.macromedia.com/pub/shockwave/cabs/flash/s
wflash.cab#version=5,0,0,0" width="105" height="23">
            <param name="movie" value="button26.swf" />
            <param name="quality" value="high" />
            <param name="bgcolor" value="#CCCCCC" />
            <embed src="button26.swf" quality="high"
pluginspage="http://www.macromedia.com/shockwave/download/index.c

```

gi?P1_Prod_Version=ShockwaveFlash" type="application/x-shockwave-
flash" width="105" height="23" bgcolor="#CCCCCC"></embed>

</object>

</td>

</tr>

<tr>

<td width="87" bgcolor="#CCCCCC"><div
align="center">No.</div></td>

<td colspan="2" bgcolor="#CCCCCC"><div
align="center">Judul</div></td>

<td height="30" bgcolor="#CCCCCC"> </td>

</tr>

<tr>

<td bgcolor="#FFFFFF"><div
align="center">1.</div></td>

<td colspan="2" bgcolor="#FFFFFF">Rumor seputar Luna
online !!! </td>

<td height="30" bgcolor="#FFFFFF">Selengkapnya</td>

</tr>

<tr>

<td bgcolor="#FFFFFF"><div
align="center">2.</div></td>

```

        <td colspan="2" bgcolor="#FFFFFF"><strong>Para cheater Luna
bersiaplah !!! </strong></td>

        <td height="30" bgcolor="#FFFFFF"><strong><a
href="beritanewsim1.php">Selengkapnya</a></strong></td>

    </tr>

    <tr>

        <td bgcolor="#FFFFFF"><div
align="center"><strong>3.</strong></div></td>

        <td colspan="2" bgcolor="#FFFFFF"><strong>Panduan Quest untuk
para pemula !!! </strong></td>

        <td height="30" bgcolor="#FFFFFF"><strong><a
href="beritanewsim2.php">Selengkapnya</a></strong></td>

    </tr>

    <tr>

        <td bgcolor="#FFFFFF"><div
align="center"><strong>4.</strong></div></td>

        <td colspan="2" bgcolor="#FFFFFF"><strong>Event Lucky Box 3rd
</strong></td>

        <td height="30" bgcolor="#FFFFFF"><a
href="beritanewsim3.php"><strong>Selengkapnya</strong></a></td>

    </tr>

    <tr>

```

```

        <td bgcolor="#FFFFFF"><div
align="center"><strong>5.</strong></div></td>

        <td colspan="2" bgcolor="#FFFFFF"><strong>Item Mall paling
terbaru</strong></td>

        <td height="30" bgcolor="#FFFFFF"><a
href="beritanewsim4.php"><strong>Selengkapnya</strong></a></td>

    </tr>

    <tr>

        <td bgcolor="#FFFFFF"><div
align="center"><strong>6.</strong></div></td>

        <td colspan="2" bgcolor="#FFFFFF"><strong>Event Update : Cute
Pet </strong></td>

        <td height="30" bgcolor="#FFFFFF"><a
href="beritanewsim5.php"><strong>Selengkapnya</strong></a></td>

    </tr>

    <tr>

        <td bgcolor="#FFFFFF"><div
align="center"><strong>7.</strong></div></td>

        <td colspan="2" bgcolor="#FFFFFF"><strong>Event Universal Coin
</strong></td>

        <td height="30" bgcolor="#FFFFFF"><a
href="beritanewsim6.php"><strong>Selengkapnya</strong></a></td>

    </tr>

```

```

<tr>

<td bgcolor="#FFFFFF"><div
align="center"><strong>8.</strong></div></td>

<td colspan="2" bgcolor="#FFFFFF"><strong>Pemenang Event Cute
Hairstyle </strong></td>

<td height="30" bgcolor="#FFFFFF"><a
href="beritanewsim7.php"><strong>Selengkapnya</strong></a></td>

</tr>

<tr>

<td bgcolor="#FFFFFF"><div
align="center"><strong>9.</strong></div></td>

<td colspan="2" bgcolor="#FFFFFF"><strong>Warnet Event at
Gliter.Net </strong></td>

<td height="30" bgcolor="#FFFFFF"><a
href="beritanewsim8.php"><strong>Selengkapnya</strong></a></td>

</tr>

<tr>

<td bgcolor="#FFFFFF"><div
align="center"><strong>10.</strong></div></td>

<td colspan="2" bgcolor="#FFFFFF"><strong>Download Manual
Patch 2010 </strong></td>

<td height="30" bgcolor="#FFFFFF"><a
href="beritanewsim9.php"><strong>Selengkapnya</strong></a></td>

```

```

        </tr>

    </table>

    <p>&nbsp;</p>

    <p>&nbsp;</p>

</form>

</body>

</html>

```

- Adminedit.php

```

<?php

    include "inc.session.php";

?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0
Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-
1" />

<title>Untitled Document</title><style type="text/css">

<!--

body {

```

```

        background-image: url(../images/17.gif);
    }

.style3 {color: #CCCCCC}

a:link {
    text-decoration: underline;
}

a:visited {
    text-decoration: underline;
}

a:hover {
    text-decoration: none;
}

a:active {
    text-decoration: underline;
}

-->

</style></head>

<body>

<form action="admineditsim.php" method="post" name="form1"
target="_self" id="form1">

    <p>&nbsp;</p>

    <p>&nbsp;</p>

```


<p> </p>

```
<table width="400" border="1" align="center" cellpadding="2"
cellspacing="1">

  <tr>

    <td colspan="2"><strong>Ubah Password </strong></td>

  </tr>

  <tr>

    <td><span class="style3">Username</span></td>

    <td><label>

      <input name="txtusername" type="text" id="txtusername" size="30"
maxlength="30" />

    </label></td>

  </tr>

  <tr>

    <td><span class="style3">Password lama</span></td>

    <td><input name="txtPassLama" type="password" id="txtPassLama"
size="30" maxlength="30" /></td>

  </tr>

  <tr>

    <td><span class="style3">Password baru </span></td>

    <td><input name="txtPassBaru" type="password" id="txtPassBaru"
size="30" maxlength="30" /></td>

  </tr>
```

```

<tr>

<td><span class="style3"> Ketik Ulang </span></td>

<td><label>

<input name="txtPassBaru2" type="password" id="txtPassBaru2"
size="30" maxlength="30" />

</label></td>

</tr>

<tr>

<td>&nbsp;</td>

<td><input type="submit" name="Submit" value="Simpan" />

<input type="reset" name="Submit2" value="Reset" />

<a href="forum.html">Kembali ke forum</a> </td>

</tr>

</table>

<p>&nbsp;</p>

<p>&nbsp;</p>

</form>

</body>

</html>

```

- Admineditsim.php

```

<?php

include "inc.session.php";

```

```

$connect=mysql_connect("localhost","root","") or
die("Please check your server connection!");

mysql_select_db("lunaguide");


$txtusername = $_POST['txtusername'];
$txtPassLama = $_POST['txtPassLama'];
$txtPassBaru = $_POST['txtPassBaru'];
$txtPassBaru2 = $_POST['txtPassBaru2'];


if(trim($txtPassLama) == "") {
    echo "<b>Password Lama</b> belum diisi, tolong diisi";
    include "adminEdit.php";
}

else if (strlen(trim($txtPassBaru)) <= 4 ) {
    echo "<b>Password Baru</b> minimal 6 digit, tolong diperbaiki";
    include "adminEdit.php";
}

else if (trim($txtPassBaru) != trim($txtPassBaru2)) {
    echo "<b>Password Baru</b> dan <b>Ketik Ulang</b> harus
sama";
    include "adminEdit.php";
}

else {

```

```

        $sqlPeriksa = "SELECT * FROM useraccount WHERE
username='$txtusername'

                                AND password='$txtPassLama'";

        $qryPeriksa = mysql_query($sqlPeriksa) or die (mysql_error());

        $hslPeriksa = mysql_num_rows($qryPeriksa);

        if ($hslPeriksa >= 1 ) {

                $sqlUbah = "UPDATE useraccount SET

                                password ='$txtPassBaru'

                                WHERE username ='$txtusername'";

                mysql_query($sqlUbah)

                                or die ("Gagal Perintah SQL".

mysql_error());

                # Jika sukses

                echo "<b>Ubah</b> Password Berhasil";

                include "forum.html";

        }

        else {

                # Jika gagal

                echo "<b>PASSWORD LAMA</b> TIDAK SESUAI

DENGAN DATABASE";

                include "adminedit.php";

        }

}

```

?>

- Beritanewsim.php

<?php

```
include "inc.session.php";
```

?>

<?php

```
$txtisi = $_POST['txtisi'];
```

```
$txtusername = $_POST['txtusername'];
```

```
#=====KONEKSI=====
```

```
$connect= mysql_connect ("localhost", "root", "") or
```

```
die ("Please check your server connection!");
```

```
mysql_select_db("LunaGuide");
```

```
#=====
```

```
if(trim($txtisi) == "" )
```

```
{
```

```
    echo"";
```

```
}
```

```
else
```

```
{
```

```
    $tanggal = date('Y-m-d');
```

```

$insert ="INSERT INTO rumor
(tanggal,username,isi) VALUES ('$tanggal','$txtusername','$txtisi')";

$hasil= mysql_query($insert) or die(mysql_error());

}

```

```

$select = "SELECT * FROM rumor";

$result= mysql_query($select) or die(mysql_error());

echo "<center><h1>RUMOR</h1></center>";

echo "<h3>Rumor yg beredar.. Lyto bkalan ngerilis 2 game
baru lg..

```

```

Fifa online and Luna Online..

Nah.. Luna Online tu ada sistem farm n family..

Sekarang sudah Open Beta dan bisa di mainkan... ^^

</h3>";

```

```

echo "<table width=1200 border=1 align=center
bgcolor=#cccccc>";

echo "<tr>";

echo " <td width=50> <center> <b> User

</b></center></td>\n";

echo " <td width=50> <center> <b> Tanggal

</b></center></td>\n";

```

```

        echo "<td width=300> <center> <b> Komentar
</b></center></td>\n";

        echo "</tr>\n";

        while ($row=mysql_fetch_assoc($result)) {
            extract($row);
            echo "<tr>\n";
            foreach($row as $value){
                echo "<td>\n";
                echo $value;
                echo "</td>\n";
            }
            echo "</tr>\n";
        } echo "</table>\n";
        include ("berita.html");
    ?>

```

- Beritanews1.php

```

<?php
    include "inc.session.php";

?>

<?php

```

```

$txttisi                = $_POST['txttisi'];

$txtusername            = $_POST['txtusername'];


#=====KONEKSI=====

    $connect= mysql_connect ("localhost", "root", "") or
    die ("Please check your server connection!");

    mysql_select_db("LunaGuide");


#=====

if(trim($txttisi) == "" )
    {
        echo"";
    }
else
    {
        $tanggal = date('Y-m-d');

        $insert ="INSERT INTO cheater
(tanggal,username,isi) VALUES ('$tanggal','$txtusername','$txttisi')";

        $hasil= mysql_query($insert) or die(mysql_error());
    }


    $select = "SELECT * FROM cheater";

    $result= mysql_query($select) or die(mysql_error());

```



```

echo "<center><h2>Para Cheater Luna Bersiaplah
!!!</h2></center>";

echo "<h3>Rumor yg beredar.. Lyto bkalan ngerilis 2 game
baru lg..

Fifa online and Luna Online..

Nah.. Luna Online tu ada sistem farm n family..

Sekarang sudah Open Beta dan bisa di mainkan...
^^</h3>";

echo "<table width=1200 border=1 align=center
bgcolor=#cccccc>";

echo "<tr>";

echo "<td width=50> <center> <b> User

</b></center></td>\n";

echo "<td width=50> <center> <b> Tanggal

</b></center></td>\n";

echo "<td width=300> <center> <b> Komentar

</b></center></td>\n";

echo "</tr>\n";

while ($row=mysql_fetch_assoc($result)) {

extract($row);

echo "<tr>\n";

foreach($row as $value){

```

```

        echo "<td>\n";

        echo $value;

        echo "</td>\n";

    }

    echo "</tr>\n";
}    echo "</table>\n";

include ("berita1.html");

?>

```

- Beritanewsim2.php

```

<?php

    include "inc.session.php";

?>

<?php

    $txtisi          = $_POST['txtisi'];

    $txtusername     = $_POST['txtusername'];


    #=====KONEKSI=====

    $connect= mysql_connect ("localhost", "root", "") or
    die ("Please check your server connection!");

    mysql_select_db("LunaGuide");


    #=====

```

```

if(trim($txtisi) == "" )
{
    echo"";
}
else
{
    $tanggal = date('Y-m-d');
    $insert ="INSERT INTO quest
(tanggal,username,isi) VALUES ('$tanggal','$txtusername','$txtisi')";
    $hasil= mysql_query($insert) or die(mysql_error());
}
$select = "SELECT * FROM quest";
$result= mysql_query($select) or die(mysql_error());
echo "<center><h1>QUEST</h1></center>";
echo "<h3>Luna Online memiliki berbagai macam quest

```

yang menunggumu untuk diselesaikan. Tentunya kamu akan mendapatkan exp tambahan atau uang untuk setiap quest yang bisa diselesaikan. Setiap quest di Luna mempunyai cerita bersambung dan bila kamu mengikutinya dari awal sampai akhir maka kamu akan mengetahui sejarah-sejarah mengenai Luna Online. Tanda seru berwarna biru di atas npc artinya kamu bisa mendapatkan quest dari npc tersebut.

Atau dengan cara melihat peta, npc yang memiliki quest akan mempunyai tanda seru berwarna biru. Untuk menampilkan daftar quest aktif, kamu

dapat menekan tombol shortcut (Q). Pada kolom A, tampilan ini menunjukkan quest yang sedang aktif pada karakter kamu. Setiap quest mempunyai hadiah yang akan diberikan apabila kamu berhasil menyelesaikan questnya dan bisa di cek pada kolom F.

```

echo "<table width=1200 border=1 align=center
bgcolor=#cccccc>";

echo "<tr>";

echo   "<td width=50> <center> <b> User
</b></center></td>\n";

echo   "<td width=50> <center> <b> Tanggal
</b></center></td>\n";

echo   "<td width=300> <center> <b> Komentar
</b></center></td>\n";

echo "</tr>\n";

while ($row=mysql_fetch_assoc($result)) {
    extract($row);
    echo "<tr>\n";
    foreach($row as $value){
        echo "<td>\n";
        echo $value;
        echo "</td>\n";
    }
}

```

```

        echo "</tr>\n";
    }
    echo "</table>\n";

    include ("berita2.html");

?>

```

- Inc.session.php

```

<?php

session_start();

if(! (session_is_registered(SES_USER))) {

    echo "<div align=center><b> PERHATIAN ..!!! </b><br>";

    echo "UNTUK MENGAkses, KAMU HARUS LOGIN DULU?

</div>";

    include "login.php";

    exit;

}

?>

```

- Insertdaftaruser.php

```

<?php

$user      = $_POST['txtUser'];

$password  = $_POST['txtPassword'];

$email     = $_POST['txtEmail'];

$nama      = $_POST['txtNama'];

```

```

$alamat      = $_POST['txtAlamat'];

$telepon     = $_POST['txtTelepon'];

if (($user!="") and ($password!="") and ($email!=""))
{
    $connect= mysql_connect ("localhost", "root", "") or
    die ("Please check your server connection!");

    mysql_select_db("LunaGuide");

    $query="INSERT INTO useraccount (username, password,
email, nama, telepon, alamat) VALUES ('$user', '$password', '$email',
'$nama', '$telepon', '$alamat')";

    $result= mysql_query($query) or die(mysql_error());

    echo "<br>";

    echo "<br>";

    include ("login.php");

    echo "<br>";

    echo "<br>";

    echo "Account Berhasil Dibuat";
}

else
{
    echo "Data tidak lengkap, Account gagal dibuat!";

    echo "<a href=formdaftaruser.html>Kembali";
}

```

```
    }  
?>
```

- Login.php

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0  
Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-  
transitional.dtd">  
  
<html xmlns="http://www.w3.org/1999/xhtml">  
  
<head>  
  
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-  
1" />  
  
<title>Untitled Document</title>  
  
<style type="text/css">  
  
<!--  
  
body {  
  
    background-image: url(../images/17.gif);  
  
}  
  
a:link {  
  
    text-decoration: underline;  
  
}  
  
a:visited {  
  
    text-decoration: underline;  
  
}  
  
a:hover {
```

```

        text-decoration: none;
    }

    a:active {
        text-decoration: underline;
    }

    .style3 {color: #CCCCCC}
-->

</style></head>

<body>

<form action="loginperiksa.php" method="post" name="form1"
target="_self" id="form1">

    <p>&nbsp;</p>

    <p>&nbsp;</p>

    <p>&nbsp;</p>

    <table width="329" border="1" align="center" cellpadding="0"
cellspacing="0">

        <tr>

            <td height="38" colspan="2"><strong>Login Forum </strong></td>

        </tr>

        <tr>

            <td width="104" height="33"><span class="style3">User ID
</span></td>

            <td width="219"><label>

```



```

        <input name="txtuser" type="text" id="txtuser" size="30"
maxlength="30" />

        </label></td>

    </tr>

    <tr>

        <td height="33"><span class="style3">Password</span></td>

        <td><label>

            <input name="txtpassword" type="password" id="txtpassword"
size="30" maxlength="30" />

            </label></td>

    </tr>

    <tr>

        <td height="40" colspan="2" align="center"><label>

            <input type="submit" name="Submit" value="Log In" />

            </label>

            <label>

                <input type="reset" name="Submit2" value="Reset" />

                <a href="FormDaftarUser.html"></a></label></td>

    </tr>

    <tr>

        <td height="31" colspan="2"><div align="center"><a
href="FormDaftarUser.html">Click di sini untuk daftar.</a></div></td>

    </tr>

```

```

<tr>

<td height="32" colspan="2"><label></label>

<label>

<div align="center"><a href="home.html">Click di sini untuk
kembali ke Home</a>... </div>

</label></td>

</tr>

</table>

<p>&nbsp;</p>

<p>&nbsp;</p>

</form>

</body>

</html>

```

- Loginkeluar.php

```

<?php
session_start();
session_unregister("SES_USER");
echo "<meta http-equiv='refresh' content='0; url=home.html'>";
exit;
?>

```

- Loginperiksa.php

```

<?php

session_start();

$connect=mysql_connect("localhost","root","") or

die("Please check your server connection!");

mysql_select_db("lunaguide");


$txtUser      = $_POST['txtuser'];

$txtPass      = $_POST['txtpassword'];

//JIKA BELOM

DIISI=====

=

if(trim($txtUser) == "") {

    echo "<b>User ID</b> belum diisi, tolong diisi";

    include "login.php";

}

//=====

=====

//JIKA KURANG DARI 5

HURUF=====

=====

else if (strlen(trim($txtPass)) <= 4 ) {

    echo "<b>Password </b> minimal 6 digit, tolong diperbaiki";

```

```

        include "login.php";

    }

    //=====

    =====

    else {

        $sqlPeriksa = "SELECT * FROM useraccount WHERE

        username='$txtUser'

                                AND password='$txtPass'";

        $qryPeriksa = mysql_query($sqlPeriksa) or die(mysql_error());

        $hslPeriksa = mysql_num_rows($qryPeriksa);

        if ($hslPeriksa >= 1 ) {

            # Jika sukses

            $SES_USER = $txtUser;

            session_register("SES_USER");

            //echo "BERHASIL MELAKUKAN LOGIN";

            # Redireksi menuju index.php

            echo "<meta http-equiv='refresh' content='0;

            url=forum.html'>";

            exit;

        }

        else {

            # Jika gagal

```

```
        echo "<b>LOGIN dan PASSWORD</b> TIDAK  
        DIKENALI";  
        include "login.php";  
    }  
}  
?>
```