

LAMPIRAN A
LISTING PROGRAM

- Index.php

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="EN" lang="EN"
dir="ltr">
<head profile="http://gmpg.org/xfn/11">
<title>Royale Tour & Travel | welcome home</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />
<meta http-equiv="imagetoolbar" content="no" />
<link rel="stylesheet" href="styles/layout.css" type="text/css" />
<style type="text/css">
<!--
.style1 {
    color: #663399;
    font-size: 16px;
    font-weight: bold;
}
.style2 {
    font-family: "Courier New", Courier, monospace;
    font-size: 18px;
    font-style: italic;
    color: #FF9999;
}
-->
</style>
```

```

</head>
<body id="top">
<div class="wrapper col1">
  <div id="topbar">

  </div>
</div>
<div class="wrapper col2">
  <div id="header">
    <div id="logo">
      <h1><a href="#">Royale Tours</a></h1>
      <p>we serve you the world</p>
    </div>
    <ul id="topnav">
      <li class="last"><a href="contactus.html">contact us</a></li>
      <li><a href="travel.php?module=hotels">travel!</a>
      <ul>
        <li><a href="travel.php?module=hotels">hotels and flights</a></li>
        <li><a href="travel.php?module=tours">tours packages</a></li>
        <li><a href="travel.php?module=heritage">world heritages</a></li>
      </ul>
      </li>
      <li><a href="gallery.php">memorized</a></li>
      <li><a href="forum.php?module=isiforum">story-sharing</a></li>
      <li class="active"><a href="index.php">home</a></li>
    </ul>
    <br class="clear" />
  </div>
</div>
<div class="wrapper col3">
  <div id="gallery">

```

```

<ul>
  <li class="placeholder" style="background-
image:url(gambar/gallery/default.gif);">Image Holder</li>
  <li><a class="swap" href="#"><span></span></a></li>
  <li><a class="swap" href="#"><span></span></a></li>
  <li><a class="swap" href="#"><span></span></a></li>
  <li><a class="swap" href="#"><span></span></a></li>
  <li class="last"><a class="swap" href="#"><span></span></a></li>
</ul>
</div>
<div>
<div class="wrapper col4">
  <div id="services">
    <ul>
      <li><a href="modul/mod_hotels/hotels.php"><strong>Hotels and
Flights</strong></a></li>
      <li><a href="travel.php?module=tours"><strong>Tours
Package</strong></a></li>
    </ul>
  </div>
</div>

```

```
</li><a href="#"><strong>World Heritage</strong></a></li>
<li class="last"><a href="#"><strong>Culinary</strong></a></li>
```

```
</ul>
```

```
<br class="clear" />
```

```
</div>
```

```
</div>
```

```
<div class="wrapper col5">
```

```
<div id="container">
```

```
<div id="content">
```

```
<h2>w e l c o m e </h2>
```

```
<p align="justify">R o y a l e T o u r & T r a v e l is a domestic, inbound
and outbound tour and travel operator located in Bandung, Indonesia. R o y a l
e provides quality tour and travel services for both international and domestic
travelers.</p>
```

```
<p><span class="style1">Our Vision</span> <br /> <br />
```

```
being a leading company in outbound travel and leisure</p>
```

```
<p align="justify"><span class="style1">Our Missions</span><br /><br
/>
```

```
proactively developed 6 main business activities : Leisure, Retail,
Corporate, Incentive Outbound and Domestic and Wholesaling. Provide an
enjoyable vacation experience and innovative services in a good balance
between personal attention and information technology.</p>
```

```
<br /><br />
```

```
<p align="right" class="style2"> "Life is a journey, let us be your
guide.." </p>
```

```
</div>
```

```
<div id="column">
```

```
<div class="flickrbox">
```

```
<h2 class="title">Member Of</h2>
```

```

<ul>
  <li><a href="Link/airasia.htm"></a></li>
  <li><a href="Link/garuda.htm"></a></li>
  <li class="last"><a href="Link/thaiairways.htm"></a></li>
  <li><a href="Link/chinaair.htm"></a></li>
  <li><a href="Link/lufthansa.htm"></a></li>
  <li class="last"><a href="Link/singapore.htm"></a></li>
</ul>
<br class="clear" />
</div>
</div>
<br class="clear" />
</div>
</div>

<div class="wrapper col7">
  <div id="copyright">
    <ul>
      <li><a href="#">Contact Us </a></li>
      <li class="last"><a href="#">R o y a l e - Tour & Travel | by Astrid
Verina 0727023 </a></li>
    </ul>
  </div>
</div>

```

```
<p>Template by <a href="http://www.os-templates.com/" title="Free
Website Templates">OS Templates</a></p>
```

```
<div class="clear"></div>
```

```
</div>
```

```
</div>
```

```
</body>
```

```
</html>
```

- Forum.php

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
```

```
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head>
```

```
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />
```

```
<meta http-equiv="imagetoolbar" content="no" />
```

```
<title>Royale | Story-Sharing</title>
```

```
<link rel="stylesheet" href="styles/layout.css" type="text/css" />
```

```
<style type="text/css">
```

```
<!--
```

```
.style1 {
```

```
    font-family: Calibri;
```

```
    font-size: 12px;
```

```
    color: #3399CC;
```

```
}
```

```
.style2 {
```

```
    font-family: Calibri;
```

```
    font-size: 16px;
```

```
    color:#6666CC;
```

```
    font-weight: bold;
```

```

}
-->
</style>
</head>

<body id="top">
<div class="wrapper col1">
  <div id="topbar">

  </div>
</div>
<div class="wrapper col2">
  <div id="header">
    <div id="logo">
      <h1><a href="#">Royale Tours</a></h1>
      <p>we serve you the world</p>
    </div>
    <ul id="topnav">
      <li class="last"><a href="contactus.html">contact us</a></li>
      <li><a href="travel.php?module=hotels">travel!</a>
      <ul>
        <li><a href="travel.php?module=hotels">hotels and flights</a></li>
        <li><a href="travel.php?module=tours">tours packages</a></li>
        <li><a href="travel.php?module=heritage">world heritages</a></li>
      </ul>
      </li>
      <li><a href="gallery.php">memorized</a></li>
      <li class="active"><a href="forum.php?module=isiforum">story-
sharing</a></li>
      <li><a href="index.php">home</a></li>
    </ul>

```

```

    <br class="clear" />
</div>
</div>

<!------- END of NAVIGATION BAR ----->

<div class="wrapper col5">
  <div id="container">

    <div id="story">
      <h2>Shared Stories</h2>
      <?php
        if ($_GET[module]=='isiforum'){
          include"isiforum.php";
        }
        elseif ($_GET[module]=='detailartikel'){
          include"detailartikel.php";
        }
      ?>
    </div>

    <div id="formforum">
      <h2>Post a Story</h2>
      <form action="inputartikel.php" method="post">
        <table width="350" border="0" cellspacing="0" cellpadding="0">
          <tr>
            <th width="43%" scope="col"><div align="left" class="style2">
Name</div></th>
            <th width="57%" scope="col"><div align="left"
class="style2">Email</div></th>
          </tr>

```



```

<tr>
  <th scope="col"><label>
    <div align="left">
      <input name="nama" type="text" size="15" id="nama" />
    </div>
  </label></th>
  <th scope="col"><label>
    <div align="left">
      <input name="email" type="text" size="20" id="email" />
    </div>
  </label></th>
</tr>
<tr>
  <th scope="col"><div align="left" class="style2">Title</div></th>
  <th scope="col">&nbsp;</th>
</tr>
<tr>
  <th colspan="2" scope="col"><div align="left">
    <label>
      <input name="judul" type="text" size="40" id="judul" />
    </label>
  </div></th>
</tr>
<tr>
  <th height="16" colspan="2" scope="col"><div align="left"
class="style2">Your Story </div></th>
</tr>
<tr>
  <th colspan="2" scope="col"><label>
    <div align="left">

```

```

        <textarea name="deskripsi" cols="40" rows="5"
id="deskripsi"></textarea>
        </div>
        </label></th>
</tr>
<tr>
    <th colspan="2" scope="col"><div align="left">
        <label>
        <input name="Submit" type="submit" id="Submit" value="Share
!"/>
        </label>
    </div><div align="right"></div></th>
</tr>
</table>
</form>

</div>

<br class="clear" />
</div> <!--div container-->
</div><!--div warper---->

<div class="wrapper col7">
    <div id="copyright">
        <ul>
            <li><a href="#">Contact Us </a></li>
            <li class="last"><a href="#">R o y a l e - Tour & Travel | by Astrid
Verina 0727023 </a></li>
        </ul>
        <p>Template by <a href="http://www.os-templates.com/" title="Free
Website Templates">OS Templates</a></p>

```

```
<div class="clear"></div>
</div>
</div>
</body>
</html>
```

- Isiforum.php

```
<?php
    $server = "localhost";
    $username = "root";
    $password = "";
    $database = "xxx";

    // Koneksi dan memilih database di server
    mysql_connect($server,$username,$password) or die("Koneksi gagal");
    mysql_select_db($database) or die("Database tidak bisa dibuka");

    class Paging2 {
    function cariPosisi($batas){
    if(empty($_GET[halartikel])){
    $posisi=0;
    $_GET[halartikel]=1;
    }
    else{
    $posisi = ($_GET[halartikel]-1) * $batas;
    }
    return $posisi;
    }
    }
```

```

// Fungsi untuk menghitung total halaman
function jumlahHalaman($jmldata, $batas){
    $jmlhalaman = ceil($jmldata/$batas);
    return $jmlhalaman;
}

// Fungsi untuk link halaman 1,2,3
function navHalaman($shalaman_aktif, $jmlhalaman){
    $link_halaman = "";

    // Link halaman 1,2,3, ...
    for ($i=1; $i<=$jmlhalaman; $i++){
        if ($i == $shalaman_aktif){
            $link_halaman .= "<b>$i</b> | ";
        }
        else{
            $link_halaman .= "<a href=halproduk-{$i}.html>{$i}</a> | ";
        }
    }
    $link_halaman .= " ";
}
return $link_halaman;
}

echo "<div id='content'>
    <div id='content-detail'>";
    $p = new Paging2;
    $batas = 4;
    $posisi = $p->cariPosisi($batas);
    // Tampilkan semua berita

```

```

    $sql=mysql_query("select * from forum where aktif='Y' ORDER BY
id_artikel DESC");

    echo"<div id=progallery>";
    while($r=mysql_fetch_array($sql)){
        echo "<table><tr><td>
        <span class=tanggal><font color='green' size=1px>$r[tgl_post] by
$r[nama]</font></span><br />";
        echo "<span class=judul><a
href=forum.php?module=detailartikel&id=$r[id_artikel]>$r[judul]</a></span
><br /><br/>";
        // Tampilkan hanya sebagian isi berita
        $sisi_artikel = htmlentities(strip_tags($r[isi_artikel])); // membuat paragraf
pada isi berita dan mengabaikan tag html
        $sisi = substr($sisi_artikel,0,220);
        $sisi = substr($sisi_artikel,0, strrpos($sisi, " "));

        echo "<span class=style1>$sisi ...</span> <a
href=forum.php?module=detailartikel&id=$r[id_artikel]>Details</a>
        </td></tr></table>
        <hr color=#CCC noshade=noshade />";
    }
    echo "</div>
</div>
</div>";
?>

```

- Inputartikel.php

```
<?php
```

```

mysql_connect("localhost","root","");
mysql_select_db("xxx");

$nama = $_POST['nama'];
$email = $_POST['email'];
$judul = $_POST['judul'];
$deskripsi = $_POST['deskripsi'];
$tgl_post = date("d M Y");
$aktif = 'N';

if(empty($nama) OR empty($email) OR empty($judul) OR
empty($deskripsi)){
echo "<center>Lengkapi Semua Data Pada Form <br> <a
href=javascript:history.back()>Kembali</a></center>";
}
else{
$query = "INSERT INTO
forum(id_artikel,nama,email,judul,isi_artikel,tgl_post,aktif)
VALUES(null,'$nama','$email','$judul','$deskripsi','$tgl_post','$aktif)";
$masuk = mysql_query($query);

if($masuk){
    header("location:forum.php?module=isiforum");
}else{
    echo "Gagal Memasukkan Komentar";
}
}
?>

```

- Detailartikel.php

```

<?php
    $server = "localhost";
    $username = "root";
    $password = "";
    $database = "xxx";

    // Koneksi dan memilih database di server
    mysql_connect($server,$username,$password) or die("Koneksi gagal");
    mysql_select_db($database) or die("Database tidak bisa dibuka");

    $detail=mysql_query("SELECT * FROM forum where
id_artikel='$_GET[id]'");
    $d = mysql_fetch_array($detail);
    echo "<font color ='black' size=4px>$d[judul]</font> <br>";
    echo "<span class=tanggal><font color='green' size=2px>$d[tgl_post] by
$d[nama]</font></span><br />";
    echo "<div id=progallery>
        <div id='detailartikel'>
            <div id='content-detail'>";
    // $isi_berita=nl2br($d[isi_berita]); // membuat paragraf pada isi berita
    echo "<p align ='justify'><font color='#339999'
size=2px>$d[isi_artikel]</font></p> <br />";

    $pisah_kata = explode(",",$d[tag]);
    $jml_katakan = (integer)count($pisah_kata);

    $jml_kata = $jml_katakan-1;
    $ambil_id = substr($_GET[id],0,4);

```

```
echo"<a href=forum.php?module=isiforum>Back</a>";
echo"</div></div></div>";
?>
```

- Gallery.php

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />
<meta http-equiv="imagetoolbar" content="no" />
<title>Royale | Gallery</title>
<link rel="stylesheet" href="styles/layout.css" type="text/css" />
<script src="jquery/jquery-1.4.js" type="text/javascript"></script>
</head>

<body id="top">
<div class="wrapper col1">
  <div id="topbar">

  </div>
</div>
<div class="wrapper col2">
  <div id="header">
    <div id="logo">
      <h1><a href="#">Royale Tours</a></h1>
      <p>we serve you the world</p>
    </div>
    <ul id="topnav">
```



```

<li class="last"><a href="contactus.html">contact us</a></li>
<li><a href="travel.php?module=hotels">travel!</a>
<ul>
  <li><a href="travel.php?module=hotels">hotels and flights</a></li>
  <li><a href="travel.php?module=tours">tours packages</a></li>
  <li><a href="travel.php?module=heritage">world heritages</a></li>
</ul>
</li>
<li class="active"><a href="gallery.php">memorized</a></li>
<li><a href="forum.php?module=isiforum">story-sharing</a></li>
<li><a href="index.php">home</a></li>
</ul>
<br class="clear" />
</div>
</div>

```

```

<!----- END of NAVIGATION BAR ----->

```

```

<div class="wrapper col5">
  <div id="container">

    <div id="photo"><h2> Photograph </h2>
      <table width="570" border="0" valign="top"
align="center">

<tr>

  <td width="598" height="29">

<tr>

```

```

<td height="10"><?php
    mysql_connect("localhost","root","");

    mysql_select_db("xxx");

$shalaman = $_GET['hal'];
$batas = 6;
$shalaman = $_GET['hal'];
if(empty($shalaman)){
    $posisi = 0;
    $shalaman = 1;
}
else{
    $posisi = ($shalaman-1) * $batas;
}
$foto=mysql_query("SELECT * FROM foto");
$kolom = 3; // Tentukan banyaknya kolom
echo "<table border=0 align=center cellpadding=20
colspan=3><tr>";
    $i = 0;
    while($b=mysql_fetch_array($foto)){
?>
        <script type="text/javascript"
src="fancybox/jquery.mousewheel-3.0.4.pack.js"></script>
        <script type="text/javascript" src="fancybox/jquery.fancybox-
1.3.3.pack.js"></script>
        <link rel="stylesheet" type="text/css" href="fancybox/jquery.fancybox-
1.3.3.css" media="screen" />
        <script type="text/javascript">
            $(document).ready(function() {

```

```

        $("a#example<?php echo"$b[id_foto]"; ?>").fancybox();

    });
</script>
<?php
    if ($i >= $kolom){
    echo "</tr></table>";
        echo"<table align=center cellpadding=20
border=0>";
        $i = 0;
    }
    $i++;

?>
<tr><td rowspan="3" align="center">
    <a id="example<?php echo"$b[id_foto]"; ?>" href="<?php
echo"images/$b[gambar]"; ?>" title="<?php echo"$b[judul]"; ?>"> " width="120" height="90" /></a>
    <?php
    }

//tampil foto

echo"</table>";?>

</td>

```

```

        </tr>

</table>
<br class="clear"/></td>
</div>

<div id="column">
<div class="flickrbox">
<h2 class="title">Member of</h2>
<ul>
<li><a href="#"></a></li>
<li><a href="#"></a></li>
<li class="last"><a href="#"></a></li>
<li><a href="#"></a></li>
<li><a href="#"></a></li>
<li class="last"><a href="#"></a></li>
<li><a href="#"></a></li>
<li><a href="#"></a></li>
<li class="last"><a href="#"></a></li>
</ul>
<br class="clear" />
</div>

```

```

</div>
<br class="clear" />
</div>
</div>

<!-----END OF CONTAIN----->

<div class="wrapper col7">
  <div id="copyright">
    <ul>
      <li><a href="#">Contact Us </a></li>
      <li class="last"><a href="#">R o y a l e - Tour & Travel | by Astrid
Verina 0727023 </a></li>
    </ul>
    <p>Template by <a href="http://www.os-templates.com/" title="Free
Website Templates">OS Templates</a></p>
    <div class="clear"></div>
  </div>
</div>
</body>
</html>

```

- Travel.php

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />
<meta http-equiv="imagetoolbar" content="no" />

```

```

<title>Royale | Travel!</title>
<link rel="stylesheet" href="styles/layout.css" type="text/css" />
</head>

<body id="top">
<div class="wrapper col1">
  <div id="topbar">

  </div>
</div>
<div class="wrapper col2">
  <div id="header">
    <div id="logo">
      <h1><a href="#">Royale Tours</a></h1>
      <p>we serve you the world</p>
    </div>
    <ul id="topnav">
      <li class="last"><a href="contactus.html">contact us</a></li>
      <li><a href="travel.php?module=hotels">travel!</a>
        <ul>
          <li><a href="travel.php?module=hotels">hotels and flights</a></li>
          <li><a href="travel.php?module=tours">tours packages</a></li>
          <li><a href="travel.php?module=heritage">world heritages</a></li>
        </ul>
      </li>
      <li><a href="gallery.php">memorized</a></li>
      <li><a href="forum.php?module=isiforum">story-sharing</a></li>
      <li><a href="index.php">home</a></li>
    </ul>
    <br class="clear" />
  </div>

```

```
</div>
```

```
<!------- END of NAVIGATION BAR ----->
```

```
<div class="wrapper col5">
```

```
<div id="container">
```

```
<div id="hotels">
```

```
<?php
```

```
if ($_GET[module]=='hotels'){
```

```
include "modul/mod_hotels/hotels.php";
```

```
}
```

```
elseif ($_GET[module]=='tours'){
```

```
include "modul/mod_tours/tours.php";
```

```
}
```

```
elseif ($_GET[module]=='detailtour'){
```

```
include "modul/mod_tours/detailtour.php";
```

```
}
```

```
elseif ($_GET[module]=='heritage'){
```

```
include "modul/mod_heritage/heritages.php";
```

```
}
```

```
elseif ($_GET[module]=='detailheritage'){
```

```
include "modul/mod_heritage/detailheritage.php";
```

```
}
```

```
elseif ($_GET[module]=='culinary'){
```

```
include "modul/mod_culinary/culinary.php";
```

```
}
```

```
?>
```

```
</div>
```

```
<br class="clear" />
```

```

</div> <!--div container-->
</div><!--div warper-->

<div class="wrapper col7">
  <div id="copyright">
    <ul>
      <li><a href="#">Contact Us </a></li>
      <li class="last"><a href="#">R o y a l e - Tour & amp; Travel | by Astrid
Verina 0727023 </a></li>
    </ul>
    <p>Template by <a href="http://www.os-templates.com/" title="Free
Website Templates">OS Templates</a></p>
    <div class="clear"></div>
  </div>
</div>
</body>
</html>

```

- Hotels.php

```

<?php
  $server = "localhost";
  $username = "root";
  $password = "";
  $database = "xxx";

  // Koneksi dan memilih database di server
  mysql_connect($server,$username,$password) or die("Koneksi gagal");
  mysql_select_db($database) or die("Database tidak bisa dibuka");

```



```
echo "<h2>Hotels and Flights</h2>";
```

```
echo "<div id='tour'> ";
```

```
echo "<font face=Calibri size =4xp
```

```
color=#CCFF00><b>Hotels</b></font><br>";
```

```
echo "<div id='content-detail'>";
```

```
    $batas = 4;
```

```
    $shalaman = $_GET[halaman];
```

```
    if(empty($shalaman)){
```

```
        $posisi = 0;
```

```
        $shalaman = 1;
```

```
    }else{
```

```
        $posisi =($shalaman-1)*$batas;
```

```
    }
```

```
    $stampil = "SELECT * FROM hotel ORDER BY id_hotel  
DESC limit $posisi,$batas";
```

```
    $hasil = mysql_query($stampil);
```

```
    $no = $posisi+1;
```

```
echo"<div id=protour>";
```

```
    while($r=mysql_fetch_array($hasil)){
```

```
    echo "<table width=800>
```

```
        <tr>
```

```
            <td rowspan=2 width=180><p><img
```

```
src='foto_promo/$r[foto_hotel]' width=180 height=90></p></td>
```

```
            <td colspan=2><font face=calibri
```

```
color='#33CC99' size=3px>$r[nama_hotel] - $r[harga_hotel]</font>
```

```

                                <font color='#FFFF66'
size=2px><i><u><a href=travel.php?module=detailpromo&id=$r[id_hotel]>
book now</a></u></i></font><br/>
                                <font color='black' size=2px>Hotel
Address : $r[alamat_hotel] <br> Periode : $r[periode_hotel]</font></td>
                                </tr>
                                <tr>
                                <td colspan=2><font color='black'
size=2px>Price Starts from :</font> <font color='#FF0066'
size=2px><b>$r[harga_hotel]</b></font></td>
                                </tr>
                                </table>";
        }
echo "</div>
</div>
</div>";
    $jmlldata = mysql_num_rows(mysql_query("SELECT * FROM
hotel"));
    $jmlhalaman = ceil($jmlldata/$batas);
    $file="travel.php?module=hotels";
    if($shalaman > 1){
        $prev = $shalaman-1;
        echo "<a href=$file&halaman=1> << First </a> | <a
href=$file?halaman=$prev> < Previous </a>";
    }else{
        echo " << First | < Previous | ";
    }

    for($i=1;$i<=$jmlhalaman;$i++)
    if($i != $shalaman){
        echo "<a href=$file&halaman=$i>$i</a> |";
    }
}

```

```

    }else{
        echo "<b>${i}</b> | ";
    }

    if($halaman<${jmlhalaman}){
        $next=$halaman+1;
        echo "<a href=$file?halaman=$next> Next </a> | <a
href=$file?halaman=${jmlhalaman}> Last >> </a>";
    }else{
        echo "Next > | Last >>";
    }

echo "";

echo "<div id='tour'> ";
echo "<font face=Calibri size =4xp
color=#CCFF00><b>Flights</b></font><br>";
echo "<div id='content-detail'>";

        $batas = 4;
        $halaman = $_GET[halaman];
        if(empty($halaman)){
            $posisi = 0;
            $halaman = 1;
        }else{
            $posisi =($halaman-1)*$batas;
        }

        $stampil = "SELECT * FROM flight ORDER BY id_flight
DESC limit $posisi,$batas";

```

```

        $hasil = mysql_query($stampil);
        $no = $posisi+1;

echo"<div id=protour>";
        while($r=mysql_fetch_array($hasil)){
        echo "<table width=800>
                <tr>
                        <td rowspan=2 width=180><p><img
src='foto_promo/$r[icon_flight]' width=180 height=90></p></td>
                        <td colspan=2><font face=calibri
color='#33CC99' size=3px>$r[nama_flight] - $r[harga_flight]</font>
                        <font color='#FFFF66'
size=2px><i><u><a href=travel.php?module=detailpromo&id=$r[id_flight]>
book now</a></u></i></font><br/>
                        <font color='black' size=2px>Hotel
Address : $r[tujuan] <br> Periode : $r[periode_flight]</font></td>
                </tr>
                <tr>
                        <td colspan=2><font color='black'
size=2px>Price Starts from :</font> <font color='#FF0066'
size=2px><b>$r[harga_flight]</b></font></td>
                </tr>
        </table>";
        }
echo "</div>
        </div>
        </div>";
echo "";

?>

```

- Tours.php

```
<?php
```

```
$server = "localhost";
```

```
$username = "root";
```

```
$password = "";
```

```
$database = "xxx";
```

```
// Koneksi dan memilih database di server
```

```
mysql_connect($server,$username,$password) or die("Koneksi gagal");
```

```
mysql_select_db($database) or die("Database tidak bisa dibuka");
```

```
$batas = 4;
```

```
$halaman = $_GET[halaman];
```

```
if(empty($halaman)){
```

```
    $posisi = 0;
```

```
    $halaman = 1;
```

```
}else{
```

```
    $posisi = ($halaman-1)*$batas;
```

```
}
```

```
$stampil = "SELECT * FROM tour ORDER BY id_tour  
ASC limit $posisi,$batas";
```

```
$hasil = mysql_query($stampil);
```

```
$no = $posisi+1;
```

```
echo "<h2>Tour Packages</h2>";
```

```
echo "<div id='tour'>
```

```
<div id='content-detail'>";
```

```

echo "<div id=protour>";
while($r=mysql_fetch_array($hasil)){
echo "<table width=800>
        <tr>
                <td rowspan=2 width=200><p><img
src='foto_tour/$r[gambar_tour]' width=200 height=100></p></td>
                <td colspan=2><font face='calibri'
color='#33CC99' size=5px>$r[waktu_tour] - $r[judul_tour]</font>
                <font color='#FFFF66'
size=2px><i><u><a href=travel.php?module=detailtour&id=$r[id_tour]>
view tour</a></u></i></font><br>
                <font color='black'
size=2px>Country Visited : $r[negara] <br> Continent :
$r[benua]</font></td>
        </tr>
        <tr>
                <td colspan=2><font color='black'
size=2px>Price Starts from :</font> <font color='#FF0066'
size=3px><b>$r[harga]</b></font></td>
        </tr>
</table>";
    }

echo "</div>
</div>
</div>";

$jmlldata = mysql_num_rows(mysql_query("SELECT * FROM tour"));
$jmlhalaman = ceil($jmlldata/$batas);

```

```

$file="travel.php?module=tours";
echo "Page : ";
//    if($halaman > 1){
//        $prev = $halaman-1;
//        //echo "<a href=$file&halaman=1> << First </a> |
<a href=$file?halaman=$prev> < Previous </a>";
//    }else{
//        echo " << First | < Previous | ";
//    }

for($i=1;$i<=$jmlhalaman;$i++)
if($i != $halaman){
    echo "<a href=$file&halaman=$i>$i</a> |";
}else{
    echo "<b>$i</b> | ";
}

//if($halaman<$jmlhalaman){
//    $next=$halaman+1;
//        echo "<a href=$file?halaman=$next> Next </a> | <a
href=$file?halaman=$jmlhalaman> Last >> </a>";
//    }else{
//        echo "Next > | Last >>";
//
//    }
?>

```

- Detailtour.php

<html>

```

<head>
</head>
<body>
    <?php
        $server = "localhost";
        $username = "root";
        $password = "";
        $database = "xxx";

        // Koneksi dan memilih database di server
        mysql_connect($server,$username,$password) or die("Koneksi gagal");
        mysql_select_db($database) or die("Database tidak bisa dibuka");

        $detail=mysql_query("SELECT * FROM tour where
id_tour='$_GET[id]");
        $d = mysql_fetch_array($detail);

        echo "<div id=protour>
                <div id='detailtour'>
                <div id='content-detail'>";

        echo "<h2>$d[waktu_tour] $d[judul_tour]</h2>";
        if ($d[gambar_tour]!=""){
            echo "<p><span class=image><img
src='foto_tour/$d[gambar_tour]' border=0 width=665
height=316></span></p>";
        }
        echo "<font face='calibri' size=3px color =#00CCCC'><i>Country Visited
: $d[negara] <br> Continent : $d[benua] <br> Stay : $d[waktu_tour]
</i></font>";
        // $deskripsi_tour=nl2br($d[deskripsi_tour]);//

```



```

        echo "<p align ='justify'><font color='black'
size=2px>\$d[deskripsi_tour]</font></p> <br />";
        echo "";

        \$pisah_kata = explode(",","\$d[tag]);
        \$jml_katakan = (integer)count(\$pisah_kata);

        \$jml_kata = \$jml_katakan-1;
        \$ambil_id = substr($_GET[id],0,4);
        echo"<a href=travel.php?module=tours>Back</a><br><br>";
        echo"</div></div></div>";
        ?>
</body>
</html>

```

- Heritages.php

```

het<?php
\$server = "localhost";
    \$username = "root";
    \$password = "";
    \$database = "xxx";

    // Koneksi dan memilih database di server
    mysql_connect(\$server,\$username,\$password) or die("Koneksi gagal");
    mysql_select_db(\$database) or die("Database tidak bisa dibuka");

    // class paging untuk halaman produk (menampilkan semua artikel)
    class Paging2{
        // Fungsi untuk mencek halaman dan posisi data

```

```

function cariPosisi($batas){
if(empty($_GET[halartikel])){
$posisi=0;
$_GET[halartikel]=1;
}
else{
$posisi = ($_GET[halartikel]-1) * $batas;
}
return $posisi;
}

// Fungsi untuk menghitung total halaman
function jumlahHalaman($jmldata, $batas){
$jmhalaman = ceil($jmldata/$batas);
return $jmhalaman;
}

// Fungsi untuk link halaman 1,2,3
function navHalaman($shalaman_aktif, $jmhalaman){
$link_halaman = "";

// Link halaman 1,2,3, ...
for ($i=1; $i<=$jmhalaman; $i++){
if ($i == $shalaman_aktif){
$link_halaman .= "<b>$i</b> | ";
}
else{
$link_halaman .= "<a href=halproduk-$i.html>$i</a> | ";
}
}
$link_halaman .= " ";
}

```

```

return $link_halaman;
}
}

echo "<h2>100 Places to Go before You Die</h2>";
echo "<div id='tour'>
    <div id='content-detail'>";
        $p = new Paging2;
        $batas = 4;
        $posisi = $p->cariPosisi($batas);

        $sql=mysql_query("select * from heritage ORDER BY
id_heritage DESC");

        echo"<div id=protour>";
        while($r=mysql_fetch_array($sql)){
            echo "<table width=800>
                <tr>
                    <td rowspan=2 width=200><p><img
src='foto_extra/$r[gambar_1h]' width=200 height=100></p></td>
                    <td colspan=2><font face='calibri'
color='#33CC99' size=5px>$r[judul_heritage]</font>
                    <font color='#FFFF66'
size=2px><i><u><a
href=travel.php?module=detailheritage&id=$r[id_heritage]> read
more</a></u></i></font><br/>";
                $isi_heritage = htmlentities(strip_tags($r[isi_heritage])); // membuat
paragraf pada isi berita dan mengabaikan tag html
                $sisi = substr($isi_heritage,0,300); // ambil sebanyak 150 karakter
                $sisi = substr($isi_heritage,0, strrpos($sisi, " ")); // potong per spasi kalimat

```

```

                echo "                <font color=black
size=2px>$isi</font></td></tr>";
                echo " <tr></tr>";
                echo " </table>";
            }
        echo "</div>
</div>
</div>";
?>

```

- Detailheritage.php

```

<?php
$server = "localhost";
$username = "root";
$password = "";
$databse = "xxx";

// Koneksi dan memilih database di server
mysql_connect($server,$username,$password) or die("Koneksi gagal");
mysql_select_db($databse) or die("Database tidak bisa dibuka");

$detail=mysql_query("SELECT * FROM heritage where
id_heritage='$_GET[id]");
$d = mysql_fetch_array($detail);

echo "<div id=protour>
        <div id='detailtour'>
        <div id='content-detail'>";

echo "<h2>$d[judul_heritage]</h2>";

```

```

    if ($d[gambar_1h]!=""){
        echo "<p><span class=image><img
src='foto_extra/$d[gambar_1h]' border=0 width=333
height=158></span></p>";
    }

    $isi_heritage=nl2br($d[deskripsi_isi]);
    echo "<p align ='justify'><font color='black'
size=2px>$d[isi_heritage]</font></p> <br />";
    echo "";

    $pisah_kata = explode(",",$d[tag]);
    $jml_katakan = (integer)count($pisah_kata);

    $jml_kata = $jml_katakan-1;
    $ambil_id = substr($_GET[id],0,4);
    echo"<a href=travel.php?module=heritage>Back</a><br><br>";
    echo"</div></div></div>";
    ?>

```

- Contactus.html

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />
<meta http-equiv="imagetoolbar" content="no" />
<title>Royale | Contact Us</title>

```

```

<link rel="stylesheet" href="styles/layout.css" type="text/css" />
<script src="jquery/jquery-1.4.js" type="text/javascript"></script>
</head>

<body id="top">
<div class="wrapper col1">
  <div id="topbar">

  </div>
</div>
<div class="wrapper col2">
  <div id="header">
    <div id="logo">
      <h1><a href="#">Royale Tours</a></h1>
      <p>we serve you the world</p>
    </div>
    <ul id="topnav">
      <li class="last"><a href="#">contact us</a></li>
      <li><a href="travel.php?module=hotels">travel!</a>
        <ul>
          <li><a href="travel.php?module=hotels">hotels and flights</a></li>
          <li><a href="travel.php?module=tours">tours packages</a></li>
          <li><a href="travel.php?module=heritage">world heritages</a></li>
        </ul>
      </li>
      <li class="active"><a href="gallery.php">memorized</a></li>
      <li><a href="forum.php?module=isiforum">story-sharing</a></li>
      <li><a href="index.php">home</a></li>
    </ul>
    <br class="clear" />
  </div>

```

</div>

<!----- END of NAVIGATION BAR ----->

<div class="wrapper col5">

<div id="container">

<h2> Contact Our Staff </h2>

<p align="left">

R o y a l e Tour &
Travel

Jalan Kopo Sari II no 10 Bandung,
West Java, Indonesia

 Main Line : 6222-5418633
 Fax : 6222-5403386
Email : booking@royaletour.com

</p>

<p align="left">

Opening Hours

Moday to Friday : 9.00 am - 5.00 pm

Saturday : 9.00 pm - 2.00 pm

Sunday & Public Holidays : Closed

 </div>

</div>

<!-----END OF CONTAIN----->

<div class="wrapper col7">

```

<div id="copyright">
  <ul>
    <li><a href="#">Contact Us </a></li>
    <li class="last"><a href="#">R o y a l e - Tour & Travel | by Astrid
Verina 0727023 </a></li>
  </ul>
  <p>Template by <a href="http://www.os-templates.com/" title="Free
Website Templates">OS Templates</a></p>
  <div class="clear"></div>
</div>
</div>
</body>
</html>

```

- Index.php (admin)

```

<html>
<head>
<title></title>
<link href="style.css" rel="stylesheet" type="text/css" />
</head>
<body>
<div id="header">
  <div id="content">
    <h2>Login</h2>
    
    <form method="POST" action="cek_login.php">
  <table>

```



```

<tr><td>Username</td><td>          :          <input          type="text"
name="username"></td></tr>
<tr><td>Password</td><td>          :          <input          type="password"
name="password"></td></tr>
<tr><td colspan="2"><input type="submit" value="Login"></td></tr>
</table>
</form>

```

```

<p>&nbsp;</p>

```

```

</div>

```

```

<div id="footer">

```

```

          Copyright &copy; 2012 by Astrid Verina

```

```

</div>

```

```

</div>

```

```

</body>

```

```

</html>

```

- Cek_login.php

```

<?php

```

```

include "../config/koneksi.php";

```

```

function antiinjection($data){

```

```

    $filter_sql

```

```

    =

```

```

    mysql_real_escape_string(stripslashes(strip_tags(htmlspecialchars($data,ENT
_QUOTES))));

```

```

    return $filter_sql;

```

```

}

```

```

$username = antiinjection($_POST[username]);

```

```

$password = antiinjection(md5($_POST[password]));

```

```

$login=mysql_query("SELECT * FROM admins WHERE
username='$username' AND password='$pass' AND blokir='N'");
$ketemu=mysql_num_rows($login);
$r=mysql_fetch_array($login);

// Apabila username dan password ditemukan
if ($ketemu > 0){
    session_start();
    session_register("namauser");
    session_register("namalengkap");
    session_register("passuser");
    session_register("leveluser");

    $_SESSION[namauser] = $r[username];
    $_SESSION[namalengkap] = $r[nama_lengkap];
    $_SESSION[passuser] = $r[password];
    $_SESSION[leveluser] = $r[level];

    header('location:media.php?module=home');
}
else{
    echo "<link href=../config/adminstyle.css rel=stylesheet type=text/css>";
    echo "<center>LOGIN GAGAL! <br>
        Username atau Password Anda tidak benar.<br>
        Atau account Anda sedang diblokir.<br>";
    echo "<a href=index.php><b>ULANGI LAGI</b></a></center>";
}
?>

```

- Media.php

```

<?php
session_start();

if (empty($_SESSION[username]) AND empty($_SESSION[passuser])){
    echo "<link href='style.css' rel='stylesheet' type='text/css'>
    <center><br>";
    echo "To Access Page, Please <a href=index.php><b>LOGIN</b></a>.
    Thank You</center>";
}
else{
?>

<html>
<head>
<title></title>

<link href="style.css" rel="stylesheet" type="text/css" />
</head>
<body>
<div id="header">
    <div id="menu">
        <ul>
            <li><a href=?module=home>&#187; Home</a></li>
            <?php include "menu.php"; ?>
            <li><a href=logout.php>&#187; Logout</a></li>
        </ul>
        <p>&nbsp;</p>
    </div>

```

```

<div id="content">
    <?php include "content.php"; ?>
</div>

<div id="footer">
    Copyright &copy; 2012 by Astrid Verina
</div>
</div>
</body>
</html>
<?php
}
?>

```

- Menu.php

```

<?php
include "../config/koneksi.php";

if ($_SESSION[leveluser]=='admin'){
    $sql=mysql_query("select * from modul where aktif='Y' order by urutan");
}
while ($m=mysql_fetch_array($sql)){
    echo "<li><a href='$m[link]'>#187; $m[nama_modul]</a></li>";
}
?>

```

- Content.php

```

<?php

```

```
include "../config/koneksi.php";
include "../config/class_paging.php";

// Bagian Home
if ($_GET[module]=='home'){
    echo "<h2>Welcome</h2>
        <p>Hello <b>$_SESSION[namalengkap]</b>, welcome to the
        administrator page.<br> Click the menu options at the left side to manage the
        content of the website. Thank You. </p>

        <p>&nbsp;</p><p>&nbsp;</p><p>&nbsp;</p><p>&nbsp;</p><p>&nbsp;</p><p>&nbsp;</p><p>&nbsp;</p> ";
    }
// Bagian Modul
elseif ($_GET[module]=='modul'){
    include "modul/mod_modul/modul.php";
}

// Bagian Artikel
elseif ($_GET[module]=='artikel'){
    include "modul/mod_artikel/artikel.php";
}

// Bagian Photo
elseif ($_GET[module]=='foto'){
    include "modul/mod_foto/foto.php";
}

// Bagian Tour
elseif ($_GET[module]=='tour'){
    include "modul/mod_tour/tour.php";
}
```

```

}

// Bagian Hotel
elseif ($_GET[module]=='hotel'){
    include "modul/mod_hotel/hotel.php";
}
// Bagian Flight
elseif ($_GET[module]=='flight'){
    include "modul/mod_flight/flight.php";
}

// Bagian Heritage
elseif ($_GET[module]=='heritage'){
    include "modul/mod_heritage/heritage.php";
}

// Bagian Member
elseif ($_GET[module]=='member'){
    include "modul/mod_member/member.php";
}
// Apabila modul tidak ditemukan
else{
    echo    "<p><b>MODUL    BELUM    ADA    ATAU    BELUM
LENGKAP</b></p>";
}
?>

```

- Artikel.php

```
<?php
```

```

$aksi="modul/mod_artikel/aksi_artikel.php";
switch($_GET[act]){
    // Tampil Berita
    default:
        echo "<h2>Story Sharing</h2>
            <table>
                <tr><th>No</th><th>Judul</th><th>Tgl.
posting</th><th>Status</th><th>Aksi</th></tr>";

    $p    = new Paging;
    $batas = 10;
    $posisi = $p->cariPosisi($batas);

    if ($_SESSION[leveluser]=='admin'){
        $stampil = mysql_query("SELECT * FROM forum ORDER BY id_artikel
DESC LIMIT $posisi,$batas");
    }

    $no = $posisi+1;
    while($r=mysql_fetch_array($stampil)){
        echo "<tr><td>$no</td>
            <td>$r[judul]</td>
            <td>$r[tgl_post]</td>
                <td>$r[aktif]</td>
                    <td><a
href=?module=artikel&act=editartikel&id=$r[id_artikel]>Edit</a> |
                        <a
href='$aksi?module=artikel&act=hapus&id=$r[id_artikel]'>Hapus</a></td>
                </tr>";

        $no++;
    }

```

```

echo "</table>";

if ($_SESSION[leveluser]=='admin'){
    $jmldata = mysql_num_rows(mysql_query("SELECT * FROM forum"));
}
$jmlhalaman = $p->jumlahHalaman($jmldata, $batas);
$linkHalaman = $p->navHalaman($_GET[halaman], $jmlhalaman);

echo "<div id=paging>Page : $linkHalaman</div><br>";

break;

case "editartikel":
    $edit = mysql_query("SELECT * FROM forum WHERE
id_artikel=$_GET[id]");
    $r = mysql_fetch_array($edit);

    echo "<h2>Edit Forum</h2>
<form method=POST enctype='multipart/form-data'
action=$aksi?module=artikel&act=update>
<input type=hidden name=id value=$r[id_artikel]>
<table>
<tr><td width=70>Judul</td> <td> : <input type=text name='judul'
size=60 value='$r[judul]'></td></tr>";

    echo "<tr><td width=70>Pengirim</td> <td> : <label>$r[nama] -
$r[tgl_post]</label></td></tr>";
    echo "<tr><td width=70>Email Pengirim</td> <td> :
<label>$r[email]</label></td></tr>";
    echo "<tr><td>Isi Artikel</td><td> <textarea name='isi_artikel'
style='width: 600px; height: 350px;'>$r[isi_artikel]</textarea></td></tr> ";

```



```

        if ($r[aktif]=='Y'){
            echo "<tr><td>Aktif</td> <td> : <input type=radio name='aktif' value='Y'
checked>Y
                                <input    type=radio    name='aktif'    value='N'>
N</td></tr>";
        }
        else{
            echo  "<tr><td>Aktif</td> <td> : <input  type=radio  name='aktif'
value='Y'>Y
                                <input    type=radio    name='aktif'    value='N'
checked>N</td></tr>";
        }

        echo "<tr><td colspan=2><input type=submit value=Update>
                                <input          type=button          value=Batal
onclick=self.history.back()></td></tr>
        </table></form>";
        break;
    }
?>

```

- Aksi_artikel.php

```

<?php
session_start();
include ".././././config/koneksi.php";
include ".././././config/library.php";
include ".././././config/fungsi_thumb.php";

```

```

$module=$_GET[module];
$sact=$_GET[act];

// Hapus berita
if ($module=='artikel' AND $sact=='hapus'){
    mysql_query("DELETE FROM forum WHERE id_artikel='".$_GET[id]");
    header('location:../../media.php?module='.$module);
}

// Update berita
elseif ($module=='artikel' AND $sact=='update'){
    mysql_query("UPDATE forum SET judul          = '".$_POST[judul]',
                isi_artikel = '".$_POST[isi_artikel]',
                aktif       = '".$_POST[aktif]'
                WHERE id_artikel = '".$_POST[id]");
    header('location:../../media.php?module='.$module);
}
?>

```

- Modul.php

```

<?php
$saksi="modul/mod_modul/aksi_modul.php";
switch($_GET[act]){
    // Tampil Modul
    default:
        echo "<h2>Modul</h2>
            <input          type=button          value='Tambah          Modul'
            onclick=\"window.location.href='?module=modul&act=tambahmodul';\">

```

```

<table>
  <tr><th>no</th><th>nama
modul</th><th>link</th><th>aktif</th><th>aksi</th></tr>";
  $stampil=mysql_query("SELECT * FROM modul ORDER BY urutan");
  while ($r=mysql_fetch_array($stampil)){
    echo "<tr><td>$r[urutan]</td>
      <td>$r[nama_modul]</td>
      <td><a href=$r[link]>$r[link]</a></td>
      <td align=center>$r[aktif]</td>
      <td><a
href=?module=modul&act=editmodul&id=$r[id_modul]>Edit</a> |
      <a
href=$aksi?module=modul&act=hapus&id=$r[id_modul]>Hapus</a>
      </td></tr>";
  }
  echo "</table>";
  break;

case "tambahmodul":
  echo "<h2>Tambah Modul</h2>
  <form method=POST action='$aksi?module=modul&act=input'>
  <table>
  <tr><td>Nama Modul</td> <td> : <input type=text
name='nama_modul'></td></tr>
  <tr><td>Link</td> <td> : <input type=text name='link'
size=30></td></tr>
  <tr><td>Aktif</td> <td> : <input type=radio name='aktif' value='Y'
checked>Y
  <input type=radio name='aktif' value='N'>N
  </td></tr>
  <tr><td colspan=2><input type=submit value=Simpan>

```

```

                <input                type=button                value=Batal
onclick=self.history.back()></td></tr>
        </table></form>";
    break;

    case "editmodul":
        $edit = mysql_query("SELECT * FROM modul WHERE
id_modul='$_GET[id]'");
        $r = mysql_fetch_array($edit);

        echo "<h2>Edit Modul</h2>
        <form method=POST action=$aksi?module=modul&act=update>
        <input type=hidden name=id value='$r[id_modul]'>
        <table>
        <tr><td>Nama Modul</td> <td> : <input type=text
name='nama_modul' value='$r[nama_modul]'></td></tr>
        <tr><td>Link</td> <td> : <input type=text name='link' size=30
value='$r[link]'></td></tr>";
        if ($r[aktif]=='Y'){
            echo "<tr><td>Aktif</td> <td> : <input type=radio name='aktif' value='Y'
checked>Y
                <input type=radio name='aktif' value='N'>
N</td></tr>";
        }
        else{
            echo "<tr><td>Aktif</td> <td> : <input type=radio name='aktif'
value='Y'>Y
                <input type=radio name='aktif' value='N'
checked>N</td></tr>";
        }
    }
}

```

```

        echo "<tr><td>Urutan</td>          <td> : <input type=text name='urutan'
size=1 value='\$r[urutan]'"></td></tr>
        <tr><td colspan=2><input type=submit value=Update>
                <input                type=button                value=Batal
onclick=self.history.back()></td></tr>
        </table></form>";
    break;
}
?>

```

- Aksi_modul.php

```

<?php
session_start();
include "../config/koneksi.php";

$module=$_GET[module];
$act=$_GET[act];

// Hapus modul
if ($module=='modul' AND $act=='hapus'){
    mysql_query("DELETE FROM modul WHERE id_modul='$_GET[id]'");
    header('location:../media.php?module='.$module);
}

// Input modul
elseif ($module=='modul' AND $act=='input'){
    // Cari angka urutan terakhir
    $u=mysql_query("SELECT urutan FROM modul ORDER by urutan
DESC");

```

```

$d=mysql_fetch_array($u);
$urutan=$d[urutan]+1;

// Input data modul
mysql_query("INSERT INTO modul(nama_modul,
                                link,
                                aktif,
                                urutan)
            VALUES('$_POST[nama_modul]',
                    '$_POST[link]',
                    '$_POST[aktif]',
                    '$urutan)");
header('location:../../media.php?module='.$module);
}

// Update modul
elseif ($module=='modul' AND $act=='update'){
mysql_query("UPDATE      modul      SET      nama_modul      =
'$_POST[nama_modul]',
            link      = '$_POST[link]',
            aktif      = '$_POST[aktif]',
            urutan      = '$_POST[urutan]'
            WHERE id_modul = '$_POST[id]'");
header('location:../../media.php?module='.$module);
}
?>

```

- Foto.php

```
<?php
```

```

include "../config/fungsi_indotgl.php";
$aksi="modul/mod_foto/aksi_foto.php";
switch($_GET[act]){
  // Tampil foto
  default:
    echo "<h2>Foto</h2>";
    <input type=button value='Tambah Foto'
onclick=location.href=?module=foto&act=tambahfoto'>
    <table>
    <tr><th>No</th><th>Title</th><th>Gambar</th><th>Posting
Date</th><th>Action</th></tr>";

    $p = new Paging;
    $batas = 5;
    $posisi = $p->cariPosisi($batas);

    if ($_SESSION[leveluser]=='admin'){
      $stampil = mysql_query("SELECT * FROM foto ORDER BY id_foto
DESC LIMIT $posisi,$batas");
    }
    else{
      $stampil=mysql_query("SELECT * FROM foto
      WHERE username='$_SESSION[namauser]'
      ORDER BY id_foto DESC LIMIT $posisi,$batas");
    }

    $no= $posisi+1;
    while ($r=mysql_fetch_array($stampil)){
      $tgl=tgl_indo($r[tgl_posting]);
      echo "<tr><td>$no</td>
      <td>$r[judul]</td>";

```

```

        <td><img src='../images/small_{$r[gambar]}'></td>
        <td>{$tgl}</td>
        <td><a href=?module=foto&act=editfoto&id={$r[id_foto]}>Edit</a>
|
        <a
href={$aksi?module=foto&act=hapus&id={$r[id_foto]}>Hapus</a>
        </tr>";
$no++;
}
echo "</table>";

if ($_SESSION[leveluser]=='admin'){
    $jmldata = mysql_num_rows(mysql_query("SELECT * FROM foto"));
}
else{
    $jmldata = mysql_num_rows(mysql_query("SELECT * FROM foto
WHERE username='$_SESSION[namauser]"));
}
$jmlhalaman = $p->jumlahHalaman($jmldata, $batas);
$linkHalaman = $p->navHalaman($_GET[halaman], $jmlhalaman);

echo "<div id=paging>Hal: $linkHalaman</div><br>";

break;

case "tambahfoto":
    echo "<h2>Tambah Foto</h2>
        <form method=POST action='{$aksi?module=foto&act=input'
enctype='multipart/form-data'>
        <table>

```



```

        <tr><td>Judul</td><td>      : <input  type=text  name='judul'
size=30></td></tr>
        <tr><td>Gambar</td><td>    : <input  type=file  name='fupload'
size=40></td></tr>
        <tr><td colspan=2><input type=submit value=Simpan>
                <input                type=button                value=Batal
onclick=self.history.back()></td></tr>
    </table></form><br><br><br>";
    break;

case "editfoto":
    $edit = mysql_query("SELECT * FROM foto WHERE
id_foto='$_GET[id]'");
    $r = mysql_fetch_array($edit);

    echo "<h2>Edit Foto</h2>
        <form          method=POST          enctype='multipart/form-data'
action=$aksi?module=foto&act=update>
        <input type=hidden name=id value=$r[id_foto]>
        <table>
        <tr><td>Judul</td><td>      : <input type=text name='judul' size=30
value='$r[judul]'"></td></tr>
        <tr><td>Gambar</td><td>          <img src='../images/$r[gambar]'
width=300 height=180></td></tr>
        <tr><td>Ganti Gbr</td><td>    : <input type=file name='fupload'
size=30> *)</td></tr>
        <tr><td colspan=2>*) Apabila gambar tidak diubah, dikosongkan
saja.</td></tr>
        <tr><td colspan=2><input type=submit value=Update>
                <input                type=button                value=Batal
onclick=self.history.back()></td></tr>

```

```

        </table></form>";
    break;
}
?>

```

- Aksi_foto.php

```

<?php
include "../../config/koneksi.php";
include "../../config/fungsi_thumb.php";
include "../../config/library.php";

$module=$_GET[module];
$act=$_GET[act];

// Hapus Foto
if ($module=='foto' AND $act=='hapus'){
    mysql_query("DELETE FROM foto WHERE id_foto=$_GET[id]");
    header('location:../media.php?module='.$module);
}

// Input foto
elseif ($module=='foto' AND $act=='input'){
    $lokasi_file = $_FILES['fupload']['tmp_name'];
    $nama_file = $_FILES['fupload']['name'];

    // Apabila ada gambar yang diupload
    if (!empty($lokasi_file)){
        Uploadbanner($nama_file);
        mysql_query("INSERT INTO foto(judul,

```

```

        tgl_posting,
        gambar)
VALUES('$_POST[judul]',

        '$tgl_sekarang',
        '$nama_file');
}
else{
    mysql_query("INSERT INTO foto(judul,
        tgl_posting)
        VALUES('$_POST[judul]',
        '$tgl_sekarang')");
}
header('location:../../media.php?module='.$module);
}

// Update foto
elseif ($module=='foto' AND $act=='update'){
    $lokasi_file = $_FILES['fupload']['tmp_name'];
    $nama_file = $_FILES['fupload']['name'];

    // Apabila gambar tidak diganti
    if (empty($lokasi_file)){
        mysql_query("UPDATE foto SET judul = '$_POST[judul]'

                WHERE id_foto = '$_POST[id]");
    }
    else{
        Uploadbanner($nama_file);
        mysql_query("UPDATE foto SET judul = '$_POST[judul]',

```

```

        gambar = '$nama_file'
        WHERE id_foto = '$_POST[id]");
    }
    header('location:../../media.php?module='.$module);
}
?>

```

- Tour.php

```

<?php
include "../config/fungsi_indotgl.php";
$aksi="modul/mod_tour/aksi_tour.php";
switch($_GET[act]){
    // Tampil Tour
    default:
        echo "<h2>Tour Packages</h2>
            <input type=button value='Tambah Tour'
onclick=\"window.location.href=?module=tour&act=tambahtour;\">
            <table>
            <tr><th>No</th><th>Judul
Tour</th><th>Benua</th><th>Edit</th></tr>";

        $p = new Paging;
        $batas = 10;
        $posisi = $p->cariPosisi($batas);

        if ($_SESSION[leveluser]=='admin'){
            $stampil = mysql_query("SELECT * FROM tour ORDER BY id_tour
DESC LIMIT $posisi,$batas");
        }

```

```

else{
    $stampil=mysql_query("SELECT * FROM tour
        WHERE username='$_SESSION[namauser]'
        ORDER BY id_tour DESC LIMIT $posisi,$batas");
}

$no = $posisi+1;
while($r=mysql_fetch_array($stampil)){
    $tgl_posting=tgl_indo($r[tanggal]);
    echo "<tr><td>$no</td>
        <td>$r[judul_tour]</td>
        <td>$r[benua]</td>
        <td><a
href=?module=tour&act=edittour&id=$r[id_tour]>Edit</a> | <a
href='print.php?id=$r[id_tour]>Print</a> |
        <a
href='$aksi?module=tour&act=hapus&id=$r[id_tour]>Hapus</a>
        </td>
    </tr>";
    $no++;
}
echo "</table>";

if ($_SESSION[leveluser]=='admin'){
    $jmldata = mysql_num_rows(mysql_query("SELECT * FROM tour"));
}
else{
    $jmldata = mysql_num_rows(mysql_query("SELECT * FROM tour
WHERE username='$_SESSION[namauser]'"));
}
$jmlhalaman = $p->jumlahHalaman($jmldata, $batas);

```

```

$linkHalaman = $p->navHalaman($_GET[halaman], $jmlhalaman);

echo "<div id=paging>Hal: $linkHalaman</div><br>";

break;

case "tambahtour":
    echo "<h2>Tambah Tour</h2>
        <form method=POST action='$Saksi?module=tour&act=input'
enctype='multipart/form-data'>
        <table>
            <tr><td width=70>Judul Tour</td> <td> : <input type=text
name='judul' size=40></td></tr>
            <tr><td width=70>Negara</td> <td> : <input type=text
name='negara' size=60></td></tr>
            <tr><td width=70>Benua</td> <td> : <input type=text
name='benua' size=20></td></tr>
            <tr><td width=70>Waktu</td> <td> : <input type=text
name='waktu' size=10></td></tr>
            <tr><td>Detail Tour</td> <td> <textarea name='detail'
style='width: 600px; height: 250px;'></textarea></td></tr>
            <tr><td>Gambar</td> <td> : <input type=file name='fupload'
size=40>
                <br>Tipe gambar harus JPG/JPEG</td></tr>
            <tr><td width=70>Harga</td> <td> : <input type=text
name='harga' size=10>
                Tax/ Fuel : <input type=text name='tax' size=10>
                Negara Visa : <input type=text name='visa' size=10>
                Biaya Visa : <input type=text name='biayavisa'
size=10></td>
            </tr>
        </table>
    </form>

```

```
<tr><td width=70>Rute Penerbangan</td> <td> : <input
type=text name='pesawat' size=50></td></tr>
```

```
<tr><td width=70>Akomodasi</td> <td> : <input type=text
name='hotel' size=100></td></tr>
```

```
<tr><td width=70>Extra</td> <td> : <input type=text
name='extra' size=100></td></tr>
```

```
<tr><td colspan=2><input type=submit value=Simpan>
<input type=button value=Batal
onclick=self.history.back()></td></tr>
```

```
</table></form>";
```

```
break;
```

```
case "edittour":
```

```
$edit = mysql_query("SELECT * FROM tour WHERE
id_tour='$_GET[id]'");
```

```
$r = mysql_fetch_array($edit);
```

```
echo "<h2>Edit Tour</h2>
```

```
<form method=POST enctype='multipart/form-data'
action='$aksi?module=tour&act=update'>
```

```
<input type=hidden name=id value=$r[id_tour]>
```

```
<table>
```

```
<tr><td width=70>Judul Tour</td> <td> : <input type=text
name='judul' size=40 value='$r[judul_tour]'></td></tr>
```

```
<tr><td width=70>Negara</td> <td> : <input type=text
name='negara' size=60 value='$r[negara]'></td></tr>
```

```
<tr><td width=70>Benua</td> <td> : <input type=text
name='benua' size=60 value='$r[benua]'></td></tr>
```

```

        <tr><td width=70>Waktu</td>          <td> : <input type=text
name='waktu' size=10 value='$r[waktu_tour]'></td></tr>
    <tr><td>Detail Tour</td><td> <textarea name='detail' style='width:
600px; height: 350px;'>$r[deskripsi_tour]</textarea></td></tr>
    <tr><td>Gambar</td>    <td> : ";
    if ($r[gambar_tour]!="){
        echo "<img src='../foto_tour/small_&#x27;gambar_tour]'>";
    }
    echo "</td></tr>
    <tr><td>Ganti Gambar</td>    <td> : <input type=file name='fupload'
size=30> *)</td></tr>
    <tr><td colspan=2>*) Apabila gambar tidak diubah, dikosongkan
saja.</td></tr>";
    echo "<tr><td width=70>Harga</td>          <td> : <input type=text
name='harga' size=20 value='$r[harga]'>
                                Tax/ Fuel : <input type=text
name='tax' size=10 value='$r[tax]'>
                                Negara Visa : <input type=text
name='visa' size=10 value='$r[visa]'>
                                Biaya Visa : <input type=text
name='biayavisa' size=10 value='$r[visa_biaya]'>
    </td></tr>";
    echo "<tr><td width=70>Rute Penerbangan</td> <td> : <input type=text
name='pesawat' size=50 value='$r[tiket]'></td></tr>
        <tr><td width=70>Akomodasi</td> <td> : <input type=text
name='hotel' size=100 value='$r[hotel]'></td></tr>";
    echo "<tr><td width=70>Extra</td>          <td> : <input type=text
name='extra' size=100 value='$r[extra]'></td></tr>";

    echo "<tr><td colspan=2><input type=submit value=Update>

```



```

                <input                type=button                value=Batal
onclick=self.history.back()></td></tr>
        </table></form>";
        break;
    }
?>

```

- Aksi_tour.php

```

<?php
session_start();
include "../../config/koneksi.php";
include "../../config/fungsi_thumb.php";
include "../../config/library.php";

$module=$_GET[module];
$act=$_GET[act];

// Hapus Tour
if ($module=='tour' AND $act=='hapus'){
    mysql_query("DELETE FROM tour WHERE id_tour='".$_GET[id]");
    header('location:../media.php?module='.$module);
}

// Input Tour
elseif ($module=='tour' AND $act=='input'){
    $lokasi_file = $_FILES['fupload']['tmp_name'];
    $tipe_file = $_FILES['fupload']['type'];
    $nama_file = $_FILES['fupload']['name'];
    $acak = rand(1,99);

```

```

$nama_file_unik = $acak.$nama_file;

// Apabila ada gambar yang diupload
if (!empty($lokasi_file)){
    UploadTour($nama_file_unik);

    mysql_query("INSERT INTO tour(judul_tour, negara, benua, waktu_tour,
deskripsi_tour, gambar_tour, harga, tax, visa, visa_biaya, tiket, hotel, extra)
                VALUES('$_POST[judul]',
                        '$_POST[negara]',
                                '$_POST[benua]',
                                '$_POST[waktu]',
                                '$_POST[detail]',
                        '$nama_file_unik',
                                '$_POST[harga]',
                                '$_POST[tax]',
                                '$_POST[visa]',
                                '$_POST[biayavisa]',
                                '$_POST[pesawat]',
                                '$_POST[hotel]',
                                '$_POST[extra]')");
}
else{
    mysql_query("INSERT INTO tour(judul_tour,
                                negara,
                                benua,
                                waktu_tour,
                                deskripsi_tour,

```

```

                                harga,
                                tax,
                                visa,
                                visa_biaya,
                                tiket,
                                hotel,
                                extra)
VALUES('$_POST[judul]',
                                '$_POST[negara]',
                                '$_POST[benua]',
                                '$_POST[waktu]',
                                '$_POST[detail]',
                                '$_POST[harga]',
                                '$_POST[tax]',
                                '$_POST[visa]',
                                '$_POST[biayavisa]',
                                '$_POST[pesawat]',
                                '$_POST[hotel]',
                                '$_POST[extra]');
}

header('location:../../media.php?module='.$module);
}

// Update tour
elseif ($module=='tour' AND $act=='update'){
    $lokasi_file = $_FILES['fupload']['tmp_name'];
    $tipe_file   = $_FILES['fupload']['type'];
    $nama_file   = $_FILES['fupload']['name'];

```

```

$acak          = rand(1,99);
$nama_file_unik = $acak.$nama_file;

// Apabila gambar tidak diganti
if (empty($lokasi_file)){
    mysql_query("UPDATE tour SET  judul_tour = '$_POST[judul]',
                                negara      = '$_POST[negara]',
                                benua      = '$_POST[benua]',
                                waktu_tour = '$_POST[waktu]',
                                deskripsi_tour = '$_POST[detail]',
                                harga     = '$_POST[harga]',
                                tax       = '$_POST[tax]',
                                visa      = '$_POST[visa]',
                                visa_biaya = '$_POST[biayavisa]',
                                tiket     = '$_POST[pesawat]',
                                hotel     = '$_POST[hotel]',
                                extra     = '$_POST[extra]'
                                WHERE id_tour = '$_POST[id]");
}
else{
    UploadTour($nama_file_unik);
    mysql_query("UPDATE tour SET  judul_tour = '$_POST[judul]',
                                negara      = '$_POST[negara]',
                                benua      = '$_POST[benua]',
                                waktu_tour = '$_POST[waktu]',
                                deskripsi_tour = '$_POST[detail]',
                                gambar_tour = '$nama_file_unik',
                                harga     = '$_POST[harga]',
                                tax       = '$_POST[tax]',

```

```

        visa          = '$_POST[visa]',
        visa_biaya    = '$_POST[biayavisa]',
        tiket         = '$_POST[pesawat]',
        hotel         = '$_POST[hotel]',
        extra         = '$_POST[extra]'

        WHERE id_tour = '$_POST[id]');
    }
    header('location:../media.php?module='.$module);
}
?>

```

- Hotel.php

```

<?php
include "../config/fungsi_indotgl.php";
$aksi="modul/mod_hotel/aksi_hotel.php";
switch($_GET[act]){
    // Tampil Tour
    default:
        echo "<h2>Hotels Promo</h2>
            <input type=button value='Tambah Promo'
onclick=\"window.location.href=?module=hotel&act=tambahhotel;\">
            <table>
            <tr><th>No</th><th>Nama
Hotel</th><th>Periode</th><th>Harga</th><th>Edit</th></tr>";

        $p = new Paging;
        $batas = 10;
        $posisi = $p->cariPosisi($batas);

```

```

if ($_SESSION[leveluser]=='admin'){
    $stampil = mysql_query("SELECT * FROM hotel ORDER BY id_hotel
DESC LIMIT $posisi,$batas");
}
else{
    $stampil=mysql_query("SELECT * FROM hotel
WHERE username='$_SESSION[namauser]'
ORDER BY id_hotel DESC LIMIT $posisi,$batas");
}

$no = $posisi+1;
while($r=mysql_fetch_array($stampil)){
    $tgl_posting=tgl_indo($r[tanggal]);
    echo "<tr><td>$no</td>
        <td>$r[nama_hotel]</td>
        <td>$r[periode_hotel]</td>
        <td>$r[harga_hotel]</td>
        <td><a
href=?module=hotel&act=edithotel&id=$r[id_hotel]>Edit</a> |
        <a
href='$aksi?module=hotel&act=hapus&id=$r[id_hotel]'>Hapus</a></td>
        </tr>";
    $no++;
}
echo "</table>";

if ($_SESSION[leveluser]=='admin'){
    $jmldata = mysql_num_rows(mysql_query("SELECT * FROM hotel"));
}
else{

```

```

    $jmldata = mysql_num_rows(mysql_query("SELECT * FROM hotel
WHERE username='$_SESSION[namauser]"));
}
$jmlhalaman = $p->jumlahHalaman($jmldata, $batas);
$linkHalaman = $p->navHalaman($_GET[halaman], $jmlhalaman);

echo "<div id=paging>Hal: $linkHalaman</div><br>";

break;

case "tambahhotel":
    echo "<h2>Tambah Promo</h2>
    <form method=POST action='$aksi?module=hotel&act=input'
enctype='multipart/form-data'>
    <table>
    <tr><td width=70>Nama Hotel</td> <td> : <input
type=text name='nama' size=40></td></tr>
    <tr><td width=70>Alamat Hotel</td> <td> : <input type=text
name='alamat' size=60></td></tr>
    <tr><td width=70>Periode</td> <td> : <input type=text
name='periode' size=40></td></tr>
    <tr><td width=70>Harga</td> <td> : <input
type=text name='harga' size=20></td></tr>
    <tr><td>Gambar</td> <td> : <input type=file
name='fupload' size=40></td></tr>
    <tr><td colspan=2><input type=submit value=Simpan>
    <input type=button value=Batal
onclick=self.history.back()></td></tr>
    </table></form>";

break;

```

```

case "edithotel":
    $edit = mysql_query("SELECT * FROM hotel WHERE
id_hotel='$_GET[id]'");
    $r = mysql_fetch_array($edit);

    echo "<h2>Edit Promo</h2>
        <form method=POST enctype='multipart/form-data'
action='$aksi?module=hotel&act=update'>
        <input type=hidden name=id value=$r[id_hotel]>
        <table>
        <tr><td width=70>Nama Hotel</td> <td> : <input type=text
name='nama' size=40 value=$r[nama_hotel]></td></tr>
        <tr><td width=70>Alamat Hotel</td> <td> : <input type=text
name='alamat' size=60 value=$r[alamat_hotel]></td></tr>
        <tr><td width=70>Periode</td> <td> : <input type=text
name='periode' size=40 value=$r[periode_hotel]></td></tr>
        <tr><td width=70>Harga</td> <td> : <input type=text
name='harga' size=20 value=$r[harga_hotel]></td></tr>
        <tr><td>Gambar</td> <td> : ";
        if ($r[foto_hotel]!="){
            echo "<img src='../foto_promo/small_$r[foto_hotel]'>";
        }
        echo "</td></tr>
        <tr><td>Ganti Gambar</td> <td> : <input type=file
name='fupload' size=30> *)</td></tr>
        <tr><td colspan=2>*) Apabila gambar tidak diubah, dikosongkan
saja.</td></tr>";

    echo "<tr><td colspan=2><input type=submit value=Update>

```



```

                <input                type=button                value=Batal
onclick=self.history.back()></td></tr>
        </table></form>";
        break;
    }
?>

```

- Aksi_hotel.php

```

<?php
session_start();
include "../../config/koneksi.php";
include "../../config/library.php";
include "../../config/fungsi_thumb.php";

$module=$_GET[module];
$act=$_GET[act];

// Hapus Hotel
if ($module=='hotel' AND $act=='hapus'){
    mysql_query("DELETE FROM hotel WHERE id_hotel='".$_GET[id]");
    header('location:../media.php?module='.$module);
}

// Input Hotel
elseif ($module=='hotel' AND $act=='input'){
    $lokasi_file = $_FILES['fupload']['tmp_name'];
    $tipe_file = $_FILES['fupload']['type'];
    $nama_file = $_FILES['fupload']['name'];

```

```

$acak      = rand(1,99);
$nama_file_unik = $acak.$nama_file;

// Apabila ada gambar yang diupload
if (!empty($lokasi_file)){
    UploadPromo($nama_file_unik);

    mysql_query("INSERT INTO hotel(nama_hotel, alamat_hotel,
periode_hotel, harga_hotel, foto_hotel)
                VALUES('$_POST[nama]',
                        '_POST[alamat]',
                        '_POST[periode]',
                        '_POST[harga]',
                        '$nama_file_unik)");
}
else{
    mysql_query("INSERT INTO hotel(nama_hotel, alamat_hotel,
periode_hotel, harga-hotel)
                VALUES('$_POST[nama]',
                        '_POST[alamat]',
                        '_POST[periode]',
                        '_POST[harga]");
}
header('location:../../media.php?module='.$module);
}

// Update tour
elseif ($module=='hotel' AND $act=='update'){
    $lokasi_file = $_FILES['fupload']['tmp_name'];

```

```

$tipe_file    = $_FILES['fupload']['type'];
$nama_file    = $_FILES['fupload']['name'];
$acak        = rand(1,99);
$nama_file_unik = $acak.$nama_file;

// Apabila gambar tidak diganti
if (empty($lokasi_file)){
    mysql_query("UPDATE hotel SET nama_hotel    = '$_POST[nama]',
                                alamat_hotel   = '$_POST[alamat]',
                                periode_hotel  = '$_POST[periode]',
                                harga_hotel    = '$_POST[harga]'
                                WHERE id_hotel  = '$_POST[id]'");
}
else{
    UploadPromo($nama_file_unik);
    mysql_query("UPDATE hotel SET nama_hotel    = '$_POST[nama]',
                                alamat_hotel   = '$_POST[alamat]',
                                periode_hotel  = '$_POST[periode]',
                                harga_hotel    = '$_POST[harga]',
                                foto_hotel     = '$nama_file_unik'
                                WHERE id_hotel  = '$_POST[id]'");
}
header('location:../media.php?module='.$module);
}
?>

```

- Flight.php

```

<?php
include "../config/fungsi_indotgl.php";

```

```

$aksi="modul/mod_flight/aksi_flight.php";
switch($_GET[act]){
    // Tampil Flight
    default:
        echo "<h2>Flights Promo</h2>
            <input type=button value='Tambah Promo'
onclick=\"window.location.href=?module=flight&act=tambahflight';\">
            <table>
            <tr><th>No</th><th>Nama
flight</th><th>Periode</th><th>Harga</th><th>Edit</th></tr>";

    $p = new Paging;
    $batas = 10;
    $posisi = $p->cariPosisi($batas);

    if ($_SESSION[leveluser]=='admin'){
        $stampil = mysql_query("SELECT * FROM flight ORDER BY id_flight
DESC LIMIT $posisi,$batas");
    }
    else{
        $stampil=mysql_query("SELECT * FROM flight
            WHERE username='$_SESSION[namauser]'
            ORDER BY id_flight DESC LIMIT $posisi,$batas");
    }

    $no = $posisi+1;
    while($r=mysql_fetch_array($stampil)){
        $tgl_posting=tgl_indo($r[tanggal]);
        echo "<tr><td>$no</td>
            <td>$r[nama_flight]</td>
            <td>$r[periode_flight]</td>

```

```

                <td>${harga_flight}</td>
            <td><a
href=?module=flight&act=editflight&id=${id_flight}>Edit</a> |
                <a
href='${saksi?module=flight&act=hapus&id=${id_flight}'}>Hapus</a></td>
            </tr>";
        $no++;
    }
    echo "</table>";

    if ($_SESSION[leveluser]=='admin'){
        $jmldata = mysql_num_rows(mysql_query("SELECT * FROM flight"));
    }
    else{
        $jmldata = mysql_num_rows(mysql_query("SELECT * FROM flight
WHERE username='${_SESSION[namauser]}"));
    }
    $jmlhalaman = $p->jumlahHalaman($jmldata, $batas);
    $linkHalaman = $p->navHalaman($_GET[halaman], $jmlhalaman);

    echo "<div id=paging>Hal: $linkHalaman</div><br>";

    break;

    case "tambahflight":
        echo "<h2>Tambah Promo</h2>
        <form method=POST action='${saksi?module=flight&act=input'
enctype='multipart/form-data'>
            <table>
                <tr><td width=70>Nama Airlines</td> <td> : <input type=text
name='nama' size=40></td></tr>

```

```

        <tr><td width=70>Tujuan</td>          <td>      :      <input
type=text name='tujuan' size=60></td></tr>
        <tr><td width=70>Periode</td>        <td>      : <input type=text
name='periode' size=40></td></tr>
        <tr><td width=70>Harga</td>          <td>      :      <input
type=text name='harga' size=20></td></tr>
        <tr><td>Gambar</td>                  <td>      : <input  type=file
name='fupload' size=40></td></tr>
        <tr><td colspan=2><input type=submit value=Simpan>
        <input          type=button          value=Batal
onclick=self.history.back()></td></tr>
    </table></form>";

```

```
break;
```

```
case "editflight":
```

```

    $edit = mysql_query("SELECT * FROM flight WHERE
id_flight='$_GET[id]'");

```

```
$r = mysql_fetch_array($edit);
```

```
echo "<h2>Edit Promo</h2>
```

```

    <form          method=POST          enctype='multipart/form-data'
action='$aksi?module=flight&act=update'>

```

```
    <input type=hidden name=id value=$r[id_flight]>
```

```
    <table>
```

```

        <tr><td width=70>Nama Airlines</td>    <td>      : <input type=text
name='nama' size=40 value='$r[nama_flight]'></td></tr>

```

```

        <tr><td width=70>Tujuan</td>          <td>      : <input
type=text name='tujuan' size=60 value='$r[tujuan]'></td></tr>

```

```

        <tr><td width=70>Periode</td>        <td>      : <input  type=text
name='periode' size=40 value='$r[periode_flight]'></td></tr>

```

```

        <tr><td width=70>Harga</td>      <td> : <input type=text
name='harga' size=20 value='{$r[harga_flight]}'></td></tr>
        <tr><td>Gambar</td>              <td> : ";
        if ($r[icon_flight]!="){
            echo "<img src='../foto_promo/small_{$r[icon_flight]}'>";
        }
        echo "</td></tr>
        <tr><td>Ganti Gambar</td>        <td> : <input type=file
name='fupload' size=30> *)</td></tr>
        <tr><td colspan=2>*) Apabila gambar tidak diubah, dikosongkan
saja.</td></tr>";

        echo "<tr><td colspan=2><input type=submit value=Update>
                <input                type=button                value=Batal
onclick=self.history.back()></td></tr>
        </table></form>";
        break;
    }
?>

```

- Aksi_flight.php

```

<?php
session_start();
include "../././config/koneksi.php";
include "../././config/library.php";
include "../././config/fungsi_thumb.php";

$module=$_GET[module];
$act=$_GET[act];

```

```

// Hapus flight
if ($module=='flight' AND $act=='hapus'){
    mysql_query("DELETE FROM flight WHERE id_flight='$_GET[id]'");
    header('location:../../media.php?module='.$module);
}

// Input flight
elseif ($module=='flight' AND $act=='input'){
    $lokasi_file = $_FILES['fupload']['tmp_name'];
    $stipe_file = $_FILES['fupload']['type'];
    $nama_file = $_FILES['fupload']['name'];
    $acak = rand(1,99);
    $nama_file_unik = $acak.$nama_file;

    // Apabila ada gambar yang diupload
    if (!empty($lokasi_file)){
        UploadPromo($nama_file_unik);

        mysql_query("INSERT INTO flight(nama_flight, tujuan, periode_flight,
harga_flight, icon_flight)
                VALUES('$_POST[nama]',
                        '$_POST[tujuan]',
                        '$_POST[periode]',
                        '$_POST[harga]',
                        '$nama_file_unik)");
    }
    else{
        mysql_query("INSERT INTO flight(nama_flight, tujuan, periode_flight,
harga-flight)
                VALUES('$_POST[nama]',
                        '$_POST[tujuan]',

```



```

        '$_POST[periode]',
        '$_POST[harga]');
    }
    header('location:../../media.php?module=.'.$module);
}

// Update tour
elseif ($module=='flight' AND $act=='update'){
    $lokasi_file = $_FILES['fupload']['tmp_name'];
    $tipe_file   = $_FILES['fupload']['type'];
    $nama_file   = $_FILES['fupload']['name'];
    $acak       = rand(1,99);
    $nama_file_unik = $acak.$nama_file;

    // Apabila gambar tidak diganti
    if (empty($lokasi_file)){
        mysql_query("UPDATE flight SET nama_flight = '$_POST[nama]',
                                tujuan           = '$_POST[tujuan]',
                                periode_flight = '$_POST[periode]',
                                harga_flight  = '$_POST[harga]'
                                WHERE id_flight = '$_POST[id]'");
    }
    else{
        UploadPromo($nama_file_unik);
        mysql_query("UPDATE flight SET nama_flight = '$_POST[nama]',
                                tujuan          = '$_POST[tujuan]',
                                periode_flight = '$_POST[periode]',
                                harga_flight  = '$_POST[harga]',
                                icon_flight   = '$nama_file_unik'
                                WHERE id_flight = '$_POST[id]'");
    }
}

```

```

    header('location:../../media.php?module='.$module);
}
?>

```

- Heritage.php

```

<?php
include "../config/fungsi_indotgl.php";
$aksi="modul/mod_heritage/aksi_heritage.php";
switch($_GET[act]){
    // Tampil Heritage
    default:
        echo "<h2>World's Heritage</h2>
            <input type=button value='Tambah Heritage'
onclick=\"window.location.href=?module=heritage&act=tambahheritage';\">
            <table>
            <tr><th>No</th><th>Judul Heritage</th><th>Tgl
Post</th><th>Edit</th></tr>";

    $p = new Paging;
    $batas = 10;
    $posisi = $p->cariPosisi($batas);

    if ($_SESSION[leveluser]=='admin'){
        $stampil = mysql_query("SELECT * FROM heritage ORDER BY
id_heritage DESC LIMIT $posisi,$batas");
    }
    else{
        $stampil=mysql_query("SELECT * FROM heritage
WHERE username='$_SESSION[namauser]'

```

```

ORDER BY id_heritage DESC LIMIT $posisi,$batas");
}

$no = $posisi+1;
while($r=mysql_fetch_array($stampil)){
    $tgl_posting=tgl_indo($r[tanggal]);
    echo "<tr><td>$no</td>
        <td>$r[judul_heritage]</td>
        <td>$r[tgl_post]</td>
        <td><a
href=?module=heritage&act=editheritage&id=$r[id_heritage]>Edit</a> |
        <a
href='$aksi?module=heritage&act=hapus&id=$r[id_heritage]>Hapus</a>
        </td>
    </tr>";

    $no++;
}
echo "</table>";

if ($_SESSION[leveluser]=='admin'){
    $jmldata = mysql_num_rows(mysql_query("SELECT * FROM
heritage"));
}
else{
    $jmldata = mysql_num_rows(mysql_query("SELECT * FROM heritage
WHERE username='$_SESSION[namauser]"));
}
$jmlhalaman = $p->jumlahHalaman($jmldata, $batas);
$linkHalaman = $p->navHalaman($_GET[halaman], $jmlhalaman);

echo "<div id=paging>Hal: $linkHalaman</div><br>";

```

```

break;

case "tambahheritage":
    echo "<h2>Tambah Heritage</h2>
        <form method=POST action='$saksi?module=heritage&act=input'
enctype='multipart/form-data'>
        <table>
            <tr><td width=70>Judul Heritage</td> <td> : <input type=text
name='judul' size=40></td></tr>
            <tr><td>Isi Heritage</td><td> <textarea name='detail' style='width:
600px; height: 250px;'></td></tr>
            <tr><td>Gambar</td> <td> : <input type=file name='fupload'
size=40>
                <br>Tipe gambar harus JPG/JPEG</td></tr>
            <tr><td colspan=2><input type=submit value=Simpan>
                <input type=button value=Batal
onclick=self.history.back()></td></tr>
        </table></form>";
break;

case "editheritage":
    $edit = mysql_query("SELECT * FROM heritage WHERE
id_heritage='$_GET[id]");
    $r = mysql_fetch_array($edit);

    echo "<h2>Edit Heritage</h2>
        <form method=POST enctype='multipart/form-data'
action='$saksi?module=heritage&act=update'>
        <input type=hidden name=id value=$r[id_heritage]>
        <table>

```

```

        <tr><td width=70>Judul Heritage</td>    <td> : <input type=text
name='judul' size=40 value='$r[judul_heritage]}'></td></tr>
        <tr><td>Isi Heritage </td><td> <textarea name='detail' style='width:
600px; height: 350px;'>$r[isi_heritage]</textarea></td></tr>
        <tr><td>Gambar</td>    <td> : ";
        if ($r[gambar_1h]!="){
            echo "<img src='../foto_extra/small_&#x27;r[gambar_1h]'>";
        }
        echo "</td></tr>
        <tr><td>Ganti Gambar</td>    <td> : <input type=file name='fupload'
size=30> *)</td></tr>
        <tr><td colspan=2>*) Apabila gambar tidak diubah, dikosongkan
saja.</td></tr>";

        echo "<tr><td colspan=2><input type=submit value=Update>
                <input                type=button                value=Batal
onclick=self.history.back()></td></tr>
        </table></form>";
        break;
    }
?>

```

- Aksi_heritage.php

```

<?php
session_start();
include "../../config/koneksi.php";
include "../../config/library.php";
include "../../config/fungsi_thumb.php";

```

```

$module=$_GET[module];
$sact=$_GET[act];

// Hapus heritage
if ($module=='heritage' AND $sact=='hapus'){
    mysql_query("DELETE FROM heritage WHERE
id_heritage=$_GET[id]");
    header('location:../media.php?module='.$module);
}

// Input heritage
elseif ($module=='heritage' AND $sact=='input'){
    $lokasi_file = $_FILES['fupload']['tmp_name'];
    $tipe_file = $_FILES['fupload']['type'];
    $nama_file = $_FILES['fupload']['name'];
    $acak = rand(1,99);
    $nama_file_unik = $acak.$nama_file;

// Apabila ada gambar yang diupload
if (!empty($lokasi_file)){
    UploadHeritage($nama_file_unik);

    mysql_query("INSERT INTO heritage(judul_heritage, isi_heritage,
gambar_1h)
VALUES('$_POST[judul]',
'$_POST[detail]',
'$nama_file_unik')");
}
else{
    mysql_query("INSERT INTO heritage(judul_heritage, isi_heritage)

```

```

VALUES('$_POST[judul]',
        '$_POST[detail]");
}
header('location:../../media.php?module='.$module);
}

// Update heritage
elseif ($module=='heritage' AND $act=='update'){
    $lokasi_file = $_FILES['fupload']['tmp_name'];
    $tipe_file   = $_FILES['fupload']['type'];
    $nama_file   = $_FILES['fupload']['name'];
    $acak       = rand(1,99);
    $nama_file_unik = $acak.$nama_file;

    // Apabila gambar tidak diganti
    if (empty($lokasi_file)){
        mysql_query("UPDATE heritage SET   judul_heritage = '$_POST[judul]',
                                                isi_heritage  = '$_POST[detail]',
                                                WHERE id_heritage = '$_POST[id]'");
    }
    else{
        Uploadheritage($nama_file_unik);
        mysql_query("UPDATE heritage SET   judul_heritage = '$_POST[judul]',
                                                isi_heritage  = '$_POST[detail]',
                                                gambar_1h     = '$nama_file_unik'
                                                WHERE id_heritage = '$_POST[id]'");
    }
    header('location:../../media.php?module='.$module);
}
?>

```

- Fungsi_thumb

```

<?php
function UploadBanner($fupload_name){
    //direktori banner
    $vdir_upload = "../..../images/";
    $vfile_upload = $vdir_upload . $fupload_name;

    //Simpan gambar dalam ukuran sebenarnya
    move_uploaded_file($_FILES["fupload"]["tmp_name"], $vfile_upload);

    //identitas file asli
    $im_src = imagecreatefromjpeg($vfile_upload);
    $src_width = imageSX($im_src);
    $src_height = imageSY($im_src);

    //Simpan dalam versi small 110 pixel
    //Set ukuran gambar hasil perubahan
    $dst_width = 55;
    $dst_height = ($dst_width/$src_width)*$src_height;

    //proses perubahan ukuran
    $im = imagecreatetruecolor($dst_width,$dst_height);
    imagecopyresampled($im, $im_src, 0, 0, 0, 0, $dst_width, $dst_height,
    $src_width, $src_height);

    //Simpan gambar
    imagejpeg($im,$vdir_upload . "small_" . $fupload_name);

    //Hapus gambar di memori komputer
    imagedestroy($im_src);

```



```

    imagedestroy($im);
}

function UploadTour($fupload_name){
    //direktori banner
    $vdir_upload = "../..../foto_tour/";
    $vfile_upload = $vdir_upload . $fupload_name;

    //Simpan gambar dalam ukuran sebenarnya
    move_uploaded_file($_FILES["fupload"]["tmp_name"], $vfile_upload);

    //identitas file asli
    $im_src = imagecreatefromjpeg($vfile_upload);
    $src_width = imageSX($im_src);
    $src_height = imageSY($im_src);

    //Simpan dalam versi small 300 pixel
    //Set ukuran gambar hasil perubahan
    $dst_width = 55;
    $dst_height = ($dst_width/$src_width)*$src_height;

    //proses perubahan ukuran
    $im = imagecreatetruecolor($dst_width,$dst_height);
    imagecopyresampled($im, $im_src, 0, 0, 0, 0, $dst_width, $dst_height,
    $src_width, $src_height);

    //Simpan gambar
    imagejpeg($im,$vdir_upload . "small_" . $fupload_name);

    //Hapus gambar di memori komputer
    imagedestroy($im_src);
}

```

```

    imagedestroy($im);
}

function UploadPromo($fupload_name){
    //direktori banner
    $vdir_upload = "../..../foto_promo/";
    $vfile_upload = $vdir_upload . $fupload_name;

    //Simpan gambar dalam ukuran sebenarnya
    move_uploaded_file($_FILES["fupload"]["tmp_name"], $vfile_upload);

    //identitas file asli
    $im_src = imagecreatefromjpeg($vfile_upload);
    $src_width = imageSX($im_src);
    $src_height = imageSY($im_src);

    //Simpan dalam versi small 300 pixel
    //Set ukuran gambar hasil perubahan
    $dst_width = 55;
    $dst_height = ($dst_width/$src_width)*$src_height;

    //proses perubahan ukuran
    $im = imagecreatetruecolor($dst_width,$dst_height);
    imagecopyresampled($im, $im_src, 0, 0, 0, 0, $dst_width, $dst_height,
    $src_width, $src_height);

    //Simpan gambar
    imagejpeg($im,$vdir_upload . "small_" . $fupload_name);

    //Hapus gambar di memori komputer
    imagedestroy($im_src);
}

```

```

    imagedestroy($im);
}
function UploadHeritage($fupload_name){
    //direktori banner
    $vdir_upload = "../..../foto_extra/";
    $vfile_upload = $vdir_upload . $fupload_name;

    //Simpan gambar dalam ukuran sebenarnya
    move_uploaded_file($_FILES["fupload"]["tmp_name"], $vfile_upload);

    //identitas file asli
    $im_src = imagecreatefromjpeg($vfile_upload);
    $src_width = imageSX($im_src);
    $src_height = imageSY($im_src);

    //Simpan dalam versi small 300 pixel
    //Set ukuran gambar hasil perubahan
    $dst_width = 55;
    $dst_height = ($dst_width/$src_width)*$src_height;

    //proses perubahan ukuran
    $im = imagecreatetruecolor($dst_width,$dst_height);
    imagecopyresampled($im, $im_src, 0, 0, 0, 0, $dst_width, $dst_height,
    $src_width, $src_height);

    //Simpan gambar
    imagejpeg($im,$vdir_upload . "small_" . $fupload_name);

    //Hapus gambar di memori komputer
    imagedestroy($im_src);
    imagedestroy($im); } ?>

```

- Class_paging

```

<?php
// class paging untuk halaman administrator
class Paging{
// Fungsi untuk mencek halaman dan posisi data
function cariPosisi($batas){
if(empty($_GET[halaman])){
    $posisi=0;
    $_GET[halaman]=1;
}
else{
    $posisi = ($_GET[halaman]-1) * $batas;
}
return $posisi;
}

// Fungsi untuk menghitung total halaman
function jumlahHalaman($jmldata, $batas){
    $jmlhalaman = ceil($jmldata/$batas);
return $jmlhalaman;
}

// Fungsi untuk link halaman 1,2,3 (untuk admin)
function navHalaman($halaman_aktif, $jmlhalaman){
    $link_halaman = "";

// Link halaman 1,2,3, ...
for ($i=1; $i<=$jmlhalaman; $i++){
    if ($i == $halaman_aktif){
        $link_halaman .= "<b>$i</b> | ";
    }
}

```

```

else{
    $link_halaman .= "<a
href=$_SERVER[PHP_SELF]?module=$_GET[module]&halaman=$i>$i</a> | ";
}
$link_halaman .= " ";
}
return $link_halaman;
}
}

```

```

// class paging untuk halaman produk (menampilkan semua produk)

```

```

class Paging7{
// Fungsi untuk mencek halaman dan posisi data
function cariPosisi($batas){
if(empty($_GET[halproduk])){
    $posisi=0;
    $_GET[halproduk]=1;
}
else{
    $posisi = ($_GET[halproduk]-1) * $batas;
}
return $posisi;
}
}

```

```

// Fungsi untuk menghitung total halaman
function jumlahHalaman($jmldata, $batas){
    $jmlhalaman = ceil($jmldata/$batas);
    return $jmlhalaman;
}
}

```

```

// Fungsi untuk link halaman 1,2,3
function navHalaman($halaman_aktif, $jmlhalaman){
$link_halaman = "";

// Link halaman 1,2,3, ...
for ($i=1; $i<=$jmlhalaman; $i++){
    if ($i == $halaman_aktif){
        $link_halaman .= "<b>$i</b> | ";
    }
    else{
        $link_halaman .= "<a href=halproduk-$i.html>$i</a> | ";
    }
}
$link_halaman .= " ";
}
return $link_halaman;
}
}

// class paging untuk halaman kategori (menampilkan semua kategori)
class Paging3{
// Fungsi untuk mencek halaman dan posisi data
function cariPosisi($batas){
if(empty($_GET[halkategori])){
    $posisi=0;
    $_GET[halkategori]=1;
}
else{
    $posisi = ($_GET[halkategori]-1) * $batas;
}
}
return $posisi;
}
}

```

```

}

// Fungsi untuk menghitung total halaman
function jumlahHalaman($jmldata, $batas){
    $jmlhalaman = ceil($jmldata/$batas);
    return $jmlhalaman;
}

// Fungsi untuk link halaman 1,2,3
function navHalaman($shalaman_aktif, $jmlhalaman){
    $link_halaman = "";
    // Link halaman 1,2,3, ...
    for ($i=1; $i<=$jmlhalaman; $i++){
        if ($i == $shalaman_aktif){
            $link_halaman .= "<b>$i</b> | ";
        }
        else{
            $link_halaman .= "<a href=halkategori-$_GET[id]-$i.html>$i</a> | ";
        }
    }
    $link_halaman .= " ";
}
return $link_halaman;
}
}

// class paging untuk halaman agenda (menampilkan semua agenda)
class Paging4{
    // Fungsi untuk mencek halaman dan posisi data
    function cariPosisi($batas){
        if(empty($_GET[halagenda])){

```

```

        $posisi=0;
        $_GET[halagenda]=1;
    }
else{
        $posisi = ($_GET[halagenda]-1) * $batas;
    }
return $posisi;
}

// Fungsi untuk menghitung total halaman
function jumlahHalaman($jmldata, $batas){
    $jmlhalaman = ceil($jmldata/$batas);
    return $jmlhalaman;
}

// Fungsi untuk link halaman 1,2,3
function navHalaman($shalaman_aktif, $jmlhalaman){
    $link_halaman = "";

    // Link halaman 1,2,3, ...
    for ($i=1; $i<=$jmlhalaman; $i++){
        if ($i == $shalaman_aktif){
            $link_halaman .= "<b>$i</b> | ";
        }
        else{
            $link_halaman .= "<a href=halagenda-$i.html>$i</a> | ";
        }
    }
    $link_halaman .= " ";
}
return $link_halaman;
}

```



```

}

// class paging untuk halaman download (menampilkan semua download)
class Paging5 {
// Fungsi untuk mencek halaman dan posisi data
function cariPosisi($batas){
if(empty($_GET[haldownload])){
    $posisi=0;
    $_GET[haldownload]=1;
}
else{
    $posisi = ($_GET[haldownload]-1) * $batas;
}
return $posisi;
}

// Fungsi untuk menghitung total halaman
function jumlahHalaman($jmldata, $batas){
$jmlhalaman = ceil($jmldata/$batas);
return $jmlhalaman;
}

// Fungsi untuk link halaman 1,2,3
function navHalaman($halaman_aktif, $jmlhalaman){
$link_halaman = "";

// Link halaman 1,2,3, ...
for ($i=1; $i<=$jmlhalaman; $i++){
    if ($i == $halaman_aktif){
        $link_halaman .= "<b>$i</b> | ";
    }
}
}

```

```
    }  
else{  
    $link_halaman .= "<a href=haldownload-$i.html>$i</a> | "  
}  
$link_halaman .= " "  
}  
return $link_halaman;  
}  
}  
  
?>
```