

LAMPIRAN A

CODING PROGRAM

LAMPIRAN A CODING PROGRAM

- **coding index.php (tampilan main menu)**

```

<?php
session_save_path("login/sess");
@session_start();
if(!@$_SESSION["username"] or !@$_SESSION["password"] or !@$_SESSION["level"]){
?>
<html>
<head>
    <title>Materi</title>
    <link rel="stylesheet" href="module/news/css/news.css" type="text/css">
    <script src="module/news/js/jquery.min.js"></script>
    <script src="module/news/js/jquery-ui.min.js"></script>
    <script type="text/javascript">
        $(document).ready(function(){
            $("#featured > ul").tabs({fx:{opacity: "toggle"}}).tabs("rotate", 15000,
true);
        });
    </script>
</head>
<body>
    <table border="0" align="center" width="100%">
    <tr>
        <td width="20" valign="top" align="left ">
            <?PHP
            // tampilan buat list judul sebelah kiri
            echo"<h2><center><font
size='9'>Judul</font></center></h2><hr/>";
            include("connect/connect.php");
            $query=
                pengumuman.coding_pengumuman,      mysql_query("select
                pengumuman.coding_admin,      pengumuman.judul,
                pengumuman.pengumuman,      admin.username FROM pengumuman, admin where
                pengumuman.coding_admin=admin.coding_admin order by coding_pengumuman desc");
            $num = mysql_num_rows($query);
            if ($num > 0){
                for ($i=0; $i < $num; $i++){
                    $row = mysql_fetch_array($query);
                    echo " <a
href='pages/index.php/?menu=pengumuman_detail&id=$row[coding_pengumuman]'>$row[judul]</a>
</br></br>";
                }
            }
        </td>

        <td width="60%" align="justify">
            <?php
            // tampilan buat list judul sebelah kanan
            switch($_GET['menu']){
                default;
                case"home";
                echo"<h2><center><font
size='8'>Pengumuman</font></center></h2><hr/>";
                echo '<div id="featured" >
                    <ul class="ui-tabs-nav">';
                include('connect/connect.php');
                $content =
                pengumuman.coding_pengumuman,      pengumuman.coding_admin,      pengumuman.judul,
                pengumuman.pengumuman,      admin.username FROM pengumuman, admin where

```

```

pengumuman.coding_admin=admin.coding_admin order by coding_pengumuman desc LIMIT 8");

$num = mysql_num_rows($content);
if($num > 0) {
    for($i=0 ;$i < $num;$i++){
        $row=mysql_fetch_array($content);
        $position=50;
        $message= $row['pengumuman'];
        $post = substr($message, 0, $position);
        echo '
                                <li class="ui-tabs-nav-item"
                                <a href="#fragment-
                                <div
                                <div
                                style="font-weight: bold;font-size:16px;">'. $row['judul'].</div>
                                <span
                                style="font-size:14px;">
                                    '. $post. '...
                                </span>
                                </div>
                                </a>
                                </li>
                                </li>
                                </ul>';
        // tampilan buat pengumuman
        $content = mysql_query("select
pengumuman.coding_pengumuman,      pengumuman.coding_admin,      pengumuman.judul,
pengumuman.pengumuman,      admin.username FROM      pengumuman,      admin where
pengumuman.coding_admin=admin.coding_admin order by coding_pengumuman desc LIMIT 8");
        $num = mysql_num_rows($content);
        if($num > 0) {
            for($i=0 ;$i < $num;$i++){
                $row=mysql_fetch_array($content);
                $position=300;
                $message= $row['pengumuman'];
                $post = substr($message, 0, $position);
                echo '
                                <div id="fragment-'. $i. "'
                                <div class="info" >
                                <h2 align="center"><a
                                <div style="color: #bdbcbc;
                                '. $row['username']. '
                                </div>
                                <hr>
                                <p>
                                '. $row[pengumuman]. '
                                </p>
                                </div></div>;
                                }
                                }
                                echo '
                                </div>
                                '
                                /*include('connect/connect.php');
                                $content = mysql_query("select
pengumuman.coding_pengumuman,      pengumuman.coding_dosen,      pengumuman.judul,
pengumuman.pengumuman,      dosen.nama FROM      pengumuman,      dosen where
pengumuman.coding_dosen=dosen.coding_dosen order by coding_pengumuman desc LIMIT 5");
                                $num = mysql_num_rows($content);
                                if($num > 0) {

```

```

                                for($i=0 ;$i < $num;$i++){
                                $row=mysql_fetch_array($content);

                                echo                                '<h3><font
                                color="blue">'. $row['judul']. '</font></h3>';

                                echo                                '<h3><font
                                echo                                '<h3>'. $row['nama']. '</h3>';
                                $position=200;
                                $message= $row['pengumuman'];
                                $post = substr($message, 0, $position);
                                echo $post;
                                echo "...";

                                echo                                "<a
                                href='pages/index.php/?menu=pengumuman_detail&id=$row[coding_pengumuman]'">Read
                                More</a>";

                                }*/
                                break;

                                case"pengumuman_detail";
                                include"pages/pengumuman_detail.php";
                                break;

                                case"materi";
                                include"pages/materi.php";
                                break;

                                case"matkul";
                                include"pages/matkul.php";
                                break;

                                }
                                ?>
</td>
<td width="20%" valign="top">
<h2><center><font size="9">Login</font></center></h2><hr />
<form method="POST" action="login/proses_login.php">
<table border="0" align="center">
<tr>
<td>Username</td>
<td>:</td>
<td><input type="text" name="uname" /></td>
</tr>
<tr>
<td>Password</td>
<td>:</td>
<td><input type="password" name="password" /></td>
</tr>
<tr>
<td><input type="submit" name="masuk" value="Login"
<td>&nbsp;</td>
<td><a
href="pages/index.php/menu=matkul">Unduh</a></td>
</tr>
</table>
</form>
</td>

</tr>
</table>
</body>
</html>
<?php
}else{
                                if(@$_SESSION['level']=='admin'){
                                echo"<script>location.href='index2.php'</script>";
                                }else if(@$_SESSION['level']=='user'){
                                echo"<script>location.href='index3.php'</script>";
                                }
}

```

?>

- **Coding untuk index2 (Menu Admin)**

```
<?php
session_save_path("login/sess");
session_start();
if(!@$_SESSION["username"] or !@$_SESSION["password"] or !@$_SESSION["level"]){
echo"<script>location.href='index.php'</script>";
}else{
?>
<html>
<head>
<title>Materi</title>
</head>
<body>
<table border="0" align="center" width="100%">
<tr>
<td width=10%></td>
<td width="80%">
<h2 align="center"><a href="?menu=matkul">Matkul</a> | <a
href="?menu=adminmateri">Materi</a> | <a href="?menu=dosen">Dosen</a> | <a
href="?menu=pengumuman">Pengumuman</a> | <a href="?menu=viewadmin">Admin</a> | <a
href="login/logout.php">Logout</a></h2><hr />
<?php
switch($_GET['menu']){
default;
case"home";
echo"<h2 align='center'><font size='7'><span>Hello
Admin</span></font></h2> ";
break;
case"materi";
include"admin/materi/view.php";
break;
case"addmateri";
```

```
include"admin/materi/add.php";
```

```
break;
```

```
case"editmateri";
```

```
include"admin/materi/edit.php";
```

```
break;
```

```
case"delmateri";
```

```
include"admin/materi/del.php";
```

```
break;
```

```
case"dosen";
```

```
include"admin/dosen/view.php";
```

```
break;
```

```
case"adddosen";
```

```
include"admin/dosen/add.php";
```

```
break;
```

```
case"editdosen";
```

```
include"admin/dosen/edit.php";
```

```
break;
```

```
case"deldosen";
```

```
include"admin/dosen/del.php";
```

```
break;
```

```
case"pengumuman";
```

```
include"admin/pengumuman/view.php";
```

```
break;
```

```
case"addpengumuman";
```

```
include"admin/pengumuman/add.php";
```

```
break;
```

```
case"editpengumuman";  
include"admin/pengumuman/edit.php";  
break;
```

```
case"delpengumuman";  
include"admin/pengumuman/del.php";  
break;
```

```
case"matkul";  
include"admin/matkul/view.php";  
break;
```

```
case"addmatkul";  
include"admin/matkul/add.php";  
break;
```

```
case"editmatkul";  
include"admin/matkul/edit.php";  
break;
```

```
case"delmatkul";  
include"admin/matkul/del.php";  
break;
```

```
case"adminmateri";  
include"admin/admin_materi/view.php";  
break;
```

```
case"addadminmateri";  
include"admin/admin_materi/add.php";  
break;
```

```
case"editadminmateri";
```

```
include"admin/admin_materi/edit.php";

break;

case"deladminmateri";
include"admin/admin_materi/del.php";
break;

case"viewadmin";
include"admin/admin/view.php";
break;

case"addadmin";
include"admin/admin/add.php";
break;

case"editadmin";
include"admin/admin/edit.php";
break;

case"deladmin";
include"admin/admin/del.php";
break;

}

?>

</td>

<td width=10%></td>

</tr>

</table>

</body>

</html>

<?php

}
```



```
?>
```

- **Coding untuk index3 (Menu Dosen)**

```
<?php
```

```
session_save_path("login/sess");
```

```
session_start();
```

```
if(!@$_SESSION["username"] or !@$_SESSION["password"] or !@$_SESSION["level"]){
```

```
echo"<script>location.href='index.php'</script>";
```

```
}else{
```

```
?>
```

```
<html>
```

```
<head>
```

```
    <title>Materi</title>
```

```
</head>
```

```
<body>
```

```
    <table border="0" align="center" width="100%">
```

```
    <tr>
```

```
        <td width="80%">
```

```
            <h2><a href="?menu=materi">Materi</a>
```

```
            | <a href="?menu=pengumuman">Pengumuman</a> | <a href="login/logout.php">Logout</a></h2><hr />
```

```
        <?php
```

```
            switch($_GET['menu']){
```

```
                default;
```

```
                case"home";
```

```
                    echo"<h2><span>Hello Dosen</span></h2> ";
```

```
                break;
```

```
                case"mater";
```

```
                    include"admin/materi/view.php";
```

```
                break;
```

```
                case"addmater";
```

```
                    include"admin/materi/add.php";
```

```
                break;
```

```
case"editmateri";  
include"admin/materi/edit.php";  
break;
```

```
case"delmateri";  
include"admin/materi/del.php";  
break;
```

```
case"dosen";  
include"admin/dosen/view.php";  
break;
```

```
case"adddosen";  
include"admin/dosen/add.php";  
break;
```

```
case"editdosen";  
include"admin/dosen/edit.php";  
break;
```

```
case"deldosen";  
include"admin/dosen/del.php";  
break;
```

```
case"pengumuman";  
include"admin/pengumuman_dosen/view.php";  
break;
```

```
case"addpengumuman";  
include"admin/pengumuman_dosen/add.php";  
break;
```

```
case"editpengumuman";
```

```

include"admin/pengumuman_dosen/edit.php";

break;

case"delpengumuman";

include"admin/pengumuman_dosen/del.php";

break;

}

?>

</td>

</tr>

</table>

</body>

</html>

<?php

}

?>

```

- **Coding untuk option admin menu admin bagian add new**

```

<?php
include("connect/connect.php");
if(isset($_POST['simpan']))
{
    if($_POST['coding_admin']=="" or $_POST['nama']== "")
    {
        echo "data harus diisi seluruhnya";
    }else{
        $password=md5($_POST['coding_admin']);
        $q=mysql_query("INSERT INTO `admin` (`coding_admin`, `username`,
`password`, `level`) VALUES ('".$_POST['coding_admin']."', '".$_POST['nama']."', '$password','1')");
        echo "<script>alert(\"data berhasil dimasukan!\")</script>";
        echo"<script>location.href=?menu=viewadmin'</script>";
    }
}
?>
<h2><span>Tambah Admin</span></h2>
<br><br><br><br>
<form method="POST" action="" id="commentForm">
<table border="0">

    <tr>
        <td>User Name &nbsp;  </td>
        <td><input type="text" name="nama" size="40" style="font-size:15px;height:30px;" class="required" /></td>
    </tr>

    <tr>
        <td>Password &nbsp;  </td>

```

```

        <td><input type="Password" name="coding_admin" size="40" style="font-
size:15px;height:30px;" class="required" /></td>
    </tr>

    <tr>
        <td>&nbsp;</td>
        <td><input type="submit" value="simpan" name="simpan" /></td>
    </tr>
</table>
</form>

```

- **Coding untuk option admin menu admin bagian delete**

```

<?php
include("connect/connect.php");
mysql_query("DELETE FROM `admin` WHERE coding_admin='".$_GET['id']."'");
echo "<script>alert('\data berhasil dihapus!')</script>";
echo "<script>location.href=?menu=viewadmin</script>";
?>

```

- **Coding untuk option admin menu admin bagian edit**

```

<?PHP
include("connect/connect.php");
$query= mysql_query("select * FROM dosen WHERE coding_dosen='".$_GET[id]'");
$num = mysql_num_rows($query);
for ($i=0;$i<$num;$i++) {
    $f = mysql_fetch_array($query);
}
?>
<h2><span>Ubah Dosen</span></h2>
<br><br><br><br>
<form method="POST" action="" id="commentForm">
<table border="0">
    <tr>
        <td>Nama &nbsp;</td>
        <td><input type="text" name="nama" size="40" style="font-
size:15px;height:30px;" class="required" value="<?php echo $f['nama']; ?>" /></td>
    </tr>
    <tr>
        <td>&nbsp;</td>
        <td><input type="submit" value="Ubah" name="Ubah" /></td>
    </tr>
</table>
</form>
<?php
if (isset($_POST['Ubah'])) {
include("connect/connect.php");
$password=md5($_GET['id']);
$q = mysql_query("UPDATE dosen SET nama='".$_POST['nama']."' where
coding_dosen='".$_GET[id]'");
$q = mysql_query("UPDATE admin SET username='".$_POST['nama'].",
password='$password' where coding_admin='".$_GET[id]'");
echo "<script>alert('\data berhasil diubah!')</script>";
echo "<script>location.href=?menu=dosen</script>";
}
?>

```

- **Coding untuk option admin menu bagian view**

```

<h2><span><center>admin</center></span></h2>

<table border="0" width="100%">
    <tr><td colspan="2" align="right" c><a href="<?php echo"?menu=addadmin"; ?>">add
New</a></td></tr>
    <tr >

```

```

        <td width="20%"></td>
        <td width="60%" bgcolor="#2b2e2e" align="center"><font
color="#FFFFFF"><b>Nama</b></font></td>
        <td width="20%"></td>
    </tr>
    <tr>
    <?PHP
include("connect/connect.php");
$query= mysql_query("select * FROM admin where level='1' order by coding_admin desc");
$num = mysql_num_rows($query);
if ($num > 0){
    for ($i=0; $i < $num; $i++){
        $row = mysql_fetch_array($query);
        $id = $row['coding_admin'];
    ?>
        <td width="20%"></td>
        <td width="60%" bgcolor="#dfdfd" align="Center"><?php echo $row['username']
?></td>
        <td width="20%"></td>
    </tr>
    <?php
    }}
    ?>
</table>

```

- **Coding option materi menu admin bagian add**

```

<?php
include("connect/connect.php");
if(isset($_POST['simpan']))
{
    if($_POST['materi']=="" or $_POST['matkul']=="-silahkan pilih-")
    {
        echo"Form harus diisi semuanya";
    }else{
        $username=$_SESSION["id_pengguna"];
        $uploaddir = getcwd().'/data_materi/';
        $uploadfile = str_replace(
            "_",$_uploaddir.date("dmyhmst"),$_FILES['gambar']['name']);

        if (move_uploaded_file($_FILES['gambar']['tmp_name'], $uploadfile))
        {
            $gambar = str_replace(
                "_",date("dmyhmst"),$_FILES['gambar']['name']);
            $q=mysql_query("INSERT INTO `materi` (`kode_materi`, `materi`,
`file`, `kode_dosen`, `kode_matkul`) VALUES (NULL, '".$_POST['materi']."', '$gambar', '$username',
".$_POST['matkul']."'");

            echo "<script>alert(\"data berhasil dimasukan!\")</script>";
            echo "<script>location.href=?menu=materi</script>";
        }else{
            echo"<script>alert(\"data gagal dimasukan!\")</script>";
        }
    }
}
?>
<h2><span>Tambah Materi</span></h2>
<br><br><br><br>
<form method="POST" action="" id="commentForm" enctype="multipart/form-data">
<table border="0">
    <tr>
        <td>Materi &nbsp;  </td>
        <td><input type="text" name="materi" size="40" style="font-size:15px;height:20px;" class="required" /></td>
    </tr>
    <tr>
        <td>File &nbsp;  </td>
        <td><input type="file" name="gambar" /></td>
    </tr>

```

```

<tr>
    <td>Matkul &nbsp;  </td>
    <td><select name="matkul" class="form">
        <option>-silahkan pilih-</option>
        <?PHP
            $query= mysql_query("SELECT * FROM
`matkul`");
            $num = mysql_num_rows($query);
            if ($num > 0){
                for ($i=0; $i < $num; $i++){
                    $row = mysql_fetch_array($query);
                    ?>
                    <option value="<?PHP echo $row['kode_matkul'];
?>"><?PHP echo $row['matkul']; ?></option>
                    <?php
                    }
                }
            }
            ?>
        </select>
    </td>
</tr>
<tr>
<td>&nbsp;  </td>
<td><input type="submit" value="simpan" name="simpan" /></td>
</tr>
</table>
</form>

```

- **Coding option materi menu admin bagian del**

```

<?php
include("connect/connect.php");
mysql_query("DELETE FROM `materi` WHERE kode_materi='".$_GET['id']."'");
echo "<script>alert('data berhasil dihapus!')</script>";
echo "<script>location.href=?menu=adminmateri'</script>";
?>

```

- **Coding option materi menu admin bagian edit**

```

<script src="js/jquery.js" type="text/javascript"></script>
<script src="js/jquery.validate.js" type="text/javascript"></script>
<script type="text/javascript">
    $(document).ready(function() {
        $("#commentForm").validate();
    });
</script>
<style type="text/css">
    #commentForm { width: 800px; }
    #commentForm label { width: 250px; }
    #commentForm label.error, #commentForm input.submit { margin-left: 253px; }
</style>
<link rel="stylesheet" type="text/css" media="all" href="css/jsDatePick_ltr.min.css" />
<script type="text/javascript" src="js/jsDatePick.min.1.3.js"></script>
<script type="text/javascript">
    window.onload = function(){
        new JsDatePick({
            useMode:2,
            target:"inputField",
            dateFormat:"%Y-%m-%d"
            /*selectedDate:{
                This is an example
                of what the full configuration offers.
                day:5,
                For full documentation about these settings please see the full version of the code.
                month:9,
                year:2006
            },
            yearsRange:[1978,2020],
            limitToToday:false,
            cellColorScheme:"beige",

```

```

        dateFormat:"%m-%d-%Y",
        imagePath:"img/",
        weekStartDay:1*/
    });
};
</script>
<?PHP
    include("../connect/connect.php");
    $query= mysql_query("select * FROM klasifikasi WHERE kode_klasifikasi='$_GET[id]'");
    $num = mysql_num_rows($query);
    for ($i=0;$i<$num;$i++) {
        $f = mysql_fetch_array($query);
    }
?>
<h2><span>Ubah Klasifikasi</span></h2>
<br><br><br><br>
<form method="POST" action="" id="commentForm">
<table border="0">
    <tr>
        <td>Klasifikasi &nbsp;</td>
        <td><input type="text" name="klasifikasi" size="40" style="font-size: 15px;height:20px;" class="required" value="<?php echo $f['klasifikasi']; ?>" /></td>
    </tr>
    <tr>
        <td>Min Umur &nbsp;</td>
        <td><input type="text" name="min_umur" size="20" style="font-size: 15px;height:20px;" class="required number" value="<?php echo $f['min_umur']; ?>" /></td>
    </tr>
    <tr>
        <td>Max Umur &nbsp;</td>
        <td><input type="text" name="max_umur" size="20" style="font-size: 15px;height:20px;" class="required number" value="<?php echo $f['max_umur']; ?>" /></td>
    </tr>
    <tr>
        <td>&nbsp;</td>
        <td><input type="submit" value="Ubah" name="Ubah" /></td>
    </tr>
</table>
</form>
<?php
if (isset($_POST['Ubah'])) {
include("../connect/connect.php");
    $q = mysql_query("UPDATE klasifikasi SET klasifikasi='".$_POST['klasifikasi']."',
    min_umur='".$_POST['min_umur']."', max_umur='".$_POST['max_umur']."' where
    kode_klasifikasi='$_GET[id]'");
    echo "<script>alert('data berhasil diubah!')</script>";
    echo "<script>location.href=?menu=klasifikasi</script>";
}
?>

```

- **Coding option materi menu admin bagian view**

```

<h2><span><center>Materi</center></span></h2>
<!--<p align="right"><a href="<?php echo "?menu=addmateri"; ?>">add New</a></p-->
<table border="0" width="100%">
    <tr bgcolor="#2b2e2e">
        <td align="center"><font color="#FFFFFF"><b>Dosen</b></font></td>
        <td align="center"><font color="#FFFFFF"><b>Mata Kuliah</b></font></td>
        <td align="center"><font color="#FFFFFF"><b>Materi</b></font></td>
    </tr>
    <tr>
    <?PHP
        include("connect/connect.php");
        $query= mysql_query("select materi.kode_materi, materi.materi, materi.file,
        materi.kode_matkul, matkul.matkul, dosen.nama FROM materi, matkul, dosen WHERE
        materi.kode_matkul=matkul.kode_matkul and materi.kode_dosen=dosen.kode_dosen order by
        materi.kode_materi desc");
        $num = mysql_num_rows($query);

```

```

        if ($num > 0){
            for ($i=0; $i < $num; $i++){
                $row = mysql_fetch_array($query);
                $id = $row['kode_materi'];
                ?>
                <td bgcolor="#dfdfdf" align="center"><?php echo $row['nama'] ?></td>
                <td bgcolor="#dfdfdf" align="center"><?php echo $row['matkul'] ?></td>
                <td bgcolor="#dfdfdf" align="center"><?php echo $row['materi'] ?></td>
            }
        }
    }
}
?>
</table>

```

- **Coding option dosen menu admin bagian add**

```

<?php
include("connect/connect.php");
if(isset($_POST['simpan']))
{
    if($_POST['kode_dosen']=="" or $_POST['nama']=="")
    {
        echo "data harus diisi seluruhnya";
    }else{
        $q=mysql_query("INSERT INTO `dosen` (`kode_dosen`, `nama`) VALUES
('".$_POST['kode_dosen']."', '".$_POST['nama']."')");
        $password=md5($_POST['kode_dosen']);
        $q=mysql_query("INSERT INTO `admin` (`kode_admin`, `username`,
`password`, `level`) VALUES ('".$_POST['kode_dosen']."', '".$_POST['nama']."', '$password','2')");
        $query= mysql_query("SELECT * FROM matkul");
        $num = mysql_num_rows($query);
        if ($num > 0){
            for ($i=0; $i < $num; $i++){
                $row = mysql_fetch_array($query);
                $mat = $row['kode_matkul'];
                if ($_POST['na'].$mat == ""){
                    }else{
                        $q=mysql_query("INSERT INTO matkul_dosen
(`id_matkul_dosen`, `kode_matkul`, `kode_dosen`) VALUES ('NULL', '".$_POST['na'].$mat."',
".$_POST['kode_dosen']."'");
                    }
                }
            }
        }
        echo "<script>alert(\"data berhasil dimasukan!\")</script>";
        echo "<script>location.href=?menu=dosen</script>";
    }
}
?>
<h2><span>Tambah Dosen</span></h2>
<br><br><br><br>
<form method="POST" action="" id="commentForm">
<table border="0">
    <tr>
        <td>
            <td>User Name &nbsp;</td>
            <td><input type="text" name="nama" size="40" style="font-size:15px;height:30px;" class="required" /></td>
        </tr>
    <tr>
        <td>
            <td>Password &nbsp;</td>
            <td><input type="password" name="kode_dosen" size="40" style="font-size:15px;height:30px;" class="required" /></td>
        </tr>
    <tr>
        <td><?php
            echo"<tr>
                <td valign='top'>Matkul</td>";
            $query= mysql_query("SELECT * FROM matkul");

```



```

        $num = mysql_num_rows($query);
        echo"<td>";
        if ($num > 0){
            for ($i=0; $i < $num; $i++){
                $row = mysql_fetch_array($query);
                $mat = $row['kode_matkul'];
                $aneh = $row['matkul'];
                echo"<input type='radio' name='na$mat'
value='$mat' />$aneh";
                echo"<br />";
            }
        }
        echo"</td>";
    }
    echo"</tr>";
?>
<tr>
    <td>&nbsp;   </td>
    <td><input type="submit" value="simpan" name="simpan" /></td>
</tr>
</table>
</form>

```

- **Coding option dosen menu admin bagian del**

```

<?php
include("connect/connect.php");
mysql_query("DELETE FROM `dosen` WHERE kode_dosen='".$_GET['id']."'");
mysql_query("DELETE FROM `admin` WHERE kode_admin='".$_GET['id']."'");
echo "<script>alert('data berhasil dihapus!')</script>";
echo "<script>location.href='?menu=dosen'</script>";
?>

```

- **Coding option dosen menu admin bagian edit**

```

<?PHP
include("connect/connect.php");
$query= mysql_query("select * FROM dosen WHERE kode_dosen='".$_GET[id]'");
$num = mysql_num_rows($query);
for ($i=0;$i<$num;$i++) {
    $f = mysql_fetch_array($query);
}
?>
<h2><span>Ubah Dosen</span></h2>
<br><br><br><br>
<form method="POST" action="" id="commentForm">
<table border="0">
    <tr>
        <td>Nama &nbsp;  </td>
        <td><input type="text" name="nama" readonly="readonly"size="40" style="font-size:15px;height:30px;" class="required" value="<?php echo $f['nama']; ?>" /></td>
    </tr>
    <tr></tr><tr></tr><tr></tr><tr></tr>
    <tr>
        <td>&nbsp;  </td>
        <td align="center" bgcolor="#2b2e2e"><font color="#FFFFFF"><b>Matkuliah</b></font></td>
    </tr>
    <tr>
        <?PHP
include("connect/connect.php");
$query = mysql_query("select matkul_dosen.kode_matkul, matkul.matkul from matkul_dosen, matkul where matkul_dosen.kode_matkul=matkul.kode_matkul and kode_dosen='".$_GET[id]'");
$num = mysql_num_rows($query);
if ($num > 0){
    for ($i=0; $i < $num; $i++){
        $row = mysql_fetch_array($query);

```

```

        $sid = $row['kode_matkul'];
        $mat = $row['matkul'];
    ?>
        <td>&nbsp;</td>
        <td bgcolor="#dfdfdf" align="center"><?php echo $row['matkul'] ?></td>
    </tr>
    <?php
    }}
    ?>
    <tr></tr><tr></tr><tr></tr><tr></tr>
        <tr>
        <td>&nbsp;</td>
        <td align="center"><b>Pilih Matakuliah Pergantian</b></td>
    </tr>
    <tr>
    <?php
        echo"<tr>
            <td valign='top'>Matkul</td>";
            // $query= mysql_query("select maktul_dosen.kode_matkul,
            matkul.matkul from matkul_dosen, matkul where matkul_dosen.kode_matkul=matkul.kode_matkul
            and matkul_dosen.kode_dosen='$_GET[id]");
            $query= mysql_query("select * from matkul");
            $num = mysql_num_rows($query);
            echo"<td>";
            if ($num > 0){
                for ($i=0; $i < $num; $i++){
                    $row = mysql_fetch_array($query);
                    $mat = $row['kode_matkul'];
                    $saneh = $row['matkul'];
                    echo"<input type='radio' name='na$mat'
value='$mat' />$saneh";
                    echo"<br />";
                }
            }
            echo"</td>";
        echo"</tr>";
    ?>
    <tr>
    <tr>
        <td>&nbsp;</td>
        <td><input type="submit" value="Ubah" name="Ubah" /></td>
    </tr>
</table>
</form>
<?php
if (isset($_POST['Ubah'])) {
include("connect/connect.php");
$password=md5($_GET['id']);
$q = mysql_query("UPDATE dosen SET nama='".$_POST['nama']."' where
kode_dosen='$_GET[id]");
$q = mysql_query("UPDATE admin SET username='".$_POST['nama']."',
password='$password' where kode_admin='$_GET[id]");
$q = mysql_query("DELETE from `matkul_dosen` where kode_dosen='$_GET[id]");
$query= mysql_query("SELECT * FROM matkul");
$num = mysql_num_rows($query);
if ($num > 0){
    for ($i=0; $i < $num; $i++){
        $row = mysql_fetch_array($query);
        $mat = $row['kode_matkul'];
        if ($_POST['na'.$mat] == ""){
        }else{
            $q=mysql_query("INSERT INTO matkul_dosen
('id_matkul_dosen', `kode_matkul`, `kode_dosen`) VALUES ('NULL', '".$_POST['na'.$mat]."',
'$_GET[id]");
        }
    }
}
echo "<script>alert(\"data berhasil diubah!\")</script>";
echo"<script>location.href='?menu=dosen'</script>";

```

```
}
?>
```

- **Coding option dosen menu admin bagian view**

```
<h2><span><center>Dosen</center></span></h2>
<p align="right"><a href="<?php echo"?menu=adddosen"; ?>">add New</a></p>
<table border="0" width="100%">
    <tr bgcolor="#2b2e2e">
        <td align="center"><font color="#FFFFFF"><b>Nama</b></font></td>
        <td>&nbsp;</td>
    </tr>
    <tr>
        <?PHP
        include("connect/connect.php");
        $query= mysql_query("select * FROM dosen order by kode_dosen desc");
        $num = mysql_num_rows($query);
        if ($num > 0){
            for ($i=0; $i < $num; $i++){
                $row = mysql_fetch_array($query);
                $id = $row['kode_dosen'];
                ?>
                <td bgcolor="#dfdfdf" align="Center"><?php echo $row['nama'] ?></td>
                <td bgcolor="#dfdfdf" align="Center"><?php echo
                href="<?menu=editdosen&id=!. $id.">Edit</a>; ?></td>
            </tr>
            <?php
            }}
            ?>
        </table>
```

- **Coding option matkul menu admin bagian add**

```
<?php
include("connect/connect.php");
if(isset($_POST['simpan']))
{
    if($_POST['matkul']==""){
        echo"form harus diisi";
    }else{
        $q=mysql_query("INSERT INTO `matkul` (`kode_matkul`, `matkul`) VALUES
(NULL, '".$_POST['matkul']."");
        echo "<script>alert(\"data berhasil dimasukan!\")</script>";
        echo "<script>location.href='?menu=matkul'</script>";
    }
}
?>
<h2><span>Tambah Matkul</span></h2>
<br><br><br>
<form method="POST" action="" id="commentForm">
<table border="0">
    <tr>
        <td>Matkul &nbsp;</td>
        <td><input type="text" name="matkul" size="40" style="font-size:15px;height:30px;" class="required" /></td>
    </tr>
    <tr>
        <td>&nbsp;</td>
        <td><input type="submit" value="simpan" name="simpan" /></td>
    </tr>
</table>
</form>
```

- **Coding option matkul menu admin bagian del**

```
<?php
include("connect/connect.php");
mysql_query("DELETE FROM `matkul` WHERE kode_matkul='".$_GET['id']."'");
echo "<script>alert('data berhasil dihapus!')</script>";
echo "<script>location.href=?menu=matkul'</script>";
?>
```

- **Coding option matkul menu admin bagian edit**

```
<script src="js/jquery.js" type="text/javascript"></script>
<script src="js/jquery.validate.js" type="text/javascript"></script>
<script type="text/javascript">
    $(document).ready(function() {
        $("#commentForm").validate();
    });
</script>
<style type="text/css">
    #commentForm { width: 800px; }
    #commentForm label { width: 250px; }
    #commentForm label.error, #commentForm input.submit { margin-left: 253px; }
</style>
<link rel="stylesheet" type="text/css" media="all" href="css/jsDatePick_ltr.min.css" />
<script type="text/javascript" src="js/jsDatePick.min.1.3.js"></script>
<script type="text/javascript">
    window.onload = function(){
        new JsDatePick({
            useMode:2,
            target:"inputField",
            dateFormat:"%Y-%m-%d"
            /*selectedDate:{
                This is an example
                of what the full configuration offers.
                day:5,
                For full documentation about these settings please see the full version of the code.
                month:9,
                year:2006
            },
            yearsRange:[1978,2020],
            limitToToday:false,
            cellColorScheme:"beige",
            dateFormat:"%m-%d-%Y",
            imgPath:"img/",
            weekStartDay:1*/
        });
    };
</script>
<?PHP
include("connect/connect.php");
$query= mysql_query("select * FROM matkul WHERE kode_matkul='".$_GET['id']."'");
$num = mysql_num_rows($query);
for ($i=0;$i<$num;$i++) {
    $f = mysql_fetch_array($query);
}
?>
<h2><span>Ubah Matkul</span></h2>
<br><br><br><br>
<form method="POST" action="" id="commentForm">
<table border="0">
    <tr>
        <td>Matkul &nbsp;  </td>
        <td><input type="text" name="matkul" size="40" style="font-size:15px;height:30px;" class="required" value="<?php echo $f['matkul']; ?>" /></td>
    </tr>
    <tr>
        <td>&nbsp;  </td>
        <td><input type="submit" value="Ubah" name="Ubah" /></td>
    </tr>
</table>
```

```

        </tr>
</table>
</form>
<?php
if (isset($_POST['Ubah'])) {
include("connect/connect.php");
    $q = mysql_query("UPDATE matkul SET matkul='".$_POST['matkul']."' where
kode_matkul='".$_GET['id']."'");
    echo "<script>alert('data berhasil diubah!')</script>";
    echo"<script>location.href='?menu=matkul'</script>";
}
?>

```

- **Coding option matkul menu admin bagian view**

```

<h2><span><center>Mata Kuliah</center></span></h2>
<p align="right"><a href="<?php echo"?menu=addmatkul"; ?>">add New</a></p>
<table border="0" width="100%">
    <tr bgcolor="#2b2e2e">
        <td align="center"><font color="#FFFFFF"><b>Mata Kuliah</b></font></td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
    </tr>
    <tr>
    <?PHP
include("connect/connect.php");
$query= mysql_query("select * FROM matkul order by kode_matkul desc");
$num = mysql_num_rows($query);
if ($num > 0){
    for ($i=0; $i < $num; $i++){
        $row = mysql_fetch_array($query);
        $id = $row['kode_matkul'];
    ?>
        <td bgcolor="#dfdfd" align="center"><?php echo $row['matkul'] ?></td>
        <td align="center"><?php echo '
href="?menu=editmatkul&id='.$id.'">Edit</a>'; ?></td>
        <td align="center"><?php echo '
href="?menu=delmatkul&id='.$id.'">Del</a>'; ?></td>
    </tr>
    <?php
    }}
    ?>
</table>

```

- **Coding option pengumuman menu admin bagian add**

```

<?php
include("connect/connect.php");
if(isset($_POST['simpan']))
{
    $q=mysql_query("INSERT INTO `pengumuman` (`kode_pengumuman`, `kode_admin`,
`judul`, `pengumuman`) VALUES (NULL, '".$_SESSION['id_pengguna']."', '".$_POST['judul']."',
".$_POST['pengumuman']."'");
    echo "<script>alert('data berhasil dimasukan!')</script>";
    echo"<script>location.href='?menu=pengumuman'</script>";
}
?>
<h2><span>Tambah Pengumuman</span></h2>
<br><br><br><br>
<form method="POST" action="" id="commentForm">
<table border="0">
    <tr>
        <td>Nama &nbsp;</td>
        <td><input type="text" name="judul" size="40" style="font-size:17px;height:30px;"
class="required" /></td>
    </tr>
    <tr>
        <td>Pengumuman &nbsp;</td>

```



```

<table border="0">
  <tr>
    <td>Judul &nbsp;  </td>
    <td><input type="text" name="judul" size="40" style="font-size:15px;height:20px;"
class="required" value="<?php echo $f['judul']; ?>" /></td>
  </tr>
  <tr>
    <td>Pengumuman &nbsp;  </td>
    <td><textarea name="pengumuman"><?php echo $f['pengumuman'];
?></textarea></td>
  </tr>
  <tr>
    <td>&nbsp;  </td>
    <td><input type="submit" value="Ubah" name="Ubah" /></td>
  </tr>
</table>
</form>
<?php
if (isset($_POST['Ubah'])) {
include("connect/connect.php");
$q = mysql_query("UPDATE pengumuman SET judul='".$_POST['judul']."',
pengumuman='".$_POST['pengumuman']."' where kode_pengumuman='".$_GET['id']."'");
echo "<script>alert('data berhasil diubah!')</script>";
echo "<script>location.href='?menu=pengumuman'</script>";
}
?>

```

- **Coding option pengumuman menu admin bagian view**

```

<h2><span><center>Pengumuman</center></span></h2>
<p align="right"><a href="<?php echo'?menu=addpengumuman'; ?>">add New</a></p>
<table border="0" width="100%">
  <tr bgcolor="#2b2e2e">
    <td align="center"><font color="#FFFFFF"><b>Penulis</b></font></td>
    <td align="center"><font color="#FFFFFF"><b>Judul</b></font></td>
    <td align="center"><font color="#FFFFFF"><b>Pengumuman</b></font></td>
    <td>&nbsp;  </td>
    <td>&nbsp;  </td>
  </tr>
  <tr>
    <td><?PHP
include("connect/connect.php");
//query=
mysql_query("select
pengumuman.kode_pengumuman,
pengumuman.kode_dosen, pengumuman.judul, pengumuman.pengumuman, dosen.nama FROM
pengumuman,
dosen where pengumuman.kode_dosen=dosen.kode_dosen and
pengumuman.kode_dosen='".$_SESSION['id_pengguna']."' order by kode_pengumuman desc");
$query=
mysql_query("select
pengumuman.kode_pengumuman,
pengumuman.kode_admin, pengumuman.judul, pengumuman.pengumuman, admin.username
FROM pengumuman,
admin where pengumuman.kode_admin=admin.kode_admin and
pengumuman.kode_admin='".$_SESSION['id_pengguna']."' order by kode_pengumuman desc");
$num = mysql_num_rows($query);
if ($num > 0){
for ($i=0; $i < $num; $i++){
$row = mysql_fetch_array($query);
$id = $row['kode_pengumuman'];
?>
  <td bgcolor="#dfdfd" align="center"><?php echo $row['username'] ?></td>
  <td bgcolor="#dfdfd" align="center"><?php echo $row['judul'] ?></td>
  <td bgcolor="#dfdfd" align="center"><?php echo $row['pengumuman'] ?></td>
  <td
  bgcolor="#dfdfd" align="center"><?php echo
  ' <a
href="?menu=editpengumuman&id='.$id.'">Edit</a>'; ?></td>
  <td
  bgcolor="#dfdfd" align="center"><?php echo
  ' <a
href="?menu=delpengumuman&id='.$id.'">Del</a>'; ?></td>
  </tr>
  <?php
}}
?>
</table>

```

- **Coding option materi menu dosen bagian add**

```

<?php
include("connect/connect.php");
if(isset($_POST['simpan']))
{
    if($_POST['materi']=="" or $_POST['matkul']=="-silahkan pilih-")
    {
        echo"Form harus diisi semuanya";
    }else{
        $username=$_SESSION["id_pengguna"];
        $uploaddir = getcwd()."/data_materi/";
        $uploadfile = = str_replace("
", "_", $uploaddir.date("dmyhmst").$_FILES['gambar']['name']);

        if (move_uploaded_file($_FILES['gambar']['tmp_name'], $uploadfile))
        {
            $gambar = str_replace("
", "_",date("dmyhmst").$_FILES['gambar']['name']);
            echo $q=mysql_query("INSERT INTO `materi` (`kode_materi`,
`materi`, `file`, `kode_dosen`, `kode_matkul`) VALUES (NULL, '$_POST['materi']', '$gambar',
'$username', '$_POST['matkul']')");
            echo "<script>alert(\"data berhasil dimasukan!\")</script>";
            echo"<script>location.href=?menu=materi</script>";
        }else{
            echo"<script>alert(\"data gagal dimasukan!\")</script>";
        }
    }
}
?>
<h2><span>Tambah Materi</span></h2>
<br><br><br><br>
<form method="POST" action="" id="commentForm" enctype="multipart/form-data">
<table border="0">
<tr>
<td>Materi &nbsp;</td>
<td><input type="text" name="materi" size="40" style="font-size: 15px; height: 30px;" class="required" /></td>
</tr>
<tr>
<td>File &nbsp;</td>
<td><input type="file" name="gambar" /></td>
</tr>
<tr>
<td>Matkul &nbsp;</td>
<td><select name="matkul" class="form">
<option>-silahkan pilih-</option>
<?PHP
$query= mysql_query("SELECT matkul.matkul,
matkul.kode_matkul, matkul_dosen.kode_dosen FROM matkul_dosen, matkul, dosen WHERE
matkul_dosen.kode_dosen=dosen.kode_dosen and matkul.kode_matkul=matkul_dosen.kode_matkul
and matkul_dosen.kode_dosen="$_SESSION[id_pengguna].");
$num = mysql_num_rows($query);
if ($num > 0){
    for ($i=0; $i < $num; $i++){
        $row = mysql_fetch_array($query);
        ?>
        <option value="<?PHP echo $row['kode_matkul'];
?>"><?PHP echo $row['matkul']; ?></option>
        <?php
        }
    }
?>
</select>
</td>
</tr>
<tr>
<td>&nbsp;</td>
<td><input type="submit" value="simpan" name="simpan" /></td>

```



```

        </tr>
</table>
</form>

```

- **Coding option materi menu dosen bagian del**

```

<?php
include("connect/connect.php");
mysql_query("DELETE FROM `materi` WHERE kode_materi='".$_GET['id']."'");
echo "<script>alert('data berhasil dihapus!')</script>";
echo"<script>location.href=?menu=materi</script>";
?>

```

- **Coding option materi menu dosen bagian edit**

```

<script src="js/jquery.js" type="text/javascript"></script>
<script src="js/jquery.validate.js" type="text/javascript"></script>
<script type="text/javascript">
    $(document).ready(function() {
        $("#commentForm").validate();
    });
</script>
<style type="text/css">
    #commentForm { width: 800px; }
    #commentForm label { width: 250px; }
    #commentForm label.error, #commentForm input.submit { margin-left: 253px; }
</style>
<link rel="stylesheet" type="text/css" media="all" href="css/jsDatePick_ltr.min.css" />
<script type="text/javascript" src="js/jsDatePick.min.1.3.js"></script>
<script type="text/javascript">
    window.onload = function(){
        new JsDatePick({
            useMode:2,
            target:"inputField",
            dateFormat:"%Y-%m-%d"
            /*selectedDate:{
                This is an example
of what the full configuration offers.
                day:5,
                For full documentation about these settings please see the full version of the code.
                month:9,
                year:2006
            },
            yearsRange:[1978,2020],
            limitToToday:false,
            cellColorScheme:"beige",
            dateFormat:"%m-%d-%Y",
            imgPath:"img/",
            weekStartDay:1*/
        });
    };
</script>
<?PHP
include("../connect/connect.php");
$query= mysql_query("select * FROM klasifikasi WHERE kode_klasifikasi='".$_GET['id']."'");
$num = mysql_num_rows($query);
for ($i=0;$i<$num;$i++) {
    $f = mysql_fetch_array($query);
}
?>
<h2><span>Ubah Klasifikasi</span></h2>
<br><br><br><br>
<form method="POST" action="" id="commentForm">
<table border="0">
    <tr>
        <td>Klasifikasi &nbsp;  </td>
        <td><input type="text" name="klasifikasi" size="40" style="font-size:15px;height:30px;" class="required" value="<?php echo $f['klasifikasi']; ?>" /></td>
    </tr>
</table>

```

```

        <td>Min Umur &nbsp;  </td>
        <td><input type="text" name="min_umur" size="20" style="font-size:15px;height:30px;" class="required number" value="<?php echo $f['min_umur']; ?>" /></td>
    </tr>
    <tr>
        <td>Max Umur &nbsp;  </td>
        <td><input type="text" name="max_umur" size="20" style="font-size:15px;height:30px;" class="required number" value="<?php echo $f['max_umur']; ?>" /></td>
    </tr>
    <tr>
        <td>&nbsp;  </td>
        <td><input type="submit" value="Ubah" name="Ubah" /></td>
    </tr>
</table>
</form>
<?php
if (isset($_POST['Ubah'])) {
include("../connect/connect.php");
    $q = mysql_query("UPDATE klasifikasi SET klasifikasi='".$_POST['klasifikasi']."',
min_umur='".$_POST['min_umur']."', max_umur='".$_POST['max_umur']."' where
kode_klasifikasi=$_GET[id]");
    echo "<script>alert('data berhasil diubah!')</script>";
    echo"<script>location.href=?menu=klasifikasi</script>";
}
?>

```

- **Coding option materi menu dosen bagian view**

```

<h2><span>Materi</span></h2>
<p align="right"><a href="<?php echo"?menu=addmateri"; ?>">add New</a></p>
<table border="0" width="100%">
    <tr bgcolor="#2b2e2e">
        <td align="center"><font color="#FFFFFF"><b>Matkul</b></font></td>
        <td align="center"><font color="#FFFFFF"><b>Materi</b></font></td>
        <td align="center"><font color="#FFFFFF"><b>File</b></font></td>
    </tr>
    <tr>
        <td align="center"><?php echo $row['matkul'] ?></td>
        <td align="center"><?php echo $row['materi'] ?></td>
        <td align="center"><a href="data_materi"><?php echo $row['file'] ?></a></td>
    </tr>
    <tr>
        <td align="center"><?php echo $row['file'] ?></a></td>
        <td align="center"><?php echo $row['del'] ?></td>
    </tr>
    <tr>
        <td align="center"><?php echo $row['del'] ?></td>
    </tr>
</table>

```

- **Coding option pengumuman menu dosen bagian add**

```

<?php
include("connect/connect.php");
if(isset($_POST['simpan']))
{
    $q=mysql_query("INSERT INTO `pengumuman` (`kode_pengumuman`, `kode_admin`,
`judul`, `pengumuman`) VALUES (NULL, '".$_SESSION['id_pengguna']."' , '".$_POST['judul']."',
".$_POST['pengumuman']."'");
    echo "<script>alert(\"data berhasil dimasukan!\")</script>";
    echo "<script>location.href=?menu=pengumuman'</script>";
}
?>
<h2><span>Tambah Pengumuman</span></h2>
<br><br><br><br>
<form method="POST" action="" id="commentForm">
<table border="0">
    <tr>
        <td>Nama &nbsp;  </td>
        <td><input type="text" name="judul" size="40" style="font-size:17px;height:30px;"
class="required" /></td>
    </tr>
    <tr>
        <td>Pengumuman &nbsp;  </td>
        <td><textarea name="pengumuman" size="40" style="font-
size:20px;height:100px;"></textarea></td>
    </tr>
    <tr>
        <td>&nbsp;  </td>
        <td><input type="submit" value="simpan" name="simpan" /></td>
    </tr>
</table>
</form>

```

- **Coding option pengumuman menu dosen bagian del**

```

<?php
include("connect/connect.php");
mysql_query("DELETE FROM `pengumuman` WHERE kode_pengumuman='".$_GET['id']."'");
echo "<script>alert(\"data berhasil dihapus!\")</script>";
echo "<script>location.href=?menu=pengumuman'</script>";
?>

```

- **Coding option pengumuman menu dosen bagian edit**

```

<script src="js/jquery.js" type="text/javascript"></script>
<script src="js/jquery.validate.js" type="text/javascript"></script>
<script type="text/javascript">
    $(document).ready(function() {
        $("#commentForm").validate();
    });
</script>
<style type="text/css">
    #commentForm { width: 800px; }
    #commentForm label { width: 250px; }
    #commentForm label.error, #commentForm input.submit { margin-left: 253px; }
</style>
<link rel="stylesheet" type="text/css" media="all" href="css/jsDatePick_ltr.min.css" />
<script type="text/javascript" src="js/jsDatePick.min.1.3.js"></script>
<script type="text/javascript">
    window.onload = function(){
        new JsDatePick({
            useMode:2,
            target:"inputField",
            dateFormat:"%Y-%m-%d"
            /*selectedDate:{
                This is an example
            }
        });
    };

```

```

        day:5,
        month:9,
        year:2006
    },
    yearsRange:[1978,2020],
    limitToToday:false,
    cellColorScheme:"beige",
    dateFormat:"%m-%d-%Y",
    imagePath:"img/",
    weekStartDay:1*/
    });
};
</script>
<?PHP
    include("connect/connect.php");
    $query= mysql_query("select * FROM pengumuman WHERE
kode_pengumuman='$_GET[id]");
    $num = mysql_num_rows($query);
    for ($i=0;$i<$num;$i++) {
        $f = mysql_fetch_array($query);
    }
?>
<h2><span>Ubah Pengumuman</span></h2>
<br><br><br><br>
<form method="POST" action="" id="commentForm">
<table border="0">
    <tr>
        <td>Judul &nbsp;</td>
        <td><input type="text" name="judul" size="40" style="font-size:15px;height:20px;"
class="required" value="<?php echo $f['judul']; ?>" /></td>
    </tr>
    <tr>
        <td>Pengumuman &nbsp;</td>
        <td><textarea name="pengumuman"><?php echo $f['pengumuman'];
?></textarea></td>
    </tr>
    <tr>
        <td>&nbsp;</td>
        <td><input type="submit" value="Ubah" name="Ubah" /></td>
    </tr>
</table>
</form>
<?php
if (isset($_POST['Ubah'])) {
include("connect/connect.php");
    $q = mysql_query("UPDATE pengumuman SET judul='".$_POST['judul']."",
pengumuman='".$_POST['pengumuman']."' where kode_pengumuman='$_GET[id]'");
    echo "<script>alert(\"data berhasil diubah!\")</script>";
    echo "<script>location.href='?menu=pengumuman'</script>";
}
?>

```

- **Coding option pengumuman menu dosen bagian view**

```

<h2><span><center>Pengumuman</center></span></h2>
<p align="right"><a href="<?php echo "?menu=addpengumuman"; ?>">add New</a></p>
<table border="0" width="100%">
    <tr bgcolor="#2b2e2e">
        <td align="center"><font color="#FFFFFF"><b>Penulis</b></font></td>
        <td align="center"><font color="#FFFFFF"><b>Judul</b></font></td>
        <td align="center"><font color="#FFFFFF"><b>Pengumuman</b></font></td>
        <td>&nbsp;</td>
        <td>&nbsp;</td>
    </tr>

```

```

<tr>
<?PHP
include("connect/connect.php");
//$query= mysql_query("select pengumuman.kode_pengumuman,
pengumuman.kode_dosen, pengumuman.judul, pengumuman.pengumuman, dosen.nama FROM
pengumuman, dosen where pengumuman.kode_dosen=dosen.kode_dosen and
pengumuman.kode_dosen=".$_SESSION['id_pengguna'].'" order by kode_pengumuman desc");
$query= mysql_query("select pengumuman.kode_pengumuman,
pengumuman.kode_admin, pengumuman.judul, pengumuman.pengumuman, admin.username
FROM pengumuman, admin where pengumuman.kode_admin=admin.kode_admin and
pengumuman.kode_admin=".$_SESSION['id_pengguna'].'" order by kode_pengumuman desc");
$num = mysql_num_rows($query);
if ($num > 0){
for ($i=0; $i < $num; $i++){
$row = mysql_fetch_array($query);
$id = $row['kode_pengumuman'];
?>
<td bgcolor="#dfdfdf" align="center"><?php echo $row['username'] ?></td>
<td bgcolor="#dfdfdf" align="center"><?php echo $row['judul'] ?></td>
<td bgcolor="#dfdfdf" align="center"><?php echo $row['pengumuman'] ?></td>
<td bgcolor="#dfdfdf" align="center"><?php echo '
href="?menu=editpengumuman&id='.$id.'">Edit</a>; ?></td>
<td bgcolor="#dfdfdf" align="center"><?php echo '
href="?menu=delpengumuman&id='.$id.'">Del</a>; ?></td>
</tr>
<?php
}}
?>
</table>

```

- **Coding menu unduh (pilih matkul)**

```

<h2 align="center"><span><font size="6">Mata Kuliah</font></span></h2><hr/>
</br>
<table width="100%">
<tr>
<td width="20%"></td>
<td align="center" width="60%" bgcolor="#2b2e2e"><font color="red" size="5">Daftar Mata
Kuliah</font></td>
<td width="20%"></td>
</tr>
<tr>
<td>
<?PHP
include("../connect/connect.php");
$query= mysql_query("select * FROM matkul order by coding_matkul desc");
$num = mysql_num_rows($query);
if ($num > 0){
for ($i=0; $i < $num; $i++){
$row = mysql_fetch_array($query);
$id = $row['coding_matkul'];
?>
<td width="20%"></td>
<td bgcolor="#dfdfdf" align="Center" width="60%"><font size="4"><a
href='.././pages/index.php/?menu=materi&id=<?php echo $id ?>'><?php echo $row['matkul']
?></a></font></td>
<td width="20%"></td>
</tr>
<?php
}}
?>
</tr>
<td width="20%"></td>
<td><font size="4"><a href='.././index.php">back</a></font></td></br>
</tr>
</table>
</br>

```

- **Coding menu unduh (pilih materi)**

```

<h2 align="center"><span><font size="6">Daftar Download Materi</font></span></h2><hr/>
<?php
include("../connect/connect.php");
?>
</br>
<table border="0" width="100%">
  <tr>
    <td colspan="3" align="right"><a href="../index.php">Menu Awal</a></td>
  </tr>
  <tr>
    <?PHP
    $query= mysql_query("select * FROM matkul where coding_matkul='$_GET[id]'order by
coding_matkul desc");
    $num = mysql_num_rows($query);
    if ($num > 0){
      for ($i=0; $i < $num; $i++){
        $row = mysql_fetch_array($query);
        $id = $row['coding_matkul'];
      ?>
      <td align="left">Mata Kuliah : <font color="red"><?php echo $row['matkul'] ?></font></td>
    <?php
    }}
    ?>

  </tr>
  <tr bgcolor="#2b2e2e">
    <td align="center"><font color="FFFFFF"><b>Materi</b></font></td>
    <td align="center"><font color="FFFFFF"><b>Dosen</b></font></td>
    <td align="center">&nbsp;</td>

  </tr>
  <tr>
    <?PHP
    // $query= mysql_query("select materi.materi, dosen.nama, materi.file FROM materi,dosen
WHERE dosen.coding_dosen=materi.coding_dosen and materi.coding_matkul=$_GET[id]' order by
coding_materi desc");
    $query= mysql_query("select * from Matkul");

    $num = mysql_num_rows($query);
    if ($num > 0){
      for ($i=0; $i < $num; $i++){
        $row = mysql_fetch_array($query);
        $id = $row['coding_materi'];
      ?>
      <td bgcolor="#dfdfd" align="Center"><?php echo $row['materi'] ?></td>
      <td bgcolor="#dfdfd" align="Center"><?php echo $row['nama'] ?></td>
      <td bgcolor="#dfdfd" align="Center"><a href="../data_materi/<?php echo
$row['file'] ?>">Download</a></td>
    </tr>
    <?php
    }}
    ?>
  </table>
  <a href="index.php">back</a>

```

- **Coding koneksi**

```
<?php
mysql_connect('localhost','root','');
mysql_select_db('pengdb');
?>
```

- **Coding Tampilan List Judul Pengumuman**

```
<td width="20" valign="top" align="left ">
<?PHP
echo"<h2><center><font size='9'>Judul</font></center></h2><hr/>";
include("connect/connect.php");
$query= mysql_query("select pengumuman.coding_pengumuman, pengumuman.coding_dosen,
pengumuman.judul, pengumuman.pengumuman, dosen.nama FROM pengumuman, dosen where
pengumuman.coding_dosen=dosen.coding_dosen order by coding_pengumuman desc");
$num = mysql_num_rows($query);
if ($num > 0){
for ($i=0; $i < $num; $i++){
$row = mysql_fetch_array($query);
echo"<a
ref='pages/index.php/?menu=pengumuman_detail&id=$row[coding_pengumuman]'>$row[judul]</a><
/br></br>";
}
}
?>
```

- **Coding Tampilan Pengumuman**

```
$content = mysql_query("select pengumuman.coding_pengumuman, pengumuman.coding_dosen,
pengumuman.judul, pengumuman.pengumuman, dosen.nama FROM pengumuman, dosen where
pengumuman.coding_dosen=dosen.coding_dosen order by coding_pengumuman desc LIMIT 8");
$num = mysql_num_rows($content);
if($num > 0) {
for($i=0 ;$i < $num;$i++){
$row=mysql_fetch_array($content);
$position=300;
$message= $row['pengumuman'];
$post = substr($message, 0, $position);
echo '
<div id="fragment-'. $i.'" class="ui-tabs-panel" style="">
<div class="info" >
<h2 align="center"><a href="#" >'. $row['judul'].'</a></h2>
<div style="color: #bdbcbc; padding-left: 5px;">
'. $row['nama'].'
</div>
<hr>
<p>
'. $post.'...<a href="pages/index.php/?menu=pengumuman_detail&id='.$row[coding_pengumuman].'"
></a>
</p>
</div></div>;
}
}
echo '
</div>
```

```
$content = mysql_query("select pengumuman.coding_pengumuman, pengumuman.coding_dosen,
pengumuman.judul, pengumuman.pengumuman, dosen.nama FROM pengumuman, dosen where
pengumuman.coding_dosen=dosen.coding_dosen order by coding_pengumuman desc LIMIT 8");
$num = mysql_num_rows($content);
if($num > 0) {
for($i=0 ;$i < $num;$i++){
$row=mysql_fetch_array($content);
$position=50;
$message= $row['pengumuman'];
$post = substr($message, 0, $position);
```

```

echo'
<li class="ui-tabs-nav-item" id="nav-fragment-1">
<a href="#fragment-1.$i.">
<div style="padding: 5px;">
<div style="font-weight: bold;font-size:16px;">'. $row["judul"].'</div>
<span style="font-size:14px;">
'$.post.'...
</span>
</div>
</a>
</li>
';}

echo '</ul>';

```

- **Coding timer untuk pengumuman**

```

head>
<title>Materi</title>
<link rel="stylesheet" href="module/news/css/news.css" type="text/css">
<script src="module/news/js/jquery.min.js"></script>
<script src="module/news/js/jquery-ui.min.js"></script>
<script type="text/javascript">
$(document).ready(function(){
    $("#featured > ul").tabs({fx:{opacity: "toggle"}}).tabs("rotate", 15000,
true);
});
</script>
</head>

```

- **Coding Login**

```

<?php
session_save_path("login/sess");
@session_start();
if(!@$_SESSION["username"] or !@$_SESSION["password"] or !@$_SESSION["level"]){
?>
<h2><span>Form Login</span></h2>
<br><br><br><br><br>
<form method="POST" action="login/proses_login.php">
<table border="0" align="center">
<tr>
<td><input type="text" name="uname" value="username" onfocus="if
(this.value == 'username') {this.value = '';} onblur="if (this.value == '') {this.value = 'username';}"
style="font-size:20px;font-style:italic;height:30px;" size="50" /></td>
</tr>
<tr>
<td><input type="password" name="password" value="password"
onfocus="if (this.value == 'password') {this.value = '';} onblur="if (this.value == '') {this.value =
'password';}" style="font-size:20px;font-style:italic;height:30px;" size="50" /></td>
</tr>
<tr>
<td align="right"><input type="submit" value="Sign" name="masuk"
style="width:300px;height:40px;" /></td>
</tr>
</table>
</form>
<br><br><br><br><br>
<?php
}else{
    if(@$_SESSION["level"]=='admin'){
        echo"<script>location.href='index2.php'</script>";
    }else if(@$_SESSION["level"]=='user'){
        echo"<script>location.href='index3.php'</script>";
    }
}
?>
</div>

```


- **Coding Logout**

```
<?php
session_save_path("sess");
session_start();
session_destroy();
session_unset();
session_unregister("level");
session_unregister("password");
header("location: ../index.php");
?>
```

- **Coding Proses Login**

```
<?php
include("../connect/connect.php");
if(isset($_POST['masuk'])){
    if($_POST['uname']=="" and $_POST['password']==""){
        echo"<script>alert(\"Data Harus Diisi Lengkap!\")</script>";
        echo"<script>>window.location=('../index.php')</script>";
    } else {
        $x = md5($_POST['password']);
        $q=mysql_query("SELECT * FROM `admin` where
username='$_POST[uname]' and password='$x'");
        $n=mysql_num_rows($q);
        for ($i=0;$i<$n;$i++){
            $f=mysql_fetch_array($q);

            $iduser=$f[0];
            $username=$f[1];
            $password=$f[2];
            $level=$f[3];
        }
        if($n > 0){
            if($_POST['uname']==$username and $x==$password){
                session_save_path("sess");
                session_start();

                $_SESSION["username"]=$username;
                $_SESSION["password"]=$password;

                $_SESSION["id_pengguna"]=$iduser;
                if($level=='1'){
                    $_SESSION["level"]="admin";
                }else{
                    $_SESSION["level"]="user";
                }
            }else{
                echo"<script>alert('login pailed!')</script>";
                echo"<script>>window.location=('../index.php')</script>";
            }
        }else{
            echo"<script>alert('login failed!')</script>";
            echo"<script>>window.location=('../index.php')</script>";
        }
    }
}
```

```

    }
}

if(!@$_SESSION["username"] or @$_SESSION["password"] or @$_SESSION["level"]){
    //header("location:../index.php");
    //echo"<script>alert('\data harus diisi
    lengkap!)</script>";
}

elseif(@$_SESSION["username"] and @$_SESSION["password"] and @$_SESSION["level"]=='admin'){
    header("location:../index2.php");
}

elseif(@$_SESSION["username"] and @$_SESSION["password"] and @$_SESSION["level"]=='user'){
    header("location:../index3.php");
}
}
?>

```

- **Coding tampilan layout pengumuman (tengah) menggunakan css**

```

#featured{
    width:408px;
    padding-right:250px;
    position:relative;
    padding-top: 10px;
    padding-left: 10px;
    height:560px;
    background:url(../images/bg-body.jpg) repeat;
    border: 1px solid #333;
    margin-top: 0px;
    margin-left: auto;
    margin-right: auto;
    background-position: center;
}
#featured ul.ui-tabs-nav{
    position:absolute;
    top:10px; left:400px;
    list-style:none;
    padding:0; margin:0;
    width:260px;
    height: 250px;
    background:url(../images/bg-body.jpg) repeat;
}
#featured ul.ui-tabs-nav li{
    padding:1px 0; padding-left:13px;
    font-size:12px;
    color:#666;
}
#featured ul.ui-tabs-nav li img{
    float:left; margin:2px 5px;
    background:#fff;
    padding:2px;
    border:1px solid #eee;
}
#featured ul.ui-tabs-nav li span{
    font-size:11px; font-family:Verdana;
    line-height:18px;
}
#featured li.ui-tabs-nav-item a{
    display:block;
    height:60px;
    color:#333; background:none;
    line-height:20px;
}

```

```

}
#featured li.ui-tabs-nav-item a:hover{
    background:#fff;
}
#featured li.ui-tabs-selected{
}
#featured ul.ui-tabs-nav li.ui-tabs-selected a{
    background:url(..images/bg-body.jpg) repeat;
}
#featured .ui-tabs-panel{
    width:400px; height:550px;
    background:#999; position:relative;
}
#featured .ui-tabs-panel .info{
    position:absolute;
    top:0px; left:0;
    height:548px;
    background: url(..images/transparent-bg.png);
}
#featured .info h2{
    font-size:28px; font-family:Georgia, serif;
    color:#fff; padding:5px; margin:0;
    overflow:hidden;
}
#featured .info p{
    margin:0 5px;
    font-family:Verdana; font-size:15px;
    line-height:15px; color:#f0f0f0;
}
#featured .info a{
    text-decoration:none;
    color:#fff;
}
#featured .info a:hover{
    text-decoration:underline;
}
#featured .ui-tabs-hide{
    display:none;
}
}

```