

LAMPIRAN A
DIAGRAM BLOK





Diagram Blok halaman utama



Registrasi







Diagram blok halaman utama setelah login




Gallery




Booking



Pencarian Jadwal Penerbangan
Feedback



Pengiriman



Halaman Utama Admin

LAMPIRAN B
CODING

Halaman Registrasi

Register.form.php

```
<?php
require_once('Connections/koneksi.php');
include 'template/recordset/recordset.select.member.php';
include 'template/login.php';
include 'template/css&js.php';
include 'template/register.php'
?>

<head>
    <title>HOME</title>
</head>
<body>
<div id="body">
<div id="wrapper">
<?php include ('template/header.php') ?>
    <div id="main">
<?php include ('template/sidebar.php')?>
<div id="content">
<center><h1>REGISTRATION FORM</h1><br></center>
<form action="<?php echo $editFormAction; ?>" method="post" name="form1" id="form1">
    <table align="center">
        <tr valign="baseline">
            <td nowrap="nowrap" align="right">Username:</td>
            <td><input type="text" name="username_member" value="" size="32" /></td>
        </tr>
        <tr valign="baseline">
            <td nowrap="nowrap" align="right">Password:</td>
            <td><input type="password" name="password_member" value="" size="32" /></td>
        </tr>
        <tr> <td colspan="2"><hr/></td></tr>
```

```

<tr valign="baseline">
    <td nowrap="nowrap" align="right">Full Name:</td>
    <td><input type="text" name="nama_member" value="" size="32" /></td>
</tr>
<tr valign="baseline">
    <td nowrap="nowrap" align="right">Telephone Number:</td>
    <td><input type="text" name="no_telp_member" value="" size="32" /></td>
</tr>
<tr valign="baseline">
    <td nowrap="nowrap" align="right">E-mail:</td>
    <td><input type="text" name="email_member" value="" size="32" /></td>
</tr>
<tr valign="baseline">
    <td nowrap="nowrap" align="right">Identity Number:</td>
    <td><input type="text" name="no_ktp_member" value="" size="32" /></td>
</tr>
<tr valign="baseline">
    <td nowrap="nowrap" align="right">DOB:</td>
    <td><input type="text" id="from" name="tanggal" value="" size="32" /></td>
</tr>
<tr valign="baseline">
    <td nowrap="nowrap" align="right">Sex:</td>
    <td><select name="j_kelamin">
        <option value="Male">male</option>
        <option value="Female">female</option>
    </select>
    </td>
</tr>
<tr valign="baseline">
    <td nowrap="nowrap" align="right">&nbsp;</td>
    <td><input type="submit" value="Register" id="submit" /></td>
</tr>

```

```
</table>
<input type="hidden" name="MM_insert" value="form1" />
</form>
<p><font color="#FF0000">Note : Please fill all the field correctly.</font></p>
</div><!-- end of content -->
<div class="cleaner"></div></div> <!-- end of main -->
<?php include ('template/footer.php')?>
</div></div>
</body></html>
<?php
mysql_free_result($login);
?>
```

Halaman plan & book plan.login.php

```
<?php
require_once('Connections/koneksi.php');
include 'template/session.php';
include 'template/css&js.php';
include 'template/logout.php';
include 'template/recordset/recordset.namakota.detailtiket.php';

//SESSION
$_SESSION['infant']=NULL;
$_SESSION['children']=NULL;
$_SESSION['adult']=NULL;
$_SESSION['kota_asal']=NULL;
$_SESSION['kota_tujuan']=NULL;
$_SESSION['tanggal']=NULL;
$_SESSION['jumlah_duduk']=NULL;
?>

<head>
    <title>HOME</title>
</head>
<body>
    <div id="body">
        <div id="wrapper">
            <?php include ('template/header.php') ?>
            <div id="main">
                <?php include ('template/login.sidebar.php')?>

<div id="content">
    <!--PLAN & BOOK-->
    <fieldset><legend><h6>Plan & Book</h6></legend>
    <form name="booking"
```

```

        <?php
            if ($totalRows_detail_tiket == 0)
                echo 'action="booking.result.php"';
            else
                echo 'action="booking.result.fail.php"; ?>
method="post">
        <span id="spriselect1">

        Where You Depart From? <br />
        <select name="kota_asal">

<?php do { ?>
<option value="<?php echo $row_nama_kota['nama_kota']?>"><?php echo
$row_nama_kota['nama_kota']?>,<?php echo $row_nama_kota['nama_airport'] ?></option>
<?php
} while ($row_nama_kota = mysql_fetch_assoc($nama_kota));
$rows = mysql_num_rows($nama_kota);
if($rows > 0) {
    mysql_data_seek($nama_kota, 0);
    $row_nama_kota = mysql_fetch_assoc($nama_kota);
}
?>
</select><br/>
Where Do You Want To Go? <br/> <select name="kota_tujuan">
<?php do { ?>
<option value="<?php echo $row_nama_kota['nama_kota']?>"><?php echo
$row_nama_kota['nama_kota']?>,<?php echo $row_nama_kota['nama_airport'] ?></option>

<?php
} while ($row_nama_kota = mysql_fetch_assoc($nama_kota));
$rows = mysql_num_rows($nama_kota);
if($rows > 0) {
    mysql_data_seek($nama_kota, 0);
    $row_nama_kota = mysql_fetch_assoc($nama_kota);}
?>
</select><br><br>

```

```

<table border="0">
<tr>
<td align="right">infant (0-2) </td>
<td align="left"><select name="infant">
<option value="0">0
<option value="1">1
<option value="2">2
<option value="3">3
<option value="4">4
</select></td>
</tr>
<tr>
<td align="right">Children (3-13) </td>
<td align="left"><select name="children">
<option value="0">0
<option value="1">1
<option value="2">2
<option value="3">3
<option value="4">4
</select></td>
</tr>
<tr>
<td align="right">Adult (13++) </td>
<td align="left"><select name="adult">
<option value="1">1
<option value="2">2
<option value="3">3
<option value="4">4
</select></td>
</tr>
</table><br>

```

Class :

```

        <select name="kelas" >
            <option value="economy">economy</option>
            <option value="bussiness">bussiness</option>
            <option value="vip">vip</option>
        </select><br>
<span class="selectRequiredMsg">Please select an item.</span></span>
<input type="submit" name="submit" id="loginbtn" value="Go!">|<input type="reset" value="reset"
id="loginbtn">
</form></fieldset>
    <!-- manage booking -->
    <br><br>

<fieldset><legend><h6>Manage Your Booking</h6></legend>
    <form name="manage_booking" action="search.flight.php">
        Flight Number : <br>
        <input type="text" name="f_number"><br>
        <input type="submit" name="submit" id="loginbtn" value="Search">
        <br><br>
    </form></fieldset>
</div><!-- end of content -->

    <div class="cleaner"></div>
</div> <!-- end of main -->

<?php include ('template/footer.php');?>
</div></div>
</body>
</html>

```

Halaman Booking Result Fail

Booking.result.fail.php

Jika tidak ada rute yang diinginkan pada database, maka akan ditampilkan halaman ini.

```
<?php
require_once('Connections/koneksi.php');
include 'template/session.php';
include 'template/css&js.php';
include 'template/logout.php'
?>
<head>
    <title>HOME</title>
</head>
<body>
    <div id="body">
        <div id="wrapper">
            <?php include ('template/header.php') ?>
            <div id="main">
                <?php include ('template/login.sidebar.php')?>
                <div id="content">
                    <center><h2>Sorry, Your Flight Request Is Not Exist</h2><br/><h5>
                        <a href="plan.login.php">Choose Again</a></h5></center>
                </div><!-- end of content -->
                <div class="cleaner"></div>
            </div> <!-- end of main -->
            <?php include ('template/footer.php')?>
        </div></div>
    </body></html>
```

Halaman booking result

Booking.result.php

```
<?php
require_once('Connections/koneksi.php');
include 'template/recordset/recordset.namakota.detailtiket.php';
include 'template/session.php';
include 'template/css&js.php';
include 'template/logout.php';

// menampilkan data yang sesuai dengan kota asal dan kota tujuan yang diinput namun tanggalnya tidak
expired

$tgl=date('l, d-m-Y');
$kota_asal=$_POST['kota_asal'];
$kota_tujuan=$_POST['kota_tujuan'];
mysql_select_db($database_koneksi, $koneksi);

$query_detail_tiket = "SELECT * FROM detail_tiket WHERE kota_asal='$kota_asal' AND kota_tujuan
='$kota_tujuan' AND TO_DAYS(tanggal) > TO_DAYS(NOW())";
$detail_tiket = mysql_query($query_detail_tiket, $koneksi) or die(mysql_error());
$row_detail_tiket = mysql_fetch_assoc($detail_tiket);
$totalRows_detail_tiket = mysql_num_rows($detail_tiket);
?>

<head> <title>HOME</title></head>

<body>

    <div id="body">
        <div id="wrapper">
            <?php include ('template/header.php') ?>
            <div id="main">
                <?php include ('template/login.sidebar.php')?>
                <div id="content">

<?php
//kalau tidak ada rute di database maka muncul tulisan flight route does not exist
if ($totalRows_detail_tiket==0)
    echo '<h4>Sorry, Your Flight Route Does Not Exist</h4><br>
    <a href="plan.login.php"><h5>Search Again</h5></a><br>
```

```

        <table border="0">
            <tr><td>&nbsp;</td><td>&nbsp;</td><td>&nbsp;</td><td>&nbsp;</td></tr>;
//kalau ada rute maka dibuat tabel seperti dibawah
else
    echo '<h4>Flight Number For Selected Route</h4><br><br>'
    <table border="1" cellpadding="10px">
        <tr bgcolor="#000000">
            <td><h4>Flight Number </h4></td>
            <td><h4>Economy Class</h4></td>
            <td><h4>Bussiness Class</h4></td>
            <td><h4>VIP Class</h4></td>
            <td><h4>Departure</h4></td>
        </tr>' ;?>
    <?php do{ ?>
        <tr>
            <td>
                <a href="booking.result2.php?recordID=<?php echo
                $row_detail_tiket['nama_penerbangan']; ?>"><?php echo
                $row_detail_tiket['nama_penerbangan']; ?>&nbsp;</a>
            </td>
            <td><?php echo $row_detail_tiket['harga_e_class']?>&nbsp;</td>
            <td><?php echo $row_detail_tiket['harga_b_class']?>&nbsp;</td>
            <td><?php echo $row_detail_tiket['harga_v_class']?>&nbsp;</td>
            <td><?php echo $row_detail_tiket['tanggal'] ?>&nbsp;</td>
        </tr>
        <?php } while ($row_detail = mysql_fetch_assoc($detail_tiket)); ?>
    </table>
    <?php
    $_SESSION['infant']=$_POST['infant'];
    $_SESSION['children']=$_POST['children'];
    $_SESSION['adult']=$_POST['adult'];
    $_SESSION['kelas']=$_POST['kelas'];
    ?>
</div><!-- end of content -->
<div class="cleaner"></div>

```

```
</div> <!-- end of main -->

<?php include ('template/footer.php')?></div></div>

</body>

</html>

<?php
mysql_free_result($detail_tiket);
?>
```

Halaman booking result 2 Booking.result2'.php

```
<?php
require_once('Connections/koneksi.php');
include 'template/session.php';
include 'template/css&js.php';
include 'template/logout.php';
include 'template/recordset/recordset.namakota.detailtiket.php';
include 'template/recordset/recordset.select.detailtiket.php';
include 'template/recordset/recordset.insert.logtiket.php';
?>

<?php
if ($_SESSION['kelas']=='bussiness')
include 'template/recordset/recordset.update.jumlahduduk.b.php';
elseif ($_SESSION['kelas']=='economy')
include 'template/recordset/recordset.update.jumlahduduk.e.php';
elseif ($_SESSION['kelas']=='vip')
include 'template/recordset/recordset.update.jumlahduduk.v.php';
?>

<head>
<title>HOME</title>
</head>
```

```

<body>
    <div id="body">
        <div id="wrapper">
            <?php include ('template/header.php') ?>
                <div id="main">
                    <?php include ('template/login.sidebar.php')?>
                        <div id="content">
                            <form method="post" name="form1" action="<?php echo $editFormAction; ?>" id="form1">
                                <div id="halaman">
                                    <center><h3>Flight Details</h3><br>
                                        <left>Recipient : <?php echo $_SESSION['MM_Username']; ?></left>
                                        <h4>Flight Number : <?php echo $row_DetailRS1['nama_penerbangan']; ?><br>
                                        From <?php echo $row_DetailRS1['kota_asal']; ?> To <?php echo $row_DetailRS1['kota_tujuan']; ?></h4>
                                        Departure Date : <?php echo $row_DetailRS1['tanggal']; ?>
                                    </center><br>
                                    <strong>Class :</strong> <?php echo $_SESSION['kelas'] ?><br>
                                    <strong>Price :</strong>
                                    <?php if ($_SESSION['kelas']=='bussiness')
                                        echo $row_DetailRS1['harga_b_class'];
                                    elseif ($_SESSION['kelas']=='economy')
                                        echo $row_DetailRS1['harga_e_class'];
                                    elseif($_SESSION['kelas']=='vip')
                                        echo $row_DetailRS1['harga_v_class']; ?><br>
                                    <strong>Infant Discount :</strong>
                                    <?php echo $row_DetailRS1['harga_anak']; ?>
                                </div>
                                <fieldset><legend><h5> Passenger Summary </h5></legend>
                                <table>
                                    <tr>
                                        <td>Infant</td>

```

```

<td>Children</td>

<td>Adult</td>

</tr>

<tr>

<td><input type="text" disabled="disabled" value="<?php echo $_SESSION['infant'] ?>"
name="infant"></td>

<td><input type="text" disabled="disabled" value="<?php echo $_SESSION['children'] ?>"
name="children"></td>

<td><input type="text" disabled="disabled" value="<?php echo $_SESSION['adult'] ?>" name="adult"></td>

</table>

</fieldset>

```

```

<strong>Total Price : </strong><h4>

```

```

<?php if ($_SESSION['kelas']=='bussiness')

```

```

echo ($row_DetailRS1['harga_b_class']-$row_DetailRS1['harga_anak'])*$_SESSION['infant'] +
$_SESSION['children']*$_row_DetailRS1['harga_b_class']+$row_DetailRS1['harga_b_class']*
$_SESSION['adult'];

```

```

elseif ($_SESSION['kelas']=='economy')

```

```

echo($row_DetailRS1['harga_e_class']-$row_DetailRS1['harga_anak'])*$_SESSION['infant'] +
$_SESSION['children']*$_row_DetailRS1['harga_e_class']+$row_DetailRS1['harga_e_class']*
$_SESSION['adult'];

```

```

elseif($_SESSION['kelas']=='vip')

```

```

echo($row_DetailRS1['harga_v_class']-$row_DetailRS1['harga_anak'])*$_SESSION['infant'] +
$_SESSION['children']*$_row_DetailRS1['harga_v_class']+$row_DetailRS1['harga_v_class']*
$_SESSION['adult'];

```

```

$total=$_SESSION['infant']+$_SESSION['children']+$_SESSION['adult']; ?></h4>

```

```

<input type="hidden" value='<?php echo $total ?>' name="total" />

```

```

</div>

```

```

<BR><br><br>

```

```

<input type="submit" value="Proceed">

```

```

<input type="text" name="jumlah_duduk" value="

```

```

<?php

```

```

$jumlah_b=$row_jumlahduduk['duduk_b']-$total;

```

```

$jumlah_e=$row_jumlahduduk['duduk_e']-$total;

```



```
</div><div class="cleaner"></div></div>  
<?php include ('template/footer.php');?>  
</div></div>  
</body></html>  
<?php  
mysql_free_result($DetailRS1);?>
```

Halaman Admin Login

Admin.login.php

Jika ID yang melakukan login adalah admin, maka akan terhubung ke halaman admin

```
<?php
// *** Validate request to login to this site.
if (!isset($_SESSION)) {
    session_start();
}

$loginFormAction = $_SERVER['PHP_SELF'];
if (isset($_GET['accesscheck'])) {
    $_SESSION['PrevUrl'] = $_GET['accesscheck'];
}

if (isset($_POST['id'])) {
    $loginUsername=$_POST['id'];
    $password=$_POST['password'];
    $MM_fldUserAuthorization = "";
    $MM_redirectLoginSuccess = "admin/admin.login.php";
    $MM_redirectLoginFailed = "login.fails.php";
    $MM_redirecttoReferrer = false;
    mysql_select_db($database_koneksi, $koneksi);

    $LoginRS__query=sprintf("SELECT * from admin WHERE admin_name='admin'");

    $LoginRS = mysql_query($LoginRS__query, $koneksi) or die(mysql_error());
    $loginFoundUser = mysql_num_rows($LoginRS);
    if ($loginFoundUser>0) {
        }
        header("Location: " . $MM_redirectLoginSuccess );
    }
    else {
```

```
header("Location: ". $MM_redirectLoginFailed );  
}  
?>
```

Halaman Cek.login Cek.login.php

Mengecek apakah ID yang login adalah admin atau user

```
<?php  
require_once('Connections/koneksi.php');  
$username=$_POST['id'];  
$pass=$_POST['password'];  
$sql=mysql_query("SELECT * FROM member WHERE username_member='$username' AND  
password_member='$pass'");  
$level=mysql_num_rows($sql);  
$sqladmin=mysql_query("SELECT * FROM admin WHERE admin_name='$username' AND  
admin_password='$pass'");  
$leveladmin=mysql_num_rows($sqladmin);  
$r=mysql_fetch_array($sql);  
if ($leveladmin > 0){  
include('admin.login.php');}  
else{  
if($level > 0){  
include('template/login.php');}  
else{ header("Location: login.fails.php" );}} ?>
```

Halaman Contact Us (Anonymous)

Contactus.notlogin.php

Halaman untuk mengirimkan *feedback* jika user belum melakukan registrasi /
login

```
<?php
require_once('Connections/koneksi.php');
include 'template/recordset/recordset.select.member.php';
include 'template/login.php';
include 'template/css&js.php';
include 'template/recordset/recordset.insert.feedback.php';
?>
<head>
    <title>HOME</title>
</head>
<body>
    <div id="body">
        <div id="wrapper">
            <?php include ('template/header.php') ?>
                <div id="main">
                    <?php include ('template/sidebar.php')?>
                        <div id="content">
                            <div id="contact_form">
                                <h4>Send us Your Feedback</h4>
                                <form method="POST" name="contact" action="<?php echo $editFormAction; ?>">
                                    <input type="hidden" name="username" value="Anonymous" />
                                    Subject : &nbsp;&nbsp;&nbsp;<select name="subject" value="Select Subject">
                                        <option value="Service">Service</option>
                                        <option value="Pre-Flight">Pre-Flight</option>
                                        <option value="Post-Flight">Post-Flight</option>
                                        <option value="In-Flight">In-Flight</option>
                                    </select>
```

```
<div class="cleaner h10"></div>
<label for="text">Message:</label> <textarea id="text" name="text" rows="0" cols="0"></textarea>
<div class="cleaner h10"></div>
<input type="submit" class="submit_btn float_l" name="submit" id="submit" value="Send" />
<input type="reset" class="submit_btn float_r" name="reset" id="reset" value="Reset" />
<input type="hidden" name="tanggal_kirim" value="now()" />
<input type="hidden" name="MM_insert" value="contact" />
</form>
</div>
</div><!-- end of content -->
<div class="cleaner"></div>
</div> <!-- end of main -->
<?php include ('template/footer.php')?>
</div></div>
</body></html>
<?php mysql_free_result($login); ?>
```

Halaman Contact Us (User) Contactus.php

```
<?php
require_once('Connections/koneksi.php');
include 'template/session.php';
include 'template/css&js.php';
include 'template/logout.php';
include 'template/recordset/recordset.select.member.php';
include 'template/recordset/recordset.insert.feedback.login.php';
?>

<head>
    <title>HOME</title>
</head>

<body>
<div id="body">
    <div id="wrapper">
        <?php include ('template/header.php') ?>
        <div id="main">
            <?php include ('template/login.sidebar.php')?>
            <div id="content">
                <div id="contact_us">
                    <h2>Contact Us</h2>
                    <div id="contact_form">
                        <h4>Send us Your Feedback</h4>
                        <form method="POST" name="contact" action="<?php echo $editFormAction; ?>">
                            <input type="hidden" name="username" value="<?php echo
                            $_SESSION['MM_Username']; ?>"/>
                            <input type="hidden" name="post" value="Send" />
                            Subject : <select name="subject" value="Select Subject">
                                <option value="Service">Service</option>
                                <option value="Pre-Flight">Pre-Flight</option>
                                <option value="Post-Flight">Post-Flight</option>
```

```
        <option value="In-Flight">In-Flight</option>
    </select>
    <div class="cleaner h10"></div>
    <label for="text">Message:</label> <textarea id="text" name="text" rows="0"
    cols="0"></textarea>
    <div class="cleaner h10"></div>
    <input type="hidden" name="tanggal_kirim" value="NOW()" />
    <input type="submit" class="submit_btn float_l" name="submit" id="submit"
    value="Send" />
    <input type="reset" class="submit_btn float_r" name="reset" id="reset" value="Reset"
    />
    <input type="hidden" name="MM_insert" value="contact" />
</form>
</div></div></div><div class="cleaner"></div></div> <!-- end of main -->
<?php include ('template/footer.php')?></div></div>
</body>
</html>
```

Halaman Kirim Feedback (User)

Contactus.kirim.php

```
<?php
require_once('Connections/koneksi.php');
include 'template/session.php';
include 'template/css&js.php';
include 'template/logout.php'
?>

<head>
    <title>HOME</title>
</head>
<body>
    <div id="body">
        <div id="wrapper">
            <?php include ('template/header.php') ?>
                <div id="main">
                    <?php include ('template/login.sidebar.php')?>
                        <div id="content">
                            <center><H2>Your Feedback has Been Sent,<br>Thank You! :)</h2></center>
                        </div><!-- end of content -->
                    <div class="cleaner"></div>
                </div> <!-- end of main -->
            <?php include ('template/footer.php')?>
        </div></div>
    </body>
</html>
```

Halaman Kirim Feedback (Anonymous)

Contactus.notlogin.kirim.php

```
<?php
require_once('Connections/koneksi.php');
include 'template/recordset/recordset.select.member.php';
include 'template/login.php';
include 'template/css&js.php';
?>

<head>
    <title>HOME</title>
</head>
<body>
    <div id="body">
        <div id="wrapper">
            <?php include ('template/header.php') ?>
            <div id="main">
                <?php include ('template/sidebar.php')?>
                <div id="content">
                    <center><h4>Your Feedback Has Been Sent<br>As Anonymous :)</h4></center>
                </div><!-- end of content -->
                <div class="cleaner"></div></div> <!-- end of main -->
            <?php include ('template/footer.php')?></div></div>
        </body>
    </html>
<?php
mysql_free_result($login);
?>
```

Halaman Experience Experience.php

```
<?php
require_once('Connections/koneksi.php');
include 'template/recordset/recordset.select.member.php';
include 'template/login.php';
include 'template/css&js.php';
?>

<head><title>HOME</title></head>

<body>

    <div id="body">
        <div id="wrapper">
            <?php include ('template/header.php') ?>
            <div id="main">
                <?php include ('template/sidebar.php')?>
                <div id="content">
                    <div class="content_box">
                        <a href="highlight.php">Where You Can Go</a><br>
                        <a href="gallery.php">At A Glance</a><br>
                        <a href="dining.php">Fine Dining</a><br>
                    </div>
                </div><div class="cleaner"></div></div> <!-- end of main -->
            <?php include ('template/footer.php')?>
        </div></div>
    </body></html>

<?php
mysql_free_result($login); ?>
```

Halaman Experience (Login)

Experience.login.php

```
<?php
require_once('Connections/koneksi.php');
include 'template/session.php';
include 'template/css&js.php';
include 'template/logout.php'
?>

<head><title>HOME</title></head>

<body>
    <div id="body">
        <div id="wrapper">
            <?php include ('template/header.php') ?>
            <div id="main">
                <?php include ('template/login.sidebar.php')?>
            <div id="content">
                <div class="content_box">
                    <a href="highlight.login.php">Where You Can Go</a></br>
                    <a href="gallery.login.php">At A Glance</a><br>
                    <a href="dining.login.php">Fine Dining</a><br>
                </div> </div><!-- end of content -->
                <div class="cleaner"></div></div> <!-- end of main -->
            <?php include ('template/footer.php')?>
        </div></div>
    </body></html>
```

Halaman At A Glance Gallery.php

```
<?php
require_once('Connections/koneksi.php');
include 'template/recordset/recordset.select.member.php';
include 'template/login.php';
include 'template/css&js.php';
?>
<head><title>HOME</title></head>
<body>
    <div id="body">
        <div id="wrapper">
            <?php include ('template/header.php') ?>
            <div id="main">
                <?php include ('template/sidebar.php')?>
            <div id="content">
                <div class="content_box">
                    <div id="gallery">
                        <ul>
                            <li> <!--VIP-->
                                <a href="images/gallery/1st_class.jpg" class="lightbox" title="VIP Suit">
                                    
                                </a>
                                <span><a href="vip.class.php">VIP Class</a></span>
                                The most luxurious way to fly for business or pleasure - on our narrow - bodied aircraft.
                                <br>
                                <a href="login.attempt.php">Book Now</a>
                            </li>
                            <li><!--Business-->
                                <a href="images/gallery/business_class.jpg" class="lightbox" title="Business">
                                    
                                </a>
                            </li>
                        </ul>
                    </div>
                </div>
            </div>
        </div>
    </div>
```

```
<span><a href="business.class.php">Business Class</a></span>

        Discover a style and space like no other, in the World's Best Business Class as voted by
        Skytrax 2009. <br>

    <a href="login.attempt.php">Book Now</a>
</li>
<li><!--Economy-->

    <a href="images/gallery/economy_class.jpg" class="lightbox" title="Economy Class on Boeing
    747">

    </a>

    <span><a href="economy.class.php">Economy Class</a></span>

    Welcome to our Economy Class. Offering warm hospitality, individual attention and award-winning
    cuisine, discover why the best things in life don't always come at a huge price. <br>

    <a href="login.attempt.php">Book Now</a>

</li>
</ul></div></div></div><!-- end of content -->

<div class="cleaner"></div></div> <!-- end of main -->

<?php include ('template/footer.php')?>

</div></div>

</body></html>

<?php mysql_free_result($login); ?>
```

Halaman At A Glance (Login)

Gallery.login.php

```
<?php
require_once('Connections/koneksi.php');
include 'template/session.php';
include 'template/css&js.php';
include 'template/logout.php'
?>
<head><title>HOME</title></head>
<body>
    <div id="body">
        <div id="wrapper">
            <?php include ('template/header.php') ?>
            <div id="main">
                <?php include ('template/login.sidebar.php')?>
            <div id="content">
                <div class="content_box">
                    <div id="gallery">
                        <ul>
                            <li>
                                <a href="images/gallery/1st_class.jpg" class="lightbox" title="VIP Suit">
                                    
                                </a>
                                <span><a href="vip.class.login.php">VIP Class</a></span>
                                The most luxurious way to fly for business or pleasure - on our narrow - bodied aircraft.
                                <br>
                                <a href="plan.login.php">Book Now</a>
                            </li>
                            <li>
                                <a href="images/gallery/business_class.jpg" class="lightbox" title="Business">
                                    
                                </a>
                            </li>
                        </ul>
                    </div>
                </div>
            </div>
        </div>
    </div>
```

```
</a>
<span><a href="business.class.login.php">Business Class</a></span>
    Discover a style and space like no other, in the World's Best Business Class as voted by
    Skytrax 2009. <br>
<a href="plan.login.php">Book Now</a>
</li><li>
    <a href="images/gallery/economy_class.jpg" class="lightbox" title="Economy Class on Boeing
    747">
    
    </a>
    <span><a href="economy.class.login.php">Economy Class</a></span>
    Welcome to our Economy Class. Offering warm hospitality, individual attention and
    award-winning cuisine, discover why the best things in life don't always come at a huge
    price. <br>
    <a href="plan.login.php">Book Now</a>
</li>
</ul>
</div></div></div><!-- end of content -->
<div class="cleaner"></div></div>
<?php include ('template/footer.php')?>
</div></div>
</body></html>
```

Halaman Kelas VIP

Vip.class.php

```
<?php
require_once('Connections/koneksi.php');
include 'template/recordset/recordset.select.member.php';
include 'template/login.php';
include 'template/css&js.php';
?>
<head><title>HOME</title></head>
<body>
    <div id="body">
        <div id="wrapper">
            <?php include ('template/header.php') ?>
            <div id="main">
                <?php include ('template/sidebar.php')?>
            <div id="content">
                <center><h3>VIP Class</h3></center>
            <div id="slider">
                <a href="#"></a>
                <a href="#"></a>
                <a href="#"></a>
                <a href="#"></a>
            </div>
            <div class="content_box">
                <div id="gallery">
                    <center>The most luxurious way to fly for business or pleasure - on our narrow - bodied
                    aircraft.</center> <br>
                    <a href="login.attempt.php"> <h5>Book Now >></h5></a>
                </div></div></div><!-- end of content -->
            <div class="cleaner"></div>
```

```
</div> <!-- end of main -->
<?php include ('template/footer.php')?>
</div></div>
</body>
</html>
<?php
mysql_free_result($login);
?>
```

Halaman Kelas VIP (Login)

Vip.class.login.php

```
<?php
require_once('Connections/koneksi.php');
include 'template/session.php';
include 'template/css&js.php';
include 'template/logout.php'
?>
<head><title>HOME</title></head>
<body>
    <div id="body">
        <div id="wrapper">
            <?php include ('template/header.php') ?>
            <div id="main">
                <?php include ('template/login.sidebar.php')?>
            <div id="content">
                <center><h3>VIP Class</h3></center>
                <div id="slider">
                    <a href="#"></a>
                    <a href="#"></a>
                    <a href="#"></a>
                    <a href="#"></a>
                </div><div class="content_box">
                    <div id="gallery">
                        <center>The most luxurious way to fly for business or pleasure - on our narrow - bodied
                        aircraft.</center> <br>
                        <a href="plan.login.php"> <h5>Book Now >></h5></a>
                    </div></div></div><!-- end of content -->
```

```
<div class="cleaner"></div></div> <!-- end of main -->  
<?php include ('template/footer.php')?>  
</div></div>  
</body>  
</html>
```

Halaman Kelas Bisnis

Business.class.php

```
<?php
require_once('Connections/koneksi.php');
include 'template/recordset/recordset.select.member.php';
include 'template/login.php';
include 'template/css&js.php';
?>
<head><title>HOME</title></head>
<body>
    <div id="body">
        <div id="wrapper">
            <?php include ('template/header.php') ?>
        <div id="main">
            <?php include ('template/sidebar.php')?>
        <div id="content">
            <center><h3>Business Class</h3></center>
            <div id="slider">
                <a href="#"></a>
                <a href="#"></a>
                <a href="#"></a>
            </div>
        </div>
    </div>
    <div class="content_box">
        <div id="gallery">
            <center> Discover a style and space like no other, in the World's Best Business Class as
            voted by Skytrax 2009.</center><br>
            <a href="login.attempt.php"> <h5>Book Now >></h5></a>
        </div></div></div><!-- end of content -->
```

```
<div class="cleaner"></div></div> <!-- end of main -->
<?php include ('template/footer.php')?>
</div></div>
</body>
</html>
<?php
mysql_free_result($login);
?>
```

Halaman Kelas Bisnis (Login)

Business.class.login.php

```
<?php
require_once('Connections/koneksi.php');
include 'template/session.php';
include 'template/css&js.php';
include 'template/logout.php'
?>
<head><title>HOME</title></head>
<body>
    <div id="body">
        <div id="wrapper">
            <?php include ('template/header.php') ?>
        <div id="main">
            <?php include ('template/login.sidebar.php')?>
        <div id="content">
            <center><h3>Business Class</h3></center>
            <div id="slider">
                <a href="#"></a>
                <a href="#"></a>
                <a href="#"></a>
            </div>
        </div>
    </div>
    <div class="content_box">
        <div id="gallery">
            <center>
                Discover a style and space like no other, in the World's Best Business Class as voted by
                Skytrax 2009.</center>
        </div></div></div><!-- end of content -->
```

```
<div class="cleaner"></div></div> <!-- end of main -->  
<?php include ('template/footer.php')?>  
</div></div>  
</body>  
</html>
```

Halaman Kelas Ekonomi

Economy.class.php

```
<?php
require_once('Connections/koneksi.php');
include 'template/recordset/recordset.select.member.php';
include 'template/login.php';
include 'template/css&js.php';
?>

<head><title>HOME</title></head>

<body>

    <div id="body">
        <div id="wrapper">
            <?php include ('template/header.php') ?>
            <div id="main">
                <?php include ('template/sidebar.php')?>
            <div id="content">
                <center><h3>Economy Class</h3></center>
                <div id="slider">
                    <a href="#"></a>
                    <a href="#"></a>
                    <a href="#"></a>
                </div>
                <div class="content_box">
                    <div id="gallery">
                        <center> Welcome to our Economy Class. Offering warm hospitality, individual attention
                        and award-winning cuisine, discover why the best things in life don't always come at a
                        huge price.</center> <br>
                        <a href="login.attempt.php"> <h5>Book Now >></h5></a>
                    </div></div></div><!-- end of content -->
                    <div class="cleaner"></div></div> <?php include ('template/footer.php')?>
                </div></div></body></html> <?php mysql_free_result($login); ?>
```

Halaman Kelas Ekonomi (Login)

Economy.class.login.php

```
<?php
require_once('Connections/koneksi.php');
include 'template/session.php';
include 'template/css&js.php';
include 'template/logout.php'
?>
<head><title>HOME</title></head>
<body>
    <div id="body">
        <div id="wrapper">
            <?php include ('template/header.php') ?>
            <div id="main">
                <?php include ('template/login.sidebar.php')?>
            <div id="content">
                <center><h3>Economy Class</h3></center>
                <div id="slider">
                    <a href="#"></a>
                    <a href="#"></a>
                    <a href="#"></a>
                </div>
            <div class="content_box">
                <div id="gallery">
                    <center>Welcome to our Economy Class. Offering warm hospitality, individual attention
                    and award-winning cuisine, discover why the best things in life don't always come at a
                    huge price.</center>
                </div></div></div><!-- end of content -->
            <div class="cleaner"></div></div>
            <?php include ('template/footer.php')?>
        </div></div></body></html>
```

Halaman Admin

HOME.ADMIN.PHP

```
<?php
//initialize the session
if (!isset($_SESSION)) {
    session_start();}
// ** Logout the current user. **
$logoutAction = $_SERVER['PHP_SELF']."?doLogout=true";
if ((isset($_SERVER['QUERY_STRING']) && ($_SERVER['QUERY_STRING'] != "")){
    $logoutAction .="&". htmlentities($_SERVER['QUERY_STRING']);
}
if ((isset($_GET['doLogout']) &&($_GET['doLogout']=="true")){
    //to fully log out a visitor we need to clear the session variables
    $_SESSION['MM_Username'] = NULL;
    $_SESSION['MM_UserGroup'] = NULL;
    $_SESSION['PrevUrl'] = NULL;
    unset($_SESSION['MM_Username']);
    unset($_SESSION['MM_UserGroup']);
    unset($_SESSION['PrevUrl']);

    $logoutGoTo = "../home.php";
    if ($logoutGoTo) {
        header("Location: $logoutGoTo");
        exit; } ?>
<?php
if (!isset($_SESSION)) {
    session_start();}?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<link href="../menu/menu.css" rel="stylesheet" type="text/css" />
<head>
```

```

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>WELCOME ADMIN</title>

</head>

<body>

<div id="halaman"><br><br>

welcome, admin<br><br>

<table border="1" align="center">

  <tr>  <td><a href="input.tiket.pesan.php">INPUT DATA TIKET</a></td>  </tr>

  <tr> <td><a href="view.input.php">LIHAT DATA TIKET</a></td></tr>

  <tr> <td><a href="delete.php">HAPUS DATA</a></td></tr>

  <tr><td><a href="log.pesan.tiket.php">DATA PEMESAN</a></td></tr>

  <tr><td><a href="view.feedback.php">KOMENTAR</a></td></tr>

  <tr><td><a href="promosi.php">HARGA PROMOSI</a></td></tr>

  <tr><td><a href="history.php">LIHAT RIWAYAT</a></td></tr>

</table>

<a href="<?php echo $logoutAction ?>"><h5>| Log out | </h5></a> </div>

</body></html>

```

INPUT.TIKET.PESAN.PHP

```
<?php require_once('../Connections/koneksi.php'); ?>

<?php

//initialize the session

if (!isset($_SESSION)) {

    session_start();

}

// ** Logout the current user. **

$logoutAction = $_SERVER['PHP_SELF']."?doLogout=true";

if ((isset($_SERVER['QUERY_STRING'])) && ($_SERVER['QUERY_STRING'] != "")){

    $logoutAction .="&". htmlentities($_SERVER['QUERY_STRING']);

}

if ((isset($_GET['doLogout'])) &&($_GET['doLogout']=="true")){

    //to fully log out a visitor we need to clear the session variables

    $_SESSION['MM_Username'] = NULL;

    $_SESSION['MM_UserGroup'] = NULL;

    $_SESSION['PrevUrl'] = NULL;

    unset($_SESSION['MM_Username']);

    unset($_SESSION['MM_UserGroup']);

    unset($_SESSION['PrevUrl']);

    $logoutGoTo = "home.php";

    if ($logoutGoTo) {

        header("Location: $logoutGoTo");

        exit; } }?>

<?php

if (!function_exists("GetSQLValueString")) {

function GetSQLValueString($theValue, $theType, $theDefinedValue = "", $theNotDefinedValue = "")

{

    if (PHP_VERSION < 6) {
```

```

    $theValue = get_magic_quotes_gpc() ? stripslashes($theValue) : $theValue;
}

$theValue = function_exists("mysql_real_escape_string") ? mysql_real_escape_string($theValue) :
mysql_escape_string($theValue);

switch ($theType) {
    case "text":

        $theValue = ($theValue != "") ? "'" . $theValue . "'" : "NULL";

        break;

        case "long":

        case "int":

            $theValue = ($theValue != "") ? intval($theValue) : "NULL";

            break;

        case "double":

            $theValue = ($theValue != "") ? doubleval($theValue) : "NULL";

            break;

        case "date":

            $theValue = ($theValue != "") ? "'" . $theValue . "'" : "NULL";

            break;

        case "defined":

            $theValue = ($theValue != "") ? $theDefinedValue : theNotDefinedValue;

            break; } return $theValue; }}

$editFormAction = $_SERVER['PHP_SELF'];

if (isset($_SERVER['QUERY_STRING'])) {

    $editFormAction .= "?" . htmlentities($_SERVER['QUERY_STRING']);

}

if ((isset($_POST["MM_insert"])) && ($_POST["MM_insert"] == "form1")) {

$insertSQL = sprintf("INSERT INTO detail_tiket (nama_penerbangan, kota_asal, kota_tujuan, harga_e_class,
harga_b_class, harga_v_class, duduk_e, duduk_b, duduk_v, harga_anak, tanggal, jam) VALUES (%s, %s, %s,
%s, %s, %s, %s, %s, %s, %s, %s, %s)",

        GetSQLValueString($_POST['nama_penerbangan'], "text"),

        GetSQLValueString($_POST['kota_asal'], "text"),

        GetSQLValueString($_POST['kota_tujuan'], "text"),

        GetSQLValueString($_POST['harga_e_class'], "int"),

        GetSQLValueString($_POST['harga_b_class'], "int"),

```

```

        GetSQLValueString($_POST['harga_v_class'], "int"),
        GetSQLValueString($_POST['duduk_e'], "int"),
            GetSQLValueString($_POST['duduk_b'], "int"),
            GetSQLValueString($_POST['duduk_v'], "int"),
        GetSQLValueString($_POST['harga_anak'], "int"),
        GetSQLValueString($_POST['tanggal'], "text"),
            GetSQLValueString($_POST['jam'], "text"));
mysql_select_db($database_koneksi, $koneksi);
$result1 = mysql_query($insertSQL, $koneksi) or die(mysql_error());
$insertGoTo = "view.input.php";
if (isset($_SERVER['QUERY_STRING'])) {
    $insertGoTo .= (strpos($insertGoTo, '?')) ? "& : '?'";
    $insertGoTo .= $_SERVER['QUERY_STRING']; }
header(sprintf("Location: %s", $insertGoTo)); }
mysql_select_db($database_koneksi, $koneksi);
$query_data_kota = "SELECT * FROM data_kota";
$data_kota = mysql_query($query_data_kota, $koneksi) or die(mysql_error());
$row_data_kota = mysql_fetch_assoc($data_kota);
$totalRows_data_kota = mysql_num_rows($data_kota);
?>
<html>
<head><title>WELCOME</title>
<script src="../../SpryAssets/SpryTabbedPanels.js" type="text/javascript"></script>
<script src="../../jQuery/jquery.js" type="text/javascript"></script>
<script src="../../jQuery/jquery.ui.core.js" type="text/javascript"></script>
<script src="../../jQuery/jquery-ui-1.8.2.custom.min.js" type="text/javascript"></script>
<link rel="stylesheet" href="../../datepicker/jquery.ui.all.css" type="text/css">
    <script type="text/javascript" src="../../jQuery/jquery-1.6.2.js"></script>
    <script type="text/javascript" src="../../jQuery/jquery.ui.core.js"></script>
    <script type="text/javascript" src="../../jQuery/jquery.ui.datepicker.js"></script>
    <script type="text/javascript" src="../../jQuery/jquery.ui.widget.js"></script>
<link href="../../menu/menu.css" rel="stylesheet" type="text/css" />

```

```

<style type="text/css">
div#registmenu a{
            position:relative;
            margin:0 20px 0 30px;}

div#registmenu p{
position:relative;
margin:0 10px 0 0;}
</style></head>

<body>
<div id="menu">
<ul class="menu">
    <li><a href="home.admin.php"><span>HOME</span></a></li>
    <li><a href="input.tiket.pesan.php"><span>INPUT DATA TIKET</span></a></li>
    <li><a href="view.input.php"><span>LIHAT DATA TIKET</span></a></li>
</ul>
</div>
<div id="registmenu"><p>Welcome,ADMIN</p>
</div>
<div id="halaman">
<form action="<?php echo $editFormAction?>" method="post" name="form1" id="form1">
<CENTER>DATA TIKET</CENTER><BR>
<table align="center">
<tr valign="baseline">
    <td nowrap="nowrap" align="right">Nama_penerbangan:</td>
    <td><input type="text" name="nama_penerbangan" value="" size="32" />
    </td>
</tr>
<tr valign="baseline">
    <td nowrap="nowrap" align="right">Kota Asal:</td>
    <td><select name="kota_asal" id="kota_asal">
        <option value="" selected="selected"></option>

```

```

<?php
do {
?>

<option value="<?php echo $row_data_kota['nama_kota']?>"><?php echo
$row_data_kota['nama_kota'] ;$kode_airport=$row_data_kota['nama_kota']; ?></option>

<?php
    } while ($row_data_kota = mysql_fetch_assoc($data_kota));

    $rows = mysql_num_rows($data_kota);

    if($rows > 0) {
        mysql_data_seek($data_kota, 0);

        $row_data_kota = mysql_fetch_assoc($data_kota); }

?>

</select></td>

<tr valign="baseline">

    <td nowrap="nowrap" align="right">Kota Tujuan:</td>

    <td><select name="kota_tujuan">

        <option value=""></option>

        <?php
            do { ?>

                <option value="<?php echo $row_data_kota['nama_kota']?>"><?php echo
                $row_data_kota['nama_kota']?></option>

                <?php
                    } while ($row_data_kota = mysql_fetch_assoc($data_kota));

                    $rows = mysql_num_rows($data_kota);

                    if($rows > 0) {

                        mysql_data_seek($data_kota, 0);

                        $row_data_kota = mysql_fetch_assoc($data_kota); } ?>

                </select></td>

</tr>

<tr valign="baseline">

    <td nowrap="nowrap" align="right">Harga Kelas Ekonomi:</td>

```

```

        <td><input type="text" name="harga_e_class" value="" size="32" /></td>
    </tr>
    <tr valign="baseline">
        <td nowrap="nowrap" align="right">Harga Kelas Bisnis:</td>
        <td><input type="text" name="harga_b_class" value="" size="32" /></td>
    </tr>
    <tr valign="baseline">
        <td nowrap="nowrap" align="right">Harga Kelas VIP:</td>
        <td><input type="text" name="harga_v_class" value="" size="32" /></td>
    </tr>
    <tr valign="baseline">
        <td height="27" align="right" nowrap="nowrap">Jumlah Tempat duduk Ekonomi:</td>
        <td><input type="text" name="duduk_e" value="" size="32" /></td>
    </tr>
    <tr valign="baseline">
        <td height="27" align="right" nowrap="nowrap">Jumlah Tempat duduk Bisnis:</td>
        <td><input type="text" name="duduk_b" value="" size="32" /></td>
    </tr>
    <tr valign="baseline">
        <td height="27" align="right" nowrap="nowrap">Jumlah Tempat duduk VIP:</td>
        <td><input type="text" name="duduk_v" value="" size="32" /></td>
    </tr>
    <tr valign="baseline">
        <td nowrap="nowrap" align="right">Diskon Anak:</td>
        <td><input type="text" name="harga_anak" value="" size="32" /></td>
    </tr>
    <tr valign="baseline">
        <td nowrap="nowrap" align="right">Tanggal Berangkat:</td>
        <td align="left" colspan="2"><input type="text" name="tanggal">
            <font size="-3">yyyy-mm-dd</font></td>
    </tr>
    <tr valign="baseline">

```

```

        <td nowrap="nowrap" align="right">Jam:</td>
        <td align="left" colspan="2"><input type="text" name="jam" /><font size="-3">hh:mm:ss</font></td>
    </tr>
    <tr valign="baseline">
        <td nowrap="nowrap" align="right">&nbsp;</td>
        <td><input type="submit" value="Insert record" /></td>
    </tr>
</table>
<input type="hidden" name="MM_insert" value="form1" />
</form>
</div></div><div id="footer_wrapper"> <div id="footer">
Copyright © 2012 <a href="http://apycom.com">myairlines.com</a> | <a href="<?php echo $logoutAction
?>">Log out</a>
<div class="cleaner"></div> </div></div>
</body></html>
<?php mysql_free_result($data_kota); ?>

```

VIEW.INPUT.PHP

Melihat data penerbangan

```

<?php require_once('../Connections/koneksi.php'); ?>
<?php
if (!function_exists("GetSQLValueString")) {
function GetSQLValueString($theValue, $theType, $theDefinedValue = "", $theNotDefinedValue = "")
{
    if (PHP_VERSION < 6) {
        $theValue = get_magic_quotes_gpc() ? stripslashes($theValue) : $theValue;
    }
    $theValue = function_exists("mysql_real_escape_string") ? mysql_real_escape_string($theValue) :
mysql_escape_string($theValue);

    switch ($theType) {
        case "text":
            $theValue = ($theValue != "") ? "'" . $theValue . "'" : "NULL";

```

```

break;

case "long":

case "int":
    $theValue = ($theValue != "") ? intval($theValue) : "NULL";
break;

case "double":
    $theValue = ($theValue != "") ? doubleval($theValue) : "NULL";
break;

case "date":
    $theValue = ($theValue != "") ? "" . $theValue . "" : "NULL";
break;

case "defined":
    $theValue = ($theValue != "") ? $theDefinedValue : $theNotDefinedValue;
break;

} return $theValue; }}

$maxRows_detail = 10;
$pageNum_detail = 0;
if (isset($_GET['pageNum_detail'])) {
    $pageNum_detail = $_GET['pageNum_detail'];
}
$startRow_detail = $pageNum_detail * $maxRows_detail;
mysql_select_db($database_koneksi, $koneksi);
$query_detail = "SELECT * FROM detail_tiket";
$query_limit_detail = sprintf("%s LIMIT %d, %d", $query_detail, $startRow_detail, $maxRows_detail);
$detail = mysql_query($query_limit_detail, $koneksi) or die(mysql_error());
$row_detail = mysql_fetch_assoc($detail);
if (isset($_GET['totalRows_detail'])) {
    $totalRows_detail = $_GET['totalRows_detail'];
} else {
    $all_detail = mysql_query($query_detail);
    $totalRows_detail = mysql_num_rows($all_detail);
}

```

```

$totalPages_detail = ceil($totalRows_detail/$maxRows_detail)-1;
$queryString_detail = "";
if (!empty($_SERVER['QUERY_STRING'])) {
    $params = explode("&", $_SERVER['QUERY_STRING']);
    $newParams = array();
    foreach ($params as $param) {
        if (strpos($param, "pageNum_detail") == false &&
            strpos($param, "totalRows_detail") == false) {
            array_push($newParams, $param);
        }
    }
    if (count($newParams) != 0) {
        $queryString_detail = "&" . htmlentities(implode("&", $newParams));
    }
    $queryString_detail = sprintf("&totalRows_detail=%d%s", $totalRows_detail, $queryString_detail); ?>
<html>
<head>
<title>WELCOME ADMIN</title>
<link href="../../menu/menu.css" rel="stylesheet" type="text/css" />
<script src="../../SpryAssets/SpryTabbedPanels.js" type="text/javascript"></script>
<script src="../../jQuery/jquery.js" type="text/javascript"></script>
<script src="../../jQuery/jquery.ui.core.js" type="text/javascript"></script>
<script src="../../jQuery/jquery-ui-1.8.2.custom.min.js" type="text/javascript"></script>
<link rel="stylesheet" href="../../datepicker/jquery.ui.all.css" type="text/css">
    <script type="text/javascript" src="../../jQuery/jquery-1.6.2.js"></script>
    <script type="text/javascript" src="../../jQuery/jquery.ui.core.js"></script>
    <script type="text/javascript" src="../../jQuery/jquery.ui.datepicker.js"></script>
    <script type="text/javascript" src="../../jQuery/jquery.ui.widget.js"></script>
});
</script>
<link href="../../menu/menu.css" rel="stylesheet" type="text/css" />
</head>
<body>

```

```

<div id="menu">
<ul class="menu">
    <li><a href="home.admin.php"><span>HOME</span></a></li>
    <li><a href="input.tiket.pesan.php"><span>INPUT DATA TIKET</span></a></li>
    <li><a href="view.input.php"><span>LIHAT DATA TIKET</span></a></li>
</ul>
</div>

welcome, admin<br><br>

<center>DATA JADWAL PENERBANGAN</center><br>

<table border="1" align="center">
<tr>
<td>No. Penerbangan</td>
<td>Asal</td>
<td>Tujuan</td>
<td>Harga Ekonomi</td>
<td>Harga Bisnis</td>
<td>Harga VIP</td>
<td>Jumlah Ekonomi</td>
<td>Jumlah Bisnis</td>
<td>Jumlah VIP</td>
<td>Diskon Anak</td>
<td>tanggal</td>
<td>jam</td>

</tr>

<?php
do { ?>
<tr>
<td><a href="detail.penerbangan.php?recordID=<?php echo $row_detail['nama_penerbangan']; ?>">
<?php echo $row_detail['nama_penerbangan']; ?>&nbsp;  </a></td>
<td><?php echo $row_detail['kota_asal']; ?>&nbsp;  </td>
<td><?php echo $row_detail['kota_tujuan']; ?>&nbsp;  </td>

```

```

<td><?php echo $row_detail['harga_e_class']; ?>&nbsp;  </td>
<td><?php echo $row_detail['harga_b_class']; ?>&nbsp;  </td>
<td><?php echo $row_detail['harga_v_class']; ?>&nbsp;  </td>
<td><?php echo $row_detail['duduk_e']; ?>&nbsp;  </td>
<td><?php echo $row_detail['duduk_b']; ?>&nbsp;  </td>
<td><?php echo $row_detail['duduk_v']; ?>&nbsp;  </td>
<td><?php echo $row_detail['harga_anak']; ?>&nbsp;  </td>
<td><?php echo $row_detail['tanggal']; ?>&nbsp;  </td>
<td><?php echo $row_detail['jam']; ?>&nbsp;  </td>
</tr>
<?php } while ($row_detail = mysql_fetch_assoc($detail)); ?>
</table>
<br />
<table border="0">
<tr>
<td><?php if ($pageNum_detail > 0) { // Show if not first page ?>
<a href="<?php printf("%s?pageNum_detail=%d%s", $currentPage, 0, $queryString_detail);
?>">First</a>
<?php } // Show if not first page ?></td>
<td><?php if ($pageNum_detail > 0) { // Show if not first page ?>
<a href="<?php printf("%s?pageNum_detail=%d%s", $currentPage, max(0, $pageNum_detail - 1),
$queryString_detail); ?>">Previous</a>
<?php } // Show if not first page ?></td>
<td><?php if ($pageNum_detail < $totalPages_detail) { // Show if not last page ?>
<a href="<?php printf("%s?pageNum_detail=%d%s", $currentPage, min($totalPages_detail,
$pageNum_detail + 1), $queryString_detail); ?>">Next</a>
<?php } // Show if not last page ?></td>
<td><?php if ($pageNum_detail < $totalPages_detail) { // Show if not last page ?>
<a href="<?php printf("%s?pageNum_detail=%d%s", $currentPage, $totalPages_detail,
$queryString_detail); ?>">Last</a>
<?php } // Show if not last page ?></td>
</tr>
</table>

```

```
Records <?php echo ($startRow_detail + 1) ?> to <?php echo min($startRow_detail + $maxRows_detail,
$totalRows_detail) ?> of <?php echo $totalRows_detail ?><br>
```

```
<a href="hapus.expired.php">Delete Expired Date</a>
```

```
</body>
```

```
</html>
```

```
<?php
```

```
mysql_free_result($detail);
```

```
?>
```

DELETE.PHP

Menghapus data penerbangan

```
<?php require_once('../Connections/koneksi.php'); ?>
```

```
<?php
```

```
if (!function_exists("GetSQLValueString")) {
```

```
function GetSQLValueString($theValue, $theType, $theDefinedValue = "", $theNotDefinedValue = "")
```

```
{
```

```
    if (PHP_VERSION < 6) {
```

```
        $theValue = get_magic_quotes_gpc() ? stripslashes($theValue) : $theValue;
```

```
    }
```

```
    $theValue = function_exists("mysql_real_escape_string") ? mysql_real_escape_string($theValue) :
```

```
mysql_escape_string($theValue);
```

```
    switch ($theType) {
```

```
        case "text":
```

```
            $theValue = ($theValue != "") ? "'" . $theValue . "'" : "NULL";
```

```
            break;
```

```
        case "long":
```

```
        case "int":
```

```
            $theValue = ($theValue != "") ? intval($theValue) : "NULL";
```

```
            break;
```

```
        case "double":
```

```
            $theValue = ($theValue != "") ? doubleval($theValue) : "NULL";
```

```
            break;
```

```

case "date":
    $theValue = ($theValue != "") ? "" . $theValue . "" : "NULL";
    break;
case "defined":
    $theValue = ($theValue != "") ? $theDefinedValue : $theNotDefinedValue;
    break;
}
return $theValue;
}}
$maxRows_detail = 10;
$pageNum_detail = 0;
if (isset($_GET['pageNum_detail'])) {
    $pageNum_detail = $_GET['pageNum_detail'];
}
$startRow_detail = $pageNum_detail * $maxRows_detail;

mysql_select_db($database_koneksi, $koneksi);
$query_detail = "SELECT * FROM detail_tiket";
$query_limit_detail = sprintf("%s LIMIT %d, %d", $query_detail, $startRow_detail, $maxRows_detail);
$detail = mysql_query($query_limit_detail, $koneksi) or die(mysql_error());
$row_detail = mysql_fetch_assoc($detail);

if (isset($_GET['totalRows_detail'])) {
    $totalRows_detail = $_GET['totalRows_detail'];
} else {
    $all_detail = mysql_query($query_detail);
    $totalRows_detail = mysql_num_rows($all_detail);
}
$totalPages_detail = ceil($totalRows_detail/$maxRows_detail)-1;

$queryString_detail = "";
if (!empty($_SERVER['QUERY_STRING'])) {

```

```

$params = explode("&", $_SERVER['QUERY_STRING']);
$newParams = array();
foreach ($params as $param) {
    if (strpos($param, "pageNum_detail") == false &&
        strpos($param, "totalRows_detail") == false) {
        array_push($newParams, $param);
    }
}
if (count($newParams) != 0) {
    $queryString_detail = "&" . htmlentities(implode("&", $newParams));
}
$queryString_detail = sprintf("&totalRows_detail=%d%s", $totalRows_detail, $queryString_detail);
?>
<head>
<title>Hapus detail Tiket </title>
<script src="../../SpryAssets/SpryTabbedPanels.js" type="text/javascript"></script>
<script src="../../jQuery/jquery.js" type="text/javascript"></script>
<script src="../../jQuery/jquery.ui.core.js" type="text/javascript"></script>
<script src="../../jQuery/jquery-ui-1.8.2.custom.min.js" type="text/javascript"></script>
<link rel="stylesheet" href="../../datepicker/jquery.ui.all.css" type="text/css">
    <script type="text/javascript" src="../../jQuery/jquery-1.6.2.js"></script>
    <script type="text/javascript" src="../../jQuery/jquery.ui.core.js"></script>
    <script type="text/javascript" src="../../jQuery/jquery.ui.datepicker.js"></script>
    <script type="text/javascript" src="../../jQuery/jquery.ui.widget.js"></script>
    <link href="../../menu/menu.css" rel="stylesheet" type="text/css" />
</head>
<body>
<div id="menu">
    <ul class="menu">
        <li><a href="home.admin.php"><span>HOME</span></a></li>

```

```

        <li><a href="input.tiket.pesan.php"><span>INPUT DATA TIKET</span></a></li>
        <li><a href="view.input.php"><span>LIHAT DATA TIKET</span></a></li>
    </ul>
</div>
welcome, admin<br><br>

<center>DATA JADWAL PENERBANGAN</center><br>
<table border="1" align="center">
    <tr>
        <td>No. Penerbangan</td>
        <td>Asal</td>
        <td>Tujuan</td>
        <td>tanggal</td>
        <td>jam</td> <td>&nbsp;</td>
    </tr>
    <?php
do { ?>
    <tr>
        <td><?php echo $row_detail['nama_penerbangan']; ?>&nbsp;</a></td>
        <td><?php echo $row_detail['kota_asal']; ?>&nbsp;</td>
        <td><?php echo $row_detail['kota_tujuan']; ?>&nbsp;</td>
        <td><?php echo $row_detail['tanggal']; ?>&nbsp;</td>
        <td><?php echo $row_detail['jam']; ?>&nbsp;</td>
        <td><a href="delete.confirm.php?recordID=<?php echo $row_detail['nama_penerbangan'];
?>">delete</a></td>
    </tr>
    <?php } while ($row_detail = mysql_fetch_assoc($detail)); ?>
</table>
<br />
<table border="0">
    <tr>
        <td><?php if ($pageNum_detail > 0) { // Show if not first page ?>

```

```

        <a href="<?php printf("%s?pageNum_detail=%d%s", $currentPage, 0, $queryString_detail);
?>">First</a>

        <?php } // Show if not first page ?></td>

<td><?php if ($pageNum_detail > 0) { // Show if not first page ?>

        <a href="<?php printf("%s?pageNum_detail=%d%s", $currentPage, max(0, $pageNum_detail - 1),
$queryString_detail); ?>">Previous</a>

        <?php } // Show if not first page ?></td>

<td><?php if ($pageNum_detail < $totalPages_detail) { // Show if not last page ?>

        <a href="<?php printf("%s?pageNum_detail=%d%s", $currentPage, min($totalPages_detail,
$pageNum_detail + 1), $queryString_detail); ?>">Next</a>

        <?php } // Show if not last page ?></td>

<td><?php if ($pageNum_detail < $totalPages_detail) { // Show if not last page ?>

        <a href="<?php printf("%s?pageNum_detail=%d%s", $currentPage, $totalPages_detail,
$queryString_detail); ?>">Last</a>

        <?php } // Show if not last page ?></td>

</tr>

</table>

Records <?php echo ($startRow_detail + 1) ?> to <?php echo min($startRow_detail + $maxRows_detail,
$totalRows_detail) ?> of <?php echo $totalRows_detail ?><br>

<a href="hapus.expired.php">Delete Expired Date</a>

</body>

</html>

<?php
mysql_free_result($detail);

?>

```

DELETE.CONFIRM.PHP

```
<?php require_once('../Connections/koneksi.php'); ?>

<?php

mysql_select_db($database_koneksi, $koneksi)or die(mysql_error());;

$id=$_GET['recordID'];

$sql="DELETE FROM detail_tiket WHERE nama_penerbangan='$id'";

$result=mysql_query($sql);

?>

<html xmlns="http://www.w3.org/1999/xhtml">

<head><title>DELETE</title></head>

<body>

<?php if($result){

echo "Deleted Successfully";

echo "<BR>";

echo "<a href='delete.php'>Back to main page</a>";

}

else { echo "ERROR"; } ?>

</body>

</html>
```

VIEW.FEEDBACK.PHP

Melihat pesan yang dikirimkan oleh *user*

```
<?php require_once('../Connections/koneksi.php'); ?>

<?php

if (!function_exists("GetSQLValueString")) {

function GetSQLValueString($theValue, $theType, $theDefinedValue = "", $theNotDefinedValue = "")

{

    if (PHP_VERSION < 6) {

        $theValue = get_magic_quotes_gpc() ? stripslashes($theValue) : $theValue;

    }

    $theValue = function_exists("mysql_real_escape_string") ? mysql_real_escape_string($theValue) :

mysql_escape_string($theValue);

    switch ($theType) {

        case "text":

            $theValue = ($theValue != "") ? "'" . $theValue . "'" : "NULL";

            break;

        case "long":

        case "int":

            $theValue = ($theValue != "") ? intval($theValue) : "NULL";

            break;

        case "double":

            $theValue = ($theValue != "") ? doubleval($theValue) : "NULL";

            break;

        case "date":

            $theValue = ($theValue != "") ? "'" . $theValue . "'" : "NULL";

            break;

        case "defined":

            $theValue = ($theValue != "") ? $theDefinedValue : $theNotDefinedValue;

            break;

    }

}
```

```

return $theValue;
}
}

$currentPage = $_SERVER["PHP_SELF"];

$maxRows_Recordset1 = 5;
$pageNum_Recordset1 = 0;
if (isset($_GET['pageNum_Recordset1'])) {
    $pageNum_Recordset1 = $_GET['pageNum_Recordset1'];
}
$startRow_Recordset1 = $pageNum_Recordset1 * $maxRows_Recordset1;

mysql_select_db($database_koneksi, $koneksi);
$query_Recordset1 = "SELECT * FROM feedback ORDER BY tanggal_kirim DESC";
$query_limit_Recordset1 = sprintf("%s LIMIT %d, %d", $query_Recordset1, $startRow_Recordset1,
$maxRows_Recordset1);
$Recordset1 = mysql_query($query_limit_Recordset1, $koneksi) or die(mysql_error());
$row_Recordset1 = mysql_fetch_assoc($Recordset1);

if (isset($_GET['totalRows_Recordset1'])) {
    $totalRows_Recordset1 = $_GET['totalRows_Recordset1'];
} else {
    $all_Recordset1 = mysql_query($query_Recordset1);
    $totalRows_Recordset1 = mysql_num_rows($all_Recordset1);
}
$totalPages_Recordset1 = ceil($totalRows_Recordset1/$maxRows_Recordset1)-1;

$queryString_Recordset1 = "";
if (!empty($_SERVER['QUERY_STRING'])) {
    $params = explode("&", $_SERVER['QUERY_STRING']);
    $newParams = array();
    foreach ($params as $param) {

```

```

if (strpos($param, "pageNum_Recordset1") == false &&
    strpos($param, "totalRows_Recordset1") == false) {
    array_push($newParams, $param);
}
}
if (count($newParams) != 0) {
    $queryString_Recordset1 = "&" . htmlentities(implode("&", $newParams));
}
}
$queryString_Recordset1 = sprintf("&totalRows_Recordset1=%d%s", $totalRows_Recordset1,
$queryString_Recordset1);
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Untitled Document</title>
</head>
<body>
<table border="1" align="center">
<tr>
<td>username_member</td>
<td>subyek</td>
<td>isi_feedback</td>
<td>tanggal_kirim</td>
</tr>
<?php do { ?>
<tr>
<td><a href="detailpage.php?recordID=<?php echo $row_Recordset1['username_member']; ?>"> <?php
echo $row_Recordset1['username_member']; ?>&nbsp; </a></td>
<td><?php echo $row_Recordset1['subyek']; ?>&nbsp; </td>
<td><?php echo $row_Recordset1['isi_feedback']; ?>&nbsp; </td>

```

```

        <td><?php echo $row_Recordset1['tanggal_kirim']; ?>&nbsp; </td>
    </tr>
    <?php } while ($row_Recordset1 = mysql_fetch_assoc($Recordset1)); ?>
</table>
<br />
<center>
<table border="0">
    <tr>
        <td><?php if ($pageNum_Recordset1 > 0) { // Show if not first page ?>
            <a href="<?php printf("%s?pageNum_Recordset1=%d%s", $currentPage, 0, $queryString_Recordset1);
?>">First</a>
            <?php } // Show if not first page ?></td>
        <td><?php if ($pageNum_Recordset1 > 0) { // Show if not first page ?>
            <a href="<?php printf("%s?pageNum_Recordset1=%d%s", $currentPage, max(0,
$pageNum_Recordset1 - 1), $queryString_Recordset1); ?>">Previous</a>
            <?php } // Show if not first page ?></td>
        <td><?php if ($pageNum_Recordset1 < $totalPages_Recordset1) { // Show if not last page ?>
            <a href="<?php printf("%s?pageNum_Recordset1=%d%s", $currentPage, min($totalPages_Recordset1,
$pageNum_Recordset1 + 1), $queryString_Recordset1); ?>">Next</a>
            <?php } // Show if not last page ?></td>
        <td><?php if ($pageNum_Recordset1 < $totalPages_Recordset1) { // Show if not last page ?>
            <a href="<?php printf("%s?pageNum_Recordset1=%d%s", $currentPage, $totalPages_Recordset1,
$queryString_Recordset1); ?>">Last</a>
            <?php } // Show if not last page ?></td>
    </tr>
</table>
Records <?php echo ($startRow_Recordset1 + 1) ?> to <?php echo min($startRow_Recordset1 +
$maxRows_Recordset1, $totalRows_Recordset1) ?> of <?php echo $totalRows_Recordset1 ?></center>
</body>
</html>
<?php
mysql_free_result($Recordset1);
?>

```

TEMPLATE

Berisi script php yang digunakan berulang kali

HEADER

```
<div id="main_top"><a href="register.form.php">Register</a>|<?php  
$tgl=date('l, d-m-Y');  
echo $tgl;  
?></div>
```

FOOTER

```
<div id="footer">  
    Copyright © 2012 <a href="#">myairlines.com</a>  
</div>
```

CSS & JAVASCRIPT

```
<html >  
<script src="jQuery/slider.js" type="text/javascript"></script>  
<script src="jQuery/jquery.js" type="text/javascript"></script>  
<script src="jQuery/jquery.lightbox-0.5.js" type="text/javascript" ></script>  
<script src="jQuery/jquery.nivo.slider.js" type="text/javascript"></script>  
<script src="jQuery/datepicker.js" type="text/javascript"></script>  
<script src="jQuery/lightbox.js" type="text/javascript"></script>  
<link rel="stylesheet" href="menu/tiket.css" type="text/css" media="screen" />  
<link href="menu/coba.css" rel="stylesheet" type="text/css" media="screen" />  
<link href="menu/contact.css" rel="stylesheet" type="text/css" media="screen" />  
<link href="SpryAssets/SpryTabbedPanels.css" rel="stylesheet" type="text/css" />  
<link href="gallery/nivo-slider.css" rel="stylesheet" type="text/css" media="screen" />  
<link href="gallery/jquery.lightbox-0.5.css" rel="stylesheet" type="text/css" " media="screen" />
```

LOGIN

Diakses pada halaman awal untuk menghubungkan dengan tabel *user* pada database, agar dapat mengecek ID / Password yang benar

```
<?php
// *** Validate request to login to this site.
if (!isset($_SESSION)) {
    session_start();}
$loginFormAction = $_SERVER['PHP_SELF'];
if (isset($_GET['accesscheck'])) {
    $_SESSION['PrevUrl'] = $_GET['accesscheck'];}
if (isset($_POST['id'])) {
    $loginUsername=$_POST['id'];
    $password=$_POST['password'];
    $MM_fldUserAuthorization = "";
    $MM_redirectLoginSuccess = "home.login.php";
    $MM_redirectLoginFailed = "login.fails.php";
    $MM_redirecttoReferrer = false;
    mysql_select_db($database_koneksi, $koneksi);
    $loginFoundUser = mysql_num_rows($sql);
    if ($loginFoundUser) {
        $loginStrGroup = "";
        if (PHP_VERSION >= 5.1) {session_regenerate_id(true);} else {session_regenerate_id();}
        //declare two session variables and assign them
        $_SESSION['MM_Username'] = $loginUsername;
        $_SESSION['MM_UserGroup'] = $loginStrGroup;

        if (isset($_SESSION['PrevUrl']) && false) {
            $MM_redirectLoginSuccess = $_SESSION['PrevUrl']; }
        header("Location: " . $MM_redirectLoginSuccess ); }
    else { header("Location: " . $MM_redirectLoginFailed ); }}
```

SIDEBAR.PHP

Sidebar pada website sebelum login

```
<div id="sidebar">
<div id="title"><h1><a href="home.php">Website Name</a><span>you'll never fly alone</span></h1>
</div>
<!--MENU-->
<div id="menu">
  <ul>
    <li><a href="home.php" class="current">Home</a></li>
    <li><a href="login.attempt.php">Plan and Book</a></li>
    <li><a href="jadwal.php">Search Our Schedule</a></li>
    <li><a href="experience.php">Experience MyAirlines</a></li>
    <li><a href="contactus.notlogin.php">Contact Us</a></li>
  </ul>
</div>
<!--LOGIN-->
<div class="sb_box">
<h3>Login</h3>
<div id="login">
<form action="CEK.LOGIN.php" method="POST">
  <input type="text" value="username" name="id" size="10" id="logintab" title="logintab"
onfocus="clearText(this)" onblur="clearText(this)" />
  <input type="password" value="password" name="password" size="10" id="logintab" title="logintab"
onfocus="clearText(this)" onblur="clearText(this)" />
  <input type="submit" name="Search" value="LOGIN" id="loginbtn" title="loginbtn" />
</form>
</div></div></div>
```

LOGIN.SIDEBAR.PHP

Sidebar pada website setelah login

```
<div id="sidebar">
<div id="title"><h1><a href="home.php">Website Name</a><span>you'll never fly alone</span></h1>
</div><!--MENU-->
<div id="menu">
  <ul>
    <li><a href="home.login.php" class="current">Home</a></li>
    <li><a href="plan.login.php">Plan and Book</a></li>
    <li><a href="jadwal.login.php">Search Our Schedule</a></li>
    <li><a href="experience.login.php">Experience MyAirlines</a></li>
    <li><a href="contactus.php">Contact Us</a></li>
  </ul>
</div>
<!--LOGIN-->
<div class="sb_box">
<div class="sb_box"><br/>
  <h5>WELCOME,<br/></h5>
  <h2><?php echo $_SESSION['MM_Username']; ?></h2><hr/>
  <a href="<?php echo $logoutAction ?>"><font color="#000000">| Log out |</font></a>
</div></div></div>
```

LOGOUT.PHP

Melakukan logout dan menghapus data-data yang disimpan sementara (session)

```
<?php
// ** Logout the current user. **
$logoutAction = $_SERVER['PHP_SELF']."?doLogout=true";
if ((isset($_SERVER['QUERY_STRING'])) && ($_SERVER['QUERY_STRING'] != "")){
  $logoutAction .="&". htmlentities($_SERVER['QUERY_STRING']);
}

if ((isset($_GET['doLogout'])) &&($_GET['doLogout']=="true")){
  //to fully log out a visitor we need to clear the session variables
```

```
$_SESSION['MM_Username'] = NULL;
$_SESSION['MM_UserGroup'] = NULL;
$_SESSION['PrevUrl'] = NULL;
unset($_SESSION['MM_Username']);
unset($_SESSION['MM_UserGroup']);
unset($_SESSION['PrevUrl']);
```

```
$logoutGoTo = "home.php";
if ($logoutGoTo) {
    header("Location: $logoutGoTo");
    exit; } ?>
```

REGISTER.PHP

```
<?php
$editFormAction = $_SERVER['PHP_SELF'];
if (isset($_SERVER['QUERY_STRING'])) {
    $editFormAction .= "?" . htmlentities($_SERVER['QUERY_STRING']);
}
if ((isset($_POST["MM_insert"])) && ($_POST["MM_insert"] == "form1")) {

    $insertSQL = sprintf("INSERT INTO member (username_member, password_member, nama_member,
no_telp_member, email_member, no_ktp_member, tgl_lahir_member, j_kelamin) VALUES (%s, %s, %s, %s,
%s, %s, %s, %s)",

        GetSQLValueString($_POST['username_member'], "text"),
        GetSQLValueString($_POST['password_member'], "text"),
        GetSQLValueString($_POST['nama_member'], "text"),
        GetSQLValueString($_POST['no_telp_member'], "int"),
        GetSQLValueString($_POST['email_member'], "text"),
        GetSQLValueString($_POST['no_ktp_member'], "text"),
        GetSQLValueString($_POST['tanggal'], "date"),
        GetSQLValueString($_POST['j_kelamin'], "text"));

    mysql_select_db($database_koneksi, $koneksi);

    $Result1 = mysql_query($insertSQL, $koneksi) or die('<br><center><h4>Oops, Looks Like Your Username
Already Exist </h4><br> <a href="register.form.php"><h5>Back</h5></a></center>');

    $insertGoTo = "register.sukses.php";
if (isset($_SERVER['QUERY_STRING'])) {
    $insertGoTo .= (strpos($insertGoTo, '?')) ? "&" : "?";
    $insertGoTo .= $_SERVER['QUERY_STRING']; }
header(sprintf("Location: %s", $insertGoTo));?>
```

SESSION.PHP

```
<?php
if (!isset($_SESSION)) {
    session_start();?>
```

RECORDSET

RECORDSET.INSERT.LOGTIKET.PHP

```
<?php
if ((isset($_POST["MM_insert"])) && ($_POST["MM_insert"] == "form1")) {

    $insertSQL = sprintf("INSERT INTO log_tiket (username_member, nama_penerbangan, kota_asal,
kota_tujuan, tanggal, tipe_tiket, jumlah_duduk) VALUES (%s, %s, %s, %s, %s, %s, %s)",

        GetSQLValueString($_POST['username_member'], "text"),
        GetSQLValueString($_POST['nama_penerbangan'], "text"),
        GetSQLValueString($_POST['kota_asal'], "text"),
        GetSQLValueString($_POST['kota_tujuan'], "text"),
        GetSQLValueString($_POST['tanggal'], "date"),
        GetSQLValueString($_POST['tipe_tiket'], "text"),
        GetSQLValueString($_POST['jumlah_duduk'], "int"));

    mysql_select_db($database_koneksi, $koneksi);
    $Result1 = mysql_query($insertSQL, $koneksi) or die(mysql_error());

    $insertGoTo = "booking.result3.php";
    if (isset($_SERVER['QUERY_STRING'])) {
        $insertGoTo .= (strpos($insertGoTo, '?')) ? "&" : "?";
        $insertGoTo .= $_SERVER['QUERY_STRING'];
    } header(sprintf("Location: %s", $insertGoTo));}
$editFormAction = $_SERVER['PHP_SELF'];
if (isset($_SERVER['QUERY_STRING'])) {
    $editFormAction .= "?" . htmlentities($_SERVER['QUERY_STRING']);?>
```

RECORDSET.NAMAKOTE.DETAILTIKET.PHP

```
<?php
mysql_select_db($database_koneksi, $koneksi);
$query_nama_kota = "SELECT * FROM data_kota";
$nama_kota = mysql_query($query_nama_kota, $koneksi) or die(mysql_error());
$row_nama_kota = mysql_fetch_assoc($nama_kota);
$totalRows_nama_kota = mysql_num_rows($nama_kota);

$kota_asal='kota_asal';
$kota_tujuan='kota_tujuan';
mysql_select_db($database_koneksi, $koneksi);
$query_detail_tiket = "SELECT * FROM detail_tiket WHERE kota_asal='$kota_asal' AND kota_tujuan
='$kota_tujuan'";
$detail_tiket = mysql_query($query_detail_tiket, $koneksi) or die(mysql_error());
$row_detail_tiket = mysql_fetch_assoc($detail_tiket);
$totalRows_detail_tiket = mysql_num_rows($detail_tiket);
?>
```

RECORDSET.SELECT.MEMBER.PHP

```
<?php
if (!function_exists("GetSQLValueString")) {
function GetSQLValueString($theValue, $theType, $theDefinedValue = "", $theNotDefinedValue = "")
{
if (PHP_VERSION < 6) {
    $theValue = get_magic_quotes_gpc() ? stripslashes($theValue) : $theValue;
}
$theValue = function_exists("mysql_real_escape_string") ? mysql_real_escape_string($theValue) :
mysql_escape_string($theValue);

switch ($theType) {
case "text":
    $theValue = ($theValue != "") ? "'" . $theValue . "'" : "NULL";
    break;
```

```

case "long":

case "int":
    $theValue = ($theValue != "") ? intval($theValue) : "NULL";
    break;

case "double":
    $theValue = ($theValue != "") ? doubleval($theValue) : "NULL";
    break;

case "date":
    $theValue = ($theValue != "") ? "" . $theValue . "" : "NULL";
    break;

case "defined":
    $theValue = ($theValue != "") ? $theDefinedValue : $theNotDefinedValue;
    break; }

return $theValue; }}

```

```

mysql_select_db($database_koneksi, $koneksi);
$query_login = "SELECT * FROM member";
$row_login = mysql_query($query_login, $koneksi) or die(mysql_error());
$totalRows_login = mysql_num_rows($login); ?>

```

RECORDSET.SELECT.DETAILTICKET.PHP

```

<?php
if (!function_exists("GetSQLValueString")) {
function GetSQLValueString($theValue, $theType, $theDefinedValue = "", $theNotDefinedValue = "")
{
    if (PHP_VERSION < 6) {
        $theValue = get_magic_quotes_gpc() ? stripslashes($theValue) : $theValue; }
    $theValue = function_exists("mysql_real_escape_string") ? mysql_real_escape_string($theValue) :
mysql_escape_string($theValue);

    switch ($theType) {
        case "text":

```

```

    $theValue = ($theValue != "") ? "" . $theValue . "" : "NULL";
    break;
case "long":
case "int":
    $theValue = ($theValue != "") ? intval($theValue) : "NULL";
    break;
case "double":
    $theValue = ($theValue != "") ? doubleval($theValue) : "NULL";
    break;
case "date":
    $theValue = ($theValue != "") ? "" . $theValue . "" : "NULL";
    break;
case "defined":
    $theValue = ($theValue != "") ? $theDefinedValue : $theNotDefinedValue;
    break; }
return $theValue;}}

//menampilkan data yang sudah diinput
$maxRows_DetailRS1 = 5;
$pageNum_DetailRS1 = 0;
if (isset($_GET['pageNum_DetailRS1'])) {
    $pageNum_DetailRS1 = $_GET['pageNum_DetailRS1'];}
$startRow_DetailRS1 = $pageNum_DetailRS1 * $maxRows_DetailRS1;

$colname_DetailRS1 = "-1";
if (isset($_GET['recordID'])) {
    $colname_DetailRS1 = $_GET['recordID'];}
mysql_select_db($database_koneksi, $koneksi);

$query_DetailRS1 = sprintf("SELECT * FROM detail_tiket WHERE nama_penerbangan = %s ORDER BY
nama_penerbangan DESC", GetSQLValueString($colname_DetailRS1, "text"));

$query_limit_DetailRS1 = sprintf("%s LIMIT %d, %d", $query_DetailRS1, $startRow_DetailRS1,
$maxRows_DetailRS1);

$DetailRS1 = mysql_query($query_DetailRS1, $koneksi) or die(mysql_error());
$row_DetailRS1 = mysql_fetch_assoc($DetailRS1);

```

```

if (isset($_GET['totalRows_DetailRS1'])) {
    $totalRows_DetailRS1 = $_GET['totalRows_DetailRS1'];
} else {
    $all_DetailRS1 = mysql_query($query_DetailRS1);
    $totalRows_DetailRS1 = mysql_num_rows($all_DetailRS1);}
$totalPages_DetailRS1 = ceil($totalRows_DetailRS1/$maxRows_DetailRS1)-1;
?>

```

RECORDSET.INSERT.FEEDBACK.PHP

```

<?php
$editFormAction = $_SERVER['PHP_SELF'];
if (isset($_SERVER['QUERY_STRING'])) {
    $editFormAction .= "?" . htmlentities($_SERVER['QUERY_STRING']);
}
if ((isset($_POST["MM_insert"])) && ($_POST["MM_insert"] == "contact")) {
    $insertSQL = sprintf("INSERT INTO feedback (username_member, subyek, isi_feedback, tanggal_kirim)
VALUES (%s, %s, %s, %s)",
                        GetSQLValueString($_POST['username'], "text"),
                        GetSQLValueString($_POST['subject'], "text"),
                        GetSQLValueString($_POST['text'], "text"),
                        GetSQLValueString($_POST['tanggal_kirim'],
"timestamp"));
mysql_select_db($database_koneksi, $koneksi);
$result1 = mysql_query($insertSQL, $koneksi) or die(mysql_error());
$insertGoTo = "contactus.notlogin.kirim.php";
if (isset($_SERVER['QUERY_STRING'])) {
    $insertGoTo .= (strpos($insertGoTo, '?')) ? "&" : "?";
    $insertGoTo .= $_SERVER['QUERY_STRING']; }
header(sprintf("Location: %s", $insertGoTo));
mysql_select_db($database_koneksi, $koneksi);
$query_feedback = "SELECT * FROM feedback";
$feedback = mysql_query($query_feedback, $koneksi) or die(mysql_error());
$row_feedback = mysql_fetch_assoc($feedback);

```

```
$totalRows_feedback = mysql_num_rows($feedback);?>
```

RECORDSET.UPDATE.JUMLAHDUDUK.B.PHP

Mengupdate tempat duduk kelas bisnis

```
<?php
```

```
$napen=$_SESSION['nama_penerbangan'];
```

```
$jumlah_b=$_SESSION['jumlah_duduk_b'];
```

```
echo $jumlah_b;
```

```
echo $napen;
```

```
if ((isset($_POST["MM_update"])) && ($_POST["MM_update"] == "form1")) {
```

```
    $updateSQL = sprintf("UPDATE detail_tiket SET duduk_b=$jumlah_b WHERE  
nama_penerbangan='%s'",
```

```
GetSQLValueString($_POST['duduk_b'], "int"));
```

```
mysql_select_db($database_koneksi, $koneksi);
```

```
    $Result1 = mysql_query($updateSQL, $koneksi) or die(mysql_error());
```

```
mysql_select_db($database_koneksi, $koneksi);
```

```
$query_jumlahduduk = "SELECT nama_penerbangan, jumlah_duduk, duduk_e, duduk_b, duduk_v FROM  
detail_tiket WHERE nama_penerbangan='%s'";
```

```
$jumlahduduk = mysql_query($query_jumlahduduk, $koneksi) or die(mysql_error());
```

```
$row_jumlahduduk = mysql_fetch_assoc($jumlahduduk);
```

```
$totalRows_jumlahduduk = mysql_num_rows($jumlahduduk);
```

```
mysql_free_result($jumlahduduk);
```

```
?>
```

RECORDSET.UPDATE.JUMLAHDUDUK.E.PHP

Mengupdate tempat duduk kelas ekonomi

```
<?php
$napen=$_SESSION['nama_penerbangan'];
$jumlah_e=$_SESSION['jumlah_duduk_e'];
echo $jumlah_e;
echo $napen;
if ((isset($_POST["MM_update"])) && ($_POST["MM_update"] == "form1")) {
$updateSQL = sprintf("UPDATE detail_tiket SET duduk_e=$jumlah_e WHERE nama_penerbangan='$napen'",
GetSQLValueString($_POST['duduk_e'], "int"));
mysql_select_db($database_koneksi, $koneksi);
$result1 = mysql_query($updateSQL, $koneksi) or die(mysql_error());
mysql_select_db($database_koneksi, $koneksi);
$query_jumlahduduk = "SELECT nama_penerbangan, jumlah_duduk, duduk_e, duduk_b, duduk_v FROM
detail_tiket WHERE nama_penerbangan='$napen'";
$jumlahduduk = mysql_query($query_jumlahduduk, $koneksi) or die(mysql_error());
$row_jumlahduduk = mysql_fetch_assoc($jumlahduduk);
$totalRows_jumlahduduk = mysql_num_rows($jumlahduduk);
mysql_free_result($jumlahduduk);
?>
```

RECORDSET.UPDATE.JUMLAHDUDUK.V.PHP

Mengupdate tempat duduk kelas VIP

```
<?php
$napen=$_SESSION['nama_penerbangan'];
$jumlah_v=$_SESSION['jumlah_duduk_v'];

echo $jumlah_v;

echo $napen;

if ((isset($_POST["MM_update"])) && ($_POST["MM_update"] == "form1")) {

$updateSQL = sprintf("UPDATE detail_tiket SET duduk_v=%d WHERE nama_penerbangan='%s'",
    GetSQLValueString($_POST['duduk_v'], "int"));

mysql_select_db($database_koneksi, $koneksi);

$result1 = mysql_query($updateSQL, $koneksi) or die(mysql_error());

mysql_select_db($database_koneksi, $koneksi);

$query_jumlahduduk = "SELECT nama_penerbangan, jumlah_duduk, duduk_e, duduk_b, duduk_v FROM
detail_tiket WHERE nama_penerbangan='%s'";

$jumlahduduk = mysql_query($query_jumlahduduk, $koneksi) or die(mysql_error());

$row_jumlahduduk = mysql_fetch_assoc($jumlahduduk);

$totalRows_jumlahduduk = mysql_num_rows($jumlahduduk);

mysql_free_result($jumlahduduk);?>
```