

LAMPIRAN A

KODE PROGRAM

```
unit UnitFormUtama;  
  
interface  
  
uses  
    Windows, Messages, SysUtils, Variants, Classes, Graphics,  
    Controls, Forms,  
    Dialogs, ExtCtrls, Menus, StdCtrls;  
  
type  
    TFormUtama = class(TForm)  
        Shape1: TShape;  
        MainMenu1: TMainMenu;  
        DATAMASTER1: TMenuItem;  
        USER1: TMenuItem;  
        DOKTER1: TMenuItem;  
        POLIKLINIK1: TMenuItem;  
        PESERTA1: TMenuItem;  
        KELASINAP1: TMenuItem;  
        PAKETASURANSI1: TMenuItem;  
        OBAT1: TMenuItem;  
        KELUAR1: TMenuItem;  
        LAYANAN1: TMenuItem;  
        RAWATJALAN1: TMenuItem;  
        RAWATINAP1: TMenuItem;  
        KEUANGAN1: TMenuItem;  
        PENERIMAAN1: TMenuItem;  
        PENGELUARAN1: TMenuItem;  
        LAPORAN1: TMenuItem;  
        PENGELUARAN2: TMenuItem;  
        PEN1: TMenuItem;  
        PENERIMAAN2: TMenuItem;  
        PENGELUARAN3: TMenuItem;  
        RAWATJALAN2: TMenuItem;  
        RAWATINAP2: TMenuItem;  
        Label1: TLabel;  
        NamaUser: TLabel;
```

```

    procedure KELUAR1Click(Sender: TObject);
    procedure USER1Click(Sender: TObject);
    procedure DOKTER1Click(Sender: TObject);
    procedure POLIKLINIK1Click(Sender: TObject);
    procedure KELASINAP1Click(Sender: TObject);
    procedure PAKETASURANSI1Click(Sender: TObject);
    procedure OBAT1Click(Sender: TObject);
    procedure PESERTA1Click(Sender: TObject);
    procedure PENERIMAAN1Click(Sender: TObject);
    procedure PENGELUARAN1Click(Sender: TObject);
    procedure RAWATJALAN1Click(Sender: TObject);
    procedure RAWATINAP1Click(Sender: TObject);
    procedure PENERIMAAN2Click(Sender: TObject);
    procedure PENGELUARAN3Click(Sender: TObject);
    procedure RAWATJALAN2Click(Sender: TObject);
    procedure RAWATINAP2Click(Sender: TObject);
    procedure FormActivate(Sender: TObject);
    procedure FormCreate(Sender: TObject);
private
    { Private declarations }
public
    { Public declarations }
end;

var
    FormUtama: TFormUtama;

implementation

uses UnitFormUser, UnitFormDokter, UnitFormPoliklinik,
    UnitFormKelasInap,
    UnitFormPaketAsuransi, UnitFormObat, UnitFormPeserta,
    UnitPenerimaanKeuangan, UnitPengeluaranKeuangan,
    UnitRawatJalan,
    UnitRawatInap, UnitLapPenerimaan, UnitLapPengeluaran,
    UnitLapRawatJalan,
    UnitLapRawatInap;

{$R *.dfm}

procedure TFormUtama.KELUAR1Click(Sender: TObject);
begin
    Application.Terminate;
end;

```

```
procedure TFormUtama.USER1Click(Sender: TObject);
begin
  FormUser.ShowModal;
end;

procedure TFormUtama.DOKTER1Click(Sender: TObject);
begin
  FormDokter.ShowModal;
end;

procedure TFormUtama.POLIKLINIK1Click(Sender: TObject);
begin
  FormPoliklinik.ShowModal;
end;

procedure TFormUtama.KELASINAP1Click(Sender: TObject);
begin
  FormKelasInap.ShowModal;
end;

procedure TFormUtama.PAKETASURANSI1Click(Sender: TObject);
begin
  FormPaketAsuransi.ShowModal;
end;

procedure TFormUtama.OBAT1Click(Sender: TObject);
begin
  FormObat.ShowModal;
end;

procedure TFormUtama.PESERTA1Click(Sender: TObject);
begin
  FormPeserta.ShowModal;
end;

procedure TFormUtama.PENERIMAAN1Click(Sender: TObject);
begin
  FormPenerimaanKeuangan>NamaUser.Caption
:=FormUtama>NamaUser.Caption;
  FormPenerimaanKeuangan.ShowModal;
end;

procedure TFormUtama.PENGELUARAN1Click(Sender: TObject);
begin
```

```
    FormPengeluaranKeuangan>NamaUser.Caption :=
FormUtama>NamaUser.Caption;
    FormPengeluaranKeuangan.ShowModal;
end;

procedure TFormUtama.RAWATJALAN1Click(Sender: TObject);
begin
    FormRawatJalan>NamaUser.Caption :=
FormUtama>NamaUser.Caption;
    FormRawatJalan.ShowModal;
end;

procedure TFormUtama.RAWATINAP1Click(Sender: TObject);
begin
    FormRawatInap>NamaUser.Caption :=
FormUtama>NamaUser.Caption;
    FormRawatInap.ShowModal;
end;

procedure TFormUtama.PENERIMAAN2Click(Sender: TObject);
begin
    FormLaporanPenerimaan.ShowModal;
end;

procedure TFormUtama.PENGELUARAN3Click(Sender: TObject);
begin
    FormLaporanPengeluaran.ShowModal;
end;

procedure TFormUtama.RAWATJALAN2Click(Sender: TObject);
begin
    FormLaporanRawatJalan.ShowModal;
end;

procedure TFormUtama.RAWATINAP2Click(Sender: TObject);
begin
    FormLaporanRawatInap.ShowModal;
end;

procedure TFormUtama.FormActivate(Sender: TObject);
begin
    if FormUtama.Caption = '1' then
    begin
        DataMaster1.Enabled := false;
        Laporan1.Enabled := false;
    end;
end;
```

```

end;
if FormUtama.Caption = '2' then
begin
  User1.Enabled := false;
  Dokter1.Enabled := false;
  Poliklinik1.Enabled := false;
  KelasInap1.Enabled := false;
  PaketAsuransil.Enabled := false;
  Obat1.Enabled := false;
  Layanan1.Enabled := false;
  Keuangan1.Enabled := false;
  Laporan1.Enabled := false;
end;
end;

procedure TFormUtama.FormCreate(Sender: TObject);
begin

end;

end.

```

unit UnitFormLogin;

```
interface
```

```
uses
```

```
  Windows, Messages, SysUtils, Variants, Classes, Graphics,
  Controls, Forms,
  Dialogs, ExtCtrls, StdCtrls, Buttons;
```

```
type
```

```
  TFormLogin = class(TForm)
    Shape1: TShape;
    Label1: TLabel;
    Label2: TLabel;
    NamaUser: TEdit;
    KataKunci: TEdit;
    BtnBatal: TBitBtn;
    BtnLogin: TBitBtn;
    procedure BtnBatalClick(Sender: TObject);
    procedure FormActivate(Sender: TObject);
    procedure NamaUserKeyPress(Sender: TObject; var Key:
  Char);

```

```

        procedure BtnLoginClick(Sender: TObject);
    private
        { Private declarations }
    public
        { Public declarations }
    end;

var
    FormLogin: TFormLogin;

implementation

uses UnitFormUtama, UnitDataModul;

{$R *.dfm}

procedure TFormLogin.BtnBatalClick(Sender: TObject);
begin
    Close;
end;

procedure TFormLogin.FormActivate(Sender: TObject);
begin
    NamaUser.Text := '';
    KataKunci.Text := '';
    NamaUser.SetFocus;
end;

procedure TFormLogin>NamaUserKeyPress(Sender: TObject; var
Key: Char);
begin
    key := UpCase(key);
end;

procedure TFormLogin.BtnLoginClick(Sender: TObject);
begin
    if (NamaUser.Text <> '') and (KataKunci.Text <> '') then
        begin
            DataModul.QueryID.Close;
            DataModul.QueryID.SQL.Clear;
            DataModul.QueryID.SQL.Add('select namauser, katakunci,
hakakses, iduser from m_user');
            DataModul.QueryID.SQL.Add('where namauser =
'+QuotedStr(NamaUser.Text));
            DataModul.QueryID.Open;

```

```

if DataModul.QueryID.IsEmpty then
begin
  ShowMessage('USER TIDAK ADA !');
  NamaUser.Text := '';
  KataKunci.Text := '';
  NamaUser.SetFocus;
end else
begin
  if DataModul.QueryID.Fields[1].Value = KataKunci.Text
then
  begin
    NamaUser.Text := '';
    KataKunci.Text := '';
    FormUtama.Caption :=
DataModul.QueryID.Fields[2].Value;
    FormUtama>NamaUser.Caption :=
DataModul.QueryID.Fields[0].Value;
    FormUtama.ShowModal;
  end else
  begin
    ShowMessage('PASSWORD SALAH !');
    KataKunci.Text := '';
    KataKunci.SetFocus;
  end;
end;
end;
end;
end.

```

```
unit UnitFormUser;
```

```
interface
```

```
uses
```

```
  Windows, Messages, SysUtils, Variants, Classes, Graphics,
Controls, Forms,
  Dialogs, ExtCtrls, DBCtrls, Grids, DBGrids, StdCtrls,
Buttons, Mask;
```

```
type
```

```
  TFormUser = class(TForm)
    Shapel: TShape;
    DBGrid1: TDBGrid;
```

```

    DBNavigator1: TDBNavigator;
    Panel: TPanel;
    BtnTambah: TBitBtn;
    BtnEdit: TBitBtn;
    BtnHapus: TBitBtn;
    BtnTutup: TBitBtn;
    DBEditNamaUser: TDBEdit;
    Label1: TLabel;
    Label2: TLabel;
    DBEditKataKunci: TDBEdit;
    Label3: TLabel;
    DBEditHakAkses: TDBEdit;
    BtnSimpan: TBitBtn;
    BtnBatal: TBitBtn;
    procedure FormActivate(Sender: TObject);
    procedure BtnTutupClick(Sender: TObject);
    procedure BtnTambahClick(Sender: TObject);
    procedure BtnBatalClick(Sender: TObject);
    procedure BtnSimpanClick(Sender: TObject);
    procedure BtnEditClick(Sender: TObject);
    procedure BtnHapusClick(Sender: TObject);
    procedure DBEditNamaUserKeyPress(Sender: TObject; var
Key: Char);
    procedure DBEditNamaUserExit(Sender: TObject);
    private
    { Private declarations }
    public
    { Public declarations }
    end;

var
    FormUser: TFormUser;

implementation

uses UnitDataModul;

{$R *.dfm}

procedure TFormUser.FormActivate(Sender: TObject);
begin
    Panel.Enabled := false;
end;

procedure TFormUser.BtnTutupClick(Sender: TObject);

```



```
begin
  if not Panel.Enabled then Close;
end;

procedure TFormUser.BtnTambahClick(Sender: TObject);
var
  id : integer;
begin
  if not Panel.Enabled then
    begin
      DataModul.QueryID.Close;
      DataModul.QueryID.SQL.Clear;
      DataModul.QueryID.SQL.Add(' select max(iduser) from
m_user');
      DataModul.QueryID.Open;
      if DataModul.QueryID.Fields[0].AsString = '' then
        id := 1 else id := DataModul.QueryID.Fields[0].Value +
1;
      Panel.Enabled := true;
      DataModul.TabelMUser.Insert;
      DataModul.TabelMUser.FieldName('iduser').Value := id;
      DBEditNamaUser.SetFocus;
    end;
end;

procedure TFormUser.BtnBatalClick(Sender: TObject);
begin
  DataModul.TabelMUser.Cancel;
  Panel.Enabled := false;
end;

procedure TFormUser.BtnSimpanClick(Sender: TObject);
begin
  DataModul.TabelMUser.Post;
  DataModul.TabelMUser.CommitUpdates;
  Panel.Enabled := false;
end;

procedure TFormUser.BtnEditClick(Sender: TObject);
begin
  if not Panel.Enabled then
    begin
      Panel.Enabled := true;
      DataModul.TabelMUser.Edit;
      DBEditNamaUser.SetFocus;
    end;
end;
```

```

    end;
end;

procedure TFormUser.BtnHapusClick(Sender: TObject);
begin
    if not Panel.Enabled then
        begin
            if MessageDlg('HAPUS DATA USER ?',
mtconfirmation,[mbytes,mbno],0)=mryes then
                begin
                    DataModul.TabelMUser.Delete;
                    DataModul.TabelMUser.CommitUpdates;
                end;
            end;
        end;
end;

procedure TFormUser.DBEditNamaUserKeyPress(Sender: TObject;
var Key: Char);
begin
    key := UpCase(key)
end;

procedure TFormUser.DBEditNamaUserExit(Sender: TObject);
begin
    DataModul.QueryNama.Close;
    DataModul.QueryNama.SQL.Clear;
    DataModul.QueryNama.SQL.Add('select * from m_user where
namauser = '+QuotedStr(DBEditNamaUser.Text));
    DataModul.QueryNama.Open;
    if not DataModul.QueryNama.IsEmpty then
        begin
            ShowMessage('User Sudah Ada !');
            DBEditNamaUser.SetFocus;
        end;
    end;
end;

end.

```

```
unit UnitFormPeserta;
```

```
interface
```

```
uses
```

Windows, Messages, SysUtils, Variants, Classes, Graphics,
 Controls, Forms,
 Dialogs, ExtCtrls, StdCtrls, Mask, DBCtrls, Buttons,
 Grids, DBGrids;

type

```

TFormPeserta = class(TForm)
  Shapel: TShape;
  DBGrid1: TDBGrid;
  DBNavigator1: TDBNavigator;
  BtnTambah: TBitBtn;
  BtnEdit: TBitBtn;
  BtnHapus: TBitBtn;
  Panel: TPanel;
  Label1: TLabel;
  Label2: TLabel;
  Label4: TLabel;
  DBEditNamaPeserta: TDBEdit;
  DBEditTL: TDBEdit;
  BtnSimpan: TBitBtn;
  BtnBatal: TBitBtn;
  DBEditAlamat: TDBEdit;
  BtnTutup: TBitBtn;
  Label3: TLabel;
  DBEditPekerjaan: TDBEdit;
  Label5: TLabel;
  EditFilter: TEdit;
  Label6: TLabel;
  DBComboBoxPaket: TDBComboBox;
  procedure FormActivate(Sender: TObject);
  procedure BtnTutupClick(Sender: TObject);
  procedure BtnTambahClick(Sender: TObject);
  procedure BtnEditClick(Sender: TObject);
  procedure BtnHapusClick(Sender: TObject);
  procedure BtnBatalClick(Sender: TObject);
  procedure BtnSimpanClick(Sender: TObject);
  procedure EditFilterChange(Sender: TObject);
  procedure FormClose(Sender: TObject; var Action:
TCloseAction);
  private
    { Private declarations }
  public
    { Public declarations }
end;

```

```

var
  FormPeserta: TFormPeserta;

implementation

uses UnitDataModul;

{$R *.dfm}

procedure TFormPeserta.FormActivate(Sender: TObject);
begin
  DBComboBoxPaket.Clear;
  DBComboBoxPaket.Items.Add('');
  DataModul.TabelPaketAsuransi.First;
  while not DataModul.TabelPaketAsuransi.Eof do
    begin
      DBComboBoxPaket.Items.Add(DataModul.TabelPaketAsuransi.Field
        ByName('namapaket').Value);
      DataModul.TabelPaketAsuransi.Next;
    end;
  Panel.Enabled := false;
  EditFilter.Text := '';
end;

procedure TFormPeserta.BtnTutupClick(Sender: TObject);
begin
  if not Panel.Enabled then Close;
end;

procedure TFormPeserta.BtnTambahClick(Sender: TObject);
var
  id : string;
begin
  if not Panel.Enabled then
    begin
      DataModul.QueryID.Close;
      DataModul.QueryID.SQL.Clear;
      DataModul.QueryID.SQL.Add(' select max(idpeserta) from
        m_peserta');
      DataModul.QueryID.Open;
      if DataModul.QueryID.Fields[0].AsString = '' then
        id := '0001'
      else

```

```

        id :=
FormatFloat('0000',StrToInt(DataModul.QueryID.Fields[0].Value) + 1);
    Panel.Enabled := true;
    DataModul.TabelMPeserta.Insert;
    DataModul.TabelMPeserta.FieldByName('idpeserta').Value :=
id;
    DBEditNamaPeserta.SetFocus;
end;
end;

procedure TFormPeserta.BtnEditClick(Sender: TObject);
begin
    if not Panel.Enabled then
        begin
            Panel.Enabled := true;
            DataModul.TabelMPeserta.Edit;
            DBEditNamaPeserta.SetFocus;
        end;
end;

procedure TFormPeserta.BtnHapusClick(Sender: TObject);
begin
    if not Panel.Enabled then
        begin
            if MessageDlg('HAPUS DATA PESERTA ?',
mtconfirmation,[mbyes,mbno],0)=mryes then
                begin
                    DataModul.TabelMPeserta.Delete;
                    DataModul.TabelMPeserta.CommitUpdates;
                end;
        end;
end;

procedure TFormPeserta.BtnBatalClick(Sender: TObject);
begin
    DataModul.TabelMPeserta.Cancel;
    Panel.Enabled := false;
end;

procedure TFormPeserta.BtnSimpanClick(Sender: TObject);
begin
    DataModul.TabelMPeserta.Post;
    DataModul.TabelMPeserta.CommitUpdates;
    Panel.Enabled := false;
end;

```

```
end;

procedure TFormPeserta.EditFilterChange(Sender: TObject);
begin
  if EditFilter.Text <> '' then
  begin
    DataModul.TabelMPeserta.Filter := 'namapeserta =
'+QuotedStr(EditFilter.Text+'*');
    DataModul.TabelMPeserta.Filtered := true;
  end else
  begin
    DataModul.TabelMPeserta.Filtered := false;
  end;
end;

procedure TFormPeserta.FormClose(Sender: TObject;
  var Action: TCloseAction);
begin
  DataModul.TabelMPeserta.Filtered := false;
end;

end.
```

unit UnitFormDokter;

```
interface
```

```
uses
```

```
  Windows, Messages, SysUtils, Variants, Classes, Graphics,
  Controls, Forms,
  Dialogs, ExtCtrls, StdCtrls, Mask, DBCtrls, Buttons,
  Grids, DBGrids;
```

```
type
```

```
  TFormDokter = class(TForm)
    Shape1: TShape;
    DBGrid1: TDBGrid;
    DBNavigator1: TDBNavigator;
    BtnTambah: TBitBtn;
    BtnEdit: TBitBtn;
    BtnHapus: TBitBtn;
    Panel: TPanel;
    Label1: TLabel;
    Label2: TLabel;
```

```

    DBEditNamaDokter: TDBEdit;
    DBEditSpesialisasi: TDBEdit;
    BtnSimpan: TBitBtn;
    BtnBatal: TBitBtn;
    BtnTutup: TBitBtn;
    Label4: TLabel;
    DBEditBiaya: TDBEdit;
    procedure BtnTambahClick(Sender: TObject);
    procedure BtnEditClick(Sender: TObject);
    procedure BtnHapusClick(Sender: TObject);
    procedure BtnTutupClick(Sender: TObject);
    procedure BtnBatalClick(Sender: TObject);
    procedure BtnSimpanClick(Sender: TObject);
    procedure FormActivate(Sender: TObject);
private
    { Private declarations }
public
    { Public declarations }
end;

var
    FormDokter: TFormDokter;

implementation

uses UnitDataModul;

{$R *.dfm}

procedure TFormDokter.BtnTambahClick(Sender: TObject);
var
    id : integer;
begin
    if not Panel.Enabled then
        begin
            DataModul.QueryID.Close;
            DataModul.QueryID.SQL.Clear;
            DataModul.QueryID.SQL.Add(' select max(iddokter) from
dokter');
            DataModul.QueryID.Open;
            if DataModul.QueryID.Fields[0].AsString = '' then
                id := 1 else id := DataModul.QueryID.Fields[0].Value +
1;
            Panel.Enabled := true;
            DataModul.TabelDokter.Insert;

```

```
    DataModul.TabelDokter.FieldByName('iddokter').Value :=  
id;  
    DEditNamaDokter.SetFocus;  
end;  
end;
```

```
procedure TFormDokter.BtnEditClick(Sender: TObject);  
begin  
    if not Panel.Enabled then  
        begin  
            Panel.Enabled := true;  
            DataModul.TabelDokter.Edit;  
            DEditNamaDokter.SetFocus;  
        end;  
end;
```

```
procedure TFormDokter.BtnHapusClick(Sender: TObject);  
begin  
    if not Panel.Enabled then  
        begin  
            if MessageDlg('HAPUS DATA DOKTER ?',  
mtconfirmation,[mbyes,mbno],0)=mryes then  
                begin  
                    DataModul.TabelDokter.Delete;  
                    DataModul.TabelDokter.CommitUpdates;  
                end;  
            end;  
end;
```

```
procedure TFormDokter.BtnTutupClick(Sender: TObject);  
begin  
    if not Panel.Enabled then Close;  
end;
```

```
procedure TFormDokter.BtnBatalClick(Sender: TObject);  
begin  
    DataModul.TabelDokter.Cancel;  
    Panel.Enabled := false;  
end;
```

```
procedure TFormDokter.BtnSimpanClick(Sender: TObject);  
begin  
    DataModul.TabelDokter.Post;  
    DataModul.TabelDokter.CommitUpdates;  
    Panel.Enabled := false;
```



```
end;
```

```
procedure TFormDokter.FormActivate(Sender: TObject);
begin
  Panel.Enabled := false;
end;
```

```
end.
```

```
unit UnitFormPoliklinik;
```

```
interface
```

```
uses
```

```
  Windows, Messages, SysUtils, Variants, Classes, Graphics,
  Controls, Forms,
  Dialogs, ExtCtrls, StdCtrls, Mask, DBCtrls, Buttons,
  Grids, DBGrids;
```

```
type
```

```
  TFormPoliklinik = class(TForm)
    Shapel: TShape;
    DBGrid1: TDBGrid;
    DBNavigator1: TDBNavigator;
    BtnTambah: TBitBtn;
    BtnEdit: TBitBtn;
    BtnHapus: TBitBtn;
    BtnTutup: TBitBtn;
    Panel: TPanel;
    Label1: TLabel;
    DBEditNamaPoli: TDBEdit;
    DBEditBiaya: TDBEdit;
    BtnSimpan: TBitBtn;
    BtnBatal: TBitBtn;
    Label2: TLabel;
    procedure BtnTambahClick(Sender: TObject);
    procedure BtnEditClick(Sender: TObject);
    procedure BtnHapusClick(Sender: TObject);
    procedure FormActivate(Sender: TObject);
    procedure BtnTutupClick(Sender: TObject);
    procedure BtnBatalClick(Sender: TObject);
    procedure BtnSimpanClick(Sender: TObject);
    procedure DBEditNamaPoliKeyPress(Sender: TObject; var
Key: Char);
```

```

private
  { Private declarations }
public
  { Public declarations }
end;

var
  FormPoliklinik: TFormPoliklinik;

implementation

uses UnitDataModul;

{$R *.dfm}

procedure TFormPoliklinik.BtnTambahClick(Sender: TObject);
var
  id : integer;
begin
  if not Panel.Enabled then
    begin
      DataModul.QueryID.Close;
      DataModul.QueryID.SQL.Clear;
      DataModul.QueryID.SQL.Add(' select max(idpoliklinik) from
poliklinik');
      DataModul.QueryID.Open;
      if DataModul.QueryID.Fields[0].AsString = '' then
        id := 1 else id := DataModul.QueryID.Fields[0].Value +
1;
      Panel.Enabled := true;
      DataModul.TabelPoliklinik.Insert;

DataModul.TabelPoliklinik.FieldName('idpoliklinik').Value
:= id;
      DBEditNamaPoli.SetFocus;
    end;
  end;

procedure TFormPoliklinik.BtnEditClick(Sender: TObject);
begin
  if not Panel.Enabled then
    begin
      Panel.Enabled := true;
      DataModul.TabelPoliklinik.Edit;
      DBEditNamaPoli.SetFocus;
    end;
  end;

```

```
    end;
end;

procedure TFormPoliklinik.BtnHapusClick(Sender: TObject);
begin
    if not Panel.Enabled then
        begin
            if MessageDlg('HAPUS DATA POLIKLINIK ?',
mtconfirmation,[mbytes,mbno],0)=mryes then
                begin
                    DataModul.TabelPoliklinik.Delete;
                    DataModul.TabelPoliklinik.CommitUpdates;
                end;
            end;
        end;
end;

procedure TFormPoliklinik.FormActivate(Sender: TObject);
begin
    Panel.Enabled := false;
end;

procedure TFormPoliklinik.BtnTutupClick(Sender: TObject);
begin
    if not Panel.Enabled then Close;
end;

procedure TFormPoliklinik.BtnBatalClick(Sender: TObject);
begin
    DataModul.TabelPoliklinik.Cancel;
    Panel.Enabled := false;
end;

procedure TFormPoliklinik.BtnSimpanClick(Sender: TObject);
begin
    DataModul.TabelPoliklinik.Post;
    DataModul.TabelPoliklinik.CommitUpdates;
    Panel.Enabled := false;
end;

procedure TFormPoliklinik.DBEditNamaPoliKeyPress(Sender:
TObject;
    var Key: Char);
begin
    key := UpCase(key)
end;
```

end.

unit UnitFormKelasInap;

interface

uses

Windows, Messages, SysUtils, Variants, Classes, Graphics,
Controls, Forms,
Dialogs, ExtCtrls, StdCtrls, Mask, DBCtrls, Buttons,
Grids, DBGrids;

type

```
TFormKelasInap = class(TForm)
  Shape1: TShape;
  DBGrid1: TDBGrid;
  DBNavigator1: TDBNavigator;
  BtnTambah: TBitBtn;
  BtnEdit: TBitBtn;
  BtnHapus: TBitBtn;
  Panel: TPanel;
  Label1: TLabel;
  Label2: TLabel;
  DBEditNamaKelas: TDBEdit;
  DBEditBiaya: TDBEdit;
  BtnSimpan: TBitBtn;
  BtnBatal: TBitBtn;
  BtnTutup: TBitBtn;
  procedure FormActivate(Sender: TObject);
  procedure BtnTutupClick(Sender: TObject);
  procedure BtnTambahClick(Sender: TObject);
  procedure BtnEditClick(Sender: TObject);
  procedure BtnHapusClick(Sender: TObject);
  procedure BtnBatalClick(Sender: TObject);
  procedure BtnSimpanClick(Sender: TObject);
private
  { Private declarations }
public
  { Public declarations }
end;
```

var

```
FormKelasInap: TFormKelasInap;
```

```
implementation

uses UnitDataModul;

{$R *.dfm}

procedure TFormKelasInap.FormActivate(Sender: TObject);
begin
  Panel.Enabled := false;
end;

procedure TFormKelasInap.BtnTutupClick(Sender: TObject);
begin
  if not Panel.Enabled then Close;
end;

procedure TFormKelasInap.BtnTambahClick(Sender: TObject);
begin
  if not Panel.Enabled then
  begin
    Panel.Enabled := true;
    DataModul.TabelKelasInap.Insert;
    DBEditNamaKelas.SetFocus;
  end;
end;

procedure TFormKelasInap.BtnEditClick(Sender: TObject);
begin
  if not Panel.Enabled then
  begin
    Panel.Enabled := true;
    DataModul.TabelKelasInap.Edit;
    DBEditNamaKelas.SetFocus;
  end;
end;

procedure TFormKelasInap.BtnHapusClick(Sender: TObject);
begin
  if not Panel.Enabled then
  begin
    if MessageDlg('HAPUS DATA KELAS INAP ?',
mtconfirmation,[mbyes,mbno],0)=mryes then
    begin
      DataModul.TabelKelasInap.Delete;
```

```

        DataModul.TabelKelasInap.CommitUpdates;
    end;
end;
end;

procedure TFormKelasInap.BtnBatalClick(Sender: TObject);
begin
    DataModul.TabelKelasInap.Cancel;
    Panel.Enabled := false;
end;

procedure TFormKelasInap.BtnSimpanClick(Sender: TObject);
begin
    DataModul.TabelKelasInap.Post;
    DataModul.TabelKelasInap.CommitUpdates;
    Panel.Enabled := false;
end;

end.

```

unit UnitFormPaketAsuransi;

```

interface

uses

    Windows, Messages, SysUtils, Variants, Classes, Graphics,
    Controls, Forms,
    Dialogs, ExtCtrls, StdCtrls, Mask, DBCtrls, Buttons,
    Grids, DBGrids;

type
    TFormPaketAsuransi = class(TForm)
        Shape1: TShape;
        DBGrid1: TDBGrid;
        DBNavigator1: TDBNavigator;
        BtnTambah: TBitBtn;
        BtnEdit: TBitBtn;
        BtnHapus: TBitBtn;
        Panel: TPanel;
        Label1: TLabel;
        Label2: TLabel;
        DBEditNamaPaket: TDBEdit;
        DBEditPremi: TDBEdit;
        BtnSimpan: TBitBtn;
    end;

```

```

    BtnBatal: TBitBtn;
    BtnTutup: TBitBtn;
    Label3: TLabel;
    DBEditKelas: TDBEdit;
    Label4: TLabel;
    Label5: TLabel;
    DBEditRJ: TDBEdit;
    DBEdit2: TDBEdit;
    procedure FormActivate(Sender: TObject);
    procedure BtnTutupClick(Sender: TObject);
    procedure BtnTambahClick(Sender: TObject);
    procedure BtnEditClick(Sender: TObject);
    procedure BtnHapusClick(Sender: TObject);
    procedure BtnBatalClick(Sender: TObject);
    procedure BtnSimpanClick(Sender: TObject);
private
    { Private declarations }
public
    { Public declarations }
end;

var
    FormPaketAsuransi: TFormPaketAsuransi;

implementation

uses UnitDataModul;

{$R *.dfm}

procedure TFormPaketAsuransi.FormActivate(Sender: TObject);
begin
    Panel.Enabled := false;
end;

procedure TFormPaketAsuransi.BtnTutupClick(Sender: TObject);
begin
    if not Panel.Enabled then Close;
end;

procedure TFormPaketAsuransi.BtnTambahClick(Sender:
TObject);
var
    id : integer;
begin

```

```

if not Panel.Enabled then
begin
  DataModul.QueryID.Close;
  DataModul.QueryID.SQL.Clear;
  DataModul.QueryID.SQL.Add(' select max(idpaket) from
paketasuransi');
  DataModul.QueryID.Open;
  if DataModul.QueryID.Fields[0].AsString = '' then
    id := 1 else id := DataModul.QueryID.Fields[0].Value +
1;
  Panel.Enabled := true;
  DataModul.TabelPaketAsuransi.Insert;
  DataModul.TabelPaketAsuransi.FieldName('idpaket').Value
:= id;
  DBEditNamaPaket.SetFocus;
end;
end;

procedure TFormPaketAsuransi.BtnEditClick(Sender: TObject);
begin
  if not Panel.Enabled then
  begin
    Panel.Enabled := true;
    DataModul.TabelPaketAsuransi.Edit;
    DBEditNamaPaket.SetFocus;
  end;
end;

procedure TFormPaketAsuransi.BtnHapusClick(Sender: TObject);
begin
  if not Panel.Enabled then
  begin
    if MessageDlg('HAPUS DATA PAKET ASURANSI ?',
mtconfirmation,[mbytes,mbno],0)=mryes then
    begin
      DataModul.TabelPaketAsuransi.Delete;
      DataModul.TabelPaketAsuransi.CommitUpdates;
    end;
  end;
end;

procedure TFormPaketAsuransi.BtnBatalClick(Sender: TObject);
begin
  DataModul.TabelPaketAsuransi.Cancel;
  Panel.Enabled := false;

```



```

end;

procedure TFormPaketAsuransi.BtnSimpanClick(Sender:
TObject);
begin
  DataModul.TabelPaketAsuransi.Post;
  DataModul.TabelPaketAsuransi.CommitUpdates;
  Panel.Enabled := false;
end;

end.

```

```
unit UnitFormObat;
```

```
interface
```

```
uses
```

```
  Windows, Messages, SysUtils, Variants, Classes, Graphics,
Controls, Forms,
  Dialogs, ExtCtrls, StdCtrls, Mask, DBCtrls, Buttons,
Grids, DBGrids;
```

```
type
```

```

TFormObat = class(TForm)
  Shapel: TShape;
  DBGrid1: TDBGrid;
  DBNavigator1: TDBNavigator;
  BtnTambah: TBitBtn;
  BtnEdit: TBitBtn;
  BtnHapus: TBitBtn;
  Panel: TPanel;
  Label1: TLabel;
  Label2: TLabel;
  Label3: TLabel;
  DBEditNamaObat: TDBEdit;
  DBEditSatuan: TDBEdit;
  BtnSimpan: TBitBtn;
  BtnBatal: TBitBtn;
  DBEditKelas: TDBEdit;
  BtnTutup: TBitBtn;
  Label6: TLabel;
  EditFilter: TEdit;
  procedure FormActivate(Sender: TObject);
  procedure BtnTutupClick(Sender: TObject);

```

```

    procedure BtnTambahClick(Sender: TObject);
    procedure BtnEditClick(Sender: TObject);
    procedure BtnHapusClick(Sender: TObject);
    procedure BtnBatalClick(Sender: TObject);
    procedure BtnSimpanClick(Sender: TObject);
    procedure EditFilterChange(Sender: TObject);
    procedure FormClose(Sender: TObject; var Action:
TCloseAction);
    private
        { Private declarations }
    public
        { Public declarations }
    end;

var
    FormObat: TFormObat;

implementation

uses UnitDataModul;

{$R *.dfm}

procedure TFormObat.FormActivate(Sender: TObject);
begin
    Panel.Enabled := false;
    EditFilter.Text := '';
end;

procedure TFormObat.BtnTutupClick(Sender: TObject);
begin
    if not Panel.Enabled then Close;
end;

procedure TFormObat.BtnTambahClick(Sender: TObject);
var
    id : integer;
begin
    if not Panel.Enabled then
        begin
            DataModul.QueryID.Close;
            DataModul.QueryID.SQL.Clear;
            DataModul.QueryID.SQL.Add(' select max(idobat) from
masterobat ');
            DataModul.QueryID.Open;

```

```
    if DataModul.QueryID.Fields[0].AsString = '' then
        id := 1 else id := DataModul.QueryID.Fields[0].Value +
1;
    Panel.Enabled := true;
    DataModul.TabelMObat.Insert;
    DataModul.TabelMObat.FieldByName('idobat').Value := id;
    DBEditNamaObat.SetFocus;
end;
end;
```

```
procedure TFormObat.BtnEditClick(Sender: TObject);
begin
    if not Panel.Enabled then
        begin
            Panel.Enabled := true;
            DataModul.TabelMObat.Edit;
            DBEditNamaObat.SetFocus;
        end;
end;
```

```
procedure TFormObat.BtnHapusClick(Sender: TObject);
begin
    if not Panel.Enabled then
        begin
            if MessageDlg('HAPUS DATA OBAT ?',
mtconfirmation,[mbyes,mbno],0)=mryes then
                begin
                    DataModul.TabelMObat.Delete;
                    DataModul.TabelMObat.CommitUpdates;
                end;
        end;
end;
```

```
procedure TFormObat.BtnBatalClick(Sender: TObject);
begin
    DataModul.TabelMObat.Cancel;
    Panel.Enabled := false;
end;
```

```
procedure TFormObat.BtnSimpanClick(Sender: TObject);
begin
    DataModul.TabelMObat.Post;
    DataModul.TabelMObat.CommitUpdates;
    Panel.Enabled := false;
end;
```

```

procedure TFormObat.EditFilterChange(Sender: TObject);
begin
  if EditFilter.Text <> '' then
  begin
    DataModul.TabelMObat.Filter := 'namaobat =
'+QuotedStr(EditFilter.Text+'*');
    DataModul.TabelMObat.Filtered := true;
  end else
  begin
    DataModul.TabelMObat.Filtered := false;
  end;
end;

procedure TFormObat.FormClose(Sender: TObject; var Action:
TCloseAction);
begin
  DataModul.TabelMObat.Filtered := false;
end;

end.

```

unit UnitTambahDetilObatInap;

interface

uses

Windows, Messages, SysUtils, Variants, Classes, Graphics,
Controls, Forms,
Dialogs, StdCtrls, Mask, DBCtrls, Buttons, ExtCtrls;

type

TFormTambahDetilObatInap = class(TForm)

 Shapel: TShape;
 Label1: TLabel;
 Label2: TLabel;
 BtnCariObat: TBitBtn;
 DBTextID: TDBText;
 DBText2: TDBText;
 DBText1: TDBText;
 Label3: TLabel;
 Label4: TLabel;
 DBText3: TDBText;

```

    DBEditJumlahObat: TDBEdit;
    Label5: TLabel;
    BtnBatal: TBitBtn;
    BtnSimpan: TBitBtn;
    procedure BtnBatalClick(Sender: TObject);
    procedure BtnSimpanClick(Sender: TObject);
    procedure BtnCariObatClick(Sender: TObject);
private
    { Private declarations }
public
    { Public declarations }
end;

var
    FormTambahDetilObatInap: TFormTambahDetilObatInap;

implementation

uses UnitDataModul, UnitFormCariNama;

{$R *.dfm}

procedure TFormTambahDetilObatInap.BtnBatalClick(Sender:
TObject);
begin
    DataModul.TabelDetilObatInap.Cancel;
    Close;
end;

procedure TFormTambahDetilObatInap.BtnSimpanClick(Sender:
TObject);
begin
    if DBEditJumlahObat.Text <> '' then
        begin

DataModul.TabelDetilObatInap.FieldByName('biayaobat').Value
:=
    DataModul.TabelDetilObatInap.FieldByName('harga').Value
*
DataModul.TabelDetilObatInap.FieldByName('jumlahobat').Value
;
        DataModul.TabelDetilObatInap.Post;
        DataModul.TabelRawatInap.FieldByName('biayaobat').Value
:=

```

```

        DataModul.TabelRawatInap.FieldName('biayaobat').Value
    +
    DataModul.TabelDetilObatInap.FieldName('biayaobat').Value;
        DataModul.TabelRawatInap.FieldName('totalbiaya').Value
    :=
        DataModul.TabelRawatInap.FieldName('totalbiaya').Value
    +
    DataModul.TabelDetilObatInap.FieldName('biayaobat').Value;
        DataModul.TabelDetilObatInap.CommitUpdates;
        Close
    end;
end;

procedure TFormTambahDetilObatInap.BtnCariObatClick(Sender:
TObject);
begin
    FormCariNama.Caption := 'OBATINAP';
    FormCariNama.ShowModal;
end;

end.

```

unit UnitTambahDetilObatJalan;

```
interface
```

```
uses
```

```

    Windows, Messages, SysUtils, Variants, Classes, Graphics,
    Controls, Forms,
    Dialogs, StdCtrls, Buttons, ExtCtrls, Mask, DBCtrls;

```

```
type
```

```
TFormTambahDetilObatJalan = class(TForm)
```

```

    Shape1: TShape;
    BtnBatal: TBitBtn;
    BtnSimpan: TBitBtn;
    Label1: TLabel;
    Label2: TLabel;
    Label3: TLabel;
    Label4: TLabel;
    Label5: TLabel;
    DBTextID: TDBText;
    DBText1: TDBText;
    DBText2: TDBText;

```

```

    DBText3: TDBText;
    DBEditJumlahObat: TDBEdit;
    BtnCariObat: TBitBtn;
    procedure BtnBatalClick(Sender: TObject);
    procedure BtnCariObatClick(Sender: TObject);
    procedure BtnSimpanClick(Sender: TObject);
private
    { Private declarations }
public
    { Public declarations }
end;

var
    FormTambahDetilObatJalan: TFormTambahDetilObatJalan;

implementation

uses UnitDataModul, UnitFormCariNama;

{$R *.dfm}

procedure TFormTambahDetilObatJalan.BtnBatalClick(Sender:
TObject);
begin
    DataModul.TabelDetilObatJalan.Cancel;
    Close;
end;

procedure TFormTambahDetilObatJalan.BtnCariObatClick(Sender:
TObject);
begin
    FormCariNama.Caption := 'OBATJALAN';
    FormCariNama.ShowModal;
end;

procedure TFormTambahDetilObatJalan.BtnSimpanClick(Sender:
TObject);
begin
    if DBEditJumlahObat.Text <> '' then
        begin

DataModul.TabelDetilObatJalan.FieldByName('biayaobat').Value
:=
    DataModul.TabelDetilObatJalan.FieldByName('harga').Value
*

```

```

DataModul.TabelDetilObatJalan.FieldByName('jumlahobat').Value;
DataModul.TabelDetilObatJalan.Post;
DataModul.TabelRawatJalan.FieldByName('biayaobat').Value
:=
    DataModul.TabelRawatJalan.FieldByName('biayaobat').Value
+
DataModul.TabelDetilObatJalan.FieldByName('biayaobat').Value
;
    DataModul.TabelRawatJalan.FieldByName('totalbiaya').Value
:=
    DataModul.TabelRawatJalan.FieldByName('totalbiaya').Value +
    DataModul.TabelDetilObatJalan.FieldByName('biayaobat').Value
;
    DataModul.TabelDetilObatJalan.CommitUpdates;
    Close
end;
end;

end.

```

```
unit UnitFormCariNama;
```

```
interface
```

```
uses
```

```
    Windows, Messages, SysUtils, Variants, Classes, Graphics,
    Controls, Forms,
    Dialogs, StdCtrls, Grids, DBGrids, ExtCtrls;
```

```
type
```

```
    TFormCariNama = class(TForm)
        Shapel: TShape;
        DBGrid1: TDBGrid;
        EditCari: TEdit;
        procedure FormActivate(Sender: TObject);
        procedure DBGrid1KeyPress(Sender: TObject; var Key:
Char);
        procedure EditCariChange(Sender: TObject);
    private
        { Private declarations }
    public
        { Public declarations }

```



```

end;

var
  FormCariNama: TFormCariNama;

implementation

uses UnitDataModul, UnitPenerimaanKeuangan;

{$R *.dfm}

procedure TFormCariNama.FormActivate(Sender: TObject);
begin
  if (FormCariNama.Caption='KEUANGAN') or
  (FormCariNama.Caption='NAMAPESERTAJALAN') or
  (FormCariNama.Caption='NAMAPESERTAINAP') then
    begin
      DataModul.QueryNama.Close;
      DataModul.QueryNama.SQL.Clear;
      DataModul.QueryNama.SQL.Add('select
m_peserta.namapeserta, m_peserta.idpeserta,
paketasuransi.premi from m_peserta, paketasuransi');
      DataModul.QueryNama.SQL.Add('where
m_peserta.namapaket=paketasuransi.namapaket');
      DataModul.QueryNama.Open;
      DataModul.QueryNama.First;
    end;
  if (FormCariNama.Caption='NAMAPOLIKLINIKJALAN') then
    begin
      DataModul.QueryNama.Close;
      DataModul.QueryNama.SQL.Clear;
      DataModul.QueryNama.SQL.Add('select namapoliklinik,
idpoliklinik from poliklinik');
      DataModul.QueryNama.Open;
      DataModul.QueryNama.First;
    end;
  if (FormCariNama.Caption='NAMADOKTERJALAN') or
  (FormCariNama.Caption='NAMADOKTERINAP') then
    begin
      DataModul.QueryNama.Close;
      DataModul.QueryNama.SQL.Clear;
      DataModul.QueryNama.SQL.Add('select namadokter, iddokter,
spesialisasi from dokter');
      DataModul.QueryNama.Open;
      DataModul.QueryNama.First;
    end;
end;

```

```

end;
if (FormCariNama.Caption='OBATJALAN') or
(FormCariNama.Caption='OBATINAP') then
begin
  DataModul.QueryNama.Close;
  DataModul.QueryNama.SQL.Clear;
  DataModul.QueryNama.SQL.Add('select namaobat, idobat from
masterobat');
  DataModul.QueryNama.Open;
  DataModul.QueryNama.First;
end;
if (FormCariNama.Caption='KELASINAP') then
begin
  DataModul.QueryNama.Close;
  DataModul.QueryNama.SQL.Clear;
  DataModul.QueryNama.SQL.Add('select * from kelasinap');
  DataModul.QueryNama.Open;
  DataModul.QueryNama.First;
end;
DBGrid1.SetFocus;
EditCari.Text := '';
end;

procedure TFormCariNama.DBGrid1KeyPress(Sender: TObject; var
Key: Char);
begin
  if key=#27 then
  begin
    FormCariNama.Close;
  end else
  begin
    if key=#13 then
    begin
      FormCariNama.Close;
      if not DataModul.QueryNama.IsEmpty then
      begin
        if FormCariNama.Caption='KEUANGAN' then
        begin

DataModul.TabelPenerimaanKeuangan.FieldName('idpeserta').V
alue := DataModul.QueryNama.Fields[1].Value;

DataModul.TabelPenerimaanKeuangan.FieldName('jumlah').Valu
e := DataModul.QueryNama.Fields[2].Value;
        end;

```



```

        end else
        begin
            EditCari.Text := EditCari.Text + key;
        end;
    end;
end;

procedure TFormCariNama.EditCariChange(Sender: TObject);
begin
    if (FormCariNama.Caption='KEUANGAN') or
    (FormCariNama.Caption='NAMAPESERTAJALAN') or
    (FormCariNama.Caption='NAMAPESERTAINAP') then
        begin
            DataModul.QueryNama.Close;
            DataModul.QueryNama.SQL.Clear;
            DataModul.QueryNama.SQL.Add('select
m_peserta.namapeserta, m_peserta.idpeserta,
paketasuransi.premi from m_peserta, paketasuransi');
            DataModul.QueryNama.SQL.Add('where m_peserta.namapeserta
like '+QuotedStr(EditCari.Text+'%'));
            DataModul.QueryNama.SQL.Add('and
m_peserta.namapaket=paketasuransi.namapaket');
            DataModul.QueryNama.Open;
            DataModul.QueryNama.First;
        end;
    if (FormCariNama.Caption='NAMAPOLIKLINIKJALAN') then
        begin
            DataModul.QueryNama.Close;
            DataModul.QueryNama.SQL.Clear;
            DataModul.QueryNama.SQL.Add('select namapoliklinik,
idpoliklinik from poliklinik');
            DataModul.QueryNama.SQL.Add('where namapoliklinik like
'+QuotedStr(EditCari.Text+'%'));
            DataModul.QueryNama.Open;
            DataModul.QueryNama.First;
        end;
    if (FormCariNama.Caption='NAMADOKTERJALAN') or
    (FormCariNama.Caption='NAMADOKTERINAP') then
        begin
            DataModul.QueryNama.Close;
            DataModul.QueryNama.SQL.Clear;
            DataModul.QueryNama.SQL.Add('select namadokter, iddokter,
spesialisasi from dokter');

```

```

    DataModul.QueryNama.SQL.Add('where namadokter like
'+QuotedStr(EditCari.Text+'%'));
    DataModul.QueryNama.Open;
    DataModul.QueryNama.First;
end;
if (FormCariNama.Caption='OBATJALAN') or
(FormCariNama.Caption='OBATINAP') then
begin
    DataModul.QueryNama.Close;
    DataModul.QueryNama.SQL.Clear;
    DataModul.QueryNama.SQL.Add('select namaobat, idobat from
masterobat');
    DataModul.QueryNama.SQL.Add('where namaobat like
'+QuotedStr(EditCari.Text+'%'));
    DataModul.QueryNama.Open;
    DataModul.QueryNama.First;
end;
if (FormCariNama.Caption='KELASINAP') then
begin
    DataModul.QueryNama.Close;
    DataModul.QueryNama.SQL.Clear;
    DataModul.QueryNama.SQL.Add('select * from kelasinap');
    DataModul.QueryNama.SQL.Add('where idkelas like
'+QuotedStr(EditCari.Text+'%'));
    DataModul.QueryNama.Open;
    DataModul.QueryNama.First;
end;
end;

end.

```

UnitRawatJalan;

```
interface
```

```
uses
```

```

    Windows, Messages, SysUtils, Variants, Classes, Graphics,
Controls, Forms,
    Dialogs, ExtCtrls, StdCtrls, Buttons, DBCtrls, Grids,
DBGrids, Mask;

```

```
type
```

```

    TFormRawatJalan = class(TForm)
        Shapel: TShape;

```

```
BtnTutup: TBitBtn;  
Shape2: TShape;  
T: TBitBtn;  
BtnEdit: TBitBtn;  
BtnHapus: TBitBtn;  
DBNavigator1: TDBNavigator;  
Panel: TPanel;  
Label1: TLabel;  
DBTextID: TDBText;  
Label2: TLabel;  
DBEditTanggal: TDBEdit;  
Label3: TLabel;  
Label4: TLabel;  
Label5: TLabel;  
DBEditIDPeserta: TDBEdit;  
DBEditIDPoliklinik: TDBEdit;  
DBEditIDDokter: TDBEdit;  
BtnCariPeserta: TBitBtn;  
BtnCariPoliklinik: TBitBtn;  
BtnCariDokter: TBitBtn;  
DBText1: TDBText;  
DBText2: TDBText;  
DBText3: TDBText;  
Label6: TLabel;  
Label7: TLabel;  
Label8: TLabel;  
DBText4: TDBText;  
DBText6: TDBText;  
DBGrid1: TDBGrid;  
BtnTambahObat: TBitBtn;  
BtnHapusObat: TBitBtn;  
BtnBatal: TBitBtn;  
BtnSimpan: TBitBtn;  
DBEditBiayaTindakan: TDBEdit;  
Label9: TLabel;  
Label10: TLabel;  
Label11: TLabel;  
DBText5: TDBText;  
DBText7: TDBText;  
Mode: TLabel;  
Label12: TLabel;  
NamaUser: TLabel;  
DBText8: TDBText;  
procedure BtnTutupClick(Sender: TObject);  
procedure FormActivate(Sender: TObject);
```

```

    procedure BtnHapusClick(Sender: TObject);
    procedure TClick(Sender: TObject);
    procedure BtnCariPesertaClick(Sender: TObject);
    procedure BtnBatalClick(Sender: TObject);
    procedure BtnSimpanClick(Sender: TObject);
    procedure BtnEditClick(Sender: TObject);
    procedure BtnCariPoliklinikClick(Sender: TObject);
    procedure BtnCariDokterClick(Sender: TObject);
    procedure DBEditBiayaTindakanExit(Sender: TObject);
    procedure DBEditBiayaTindakanEnter(Sender: TObject);
    procedure BtnHapusObatClick(Sender: TObject);
    procedure BtnTambahObatClick(Sender: TObject);
private
    { Private declarations }
public
    { Public declarations }
end;

var
    FormRawatJalan: TFormRawatJalan;

implementation

uses UnitDataModul, UnitFormCariNama,
    UnitTambahDetilObatJalan;

{$R *.dfm}

procedure TFormRawatJalan.BtnTutupClick(Sender: TObject);
begin
    if not Panel.Enabled then Close;
end;

procedure TFormRawatJalan.FormActivate(Sender: TObject);
begin
    DataModul.TabelRawatJalan.Last;
    Panel.Enabled := false;
end;

procedure TFormRawatJalan.BtnHapusClick(Sender: TObject);
begin
    if not Panel.Enabled then
        begin
            if MessageDlg('HAPUS DATA RAWAT JALAN ?',
                mtconfirmation,[mbytes,mbno],0)=mryes then

```

```

begin
    DataModul.QueryHapus.SQL.Clear;
    DataModul.QueryHapus.SQL.Add('delete from
detilobatjalan');
    DataModul.QueryHapus.SQL.Add('where
idrawatjalan='+quotedstr(DataModul.TabelRawatJalan.FieldByName('idrawatjalan').Value));
    DataModul.QueryHapus.ExecSQL;
    DataModul.TabelRawatJalan.Delete;
    DataModul.TabelRawatJalan.CommitUpdates;
end;
end;
end;

procedure TFormRawatJalan.TClick(Sender: TObject);
var
    id : integer;
begin
    if not Panel.Enabled then
        begin
            Mode.Caption := 'TAMBAH';
            DataModul.QueryID.Close;
            DataModul.QueryID.SQL.Clear;
            DataModul.QueryID.SQL.Add(' select max(idrawatjalan) from
rawatjalan');
            DataModul.QueryID.Open;
            if DataModul.QueryID.Fields[0].AsString = '' then
                id := 1 else id := DataModul.QueryID.Fields[0].Value +
1;
            Panel.Enabled := true;
            DataModul.TabelRawatJalan.Insert;

DataModul.TabelRawatJalan.FieldByName('idrawatjalan').Value
:= id;
            DataModul.TabelRawatJalan.FieldByName('tanggal').Value :=
date;
            DataModul.TabelRawatJalan.FieldByName('biayaobat').Value
:= 0;

DataModul.TabelRawatJalan.FieldByName('biayatindakan').Value
:= 0;
            DataModul.TabelRawatJalan.FieldByName('totalbiaya').Value
:= 0;
            DBEditTanggal.SetFocus;
end;
end;

```



```
end;

procedure TFormRawatJalan.BtnCariPesertaClick(Sender:
TObject);
begin
  FormCariNama.Caption := 'NAMAPESERTAJALAN';
  FormCariNama.ShowModal;
end;

procedure TFormRawatJalan.BtnBatalClick(Sender: TObject);
begin
  if Mode.Caption = 'TAMBAH' then
  begin
    DataModul.QueryHapus.SQL.Clear;
    DataModul.QueryHapus.SQL.Add('delete from
detilobatjalan');
    DataModul.QueryHapus.SQL.Add('where
idrawatjalan='+quotedstr(DataModul.TabelRawatJalan.FieldByNa
me('idrawatjalan').Value));
    DataModul.QueryHapus.ExecSQL;
  end;
  DataModul.TabelDetilObatJalan.CommitUpdates;
  DataModul.TabelRawatJalan.Cancel;
  Mode.Caption := '';
  Panel.Enabled := false;
end;

procedure TFormRawatJalan.BtnSimpanClick(Sender: TObject);
begin
  Mode.Caption := '';
  DataModul.TabelRawatJalan.FieldByName('namauser').Value :=
NamaUser.Caption;
  DataModul.TabelRawatJalan.Post;
  DataModul.TabelRawatJalan.CommitUpdates;
  Panel.Enabled := false;
end;

procedure TFormRawatJalan.BtnEditClick(Sender: TObject);
begin
  if not Panel.Enabled then
  begin
    Mode.Caption := 'EDIT';
    Panel.Enabled := true;
    DataModul.TabelRawatJalan.Edit;
    DBEditTanggal.SetFocus;
```

```

    end;
end;

procedure TFormRawatJalan.BtnCariPoliklinikClick(Sender:
TObject);
begin
    FormCariNama.Caption := 'NAMAPOLIKLINIKJALAN';
    FormCariNama.ShowModal;
end;

procedure TFormRawatJalan.BtnCariDokterClick(Sender:
TObject);
begin
    FormCariNama.Caption := 'NAMADOKTERJALAN';
    FormCariNama.ShowModal;
end;

procedure TFormRawatJalan.DBEditBiayaTindakanExit(Sender:
TObject);
begin
    if DBEditBiayaTindakan.Text = '' then
DBEditBiayaTindakan.Text := '0';
    DataModul.TabelRawatJalan.FieldByName('totalbiaya').Value
:= DataModul.TabelRawatJalan.FieldByName('totalbiaya').Value
+ StrToInt(DBEditBiayaTindakan.Text);
end;

procedure TFormRawatJalan.DBEditBiayaTindakanEnter(Sender:
TObject);
begin
    DataModul.TabelRawatJalan.FieldByName('totalbiaya').Value
:= DataModul.TabelRawatJalan.FieldByName('totalbiaya').Value
- StrToInt(DBEditBiayaTindakan.Text);
end;

procedure TFormRawatJalan.BtnHapusObatClick(Sender:
TObject);
begin
    if MessageDlg('HAPUS DATA DETIL OBAT ?',
mtconfirmation,[mbyes,mbno],0)=mryes then
    begin
        DataModul.TabelRawatJalan.FieldByName('biayaobat').Value
:= DataModul.TabelRawatJalan.FieldByName('biayaobat').Value
-

```

```

DataModul.TabelDetilObatJalan.FieldByName('biayaobat').Value
;
    DataModul.TabelRawatJalan.FieldByName('totalbiaya').Value
:= DataModul.TabelRawatJalan.FieldByName('totalbiaya').Value
-
DataModul.TabelDetilObatJalan.FieldByName('biayaobat').Value
;
    DataModul.TabelDetilObatJalan.Delete;
    DataModul.TabelDetilObatJalan.CommitUpdates;
end;
end;

procedure TFormRawatJalan.BtnTambahObatClick(Sender:
TObject);
begin
    DataModul.TabelDetilObatJalan.Insert;
    FormTambahDetilObatJalan.ShowModal;
end;

end.

```

unit UnitRawatInap;

```
interface
```

```
uses
```

```

    Windows, Messages, SysUtils, Variants, Classes, Graphics,
Controls, Forms,
    Dialogs, ExtCtrls, StdCtrls, Buttons, DBCtrls, Mask,
Grids, DBGrids;

```

```
type
```

```

TFormRawatInap = class(TForm)
    Shape1: TShape;
    BtnTutup: TBitBtn;
    Label9: TLabel;
    Shape2: TShape;
    DBNavigator1: TDBNavigator;
    BtnHapus: TBitBtn;
    BtnEdit: TBitBtn;
    BtnTambah: TBitBtn;
    Panel: TPanel;
    Label1: TLabel;
    Label3: TLabel;

```

```
Label4: TLabel;  
Label5: TLabel;  
Label2: TLabel;  
DBEditTanggal: TDBEdit;  
Label6: TLabel;  
Label7: TLabel;  
Label8: TLabel;  
BtnCariPeserta: TBitBtn;  
BtnCariPoliklinik: TBitBtn;  
BtnCariDokter: TBitBtn;  
DBEditIDPeserta: TDBEdit;  
DBEditIDKelas: TDBEdit;  
DBEditIDDokter: TDBEdit;  
EditJumlahHari: TEdit;  
DBTextID: TDBText;  
DBText1: TDBText;  
DBText2: TDBText;  
DBText3: TDBText;  
DBText4: TDBText;  
Label10: TLabel;  
DBGrid1: TDBGrid;  
BtnHapusObat: TBitBtn;  
BtnTambahObat: TBitBtn;  
Label11: TLabel;  
DBText5: TDBText;  
DBEditBiayaTindakan: TDBEdit;  
Label12: TLabel;  
Label13: TLabel;  
BtnBatal: TBitBtn;  
BtnSimpan: TBitBtn;  
DBText6: TDBText;  
DBText7: TDBText;  
Label14: TLabel;  
Mode: TLabel;  
Label15: TLabel;  
NamaUser: TLabel;  
DBText8: TDBText;  
procedure BtnTutupClick(Sender: TObject);  
procedure FormActivate(Sender: TObject);  
procedure BtnCariPesertaClick(Sender: TObject);  
procedure BtnCariPoliklinikClick(Sender: TObject);  
procedure BtnCariDokterClick(Sender: TObject);  
procedure BtnHapusClick(Sender: TObject);  
procedure BtnTambahClick(Sender: TObject);  
procedure EditJumlahHariExit(Sender: TObject);
```

```

    procedure EditJumlahHariEnter(Sender: TObject);
    procedure DBEditBiayaTindakanExit(Sender: TObject);
    procedure DBEditBiayaTindakanEnter(Sender: TObject);
    procedure BtnEditClick(Sender: TObject);
    procedure BtnBatalClick(Sender: TObject);
    procedure BtnSimpanClick(Sender: TObject);
    procedure BtnHapusObatClick(Sender: TObject);
    procedure BtnTambahObatClick(Sender: TObject);
private
    { Private declarations }
public
    { Public declarations }
end;

var
    FormRawatInap: TFormRawatInap;

implementation

uses UnitDataModul, UnitFormCariNama,
    UnitTambahDetilObatInap;

{$R *.dfm}

procedure TFormRawatInap.BtnTutupClick(Sender: TObject);
begin
    if not Panel.Enabled then Close;
end;

procedure TFormRawatInap.FormActivate(Sender: TObject);
begin
    DataModul.TabelRawatInap.Last;
    Panel.Enabled := false;
end;

procedure TFormRawatInap.BtnCariPesertaClick(Sender:
TObject);
begin
    FormCariNama.Caption := 'NAMAPESERTAINAP';
    FormCariNama.ShowModal
end;

procedure TFormRawatInap.BtnCariPoliklinikClick(Sender:
TObject);
begin

```

```

    FormCariNama.Caption := 'KELASINAP';
    FormCariNama.ShowModal
end;

procedure TFormRawatInap.BtnCariDokterClick(Sender:
TObject);
begin
    FormCariNama.Caption := 'NAMADOKTERINAP';
    FormCariNama.ShowModal
end;

procedure TFormRawatInap.BtnHapusClick(Sender: TObject);
begin
    if not Panel.Enabled then
        begin
            if MessageDlg('HAPUS DATA RAWAT INAP ?',
mtconfirmation,[mbyes,mbno],0)=mryes then
                begin
                    DataModul.QueryHapus.SQL.Clear;
                    DataModul.QueryHapus.SQL.Add('delete from
detilobatinap');
                    DataModul.QueryHapus.SQL.Add('where
idrawatinap='+quotedstr(DataModul.TabelRawatInap.FieldName
('idrawatinap').Value));
                    DataModul.QueryHapus.ExecSQL;
                    DataModul.TabelRawatInap.Delete;
                    DataModul.TabelRawatInap.CommitUpdates;
                end;
            end;
        end;
end;

procedure TFormRawatInap.BtnTambahClick(Sender: TObject);
var
    id : integer;
begin
    if not Panel.Enabled then
        begin
            Mode.Caption := 'TAMBAH';
            DataModul.QueryID.Close;
            DataModul.QueryID.SQL.Clear;
            DataModul.QueryID.SQL.Add(' select max(idrawatinap) from
rawatinap');
            DataModul.QueryID.Open;
            if DataModul.QueryID.Fields[0].AsString = '' then

```

```

        id := 1 else id := DataModul.QueryID.Fields[0].Value +
1;
        Panel.Enabled := true;
        DataModul.TabelRawatInap.Insert;
        DataModul.TabelRawatInap.FieldByName('idrawatinap').Value
:= id;

DataModul.TabelRawatInap.FieldByName('tanggalmasuk').Value
:= date;

DataModul.TabelRawatInap.FieldByName('tanggalkeluar').Value
:= date;
        DataModul.TabelRawatInap.FieldByName('biayaobat').Value
:= 0;

DataModul.TabelRawatInap.FieldByName('biayatindakan').Value
:= 0;
        DataModul.TabelRawatInap.FieldByName('totalbiaya').Value
:= 0;
        DBEditTanggal.SetFocus;
        EditJumlahHari.Text := '';
        end;
end;

procedure TFormRawatInap.EditJumlahHariExit(Sender:
TObject);
var
    TotalBiaya : integer;
begin
    if (EditJumlahHari.Text = '') or (EditJumlahHari.Text =
'0') then EditJumlahHari.Text := '1';
    TotalBiaya := StrToInt(EditJumlahHari.Text)*
(DataModul.TabelRawatInap.FieldByName('biyakelas').Value +
DataModul.TabelRawatInap.FieldByName('biyadokter').Value);
    DataModul.TabelRawatInap.FieldByName('tanggalkeluar').Value
:=
DataModul.TabelRawatInap.FieldByName('tanggalmasuk').Value +
StrToInt(EditJumlahHari.Text);
    DataModul.TabelRawatInap.FieldByName('totalbiaya').Value :=
    DataModul.TabelRawatInap.FieldByName('totalbiaya').Value +
TotalBiaya;
end;

procedure TFormRawatInap.EditJumlahHariEnter(Sender:
TObject);

```

```

var
  TotalBiaya : integer;
begin
  if EditJumlahHari.Text = '' then EditJumlahHari.Text :=
'0';
  TotalBiaya := StrToInt(EditJumlahHari.Text)*
(DataModul.TabelRawatInap.FieldByName('biayakelas').Value +
DataModul.TabelRawatInap.FieldByName('biyadokter').Value);
  DataModul.TabelRawatInap.FieldByName('totalbiaya').Value :=
  DataModul.TabelRawatInap.FieldByName('totalbiaya').Value -
TotalBiaya;
end;

procedure TFormRawatInap.DBEditBiayaTindakanExit(Sender:
TObject);
begin
  if DBEditBiayaTindakan.Text = '' then
DBEditBiayaTindakan.Text := '0';
  DataModul.TabelRawatInap.FieldByName('totalbiaya').Value :=
DataModul.TabelRawatInap.FieldByName('totalbiaya').Value +
StrToInt(DBEditBiayaTindakan.Text);
end;

procedure TFormRawatInap.DBEditBiayaTindakanEnter(Sender:
TObject);
begin
  if DBEditBiayaTindakan.Text = '' then
DBEditBiayaTindakan.Text := '0';
  DataModul.TabelRawatInap.FieldByName('totalbiaya').Value :=
DataModul.TabelRawatInap.FieldByName('totalbiaya').Value -
StrToInt(DBEditBiayaTindakan.Text);
end;

procedure TFormRawatInap.BtnEditClick(Sender: TObject);
begin
  if not Panel.Enabled then
  begin
    Mode.Caption := 'EDIT';
    Panel.Enabled := true;
    DataModul.TabelRawatInap.Edit;
    DBEditTanggal.SetFocus;
  end;
end;

procedure TFormRawatInap.BtnBatalClick(Sender: TObject);

```



```

begin
  if Mode.Caption = 'TAMBAH' then
    begin
      DataModul.QueryHapus.SQL.Clear;
      DataModul.QueryHapus.SQL.Add('delete from
detilobatinap');
      DataModul.QueryHapus.SQL.Add('where
idrawatinap='+quotedstr(DataModul.TabelRawatInap.FieldName
('idrawatinap').Value));
      DataModul.QueryHapus.ExecSQL;
      DataModul.TabelDetilObatInap.CommitUpdates;
    end;
    DataModul.TabelRawatInap.Cancel;
    Mode.Caption := '';
    Panel.Enabled := false;
  end;

procedure TFormRawatInap.BtnSimpanClick(Sender: TObject);
begin
  Mode.Caption := '';
  DataModul.TabelRawatInap.FieldName('namauser').Value :=
NamaUser.Caption;
  DataModul.TabelRawatInap.Post;
  DataModul.TabelRawatInap.CommitUpdates;
  Panel.Enabled := false;
end;

procedure TFormRawatInap.BtnHapusObatClick(Sender: TObject);
begin
  if MessageDlg('HAPUS DATA DETIL OBAT ?',
mtconfirmation,[mbyes,mbno],0)=mryes then
    begin
      DataModul.TabelRawatInap.FieldName('biayaobat').Value
:= DataModul.TabelRawatInap.FieldName('biayaobat').Value -
DataModul.TabelDetilObatInap.FieldName('biayaobat').Value;
      DataModul.TabelRawatInap.FieldName('totalbiaya').Value
:= DataModul.TabelRawatInap.FieldName('totalbiaya').Value
-
DataModul.TabelDetilObatInap.FieldName('biayaobat').Value;
      DataModul.TabelDetilObatInap.Delete;
      DataModul.TabelDetilObatInap.CommitUpdates;
    end;
  end;
end;

```

```

procedure TFormRawatInap.BtnTambahObatClick(Sender:
TObject);
begin
  DataModul.TabelDetilObatInap.Insert;
  FormTambahDetilObatInap.ShowModal;
end;

end.

```

unit UnitPenerimaanKeuangan;

```

interface

uses
  Windows, Messages, SysUtils, Variants, Classes, Graphics,
  Controls, Forms,
  Dialogs, StdCtrls, Buttons, ExtCtrls, DBCtrls, Mask,
  Grids, DBGrids;

type
  TFormPenerimaanKeuangan = class(TForm)
    Shapel: TShape;
    BtnTutup: TBitBtn;
    DBGrid1: TDBGrid;
    Panel: TPanel;
    Label1: TLabel;
    Label2: TLabel;
    Label4: TLabel;
    DBEditIDPeserta: TDBEdit;
    DBEditTanggal: TDBEdit;
    BtnSimpan: TBitBtn;
    BtnBatal: TBitBtn;
    DBEditJumlah: TDBEdit;
    DBNavigator1: TDBNavigator;
    BtnTambah: TBitBtn;
    BtnEdit: TBitBtn;
    BtnHapus: TBitBtn;
    Btncari: TBitBtn;
    Label3: TLabel;
    DBTextNama: TDBText;
    Label12: TLabel;
    NamaUser: TLabel;
    procedure BtnTutupClick(Sender: TObject);
    procedure FormActivate(Sender: TObject);
  end;

```

```

        procedure BtnTambahClick(Sender: TObject);
        procedure BtnBatalClick(Sender: TObject);
        procedure BtnSimpanClick(Sender: TObject);
        procedure BtnCariClick(Sender: TObject);
        procedure BtnEditClick(Sender: TObject);
        procedure BtnHapusClick(Sender: TObject);
    private
        { Private declarations }
    public
        { Public declarations }
    end;

var
    FormPenerimaanKeuangan: TFormPenerimaanKeuangan;

implementation

uses UnitDataModul, UnitFormCariNama;

{$R *.dfm}

procedure TFormPenerimaanKeuangan.BtnTutupClick(Sender:
TObject);
begin
    if not Panel.Enabled then Close;
end;

procedure TFormPenerimaanKeuangan.FormActivate(Sender:
TObject);
begin
    Panel.Enabled := false;
end;

procedure TFormPenerimaanKeuangan.BtnTambahClick(Sender:
TObject);
var
    id : integer;
begin
    if not Panel.Enabled then
        begin
            DataModul.QueryID.Close;
            DataModul.QueryID.SQL.Clear;
            DataModul.QueryID.SQL.Add(' select max(idpenerimaan) from
penerimaan');
            DataModul.QueryID.Open;

```

```

    if DataModul.QueryID.Fields[0].AsString = '' then
        id := 1 else id := DataModul.QueryID.Fields[0].Value +
1;
    Panel.Enabled := true;
    DataModul.TabelPenerimaanKeuangan.Insert;

DataModul.TabelPenerimaanKeuangan.FieldName('idpenerimaan'
).Value := id;
    DBEditIDPeserta.SetFocus;
    end;
end;

procedure TFormPenerimaanKeuangan.BtnBatalClick(Sender:
TObject);
begin
    DataModul.TabelPenerimaanKeuangan.Cancel;
    Panel.Enabled := false;
end;

procedure TFormPenerimaanKeuangan.BtnSimpanClick(Sender:
TObject);
begin

DataModul.TabelPenerimaanKeuangan.FieldName('namauser').Va
lue := NamaUser.Caption;
    DataModul.TabelPenerimaanKeuangan.Post;
    DataModul.TabelPenerimaanKeuangan.CommitUpdates;
    Panel.Enabled := false;
end;

procedure TFormPenerimaanKeuangan.BtnCariClick(Sender:
TObject);
begin
    FormCariNama.Caption := 'KEUANGAN';
    FormCariNama.ShowModal;
end;

procedure TFormPenerimaanKeuangan.BtnEditClick(Sender:
TObject);
begin
    if not Panel.Enabled then
        begin
            Panel.Enabled := true;
            DataModul.TabelPenerimaanKeuangan.Edit;
            DBEditIDPeserta.SetFocus;

```

```

    end;
end;

procedure TFormPenerimaanKeuangan.BtnHapusClick(Sender:
TObject);
begin
    if not Panel.Enabled then
    begin
        if MessageDlg('HAPUS DATA PENERIMAAN KEUANGAN ?',
mtconfirmation,[mbytes,mbno],0)=mryes then
        begin
            DataModul.TabelPenerimaanKeuangan.Delete;
            DataModul.TabelPenerimaanKeuangan.CommitUpdates;
        end;
    end;
end;

end.

```

unit UnitPengeluaranKeuangan;

```
interface
```

```
uses
```

```

    Windows, Messages, SysUtils, Variants, Classes, Graphics,
Controls, Forms,
    Dialogs, ExtCtrls, StdCtrls, Mask, DBCtrls, Buttons,
Grids, DBGrids, DB;

```

```
type
```

```

TFormPengeluaranKeuangan = class(TForm)
    Shape1: TShape;
    DBGrid1: TDBGrid;
    DBNavigator1: TDBNavigator;
    BtnEdit: TBitBtn;
    BtnHapus: TBitBtn;
    Panel: TPanel;
    Label2: TLabel;
    Label4: TLabel;
    DBEditTanggal: TDBEdit;
    BtnSimpan: TBitBtn;
    BtnBatal: TBitBtn;
    DBEditJumlah: TDBEdit;
    BtnTutup: TBitBtn;

```

```

    BtnTambah: TBitBtn;
    Label1: TLabel;
    Label3: TLabel;
    EditTanggalAwal: TEdit;
    EditTanggalAkhir: TEdit;
    BtnOK: TBitBtn;
    Label12: TLabel;
    NamaUser: TLabel;
    procedure BtnTutupClick(Sender: TObject);
    procedure BtnHapusClick(Sender: TObject);
    procedure BtnEditClick(Sender: TObject);
    procedure BtnTambahClick(Sender: TObject);
    procedure BtnBatalClick(Sender: TObject);
    procedure BtnSimpanClick(Sender: TObject);
    procedure FormActivate(Sender: TObject);
    procedure BtnOKClick(Sender: TObject);
private
    { Private declarations }
public
    { Public declarations }
end;

var
    FormPengeluaranKeuangan: TFormPengeluaranKeuangan;

implementation

uses UnitDataModul;

{$R *.dfm}

procedure TFormPengeluaranKeuangan.BtnTutupClick(Sender:
TObject);
begin
    if not Panel.Enabled then Close;
end;

procedure TFormPengeluaranKeuangan.BtnHapusClick(Sender:
TObject);
begin
    if not Panel.Enabled then
        begin
            if MessageDlg('HAPUS DATA PENGELUARAN KEUANGAN ?',
mtconfirmation,[mbytes,mbno],0)=mryes then
                begin

```

```

        DataModul.TabelPengeluaranKeuangan.Delete;
        DataModul.TabelPengeluaranKeuangan.CommitUpdates;
    end;
end;
end;

procedure TFormPengeluaranKeuangan.BtnEditClick(Sender:
TObject);
begin
    if not Panel.Enabled then
        begin
            Panel.Enabled := true;
            DataModul.TabelPengeluaranKeuangan.Edit;
            DBEditTanggal.SetFocus;
        end;
    end;

procedure TFormPengeluaranKeuangan.BtnTambahClick(Sender:
TObject);
var
    id : integer;
begin
    if not Panel.Enabled then
        begin
            DataModul.QueryID.Close;
            DataModul.QueryID.SQL.Clear;
            DataModul.QueryID.SQL.Add(' select max(idpengeluaran)
from pengeluaran');
            DataModul.QueryID.Open;
            if DataModul.QueryID.Fields[0].AsString = '' then
                id := 1 else id := DataModul.QueryID.Fields[0].Value +
1;
            Panel.Enabled := true;
            DataModul.TabelPengeluaranKeuangan.Insert;

DataModul.TabelPengeluaranKeuangan.FieldByName('idpengeluara
n').Value := id;

DataModul.TabelPengeluaranKeuangan.FieldByName('tanggal').Va
lue := date;
            EditTanggalAwal.Text := '';
            EditTanggalAkhir.Text := '';
            DBEditTanggal.SetFocus;
        end;
    end;
end;

```

```
procedure TFormPengeluaranKeuangan.BtnBatalClick(Sender:
TObject);
begin
  DataModul.TabelPengeluaranKeuangan.Cancel;
  Panel.Enabled := false;
end;

procedure TFormPengeluaranKeuangan.BtnSimpanClick(Sender:
TObject);
begin
  if (EditTanggalAwal.Text <> '') and (EditTanggalAkhir.Text
<> '') then
    begin

DataModul.TabelPengeluaranKeuangan.FieldByName('tglawal').Va
lue := StrToDate(EditTanggalAwal.Text);

DataModul.TabelPengeluaranKeuangan.FieldByName('tglakhir').V
alue := StrToDate(EditTanggalAkhir.Text);

DataModul.TabelPengeluaranKeuangan.FieldByName('namauser').V
alue := NamaUser.Caption;
      DataModul.TabelPengeluaranKeuangan.Post;
      DataModul.TabelPengeluaranKeuangan.CommitUpdates;
      EditTanggalAwal.Text := '';
      EditTanggalAkhir.Text := '';
      Panel.Enabled := false;
    end;
end;

procedure TFormPengeluaranKeuangan.FormActivate(Sender:
TObject);
begin
  Panel.Enabled := false;
end;

procedure TFormPengeluaranKeuangan.BtnOKClick(Sender:
TObject);
var
  TotalPembayaran : integer;
begin
  DataModul.QueryTanggal.Close;
  DataModul.QueryTanggal.SQL.Clear;
```



```

DataModul.QueryTanggal.SQL.Add('select * from pengeluaran
where tglakhir > '+QuotedStr(EditTanggalAwal.Text));
DataModul.QueryTanggal.Open;
if DataModul.QueryTanggal.IsEmpty then
begin
    TotalPembayaran := 0;
    DataModul.QueryTotal.Close;
    DataModul.QueryTotal.SQL.Clear;
    DataModul.QueryTotal.SQL.Add('select sum(totalbiaya) from
rawatjalan');
    DataModul.QueryTotal.SQL.Add('where tanggal >=
'+QuotedStr(EditTanggalAwal.Text));
    DataModul.QueryTotal.SQL.Add('and tanggal <=
'+QuotedStr(EditTanggalAkhir.Text));
    DataModul.QueryTotal.Open;
    if DataModul.QueryTotal.Fields[0].AsString <> '' then
TotalPembayaran := TotalPembayaran +
DataModul.QueryTotal.Fields[0].Value;
    DataModul.QueryTotal.Close;
    DataModul.QueryTotal.SQL.Clear;
    DataModul.QueryTotal.SQL.Add('select sum(totalbiaya) from
rawatinap');
    DataModul.QueryTotal.SQL.Add('where tanggalkeluar >=
'+QuotedStr(EditTanggalAwal.Text));
    DataModul.QueryTotal.SQL.Add('and tanggalkeluar <=
'+QuotedStr(EditTanggalAkhir.Text));
    DataModul.QueryTotal.Open;
    if DataModul.QueryTotal.Fields[0].AsString <> '' then
TotalPembayaran := TotalPembayaran +
DataModul.QueryTotal.Fields[0].Value;

DataModul.TabelPengeluaranKeuangan.FieldByName('jumlah').Value
:= TotalPembayaran;
end else
begin
    ShowMessage('Sudah Pernah Melakukan Pembayaran ! Cek
Tanggal Periode !');
end;
end;

end.

```

```

unit UnitLapPenerimaan;

```

```

interface

uses
  Windows, Messages, SysUtils, Variants, Classes, Graphics,
  Controls, Forms,
  Dialogs, ExtCtrls, Grids, DBGrids, StdCtrls, Buttons;

type
  TFormLaporanPenerimaan = class(TForm)
    Shape1: TShape;
    Shape2: TShape;
    BtnCari: TBitBtn;
    Label1: TLabel;
    Label2: TLabel;
    Label3: TLabel;
    EditTanggalAwal: TEdit;
    EditTanggalAkhir: TEdit;
    DBGrid1: TDBGrid;
    BtnTutup: TBitBtn;
    BtnCetak: TBitBtn;
    Label4: TLabel;
    LabelTotal: TLabel;
    procedure BtnCariClick(Sender: TObject);
    procedure BtnTutupClick(Sender: TObject);
    procedure FormActivate(Sender: TObject);
    procedure BtnCetakClick(Sender: TObject);
  private
    { Private declarations }
  public
    { Public declarations }
  end;

var
  FormLaporanPenerimaan: TFormLaporanPenerimaan;

implementation

uses UnitDataModul, UnitQRPenerimaan;

{$R *.dfm}

procedure TFormLaporanPenerimaan.BtnCariClick(Sender:
TObject);
begin

```

```

    if (EditTanggalAwal.Text <> '') and (EditTanggalAkhir.Text
<> '') then
    begin
        DataModul.QueryLaporan.Close;
        DataModul.QueryLaporan.SQL.Clear;
        DataModul.QueryLaporan.SQL.Add('select * from
penerimaan');
        DataModul.QueryLaporan.SQL.Add('where tanggal >=
'+QuotedStr(EditTanggalAwal.Text));
        DataModul.QueryLaporan.SQL.Add('and tanggal <=
'+QuotedStr(EditTanggalAkhir.Text));
        DataModul.QueryLaporan.SQL.Add('order by idpeserta asc');
        DataModul.QueryLaporan.Open;
        DataModul.QueryTotal.Close;
        DataModul.QueryTotal.SQL.Clear;
        DataModul.QueryTotal.SQL.Add('select sum(jumlah) from
penerimaan');
        DataModul.QueryTotal.SQL.Add('where tanggal >=
'+QuotedStr(EditTanggalAwal.Text));
        DataModul.QueryTotal.SQL.Add('and tanggal <=
'+QuotedStr(EditTanggalAkhir.Text));
        DataModul.QueryTotal.Open;
        LabelTotal.Caption :=
DataModul.QueryTotal.Fields[0].AsString;
    end;
end;

procedure TFormLaporanPenerimaan.BtnTutupClick(Sender:
TObject);
begin
    Close;
end;

procedure TFormLaporanPenerimaan.FormActivate(Sender:
TObject);
begin
    EditTanggalAwal.Text := '';
    EditTanggalAkhir.Text := '';
    LabelTotal.Caption := '';
    DataModul.QueryLaporan.Close;

end;

procedure TFormLaporanPenerimaan.BtnCetakClick(Sender:
TObject);

```

```

begin
  if not DataModul.QueryLaporan.IsEmpty then
    begin
      QRPenerimaan.Tanggal.Caption := 'TANGGAL
'+EditTanggalAwal.Text+' S/D '+EditTanggalAkhir.Text;
      QRPenerimaan.Total.Caption := LabelTotal.Caption;
      QRPenerimaan.Preview;
    end;
  end;
end.

end.

```

unit UnitLapPengeluaran;

```
interface
```

```
uses
```

```

  Windows, Messages, SysUtils, Variants, Classes, Graphics,
  Controls, Forms,
  Dialogs, ExtCtrls, Grids, DBGrids, StdCtrls, Buttons;

```

```
type
```

```

TFormLaporanPengeluaran = class(TForm)
  Shape1: TShape;
  Label1: TLabel;
  Label2: TLabel;
  EditTanggalAwal: TEdit;
  Shape2: TShape;
  Label3: TLabel;
  EditTanggalAkhir: TEdit;
  BtnCari: TBitBtn;
  DBGrid1: TDBGrid;
  Label4: TLabel;
  BtnCetak: TBitBtn;
  BtnTutup: TBitBtn;
  LabelTotal: TLabel;
  procedure FormActivate(Sender: TObject);
  procedure BtnCariClick(Sender: TObject);
  procedure BtnTutupClick(Sender: TObject);
  procedure BtnCetakClick(Sender: TObject);
private
  { Private declarations }
public
  { Public declarations }

```

```

end;

var
  FormLaporanPengeluaran: TFormLaporanPengeluaran;

implementation

uses UnitDataModul, UnitQRPenerimaan, UnitQRPengeluaran;

{$R *.dfm}

procedure TFormLaporanPengeluaran.FormActivate(Sender:
TObject);
begin
  EditTanggalAwal.Text := '';
  EditTanggalAkhir.Text := '';
  LabelTotal.Caption := '';
  DataModul.QueryLaporan.Close;
end;

procedure TFormLaporanPengeluaran.BtnCariClick(Sender:
TObject);
begin
  if (EditTanggalAwal.Text <> '') and (EditTanggalAkhir.Text
<> '') then
  begin
    DataModul.QueryLaporan.Close;
    DataModul.QueryLaporan.SQL.Clear;
    DataModul.QueryLaporan.SQL.Add('select * from
pengeluaran');
    DataModul.QueryLaporan.SQL.Add('where tanggal >=
'+QuotedStr(EditTanggalAwal.Text));
    DataModul.QueryLaporan.SQL.Add('and tanggal <=
'+QuotedStr(EditTanggalAkhir.Text));
    DataModul.QueryLaporan.Open;
    DataModul.QueryTotal.Close;
    DataModul.QueryTotal.SQL.Clear;
    DataModul.QueryTotal.SQL.Add('select sum(jumlah) from
pengeluaran');
    DataModul.QueryTotal.SQL.Add('where tanggal >=
'+QuotedStr(EditTanggalAwal.Text));
    DataModul.QueryTotal.SQL.Add('and tanggal <=
'+QuotedStr(EditTanggalAkhir.Text));
    DataModul.QueryTotal.Open;

```

```

    LabelTotal.Caption :=
DataModul.QueryTotal.Fields[0].AsString;
    end;
end;

procedure TFormLaporanPengeluaran.BtnTutupClick(Sender:
TObject);
begin
    Close;
end;

procedure TFormLaporanPengeluaran.BtnCetakClick(Sender:
TObject);
begin
    if not DataModul.QueryLaporan.IsEmpty then
    begin
        QRPengeluaran.Tanggal.Caption := 'TANGGAL
'+EditTanggalAwal.Text+' S/D '+EditTanggalAkhir.Text;
        QRPengeluaran.Total.Caption := LabelTotal.Caption;
        QRPengeluaran.Preview;
    end;
end;
end.

```

unit UnitLapRawatJalan;

```
interface
```

```
uses
```

```

    Windows, Messages, SysUtils, Variants, Classes, Graphics,
Controls, Forms,
    Dialogs, ExtCtrls, StdCtrls, Grids, DBGrids, Buttons;

```

```
type
```

```

TFormLaporanRawatJalan = class(TForm)
    Shape1: TShape;
    LabelTotal: TLabel;
    Label4: TLabel;
    BtnCetak: TBitBtn;
    BtnTutup: TBitBtn;
    DBGrid1: TDBGrid;
    EditTanggalAwal: TEdit;
    Shape2: TShape;
    Label3: TLabel;

```

```

    EditTanggalAkhir: TEdit;
    BtnCari: TBitBtn;
    Label1: TLabel;
    Label2: TLabel;
    Label5: TLabel;
    EditNama: TEdit;
    procedure FormActivate(Sender: TObject);
    procedure BtnCariClick(Sender: TObject);
    procedure BtnTutupClick(Sender: TObject);
    procedure BtnCetakClick(Sender: TObject);
private
    { Private declarations }
public
    { Public declarations }
end;

var
    FormLaporanRawatJalan: TFormLaporanRawatJalan;

implementation

uses UnitDataModul, UnitQRRawatJalan;

{$R *.dfm}

procedure TFormLaporanRawatJalan.FormActivate(Sender:
TObject);
begin
    EditTanggalAwal.Text := '';
    EditTanggalAkhir.Text := '';
    EditNama.Text := '';
    LabelTotal.Caption := '';
    DataModul.QueryLaporan.Close;
end;

procedure TFormLaporanRawatJalan.BtnCariClick(Sender:
TObject);
var
    jumlahbiaya : integer;
begin
    if (EditTanggalAwal.Text <> '') and (EditTanggalAkhir.Text
<> '') then
        begin
            if EditNama.Text = '' then
                begin

```

```

        DataModul.QueryLaporan.Close;
        DataModul.QueryLaporan.SQL.Clear;
        DataModul.QueryLaporan.SQL.Add('select
rawatjalan.idrawatjalan, rawatjalan.tanggal,
m_peserta.namapeserta, poliklinik.namapoliklinik,
dokter.namadokter,');
        DataModul.QueryLaporan.SQL.Add('rawatjalan.biayaobat,
rawatjalan.biayatindakan, rawatjalan.totalbiaya,
m_peserta.namapaket, rawatjalan.namauser');
        DataModul.QueryLaporan.SQL.Add('from rawatjalan,
m_peserta, dokter, poliklinik');
        DataModul.QueryLaporan.SQL.Add('where tanggal >=
'+QuotedStr(EditTanggalAwal.Text));
        DataModul.QueryLaporan.SQL.Add('and tanggal <=
'+QuotedStr(EditTanggalAkhir.Text));
        DataModul.QueryLaporan.SQL.Add('and
rawatjalan.idpeserta=m_peserta.idpeserta');
        DataModul.QueryLaporan.SQL.Add('and
rawatjalan.idpoliklinik=poliklinik.idpoliklinik');
        DataModul.QueryLaporan.SQL.Add('and
rawatjalan.iddokter=dokter.iddokter');
        DataModul.QueryLaporan.SQL.Add('order by tanggal asc');
        DataModul.QueryLaporan.Open;
        DataModul.QueryTotal.Close;
        DataModul.QueryTotal.SQL.Clear;
        DataModul.QueryTotal.SQL.Add('select sum(totalbiaya)
from rawatjalan');
        DataModul.QueryTotal.SQL.Add('where tanggal >=
'+QuotedStr(EditTanggalAwal.Text));
        DataModul.QueryTotal.SQL.Add('and tanggal <=
'+QuotedStr(EditTanggalAkhir.Text));
        DataModul.QueryTotal.Open;
        LabelTotal.Caption :=
DataModul.QueryTotal.Fields[0].AsString;
    end else
    begin
        DataModul.QueryLaporan.Close;
        DataModul.QueryLaporan.SQL.Clear;
        DataModul.QueryLaporan.SQL.Add('select
rawatjalan.idrawatjalan, rawatjalan.tanggal,
m_peserta.namapeserta, poliklinik.namapoliklinik,
dokter.namadokter,');
        DataModul.QueryLaporan.SQL.Add('rawatjalan.biayaobat,
rawatjalan.biayatindakan, rawatjalan.totalbiaya,
m_peserta.namapaket, rawatjalan.namauser');

```



```

        DataModul.QueryLaporan.SQL.Add('from rawatjalan,
m_peserta, dokter, poliklinik');
        DataModul.QueryLaporan.SQL.Add('where tanggal >=
'+QuotedStr(EditTanggalAwal.Text));
        DataModul.QueryLaporan.SQL.Add('and tanggal <=
'+QuotedStr(EditTanggalAkhir.Text));
        DataModul.QueryLaporan.SQL.Add('and
m_peserta.namapeserta like '+QuotedStr(EditNama.Text+'%'));
        DataModul.QueryLaporan.SQL.Add('and
rawatjalan.idpeserta=m_peserta.idpeserta');
        DataModul.QueryLaporan.SQL.Add('and
rawatjalan.idpoliklinik=poliklinik.idpoliklinik');
        DataModul.QueryLaporan.SQL.Add('and
rawatjalan.iddokter=dokter.iddokter');
        DataModul.QueryLaporan.SQL.Add('order by tanggal asc');
        DataModul.QueryLaporan.Open;
        DataModul.QueryLaporan.First;
        jumlahbiaya := 0;
        while not DataModul.QueryLaporan.Eof do
            begin
                jumlahbiaya := jumlahbiaya +
DataModul.QueryLaporan.FieldByName('totalbiaya').Value;
                DataModul.QueryLaporan.Next;
            end;
        LabelTotal.Caption := IntToStr(jumlahbiaya);
    end;
end else
begin
    if EditNama.Text <> '' then
        begin
            DataModul.QueryLaporan.Close;
            DataModul.QueryLaporan.SQL.Clear;
            DataModul.QueryLaporan.SQL.Add('select
rawatjalan.idrawatjalan, rawatjalan.tanggal,
m_peserta.namapeserta, poliklinik.namapoliklinik,
dokter.namadokter,');
            DataModul.QueryLaporan.SQL.Add('rawatjalan.biayaobat,
rawatjalan.biayatindakan, rawatjalan.totalbiaya,
m_peserta.namapaket, rawatjalan.namauser');
            DataModul.QueryLaporan.SQL.Add('from rawatjalan,
m_peserta, dokter, poliklinik');
            DataModul.QueryLaporan.SQL.Add('where
m_peserta.namapeserta like '+QuotedStr(EditNama.Text+'%'));
            DataModul.QueryLaporan.SQL.Add('and
rawatjalan.idpeserta=m_peserta.idpeserta');

```

```

        DataModul.QueryLaporan.SQL.Add('and
rawatjalan.idpoliklinik=poliklinik.idpoliklinik');
        DataModul.QueryLaporan.SQL.Add('and
rawatjalan.iddokter=dokter.iddokter');
        DataModul.QueryLaporan.SQL.Add('order by tanggal asc');
        DataModul.QueryLaporan.Open;
        DataModul.QueryLaporan.First;
        jumlahbiaya := 0;
        while not DataModul.QueryLaporan.Eof do
            begin
                jumlahbiaya := jumlahbiaya +
DataModul.QueryLaporan.FieldByName('totalbiaya').Value;
                DataModul.QueryLaporan.Next;
            end;
            LabelTotal.Caption := IntToStr(jumlahbiaya);
        end;
    end;
end;

```

```

procedure TFormLaporanRawatJalan.BtnTutupClick(Sender:
TObject);
begin
    Close;
end;

```

```

procedure TFormLaporanRawatJalan.BtnCetakClick(Sender:
TObject);
begin
    if not DataModul.QueryLaporan.IsEmpty then
        begin
            QRRawatJalan.Tanggal.Caption := 'TANGGAL
'+EditTanggalAwal.Text+' S/D '+EditTanggalAkhir.Text;
            QRRawatJalan.Total.Caption := LabelTotal.Caption;
            QRRawatJalan.Preview;
        end;
    end;
end.

```

```

unit UnitLapRawatInap;

```

```

interface

```

```

uses

```

```

    Windows, Messages, SysUtils, Variants, Classes, Graphics,
    Controls, Forms,
    Dialogs, ExtCtrls, StdCtrls, Buttons, Grids, DBGrids;

```

```

type

```

```

    TFormLaporanRawatInap = class(TForm)
        Shape1: TShape;
        DBGrid1: TDBGrid;
        Shape2: TShape;
        BtnCetak: TBitBtn;
        BtnTutup: TBitBtn;
        BtnCari: TBitBtn;
        Label4: TLabel;
        Label1: TLabel;
        Label2: TLabel;
        EditTanggalAwal: TEdit;
        Label3: TLabel;
        EditTanggalAkhir: TEdit;
        LabelTotal: TLabel;
        EditNama: TEdit;
        Label5: TLabel;
        procedure FormActivate(Sender: TObject);
        procedure BtnCariClick(Sender: TObject);
        procedure BtnTutupClick(Sender: TObject);
        procedure BtnCetakClick(Sender: TObject);
    private
        { Private declarations }
    public
        { Public declarations }
    end;

```

```

var

```

```

    FormLaporanRawatInap: TFormLaporanRawatInap;

```

```

implementation

```

```

uses UnitDataModul, UnitQRRawatInap;

```

```

{$R *.dfm}

```

```

procedure TFormLaporanRawatInap.FormActivate(Sender:
TObject);
begin
    EditTanggalAwal.Text := '';
    EditTanggalAkhir.Text := '';

```

```

    EditNama.Text := '';
    LabelTotal.Caption := '';
    DataModul.QueryLaporan.Close;
end;

procedure TFormLaporanRawatInap.BtnCariClick(Sender:
TObject);
var
    jumlahbiaya : integer;
begin
    if (EditTanggalAwal.Text <> '') and (EditTanggalAkhir.Text
<> '') then
        begin
            if EditNama.Text = '' then
                begin
                    DataModul.QueryLaporan.Close;
                    DataModul.QueryLaporan.SQL.Clear;
                    DataModul.QueryLaporan.SQL.Add('select
rawatinap.idrawatinap, rawatinap.tanggalmasuk,
rawatinap.tanggalkeluar, m_peserta.namapeserta,
dokter.namadokter,');
                    DataModul.QueryLaporan.SQL.Add('rawatinap.idkelas,
rawatinap.biayaobat, rawatinap.biayatindakan,
rawatinap.totalbiaya, m_peserta.namapaket,
rawatinap.namauser');
                    DataModul.QueryLaporan.SQL.Add('from rawatinap,
m_peserta, dokter');
                    DataModul.QueryLaporan.SQL.Add('where tanggalkeluar >=
'+QuotedStr(EditTanggalAwal.Text));
                    DataModul.QueryLaporan.SQL.Add('and tanggalkeluar <=
'+QuotedStr(EditTanggalAkhir.Text));
                    DataModul.QueryLaporan.SQL.Add('and
rawatinap.idpeserta=m_peserta.idpeserta');
                    DataModul.QueryLaporan.SQL.Add('and
rawatinap.iddokter=dokter.iddokter');
                    DataModul.QueryLaporan.Open;
                    DataModul.QueryTotal.Close;
                    DataModul.QueryTotal.SQL.Clear;
                    DataModul.QueryTotal.SQL.Add('select sum(totalbiaya)
from rawatinap');
                    DataModul.QueryTotal.SQL.Add('where tanggalkeluar >=
'+QuotedStr(EditTanggalAwal.Text));
                    DataModul.QueryTotal.SQL.Add('and tanggalkeluar <=
'+QuotedStr(EditTanggalAkhir.Text));
                    DataModul.QueryTotal.Open;

```

```

        LabelTotal.Caption :=
DataModul.QueryTotal.Fields[0].AsString;
    end else
    begin
        DataModul.QueryLaporan.Close;
        DataModul.QueryLaporan.SQL.Clear;
        DataModul.QueryLaporan.SQL.Add('select
rawatinap.idrawatinap, rawatinap.tanggalmasuk,
rawatinap.tanggalkeluar, m_peserta.namapeserta,
dokter.namadokter,');
        DataModul.QueryLaporan.SQL.Add('rawatinap.idkelas,
rawatinap.biayaobat, rawatinap.biayatindakan,
rawatinap.totalbiaya, m_peserta.namapaket,
rawatinap.namauser');
        DataModul.QueryLaporan.SQL.Add('from rawatinap,
m_peserta, dokter');
        DataModul.QueryLaporan.SQL.Add('where tanggalkeluar >=
'+QuotedStr(EditTanggalAwal.Text));
        DataModul.QueryLaporan.SQL.Add('and tanggalkeluar <=
'+QuotedStr(EditTanggalAkhir.Text));
        DataModul.QueryLaporan.SQL.Add('and
m_peserta.namapeserta like '+QuotedStr(EditNama.Text+'%'));
        DataModul.QueryLaporan.SQL.Add('and
rawatinap.idpeserta=m_peserta.idpeserta');
        DataModul.QueryLaporan.SQL.Add('and
rawatinap.iddokter=dokter.iddokter');
        DataModul.QueryLaporan.Open;
        DataModul.QueryLaporan.First;
        jumlahbiaya := 0;
        while not DataModul.QueryLaporan.Eof do
            begin
                jumlahbiaya := jumlahbiaya +
DataModul.QueryLaporan.FieldByName('totalbiaya').Value;
                DataModul.QueryLaporan.Next;
            end;
        LabelTotal.Caption := IntToStr(jumlahbiaya);
    end;
end else
begin
    if EditNama.Text <> '' then
        begin
            DataModul.QueryLaporan.Close;
            DataModul.QueryLaporan.SQL.Clear;
            DataModul.QueryLaporan.SQL.Add('select
rawatinap.idrawatinap, rawatinap.tanggalmasuk,

```

```

rawatinap.tanggalkeluar, m_peserta.namapeserta,
dokter.namadokter,');
    DataModul.QueryLaporan.SQL.Add('rawatinap.idkelas,
rawatinap.biayaobat, rawatinap.biayatindakan,
rawatinap.totalbiaya, m_peserta.namapaket,
rawatinap.namauser');
    DataModul.QueryLaporan.SQL.Add('from rawatinap,
m_peserta, dokter');
    DataModul.QueryLaporan.SQL.Add('where
m_peserta.namapeserta like '+QuotedStr(EditNama.Text+'%'));
    DataModul.QueryLaporan.SQL.Add('and
rawatinap.idpeserta=m_peserta.idpeserta');
    DataModul.QueryLaporan.SQL.Add('and
rawatinap.iddokter=dokter.iddokter');
    DataModul.QueryLaporan.Open;
    DataModul.QueryLaporan.First;
    jumlahbiaya := 0;
    while not DataModul.QueryLaporan.Eof do
    begin
        jumlahbiaya := jumlahbiaya +
DataModul.QueryLaporan.FieldName('totalbiaya').Value;
        DataModul.QueryLaporan.Next;
    end;
    LabelTotal.Caption := IntToStr(jumlahbiaya);
end;
end;
end;

procedure TFormLaporanRawatInap.BtnTutupClick(Sender:
TObject);
begin
    Close;
end;

procedure TFormLaporanRawatInap.BtnCetakClick(Sender:
TObject);
begin
    if not DataModul.QueryLaporan.IsEmpty then
    begin
        QRRawatInap.Tanggal.Caption := 'TANGGAL
'+EditTanggalAwal.Text+' S/D '+EditTanggalAkhir.Text;
        QRRawatInap.Total.Caption := LabelTotal.Caption;
        QRRawatInap.Preview;
    end;
end;
end;

```

end.

UnitQRPenerimaan;

interface

uses Windows, SysUtils, Messages, Classes, Graphics,
Controls,
StdCtrls, ExtCtrls, Forms, QuickRpt, QRCtrls;

type

TQRPenerimaan = class(TQuickRep)

TitleBand1: TQRBand;

SummaryBand1: TQRBand;

DetailBand1: TQRBand;

ColumnHeaderBand1: TQRBand;

QRLabel1: TQRLabel;

Tanggal: TQRLabel;

QRLabel2: TQRLabel;

QRLabel3: TQRLabel;

QRLabel4: TQRLabel;

QRDBText1: TQRDBText;

QRDBText2: TQRDBText;

QRDBText3: TQRDBText;

QRLabel5: TQRLabel;

Total: TQRLabel;

private

public

end;

var

QRPenerimaan: TQRPenerimaan;

implementation

uses UnitDataModul;

{ \$R *.DFM }

end.

UnitQRPengeluaran;

interface

uses Windows, SysUtils, Messages, Classes, Graphics,
Controls,
StdCtrls, ExtCtrls, Forms, QuickRpt, QRCtrls;

type

```
TQRPengeluaran = class(TQuickRep)
  ColumnHeaderBand1: TQRBand;
  DetailBand1: TQRBand;
  SummaryBand1: TQRBand;
  TitleBand1: TQRBand;
  QRLabel1: TQRLabel;
  Tanggal: TQRLabel;
  QRLabel5: TQRLabel;
  Total: TQRLabel;
  QRLabel2: TQRLabel;
  QRLabel3: TQRLabel;
  QRLabel4: TQRLabel;
  QRDBText1: TQRDBText;
  QRDBText2: TQRDBText;
  QRDBText3: TQRDBText;
```

private

public

end;

var

```
QRPengeluaran: TQRPengeluaran;
```

implementation

uses UnitDataModul;

```
{ $R *.DFM }
```

end.

UnitQRRawatInap;


```

interface

uses Windows, SysUtils, Messages, Classes, Graphics,
Controls,
  StdCtrls, ExtCtrls, Forms, QuickRpt, QRCtrls;

type
  TQRRawatInap = class(TQuickRep)
    ColumnHeaderBand1: TQRBand;
    DetailBand1: TQRBand;
    TitleBand1: TQRBand;
    SummaryBand1: TQRBand;
    QRLabel1: TQRLabel;
    Tanggal: TQRLabel;
    QRLabel5: TQRLabel;
    Total: TQRLabel;
    QRLabel2: TQRLabel;
    QRLabel3: TQRLabel;
    QRLabel4: TQRLabel;
    QRLabel6: TQRLabel;
    QRLabel7: TQRLabel;
    QRLabel8: TQRLabel;
    QRLabel9: TQRLabel;
    QRLabel10: TQRLabel;
    QRDBText1: TQRDBText;
    QRDBText2: TQRDBText;
    QRDBText3: TQRDBText;
    QRDBText4: TQRDBText;
    QRDBText5: TQRDBText;
    QRDBText6: TQRDBText;
    QRDBText7: TQRDBText;
    QRDBText8: TQRDBText;
  private

  public

  end;

var
  QRRawatInap: TQRRawatInap;

implementation

uses UnitDataModul;

```

```
{ $R *.DFM }
```

```
end.
```

```
UnitQRRawatJalan;
```

```
interface
```

```
uses Windows, SysUtils, Messages, Classes, Graphics,  
Controls,  
  StdCtrls, ExtCtrls, Forms, QuickRpt, QRCtrls;
```

```
type
```

```
  TQRRawatJalan = class(TQuickRep)
```

```
    ColumnHeaderBand1: TQRBand;
```

```
    DetailBand1: TQRBand;
```

```
    TitleBand1: TQRBand;
```

```
    SummaryBand1: TQRBand;
```

```
    QRLabel1: TQRLabel;
```

```
    Tanggal: TQRLabel;
```

```
    QRLabel5: TQRLabel;
```

```
    Total: TQRLabel;
```

```
    QRLabel2: TQRLabel;
```

```
    QRLabel3: TQRLabel;
```

```
    QRLabel4: TQRLabel;
```

```
    QRLabel6: TQRLabel;
```

```
    QRLabel7: TQRLabel;
```

```
    QRLabel8: TQRLabel;
```

```
    QRLabel9: TQRLabel;
```

```
    QRDBText1: TQRDBText;
```

```
    QRDBText2: TQRDBText;
```

```
    QRDBText3: TQRDBText;
```

```
    QRDBText4: TQRDBText;
```

```
    QRDBText5: TQRDBText;
```

```
    QRDBText6: TQRDBText;
```

```
    QRDBText7: TQRDBText;
```

```
  private
```

```
  public
```

```
end;
```

```
var
```

```
  QRRawatJalan: TQRRawatJalan;
```

```
implementation  
  
uses UnitDataModul;  
  
{ $R *.DFM }  
  
end.
```