

LAMPIRAN-A

1. Style

```
Body
{
background:url(images/bg.jpg) no-repeat center top #d4825c;
padding:0;
font-family:Arial, Helvetica, sans-serif;
font-size:12px;
margin:0px auto auto auto;
color:#fff;
}
a
{
text-decoration:underline;
color:#BF2F68;
}
P
{
text-align:justify;
line-height:15px;
padding:5px 0 5px 0;
font-size:11px;
margin:0px;
}
#main_container{
width:902px;
height:auto;
margin:auto;
padding:0px;
}
#header
{
width:902px;
height:109px;
margin:auto;
background:url(images/top_menu_bg.png) no-repeat center;behavior: url(iepngfix.htc);
}
.logo{
padding:15px 0 0 0;
float:left;
}
/*----- menu tab-----*/
#menu_tab{
width:470px;
float:left;
padding:0px;
}
ul.menu {
list-style-type:none; display:block; width:470px;
margin: auto; padding:65px 0 0 0; background:none;}
ul.menu li {
display:inline;
font-size:13px;
font-weight:bold;
line-height:28px;}
ul.menu li.divider {
display:block;
float:left;
width:1px;
height:31px;
padding:0px ;
margin:0px;
background:url(images/divider.gif) no-repeat center;
}
a.nav:link, a.nav:visited {
display:block; float:left; padding:0px; margin:0; width: auto; margin:0px 14px 0px 14px; text-align:center;
text-decoration:none; background:none; color:#fff;}
a.nav_selected:link, a.nav_selected:visited {
display:block; float:left; padding:0px; margin:0; width: auto; margin:0px 14px 0px 14px; text-align:center;
text-decoration:none; color: #BF2F68;}
```

```

a.nav:hover {
color: #BF2F68; text-decoration:none;}
/*-----search_tab-----*/
.search_tab{
float:left;
width:200px;
padding:70px 0 0 0;
}
input.search{
width:150px;
height:20px;
border:none;
float:left;
background-color:#8c4e67;
color:#b48e9b;
padding:0 0 0 5px;
}
input.search_bt{
float:left;
padding:0 0 0 5px;
}
.left_sidebar{
width:180px;
float:left;
}
.submenu_pic{
padding:10px 0 0 28px;
}
/*-----left menu-----*/
#left_menu{
position:relative;
top:-10px;
left:-15px;
float:left;
}
#left_menu ul{
list-style-type:none; width: 177px;
margin:0; padding:0;}
#left_menu li {
display:block;}
#left_menu li a {
display:block; padding:0 0 0 25px; height:30px;text-align:left; line-height:30px;
text-decoration:none; background-color:#d4847f; color:#FFFFFF;border-bottom:1px #da9591 solid;}
#left_menu li.selected a {
display:block; padding:0 0 0 25px; height:30px;text-align:left; line-height:30px;
text-decoration:none;background:url(images/left_menu_bullet.gif) no-repeat left #b0335d;
color:#FFFFFF;border-bottom:1px #da9591 solid; background-position:5px 8px;
}
#left_menu li a:hover {
display:block; padding:0 0 0 25px; height:30px;text-align:left;
text-decoration:none; background:url(images/left_menu_bullet.gif) no-repeat left #b0335d;
color:#FFFFFF;border-bottom:1px #da9591 solid; background-position:5px 8px;
}
/*-----main_content-----*/
#main_content{
width:902px;
clear:both;
background-color:#2a0a0d;
height:auto;
margin:20px 0 0 0;
}
#center_content{
width:700px;
float:left;
height:auto;
padding:10px 0 30px 5px;
}
.title{
clear:both;

```

```

padding:5px 0 10px 0;
color:#FFFFFF;
}
.title a{
color:#DF6195;
text-decoration:underline;
}
.product_box{
width:320px;
height: 200px;
margin:auto;
float:left;
padding:8px;
margin:0 0 8px 8px;
border:1px #9e1c50 solid;
}
.product_box_details{
width:640px;
height: auto;
margin:auto;
float:left;
padding:8px;
margin:0 0 0 8px;
border:1px #9e1c50 solid;
}
img.prod_image{
float:left;
padding:0 10px 0 0;
}
.product_details{
float:left;
width:165px;
}
.product_details_wide{
float:left;
width:450px;
}
.prod_title{
color:#d4847f;
padding:0 10px 0 0;
}
span.price{
font-size:24px;
color:#a6f2a4;
}
p.price{
color:#d4847f;
}
a.details{
display:block;
padding:10px 0 0 0;
}
p.shop_by_brand{
width:400px;
float:left;
padding:0 10px 0 0;
line-height:17px;
}
p.gifts_details{
width:275px;
float:left;
padding:0 0 0 10px;
line-height:17px;
}
img.sp{
float:left;
padding:0 5px 0 5px;
}
img.gift{

```

```

float:left;
padding:5px;
margin:5px;
border:1px #9e1c50 solid;
}
/*-----pagination-----*/
div.pagination {
padding:5px;
margin:5px;
text-align:center;
float:left;
font-size:10px;
}
div.pagination a {
padding: 2px 5px 2px 5px;
margin-right: 2px;
border: 1px solid #ddd;
text-decoration: none;
color: #d8325d;
}
div.pagination a:hover, div.pagination a:active {
border:1px solid #ddd;
color: #fff;
background-color: #d8325d;
}
div.pagination span.current {
padding: 2px 5px 2px 5px;
margin-right: 2px;
border: 1px solid #ddd;
font-weight: bold;
background-color: #d8325d;
color: #FFF;
}
div.pagination span.disabled {
padding: 2px 5px 2px 5px;
margin-right: 2px;
border: 1px solid #ddd;
color: #ccc;
}
/*-----contact form-----*/
#contact_form{
float:left;
width:300px;
padding:10px 10px 0 10px;
color:#fff;
}.contact_input{
width:240px;
height:17px;
font-size:10px;
float:left;
background-color:#3F1015;
border:1px #6F222B solid;
color:#FFFFFF;
}
label.contact_form{
width:50px;
float:left;
padding:0 0 5px 0;
font-size:12px;
color:#FFFFFF;
}
.contact_textarea{
width:290px;
height:80px;
font-size:10px;
float:left;
color:#FFFFFF;
background-color:#3F1015;
border:1px #6F222B solid;
}

```

```

}
input.contact_submit{
float:right;
padding:10px;
}
.cleardiv {
clear:both;
overflow:hidden;
height:4px;
}
.clear{
clear:both;
}
/*----footer-----*/
#footer{
width:auto;
clear:both;
padding:15px 0 10px 0;
margin:20px 0 0 0;
height:60px;
border-top:1px #3a0f17 solid;
text-align:center;
color:#73363c;
}
.left_foter{
float:left;
padding:5px 0 0 10px;
}
.center_footer{
float:left;
padding:10px 0 0 160px;
}
#footer a{
color:#73363c;
text-decoration:none;
}
#content .inner_copy {border:0;color:#f00;float:left;width:50% !important;margin:-202px 0 0 0;overflow:hidden;line-height:0;padding:0;font-size:12px}

```

2. Index

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<?php
include_once 'controller/CategoryCtrl.php';
include_once 'controller/produkCtrl.php';
include 'header.php';
?>
<div id="center_content">
<div class="title"></div>
<?php
$controllerPrk = new produkCtrl();
$allProduk = $controllerPrk->getAllProduk();
foreach ($allProduk as $value) {
    $value->printProduk();
}
?>
<div class="title"></div>
<p class="shop_by_brand">
    "Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et
dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea
commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla
pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est
laborum."
</p>
<a href="#"></a>
<a href="#"></a>
<a href="#"> </a>
<div class="title"></div>
<div class="title"></div>

```

```

<a href="#"></a>
<a href="#"></a>
<a href="#"></a>
<a href="#"></a>
<p class="gifts_details">
  "Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et
  dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea
  commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla
  pariatur.
  </p>
</div>
<?php
include 'footer.php';
?>

```

3. Header

```

<html xmlns="http://www.w3.org/1999/xhtml">
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=windows-1252" />
  <title>Illong Shop</title>
  <link rel="stylesheet" type="text/css" href="style2.css" />
  <link rel="stylesheet" type="text/css" href="js/jScrollPane/jScrollPane.css" />
  <link rel="stylesheet" type="text/css" href="css/page.css" />
  <link rel="stylesheet" type="text/css" href="css/chat.css" />
  <!-- jquery core -->
  <script src="admin/js/jquery/jquery-1.4.1.min.js" type="text/javascript"></script>
  <script type="text/javascript" src="admin/js/jquery/jquery.validate.min.js"></script>
  <script type="text/javascript" src="admin/js/jquery/jquery.form.js"></script>
  <!-- date picker script -->
  <link rel="stylesheet" href="admin/css/datePicker.css" type="text/css" />
  <script src="admin/js/jquery/date.js" type="text/javascript"></script>
  <script src="admin/js/jquery/jquery.datePicker.js" type="text/javascript"></script>
  <script src="js/jScrollPane/jquery.mousewheel.js"></script>
  <script src="js/jScrollPane/jScrollPane.min.js"></script>
  <?php if (!isset($LOGINPAGE)) { ?>
  <script src="js/script.js"></script>
  <?php } ?>
</head>
<body><div id="content"></div>
  <div id="main_container">
    <div id="header">
      <div class="logo">
        <a href="index.php"></a>
      </div>
      <div id="menu_tab">
        <ul class="menu">
          <li class="divider"></li>
          <li><a href="index.php" class="nav_selected">Home</a></li>
          <li><a href="shoppingcart.php" class="nav">Shopping Cart</a></li>
          <li><a href="historyOrder.php" class="nav">History Order</a></li>
          <li><a href="contact.php" class="nav">Contact</a></li>
          <li><a href="profile.php" class="nav">Profile</a></li>
        </ul>
        <?php
        if (isset($_SESSION['memberid'])) {
          echo '<li><a href="logoutProcess.php" class="nav"> Logout </a></li>';
        } else {
          echo '<li><a href="loginpage.php" class="nav"> Login </a></li>';
        }
        ?>
      </div>
      <div class="search_tab">
        <input type="text" class="search" value="search" />
        <input type="image" src="images/search.gif" class="search_bt" />
      </div>
    </div>
  </div>
</body>
</html>

```

```

<div class="left_sidebar">
  <div id="left_menu">
    <ul>
      <?php
        $controller = new categoryCtrl();
        $allCategory = $controller->getAllCategory();
        foreach ($allCategory as $value) {
          echo '<li><a href="productbycate.php?cate=' . $value->getNamA() . '>' . $value-
>getNamA() . '</a></href>';
        }
      ?>
    </ul>
  </div>
  <div class="submenu_pic">
    
  </div>
</div>

```

4. About

```

<!DOCTYPE html PUBLIC "-//W3C/DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=windows-1252" />
    <title>Lingerie Store Css Template</title>
    <link rel="stylesheet" type="text/css" href="style2.css" />
    <script type="text/javascript" src="unitpngfix.js"></script>
  </head>
  <body>
    <div id="main_container">
      <div id="header">
        <div class="logo">
          <a href="index.html"></a>
        </div>
        <div id="menu_tab">
          <ul class="menu">
            <li class="divider"></li>
            <li><a href="index.html" class="nav"> home </a></li>
            <li><a href="about.html" class="nav_selected"> about us</a></li>
            <li><a href="" class="nav"> most wanted</a></li>
            <li><a href="" class="nav"> how to order</a></li>
            <li><a href="contact.html" class="nav"> contact </a></li>
          </ul>
        </div>
        <div class="search_tab">
          <input type="text" class="search" value="search" />
          <input type="image" src="images/search.gif" class="search_bt" />
        </div>
      </div>
      <div id="main_content">
        <div class="left_sidebar">
          <div id="left_menu">
            <ul>
              <li><a href="categories.html">beauty</a></li>
              <li><a href="categories.html">current ranges</a></li>
              <li><a href="categories.html">classic ranges</a></li>
              <li><a href="categories.html">accessories</a></li>
              <li class="selected"><a href="categories.html">swimwear</a></li>
              <li><a href="categories.html">classic ranges</a></li>
              <li><a href="categories.html">accessories</a></li>
              <li><a href="categories.html">swimwear</a></li>
            </ul>
          </div>
          <div class="submenu_pic">
            
          </div>
        </div>
      </div>
    </div>
  </body>
</html>

```



```

</div>
<div id="center_content">
  <div class="title"></div>
  <div class="product_box">
    
    <div class="product_details">
      <div class="prod_title">Banded Red Polka Bikini.</div>
      <p>
        This cute red and white polka dotted bikini features a banded halter top and matching bottom
with tie sides.
      </p>
      <p class="price">Price: <span class="price">82.90 $</span></p>
      <a href="details.html" class="details"></a>
    </div>
  </div>
  <div class="product_box">
    
    <div class="product_details">
      <div class="prod_title">Banded Red Polka Bikini.</div>
      <p>
        This cute red and white polka dotted bikini features a banded halter top and matching bottom
with tie sides.
      </p>
      <p class="price">Price: <span class="price">33.90 $</span></p>
      <a href="details.html" class="details"></a>
    </div>
  </div>
  <div class="title"></div>
  <p class="shop_by_brand">
    "Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut
labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip
ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat
nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est
laborum."
  </p>
  <a href="#"></a>
  <a href="#"></a>
  <a href="#"> </a>
  <div class="title"></div>
  <div class="title"></div>
  <a href="#"></a>
  <a href="#"></a>
  <a href="#"></a>
  <a href="#"></a>
  <p class="gifts_details">
    "Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut
labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip
ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat
nulla pariatur.
  </p>
</div>
<div class="clear"></div>
<div id="footer">
  <div class="left_foter"></div>
  <div class="center_footer">
    <a href="#">Shipping Terms</a> | <a href="#">Terms & Conditions</a> | <a
href="#">Privacy Policy</a> | <a href="#">Contact</a>
    <br /> By <a href="http://csscreme.com" style="color:#9e1c50;">csscreme</a>
  </div>
</div>
</div>
</body>
</html>

```

5. Ajak Chat

```
<!DOCTYPE html>
```

```

<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Making an AJAX Web Chat With PHP, MySQL and jQuery | Tutorialzine Demo</title>
<link rel="stylesheet" type="text/css" href="js/jScrollPane/jScrollPane.css" />
<link rel="stylesheet" type="text/css" href="css/page.css" />
<link rel="stylesheet" type="text/css" href="css/chat.css" />
</head>
<body>
<div id="chatContainer">
  <div id="chatTopBar" class="rounded"></div>
  <div id="chatLineHolder"></div>
  <div id="chatUsers" class="rounded"></div>
  <div id="chatBottomBar" class="rounded">
    <div class="tip"></div>
    <form id="loginForm" method="post" action="">
      <input id="name" name="name" class="rounded" maxlength="16" />
      <input id="email" name="email" class="rounded" />
      <input type="submit" class="blueButton" value="Login" />
    </form>
    <form id="submitForm" method="post" action="">
      <input id="chatText" name="chatText" class="rounded" maxlength="255" />
      <input type="submit" class="blueButton" value="Submit" />
    </form>
  </div>
</div>
<div id="footer">
  <div class="tri"></div>
  <h1>Making an AJAX Web Chat With PHP and jQuery</h1>
  <a class="tzine" href="http://tutorialzine.com/2010/10/ajax-web-chat-php-mysql/">Read & Download
on</a>
</div>
<script src="http://ajax.googleapis.com/ajax/libs/jquery/1.4.2/jquery.min.js"></script>
<script src="js/jScrollPane/jquery.mousewheel.js"></script>
<script src="js/jScrollPane/jScrollPane.min.js"></script>
<script src="js/script.js"></script>
</body>
</html>

```

6. Add to shopping cart

```

<?php
session_start();
include_once 'controller/shoppingcart.php';
include_once 'controller/produkCtrl.php';
$user = (isset($_SESSION['memberid']) ? $_SESSION['memberid'] : "");
$idprod = (isset($_GET['idprod']) ? $_GET['idprod'] : "");
$idopt = (isset($_GET['idopt']) ? $_GET['idopt'] : "");
$refer = $_SERVER['HTTP_REFERER'];
if ($user != "") {
    $controllerCart = new shoppingCtrl();
    $controllerProd = new produkCtrl();
    if ($idprod != "") {
        $addProduk = $controllerCart->addProduk($user, $idprod, 1,$idopt);
        if ($addProduk == 1) {
            header("Location:shoppingcart.php");
        }
    } else {
        header("Location:$refer");
    }
} else {
    header("Location:loginpage.php"); }
/*
* To change this template, choose Tools | Templates
* and open the template in the editor.
*/
?>

```

7. Categories

```
<!DOCTYPE html PUBLIC "-//W3C/DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=windows-1252" />
<title>Lingerie Store Css Template</title>
<link rel="stylesheet" type="text/css" href="style.css" />
<script type="text/javascript" src="unitpngfix.js"></script>
</head>
<body>
<div id="main_container">
  <div id="header">
    <div class="logo">
      <a href="index.html"></a>
    </div>
    <div id="menu_tab">
      <ul class="menu">
        <li class="divider"></li>
        <li><a href="index.html" class="nav_selected"> home </a></li>
        <li><a href="about.html" class="nav"> about us</a></li>
        <li><a href="" class="nav"> most wanted</a></li>
        <li><a href="" class="nav"> how to order</a></li>
        <li><a href="contact.html" class="nav"> contact </a></li>
      </ul>
    </div>
    <div class="search_tab">
      <input type="text" class="search" value="search" />
      <input type="image" src="images/search.gif" class="search_bt" />
    </div>
  </div>
  <div id="main_content">
    <div class="left_sidebar">
      <div id="left_menu">
        <ul>
          <li><a href="categories.html">beauty</a></li>
          <li><a href="categories.html">current ranges</a></li>
          <li><a href="categories.html">classic ranges</a></li>
          <li><a href="categories.html">accessories</a></li>
          <li class="selected"><a href="categories.html">swimwear</a></li>
          <li><a href="categories.html">classic ranges</a></li>
          <li><a href="categories.html">accessories</a></li>
          <li><a href="categories.html">swimwear</a></li>
        </ul>
      </div>
      <div class="submenu_pic">
        
      </div>
    </div>
    <div id="center_content">
      <div class="title"><a href="index.html">Home</a> &lt;&lt; swimwear</div>
      <div class="product_box">
        
        <div class="product_details">
          <div class="prod_title">Banded Red Polka Bikini.</div>
          <p>
            This cute red and white polka dotted bikini features a banded halter top and matching bottom with tie
            sides.
          </p>
          <p class="price">Price: <span class="price">82.90 $</span></p>
          <a href="details.html" class="details"></a>
        </div>
      </div>
      <div class="product_box">
        
        <div class="product_details">
          <div class="prod_title">Banded Red Polka Bikini.</div>
```

```

    <p>
    This cute red and white polka dotted bikini features a banded halter top and matching bottom with tie
    sides.
    </p>
    <p class="price">Price: <span class="price">33.90 $</span></p>
    <a href="details.html" class="details"></a>
  </div>
</div>
  <div class="product_box">
  
  <div class="product_details">
    <div class="prod_title">Banded Red Polka Bikini.</div>
    <p>
    This cute red and white polka dotted bikini features a banded halter top and matching bottom with tie
    sides.
    </p>
    <p class="price">Price: <span class="price">82.90 $</span></p>
    <a href="details.html" class="details"></a>
  </div>
</div>
  <div class="product_box">
  
  <div class="product_details">
    <div class="prod_title">Banded Red Polka Bikini.</div>
    <p>
    This cute red and white polka dotted bikini features a banded halter top and matching bottom with tie
    sides.
    </p>
    <p class="price">Price: <span class="price">33.90 $</span></p>
    <a href="details.html" class="details"></a>
  </div>
</div>
  <div class="product_box">
  
  <div class="product_details">
    <div class="prod_title">Banded Red Polka Bikini.</div>
    <p>
    This cute red and white polka dotted bikini features a banded halter top and matching bottom with tie
    sides.
    </p>
    <p class="price">Price: <span class="price">82.90 $</span></p>
    <a href="details.html" class="details"></a>
  </div>
</div>
  <div class="product_box">
  
  <div class="product_details">
    <div class="prod_title">Banded Red Polka Bikini.</div>
    <p>
    This cute red and white polka dotted bikini features a banded halter top and matching bottom with tie
    sides.
    </p>
    <p class="price">Price: <span class="price">33.90 $</span></p>
    <a href="details.html" class="details"></a>
  </div>
</div>
  <div class="pagination">
  <span class="disabled">prev</span>
  <span class="current">1</span>
  <a href="#?page=2">2</a>
  <a href="#?page=3">3</a>
  <a href="#?page=4">4</a>
  <a href="#?page=5">5</a>
  <a href="#?page=6">6</a>
  <a href="#?page=7">7</a>...<a href="#?page=199">199</a>
  <a href="#?page=200">200</a>
  <a href="#?page=2">next</a>
</div>
</div>

```

```

</div class="clear"></div>
<div id="footer">
<div class="left_foter"></div>
<div class="center_footer">
<a href="#">Shipping Terms</a> | <a href="#">Terms & Conditions</a> | <a href="#">Privacy
Policy</a> | <a href="#">Contact</a>
<br /> By <a href="http://csscreme.com" style="color:#9e1c50;">csscreme</a>
</div>
</div>
</div>
</div>
</body>
</html>

```

8. Client check out

```

<?php
include_once 'controller/CategoryCtrl.php';
include_once 'header.php';
include_once 'controller/shoppingcart.php';
include_once 'controller/produkCtrl.php';
$count = 1;
session_start();
$user = (isset($_SESSION['memberid']) ? $_SESSION['memberid'] : "");
$name = (isset($_SESSION['nama']) ? $_SESSION['nama'] : "");
if ($user != "") {
    $controller = new shoppingCtrl();
    $controllerProd = new produkCtrl();
    $allProduk = $controller->getAllProduk();
} else {
    header("Location:loginpage.php");
}
?>
<script type="text/javascript">
function updateshop(idshop){
    var idku = "jumlah-"+idshop;
    var jumk = document.getElementById(idku).value;
    window.location = "updateSC.php?shopid="+idshop+"&jum="+jumk;
}
function alamatbaru(){
    var checkbox2 = document.getElementById('radio2');
    if(checkbox2.checked){
        document.getElementById('alamat').disabled = false;
    }else{
        document.getElementById('alamat').disabled = true;
    }
}
function milih(){
    var checkbox = document.getElementById('radio1')
    var checkbox2 = document.getElementById('radio2');
    if(checkbox2.checked || checkbox.checked){
        return true;
    }else{
        window.alert("Anda belum memilih alamat pengiriman");
        return false;
    }
}
</script>
<div id="center_content">
<div class="title"></div>
<div class="product_box_big">
<div>
<form action="confirmData.php" method="POST" onsubmit="return milih()">
<table>
<tr>
<th>Alamat</th>
<td><input type="radio" id="radio1" name="group1" value="sama" checked="true"
onclick="alamatbaru()"/>Sesuai dengan alamat profile anda</td>
</tr>
<tr>

```

```

        <th></th>
        <td><input type="radio" id="radio2" name="group1" value="tdksama"
onclick="alamatbaru()">Alamat baru</td>
        <td><input type="text" name="alamat" id="alamat" disabled="true"/></td>
    </tr>
    <tr>
        <th>Type Shipping</th>
        <td><input type="radio" id="radio3" name="group2" checked="true" value="JNE"/>JNE</td>
    </tr>
    <tr>
        <th></th>
        <td><input type="radio" id="radio4" name="group2" value="TIKI"/>TIKI</td>
    </tr>
    <tr>
        <td><input type="submit" id="submit" name="submit" value="Next"/></td>
    </tr>
</table>
</form>
</div>
</div>
</div>
<?php
include_once 'footer.php';
?>

```

9. Confirm Data

```

<?php
include_once 'controller/CategoryCtrl.php';
include_once 'controller/userCtrl.php';
include_once 'header.php';
include_once 'controller/shoppingcart.php';
include_once 'controller/produkCtrl.php';
include_once 'controller/optionProdukCtrl.php';
$count = 1;
session_start();
$user = (isset($_SESSION['memberid']) ? $_SESSION['memberid'] : "");
$name = (isset($_SESSION['nama']) ? $_SESSION['nama'] : "");
$alamat = (isset($_POST['alamat']) ? $_POST['alamat'] : "");
$group1 = (isset($_POST['group1']) ? $_POST['group1'] : "");
$group2 = (isset($_POST['group2']) ? $_POST['group2'] : "");
if ($user != "") {
    $controller = new shoppingCtrl();
    $controllerProd = new produkCtrl();
    $controllerUser = new userCtrl();
    $userke = $controllerUser->findUserById($user);
    $allProduk = $controller->getShoppingcartById($user);
    if ($group1 == "sama") {
        $alamat = $userke->getALamaT();
    } else if ($alamat == "") {
        header("Location:clientCheckout.php");
    }
} else {
    header("Location:loginpage.php");
}
$_SESSION['alamat'] = $alamat;
$_SESSION['ship'] = $group2;
?>
<script type="text/javascript">
function updateshop(idshop){
    var idku = "jumlah-"+idshop;
    var jumk = document.getElementById(idku).value;
    window.location = "updateSC.php?shopid="+idshop+"&jum="+jumk;
}
function alamatbaru(){
    var checkbox2 = document.getElementById('radio2');
    if(checkbox2.checked){
        document.getElementById('alamat').disabled = false;
    }else{
        document.getElementById('alamat').disabled = true;
    }
}

```

```

    }
}
function milih(){
    var checkbox = document.getElementById('radio1')
    var checkbox2 = document.getElementById('radio2');
    if(checkbox2.checked || checkbox.checked){
        return true;
    }else{
        window.alert("Anda belum memilih alamat pengiriman");
        return false;
    }
}
</script>
<div id="center_content">
    <div class="title"></div>
    <div class="product_box_big">
        <div>
            <table class="MYTABLE" cellpadding="4" cellspacing="4">
                <CAPTION CLASS="MYTABLE"><?php echo $nama; ?>, List Belanja Anda</CAPTION>
                <tr CLASS="MYTABLE">
                    <th CLASS="MYTABLE">No.</th>
                    <th CLASS="MYTABLE">Produk</th>
                    <th CLASS="MYTABLE">Jumlah</th>
                    <th CLASS="MYTABLE">Harga</th>
                    <th CLASS="MYTABLE">Subtotal</th>
                </tr>
                <?php
                $Totalbelanja = 0;
                $ctrlOpt = new optionProdukCtrl();
                foreach ($allProduk as $value) {
                    $saddharga = 0;
                    $sidoptemp = $value->getIdOption();
                    if (isset($sidoptemp) && $sidoptemp > 0) {
                        $optionsByID = $ctrlOpt->getOptionsByID($sidoptemp);
                        $saddharga = $optionsByID[0]->getHargaAdded();
                    }
                    echo '<tr CLASS="MYTABLE">';
                    $prod = $scontrollerProd->findProdukById($value->getIdProdUk());
                    $Totalbelanja += (($prod->getHaRGa()) * ($value->getJUmLaH()))+$saddharga;
                    echo '<td CLASS="MYTABLE">' . $count . '</td>' . '<td CLASS="MYTABLE">' . $prod-
                    >getNamAProdUk() . '</td>' . '<td CLASS="MYTABLE">' . $value->getJUmLaH() . '</td>' . '<td
                    CLASS="MYTABLE">Rp.' . number_format($prod->getHaRGa()+$saddharga, 2, ',', '.') . '</td>' . '<td
                    CLASS="MYTABLE">Rp.' . number_format((( $prod->getHaRGa()) * ($value->getJUmLaH()))+$saddharga, 2,
                    ',', '.') . '</td>';
                    echo '</tr>';
                    $count++;
                }
                ?>
            </tr>
            <td>&nbsp;</td><td>&nbsp;</td><td>&nbsp;</td><td CLASS="MYTABLE" align="right">Total
            :</td><td CLASS="MYTABLE">Rp.<?php echo number_format($Totalbelanja, 2, ',', '.');
            ?></td><td>&nbsp;</td>
            </tr>
            <tr>
                <th>Nama</th>
                <td><?php echo $userke->getNaMauser(); ?></td>
            </tr>
            <tr>
                <th>Alamat Pengiriman</th>
                <td><?php echo $alamat; ?></td>
            </tr>
            <tr>
                <th>Type Pengiriman</th>
                <td><?php echo $group2; ?></td>
            </tr>
            <tr>
                <th>Selesai</th>
                <td><a href="finishCheckout.php"><input type="Button" value="Bayar"/></a></td>
            </tr>

```

```

        </table>
    </divz>
</div>
</div>
<?php
include_once 'footer.php';
?>

```

10. Contact

```

<?php
session_start();
$count = 1;
$user = (isset($_SESSION['memberid']) ? $_SESSION['memberid'] : "");
if ($user == "") {
    header("Location:loginpage.php");
}
include_once 'controller/CategoryCtrl.php';
include_once 'controller/userCtrl.php';
include_once 'header.php';
if ($user != "") {
    $controlleruser = new userCtrl();
    $userku = $controlleruser->findUserById($user);
}
?>
<div id="center_content">
    <div id="chatContainer">
        <div id="chatTopBar" class="rounded"></div>
        <div id="chatLineHolder"></div>
        <div id="chatUsers" class="rounded"></div>
        <div id="chatBottomBar" class="rounded">
            <div class="tip"></div>
            <form id="loginForm" method="post" action="">
                <input id="name" name="name" class="rounded" maxlength="16" />
                <input id="email" name="email" class="rounded" />
                <input type="submit" class="blueButton" value="Login" />
            </form>
            <form id="submitForm" method="post" action="">
                <input id="chatText" name="chatText" class="rounded" maxlength="255" />
                <input type="submit" class="blueButton" value="Submit" />
            </form>
        </div>
    </div>
</div>
</div>
<?php
include 'footer.php';
?>

```

11. Delete Shopping Cart

```

<?php
session_start();
include_once 'controller/shoppingcart.php';
include_once 'controller/produkCtrl.php';
$user = (isset($_SESSION['memberid']) ? $_SESSION['memberid'] : "");
$idprod = (isset($_GET['shopid']) ? $_GET['shopid'] : "");
$refer = $_SERVER['HTTP_REFERER'];
if ($user != "") {
    $controllerCart = new shoppingCtrl();
    $controllerProd = new produkCtrl();
    if ($idprod != "") {
        $addProduk = $controllerCart->deleteProduk($idprod);
        if ($addProduk == 1) {
            header("Location:shoppingcart.php");
        }
    } else {
        header("Location:$refer");
    }
} else {
    header("Location:loginpage.php");
}

```


12. Details

```
<!DOCTYPE html PUBLIC "-//W3C/DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<?php
include_once 'controller/CategoryCtrl.php';
include_once 'controller/produkCtrl.php';
include_once 'controller/optionProdukCtrl.php';
$produkid = (isset($_GET['idProd']) ? $_GET['idProd'] : "");
if ($produkid != "") {
    $controller = new produkCtrl();
    $prod = $controller->findProdukById($produkid);
}
include 'header.php';
?>
<script type="text/javascript">
    Number.prototype.formatMoney = function(decPlaces, thouSeparator, decSeparator) {
        var n = this,
            decPlaces = isNaN(decPlaces = Math.abs(decPlaces)) ? 2 : decPlaces,
            decSeparator = decSeparator == undefined ? "." : decSeparator,
            thouSeparator = thouSeparator == undefined ? "," : thouSeparator,
            sign = n < 0 ? "-" : "",
            i = parseInt(n = Math.abs(+n || 0).toFixed(decPlaces)) + "",
            j = (j = i.length) > 3 ? j % 3 : 0;
        return sign + (j ? i.substr(0, j) + thouSeparator : "") + i.substr(j).replace(/(\d{3})(?=\d)/g, "$1" +
            thouSeparator) + (decPlaces ? decSeparator + Math.abs(n - i).toFixed(decPlaces).slice(2) : "");
    };
    function gantiImage(){
        var e = document.getElementById("selekgambar");
        var idOption = e.options[e.selectedIndex].value;
        $.getJSON("getOptionValue.php", { id_option:idOption },
            function(data) {
                var re = new RegExp('&idOpt=\\d{1,3}');
                document.getElementById('showimg').setAttribute('src', data.image_url);
                var link = document.getElementById('subButt').getAttribute('href');
                link = link.replace(re, "");
                link = link + '&idOpt='+data.idOption;
                document.getElementById('subButt').setAttribute('href', link);
                var num1 = new Number(<?php echo $prod->getHaRGa(); ?>);
                var num2 = new Number(data.harga_add);
                var total = num1+num2;
                document.getElementById('hargaprice').innerHTML = total.formatMoney(2, ',', '');
            });
    }
</script>
<div id="center_content">
    <div class="title"><a href="index.html">Home</a> &lt;&lt; <?php echo $prod->getCategory(); ?></div>
    <div class="product_box_details">
        
        <div class="product_details_wide">
            <div class="prod_title"><?php echo $prod->getNamAProdUk(); ?></div>
            <p>
                <?php echo $prod->getKeTeraNGan(); ?>
            </p>
            <p>
                <select id="selekgambar" onchange="gantiImage()">
                    <?php
                        $controllerOption = new optionProdukCtrl();
                        $subjectOption = $controllerOption->getAllOptionsByPProduk($produkid);
                        foreach ($subjectOption as $value) {
                            $mymodel = new vis_OptionProdukModel();
                            $mymodel = $value;
                            echo '<OPTION value=' . $mymodel->getOptionId() . '>' . $mymodel->getWarna() .
                        '</OPTION>';
                        }
                    ?>
                </select>
            </p>
        </div>
    </div>
</div>
```

```

        <p class="price">Ukuran : <?php echo $prod->getUkURan(); ?></p>
        <p class="price">Harga : <span id="hargaprice" class="price"><?php echo number_format($prod->getHaRGa(), 2, ',', '.'); ?></span></p>
        <a id="subButt" href="addToShoppingcart.php?idprod=<?php echo $prod->getIdProdUk(); ?>"
        class="details"></a>
    </div>
</div>
<div class="title"></div>
<a href="#"></a>
<a href="#"></a>
<a href="#"> </a>
<a href="#"></a>
<a href="#"></a>
<a href="#"> </a>
<a href="#"></a>
<a href="#"></a>
<div class="title"></div>
<div class="title"></div>
<a href="#"></a>
<a href="#"></a>
<a href="#"></a>
<a href="#"></a>
</div>
<?php
include 'footer.php';
?>

```

13. Finish Checkout

```

<?php
include_once 'controller/CategoryCtrl.php';
include_once 'controller/userCtrl.php';
include_once 'header.php';
include_once 'controller/shoppingcart.php';
include_once 'controller/produkCtrl.php';
include_once 'controller/checkoutCtrl.php';
include_once 'controller/checkoutDetils.php';
$count = 1;
session_start();
$user = (isset($_SESSION['memberid']) ? $_SESSION['memberid'] : '');
$name = (isset($_SESSION['nama']) ? $_SESSION['nama'] : '');
$alamat = (isset($_SESSION['alamat']) ? $_SESSION['alamat'] : '');
$ship = (isset($_SESSION['ship']) ? $_SESSION['ship'] : '');
$today = getdate();
$idCheckout = intval($user . " . $today['mday'] . " . $today['minutes'] . " . $today['seconds']);
if ($user != "") {
    $controller = new shoppingCtrl();
    $controllerProd = new produkCtrl();
    $controllerUser = new userCtrl();
    $contorllerCheckout = new checkoutCtrl();
    $controllerdetils = new detailsCtrl();
    $userke = $controllerUser->findUserById($user);
    $allProduk = $controller->getShoppingcartById($user);
    $total = 0;
    if (count($allProduk) > 0) {
        foreach ($allProduk as $value) {
            $prod = $controllerProd->findProdukById($value->getIdProdUk());
            $total += (($prod->getHaRGa()) * ($value->getJUMLaH()));
        }

        $addCategory = $contorllerCheckout->addCategory($idCheckout, $alamat, $user, $total, $ship);
        foreach ($allProduk as $value) {
            $controllerdetils->addCategory($idCheckout, $value->getIdProdUk(), $value->getJUMLaH());
            $controller->deleteProduk($value->getIdShoppingCart());
        }
    }
} else {
    header("Location:loginpage.php");
}
?>

```

```

<script type="text/javascript">
function updateshop(idshop){
    var idku = "jumlah-"+idshop;
    var jumk = document.getElementById(idku).value;
    window.location = "updateSC.php?shopid="+idshop+"&jum="+jumk;
}
function alamatbaru(){
    var checkbox2 = document.getElementById('radio2');
    if(checkbox2.checked){
        document.getElementById('alamat').disabled = false;
    }else{
        document.getElementById('alamat').disabled = true;
    }
}
function milih(){
    var checkbox = document.getElementById('radio1');
    var checkbox2 = document.getElementById('radio2');
    if(checkbox2.checked || checkbox.checked){
        return true;
    }else{
        window.alert("Anda belum memilih alamat pengiriman");
        return false;
    }
}
</script>
<div id="center_content">
<div class="title"></div>
<div class="product_box_big">
<div>
<p>
Terima Kasih <?php echo $_SESSION['nama']; ?>,<br/>
Barang anda akan kami segera kirim setelah anda Melakukan Pembayaran Ke Rek. 210210212210 A/n
Illong.<br/>
Jika anda telah membayar melalui atm, harap anda konfirmasi ke nomor
081395464094. <br/>
Dengan format : nama anda,nomor rekening anda, tanggal pengiriman,
informasi jumlah total belanjaan anda, serta bank yang anda gunakan untuk mengirim ke pihak kami.
</p>
</div>
</div>
</div>
<?php
include_once 'footer.php';
?>

```

14. Footer

```

<div class="clear"></div>
<div id="footer">
<div class="left_foter"></div>
<div class="center_footer">
<a href="#">Shipping Terms</a> | <a href="#">Terms & Conditions</a> | <a href="#">Privacy
Policy</a> | <a href="#">Contact</a>
<br /> By <a href="#" style="color:#9e1c50;">Illong Store</a>
</div>
</div>
</div>
</div>
</body>
</html>

```

15. Get option value

```

<?php
include_once 'controller/optionProdukCtrl.php';
$idOption = (isset($_GET['id_option']) ? $_GET['id_option'] : "");
if ($idOption != "") {
    $controller = new optionProdukCtrl();
    $optionsById = $controller->getOptionsById($idOption);
    $image_url = $optionsById[0]->getImgLink();
    $hargaAdded = $optionsById[0]->getHargaAdded();
}

```

```

$warna = $optionsById[0]->getWarna();
$produkId = $optionsById[0]->getProduktId();
$sarr = array('idOption' => $idOption, 'image_url' => 'uploads/'.$image_url, 'harga_add' => $hargaAdded,
'warna' => $warna, 'produkid' => $produkId);
echo str_replace('\',',', json_encode($sarr));
} else {
    $sarr = array('error' => "Data Not Found");
    echo json_encode($sarr);
}
?>

```

16. History Order

```

<?php
session_start();
$count = 1;
$user = (isset($_SESSION['memberid']) ? $_SESSION['memberid'] : "");
$name = (isset($_SESSION['nama']) ? $_SESSION['nama'] : "");
if ($user == "") {
    header("Location:loginpage.php");
}
include_once 'controller/CategoryCtrl.php';
include_once 'header.php';
include_once 'controller/checkoutCtrl.php';
if ($user != "") {
    $contorllerCheckout = new checkoutCtrl();
    //$controllerdetails = new detailsCtrl();
    //$userke = $controllerUser->findUserById($user);
    $allProduk = $contorllerCheckout->getAllCheckoutByUser($user);
}
?>
<script type="text/javascript">
function updateshop(idshop){
    var idku = "jumlah-"+idshop;
    var jumk = document.getElementById(idku).value;
    window.location = "updateSC.php?shopid="+idshop+"&jum="+jumk;
}
function alamatbaru(){

    var checkbox2 = document.getElementById('radio2');
    if(checkbox2.checked){
        document.getElementById('alamat').disabled = false;
    }else{
        document.getElementById('alamat').disabled = true;
    }
}
function milih(){
    var checkbox = document.getElementById('radio1')
    var checkbox2 = document.getElementById('radio2');
    if(checkbox2.checked || checkbox.checked){
        return true;
    }else{
        window.alert("Anda belum memilih alamat pengiriman");
        return false;
    }
}
</script>
<div id="center_content">
<div class="title"></div>
<div class="product_box_big">
<div>
<table class="MYTABLE">
<CAPTION CLASS="MYTABLE"><?php echo $name; ?>, History Order</CAPTION>
<tr CLASS="MYTABLE">
<th CLASS="MYTABLE">No.</th>
<th CLASS="MYTABLE">No. Order</th>
<th CLASS="MYTABLE">Alamat</th>
<th CLASS="MYTABLE">tanggal</th>
<th CLASS="MYTABLE">Total</th>
<th CLASS="MYTABLE">Shipping</th>
</tr>

```

```

<?php
$Totalbelanja = 0;
if (count($allProduk) > 0) {
    foreach ($allProduk as $value) {
        echo '<tr CLASS="MYTABLE">';
        echo '<td CLASS="MYTABLE">' . $count . '</td>' . '<td CLASS="MYTABLE">#' . $value-
>getIdCheckout() . '</td>' . '<td CLASS="MYTABLE">' . $value->getALamaTShipping() . '</td>' . '<td
CLASS="MYTABLE">' . date('d-M-Y', strtotime($value->getTglCheckout())) . '</td>' . '<td
CLASS="MYTABLE">Rp.' . number_format($value->getTotal(), 2, ',', '.') . '</td>' . '<td
CLASS="MYTABLE">' . $value->getTypeShipping() . '</td>';
        echo '</tr>';
        $count++;
    }
} else {
    echo '<tr CLASS="MYTABLE">';
    echo '<td CLASS="MYTABLE" colspan="6"> Anda Belum Mempunyai Barang yang sudah di beli.
Silahkan Lakukan Transaksi Terlebih dahulu Terlebih dahulu</td>';
    echo '</tr>';
}
?>
</table>
</div>
</div>
</div>
<?php
include_once 'footer.php';
?>

```

17. Login Page

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<?php
include_once 'controller/CategoryCtrl.php';
$LOGINPAGE = 1;
$user = (isset($_SESSION['memberid']) ? $_SESSION['memberid'] : "");
if ($user != "") {
    header("Location:shoppingcart.php");
}
include_once 'header.php';
?>
<script type="text/javascript">
function resetForm($form) {
    $form.find('input:text, input:password, input:file, select, textarea').val("");
    $form.find('input:radio, input:checkbox')
        .removeAttr('checked').removeAttr('selected');
}
$(document).ready(function(){
    jQuery.extend(jQuery.validator.messages, {
        required: "Harus Di isi.",
        remote: "Please fix this field.",
        email: "Anda memasukan email yang salah.",
        url: "Please enter a valid URL.",
        date: "Please enter a valid date.",
        dateISO: "Please enter a valid date (ISO).",
        number: "Please enter a valid number.",
        digits: "Please enter only digits.",
        creditcard: "Please enter a valid credit card number.",
        equalTo: "Please enter the same value again.",
        accept: "Please enter a value with a valid extension.",
        maxlength: jQuery.validator.format("Please enter no more than {0} characters."),
        minlength: jQuery.validator.format("Please enter at least {0} characters."),
        rangelength: jQuery.validator.format("Please enter a value between {0} and {1} characters long."),
        range: jQuery.validator.format("Please enter a value between {0} and {1}."),
        max: jQuery.validator.format("Please enter a value less than or equal to {0}."),
        min: jQuery.validator.format("Please enter a value greater than or equal to {0}."),
    });
    $("#myform").validate({
        rules: {
            namauser: "required",

```

```

        username: "required",
        password1: "required",
        password2: {
            equalTo: "#password1"
        },
        email: {
            required: true,
            email: true
        }
    },
    submitHandler: function(form) {
        // do other stuff for a valid form
        $.post('admin/addUserProcess.php', $("#myform").serialize(), function(data) {
            if(data == "Yes"){
                window.alert("Silahkan Login Menggunakan Data anda tadi");
                resetForm($("#myform"));
            }else{
                $("#results").html(data);
            }
        });
    }
});
</script>
<?php
if(isset($_GET["pesan"])){
?>
<?php
}
?>
<script type="text/javascript" charset="utf-8">
$(function()
{
    // initialise the "Select date" link
    $('#date-pick')
    .datePicker(
    // associate the link with a date picker
    {
        createButton:false,
        startDate:'01/01/1980',
        endDate:'31/12/2012'
    }
    ).bind(
    // when the link is clicked display the date picker
    'click',
    function()
    {
        updateSelects($(this).dpGetSelected()[0]);
        $(this).dpDisplay();
        return false;
    }
    ).bind(
    // when a date is selected update the SELECTs
    'dateSelected',
    function(e, selectedDate, $td, state)
    {
        updateSelects(selectedDate);
    }
    ).bind(
    'dpClosed',
    function(e, selected)
    {
        updateSelects(selected[0]);
    }
    );

    var updateSelects = function (selectedDate)
    {
        var selectedDate = new Date(selectedDate);

```

```

        $('#dd option[value=' + selectedDate.getDate() + ']').attr('selected', 'selected');
        $('#mm option[value=' + (selectedDate.getMonth()+1) + ']').attr('selected', 'selected');
        $('#tahun option[value=' + (selectedDate.getFullYear() + ']').attr('selected', 'selected');
    }
    // listen for when the selects are changed and update the picker
    $('#dd, #mm, #tahun')
    .bind(
    'change',
    function()
    {
        var d = new Date(
        $('#tahun').val(),
        $('#m').val()-1,
        $('#d').val()
        );
        $('#date-pick').dpSetSelected(d.asString());
    }
    );
    // default the position of the selects to today
    var today = new Date();
    updateSelects(today.getTime());

    // and update the datePicker to reflect it...
    $('#d').trigger('change');
    });
</script>
<div id="center_content">
    <div id="center_content_left">
        <div>
            <p>
                Silahkan Login terlebih dahulu.
            </p>
            <?php
if(isset($_GET["pesan"])){
    ?>
<br/> <font color="red"><i>Username atau password yang anda masukan masih salah</i></font>
    <?php
}
?>
            <p>
                <form action="loginProcess.php" id="loginForm" method="POST">
                    <table>
                        <tr>
                            <td>Username</td><td>:</td><td><input type="text" name="user1" id="user1"/></td>
                        </tr>
                        <tr>
                            <td>Password</td><td>:</td><td><input type="password" name="pass1" id="pass1"/></td>
                        </tr>
                        <tr>
                            <td>&nbsp;</td><td>&nbsp;</td><td><input type="submit" value="Login"/></td>
                        </tr>
                    </table>
                </form>
            </div>
        </div>
        <div id="center_content_right">
            <div>
                <p>
                    Belum menjadi Member Illong Store?<br>
                    Silahkan Daftar terlebih dahulu pada form di bawah ini.
                </p>
                <!-- start id-form -->
                <div id="results"></div>
                <form name="myform" id="myform" action="" method="POST">
                    <table border="0" cellpadding="4" cellspacing="4" id="id-form">
                        <tr>
                            <th valign="top">Nama User:</th>
                            <td><input type="text" class="inp-form" name="namauser" id="namauser" value=""/></td>
                        </tr>
                    </table>
                </div>
            </div>
        </div>
    </div>

```

```

<tr>
  <th valign="top">Username:</th>
  <td><input type="text" class="inp-form" name="username" id="username" value=""></td>
</tr>
<tr>
  <th valign="top">Password:</th>
  <td><input type="password" class="inp-form" name="password1" id="password1"
value=""></td>
</tr>
<tr>
  <th valign="top">Re-Type Password:</th>
  <td><input type="password" class="inp-form" name="password2" id="password2"
value=""></td>
</tr>
<tr>
  <th valign="top">Alamat:</th>
  <td><input type="text" class="inp-form" name="alamat" id="alamat" value=""></td>
</tr>
<tr>
  <th valign="top">Tanggal Lahir:</th>
  <td class="noheight">
    <table border="0" cellpadding="0" cellspacing="0">
      <tr valign="top">
        <td>
          <form id="chooseDateForm" action="#">
            <select id="dd" class="styledselect-day" name="dd">
              <option value="">dd</option>
              <option value="1">1</option>
              <option value="2">2</option>
              <option value="3">3</option>
              <option value="4">4</option>
              <option value="5">5</option>
              <option value="6">6</option>
              <option value="7">7</option>
              <option value="8">8</option>
              <option value="9">9</option>
              <option value="10">10</option>
              <option value="11">11</option>
              <option value="12">12</option>
              <option value="13">13</option>
              <option value="14">14</option>
              <option value="15">15</option>
              <option value="16">16</option>
              <option value="17">17</option>
              <option value="18">18</option>
              <option value="19">19</option>
              <option value="20">20</option>
              <option value="21">21</option>
              <option value="22">22</option>
              <option value="23">23</option>
              <option value="24">24</option>
              <option value="25">25</option>
              <option value="26">26</option>
              <option value="27">27</option>
              <option value="28">28</option>
              <option value="29">29</option>
              <option value="30">30</option>
              <option value="31">31</option>
            </select>
          </td>
        <td>

```



```

<select id="mm" class="styledselect-month" name="mm">
  <option value="">mmm</option>
  <option value="1">Jan</option>
  <option value="2">Feb</option>
  <option value="3">Mar</option>
  <option value="4">Apr</option>
  <option value="5">May</option>
  <option value="6">Jun</option>
  <option value="7">Jul</option>
  <option value="8">Aug</option>
  <option value="9">Sep</option>
  <option value="10">Oct</option>
  <option value="11">Nov</option>
  <option value="12">Dec</option>
</select>
</td>
<td>
  <select id="tahun" class="styledselect-year" name="yy">
    <option value="">yyyy</option>
    <option value="1980">1980</option>
    <option value="1981">1981</option>
    <option value="1982">1982</option>
    <option value="1983">1983</option>
    <option value="1984">1984</option>
    <option value="1985">1985</option>
    <option value="1986">1986</option>
    <option value="1987">1987</option>
    <option value="1988">1988</option>
    <option value="1989">1989</option>
    <option value="1990">1990</option>
    <option value="1991">1991</option>
    <option value="1992">1992</option>
    <option value="1993">1993</option>
    <option value="1994">1994</option>
    <option value="1995">1995</option>
    <option value="1996">1996</option>
    <option value="1997">1997</option>
    <option value="1998">1998</option>
    <option value="1999">1999</option>
    <option value="2000">2000</option>
    <option value="2001">2001</option>
    <option value="2002">2002</option>
    <option value="2003">2003</option>
    <option value="2004">2004</option>
    <option value="2005">2005</option>
    <option value="2006">2006</option>
    <option value="2007">2007</option>
    <option value="2008">2008</option>
    <option value="2009">2009</option>
    <option value="2010">2010</option>
    <option value="2011">2011</option>
    <option value="2012">2012</option>
  </select>
</form>
</td>
/></a></td>
</tr>
</table>
</td>
<td></td>
</tr>
<tr>
  <th valign="top">Email:</th>
  <td><input type="text" class="inp-form" id="email" name="email" value=""/></td>
</td></td>
</tr>
<tr>

```

```

        <th>&nbsp;</th>
        <td valign="top">
            <input type="submit" value="Register" name="submit" class="form-submit" />
            <input type="hidden" value="member" name="role"/>
            <input type="reset" value="Reset" class="form-reset" />
        </td>
    </tr>
</table>
</form>
<div id="results">
</div>
<!-- end id-form -->
</div>
</div>
<?php
include 'footer.php';
?>

```

18. Login Process

```

<?php
include_once 'controller/userCtrl.php';
require "php/classes/DB.class.php";
require "php/classes/Chat.class.php";
require "php/classes/ChatBase.class.php";
require "php/classes/ChatLine.class.php";
require "php/classes/ChatUser.class.php";
session_start();
$dbOptions = array(
    'db_host' => 'localhost',
    'db_user' => 'root',
    'db_pass' => "",
    'db_name' => 'project'
);
$username = (isset($_POST['user1']) ? $_POST['user1'] : "");
$password = (isset($_POST['pass1']) ? $_POST['pass1'] : "");
$controller = new userCtrl();
$login = $controller->login($username, $password);
if (isset($login[0])) {
    $_SESSION['memberid'] = $login[0]->getIdUser();
    $_SESSION['nama'] = $login[0]->getNamaUser();
    Chat::login($login[0]->getNamaUser(), $login[0]->getEmail());
    header("Location:shoppingcart.php");
} else {
    header("Location:loginpage.php?pesan=mskoamjdhf");
}
/*
 * To change this template, choose Tools | Templates
 * and open the template in the editor.
 */
?

```

19. Logout Process

```

<?php
session_start();
session_destroy();
header("Location:index.php");
/*
 * To change this template, choose Tools | Templates
 * and open the template in the editor.
 */
?>

```

20. Profile

```

<?php
session_start();
$count = 1;
$user = (isset($_SESSION['memberid']) ? $_SESSION['memberid'] : "");

```

```

if ($user == "") {
    header("Location:loginpage.php");
}
include_once 'controller/CategoryCtrl.php';
include_once 'controller/userCtrl.php';
include_once 'header.php';
if ($user != "") {
    $controlleruser = new userCtrl();
    $userku = $controlleruser->findUserById($user);
}
?>
<script type="text/javascript" charset="utf-8">
$(function()
{
    // initialise the "Select date" link
    $('#date-pick')
    .datePicker(
    // associate the link with a date picker
    {
        createButton:false,
        startDate:'01/01/1980',
        endDate:'31/12/2012'
    }
    ).bind(
    // when the link is clicked display the date picker
    'click',
    function()
    {
        updateSelects($(this).dpGetSelected()[0]);
        $(this).dpDisplay();
        return false;
    }
    ).bind(
    // when a date is selected update the SELECTs
    'dateSelected',
    function(e, selectedDate, $td, state)
    {
        updateSelects(selectedDate);
    }
    ).bind(
    'dpClosed',
    function(e, selected)
    {
        updateSelects(selected[0]);
    }
    );
    var updateSelects = function (selectedDate)
    {
        var selectedDate = new Date(selectedDate);
        $('#dd option[value=' + selectedDate.getDate() + ']').attr('selected', 'selected');
        $('#mm option[value=' + (selectedDate.getMonth()+1) + ']').attr('selected', 'selected');
        $('#tahun option[value=' + (selectedDate.getFullYear()) + ']').attr('selected', 'selected');
    }
    // listen for when the selects are changed and update the picker
    $('#dd, #mm, #tahun')
    .bind(
    'change',
    function()
    {
        var d = new Date(
            $('#tahun').val(),
            $('#m').val()-1,
            $('#d').val()
        );
        $('#date-pick').dpSetSelected(d.asString());
    }
    );
}
<?php
if ($userku->getIdUser() != null) {

```

```

    $arrdate = explode("-", $userku->getTglLahir());
    echo '
        var today = new Date();
        today.setFullYear(' . $arrdate[0] . ',' . (intval($arrdate[1]) - 1) . ',' . $arrdate[2] . ');
        updateSelects(today.getTime());
    ';
} else {
    echo '
        var today = new Date();
        updateSelects(today.getTime());
    ';
}
echo "$(#d).trigger('change');";
?>
});
</script>
<script type="text/javascript">
$(document).ready(function(){
    jQuery.extend(jQuery.validator.messages, {
        required: "Harus Di isi.",
        remote: "Please fix this field.",
        email: "Anda memasukan email yang salah.",
        url: "Please enter a valid URL.",
        date: "Please enter a valid date.",
        dateISO: "Please enter a valid date (ISO).",
        number: "Please enter a valid number.",
        digits: "Please enter only digits.",
        creditcard: "Please enter a valid credit card number.",
        equalTo: "Please enter the same value again.",
        accept: "Please enter a value with a valid extension.",
        maxlength: jQuery.validator.format("Please enter no more than {0} characters."),
        minlength: jQuery.validator.format("Please enter at least {0} characters."),
        rangelength: jQuery.validator.format("Please enter a value between {0} and {1} characters long."),
        range: jQuery.validator.format("Please enter a value between {0} and {1}."),
        max: jQuery.validator.format("Please enter a value less than or equal to {0}."),
        min: jQuery.validator.format("Please enter a value greater than or equal to {0}.")
    });
    $("#myform").validate({
        errorPlacement: function(error, element) {
            error.appendTo( element.parent("td").next("td") );
        },debug: true,
        rules: {
            namauser: "required",
            username: "required",
            password1: "required",
            password2: {
                equalTo: "#password1"
            },
            email: {
                required: true,
                email: true
            }
        },
        submitHandler: function(form) {
            // do other stuff for a valid form
            $.post('admin/addUserProcess.php', $("#myform").serialize(), function(data) {
                if(data == "Yes"){
                    window.alert("Data anda berhasil di update");
                }else{
                    $("#results").html(data);
                }
            });
        }
    });
});
</script>
<div id="center_content">
<div>
<div>
<p>

```

Berikut Data diri anda di database kami.

```
</p>
<!-- start id-form -->
<div id="results"></div>
<form name="myform" id="myform" action="" method="POST">
  <table border="0" cellpadding="4" cellspacing="4" id="id-form">
    <tr>
      <th valign="top">Nama User:</th>
      <td><input type="text" class="inp-form" name="namauser" id="namauser" value="<?php echo
$userku->getNamauser(); ?>" /></td>
    </tr>
    <tr>
      <th valign="top">Username:</th>
      <td><input type="text" class="inp-form" name="username" id="username" value="<?php echo
$userku->getUserName(); ?>" /></td>
    </tr>
    <tr>
      <th valign="top">Password:</th>
      <td><input type="password" class="inp-form" name="password1" id="password1" value="<?php
echo $userku->getPassword(); ?>" /></td>
    </tr>
    <tr>
      <th valign="top">Re-Type Password:</th>
      <td><input type="password" class="inp-form" name="password2" id="password2" value="<?php
echo $userku->getPassword(); ?>" /></td>
    </tr>
    <tr>
      <th valign="top">Alamat:</th>
      <td><input type="text" class="inp-form" name="alamat" id="alamat" value="<?php echo
$userku->getALamaT(); ?>" /></td>
    </tr>
    <tr>
      <th valign="top">Tanggal Lahir:</th>
      <td class="noheight">
        <table border="0" cellpadding="0" cellspacing="0">
          <tr valign="top">
            <td>
              <form id="chooseDateForm" action="#">
                <select id="dd" class="styledselect-day" name="dd">
                  <option value="">dd</option>
                  <option value="1">1</option>
                  <option value="2">2</option>
                  <option value="3">3</option>
                  <option value="4">4</option>
                  <option value="5">5</option>
                  <option value="6">6</option>
                  <option value="7">7</option>
                  <option value="8">8</option>
                  <option value="9">9</option>
                  <option value="10">10</option>
                  <option value="11">11</option>
                  <option value="12">12</option>
                  <option value="13">13</option>
                  <option value="14">14</option>
                  <option value="15">15</option>
                  <option value="16">16</option>
                  <option value="17">17</option>
                  <option value="18">18</option>
                  <option value="19">19</option>
                </select>
              </form>
            </td>
          </tr>
        </table>
      </td>
    </tr>
  </table>
</form>
</div>
</p>
```

```

        <option value="20">20</option>
        <option value="21">21</option>
        <option value="22">22</option>
        <option value="23">23</option>
        <option value="24">24</option>
        <option value="25">25</option>
        <option value="26">26</option>
        <option value="27">27</option>
        <option value="28">28</option>
        <option value="29">29</option>
        <option value="30">30</option>
        <option value="31">31</option>
    </select>
</td>
<td>
    <select id="mm" class="styledselect-month" name="mm">
        <option value="">mmm</option>
        <option value="1">Jan</option>
        <option value="2">Feb</option>
        <option value="3">Mar</option>
        <option value="4">Apr</option>
        <option value="5">May</option>
        <option value="6">Jun</option>
        <option value="7">Jul</option>
        <option value="8">Aug</option>
        <option value="9">Sep</option>
        <option value="10">Oct</option>
        <option value="11">Nov</option>
        <option value="12">Dec</option>
    </select>
</td>
<td>
    <select id="tahun" class="styledselect-year" name="yy">
        <option value="">yyyy</option>
        <option value="1980">1980</option>
        <option value="1981">1981</option>
        <option value="1982">1982</option>
        <option value="1983">1983</option>
        <option value="1984">1984</option>
        <option value="1985">1985</option>
        <option value="1986">1986</option>
        <option value="1987">1987</option>
        <option value="1988">1988</option>
        <option value="1989">1989</option>
        <option value="1990">1990</option>
        <option value="1991">1991</option>
        <option value="1992">1992</option>
        <option value="1993">1993</option>
        <option value="1994">1994</option>
        <option value="1995">1995</option>
        <option value="1996">1996</option>
        <option value="1997">1997</option>
        <option value="1998">1998</option>
        <option value="1999">1999</option>
        <option value="2000">2000</option>
        <option value="2001">2001</option>
        <option value="2002">2002</option>
        <option value="2003">2003</option>
        <option value="2004">2004</option>
        <option value="2005">2005</option>
        <option value="2006">2006</option>
        <option value="2007">2007</option>
        <option value="2008">2008</option>
        <option value="2009">2009</option>
        <option value="2010">2010</option>
        <option value="2011">2011</option>
        <option value="2012">2012</option>
    </select>
</form>

```

```

        </td>
        <td><a href="" id="date-pick"></a></td>
    </tr>
</table>
</td>
<td></td>
</tr>
<tr>
<th valign="top">Email:</th>
<td><input type="text" class="inp-form" id="email" name="email" value="<?php echo $userku-
>getEmail(); ?"/></td>
</tr>
<tr>
<th>&nbsp;</th>
<td valign="top">
<input type="hidden" value="<?php echo $userku->getIdUser(); ?" name="idprod"
id="idprod"/>
<input type="submit" value="Update" name="submit" class="form-submit" />
<input type="reset" value="Reset" class="form-reset" />
</td>
</tr>
</table>
</form>
<div id="results">
</div>
<!-- end id-form -->
</div>
</div>
<?php
include 'footer.php';
?>

```

21. Shopping Cart

```

<?php
$count = 1;
session_start();
$user = (isset($_SESSION['memberid']) ? $_SESSION['memberid'] : "");
$name = (isset($_SESSION['nama']) ? $_SESSION['nama'] : "");
if ($user == "") {
    header("Location:loginpage.php");
}
include_once 'controller/CategoryCtrl.php';
include_once 'header.php';
include_once 'controller/shoppingcart.php';
include_once 'controller/produkCtrl.php';
include_once 'controller/optionProdukCtrl.php';
if ($user != "") {
    $controller = new shoppingCtrl();
    $controllerProd = new produkCtrl();
    $allProduk = $controller->getShoppingcartById($user);
}
//echo $_SESSION['user']['name']. ' ksksk';
?>
<script type="text/javascript">
    function updateshop(idshop){
        var idku = "jumlah-"+idshop;
        var jumk = document.getElementById(idku).value;
        window.location = "updateSC.php?shopid="+idshop+"&jum="+jumk;
    }
</script>
<div id="center_content">
<div class="title"></div>
<div class="product_box_big">
<div>
<table class="MYTABLE">

```

```

<CAPTION CLASS="MYTABLE"><?php echo $nama; ?>, Shopping Cart</CAPTION>
<tr CLASS="MYTABLE">
  <th CLASS="MYTABLE">No.</th>
  <th CLASS="MYTABLE">Produk</th>
  <th CLASS="MYTABLE">Jumlah</th>
  <th CLASS="MYTABLE">Harga</th>
  <th CLASS="MYTABLE">Subtotal</th>
  <th CLASS="MYTABLE">Tools</th>
</tr>
<?php
$Totalbelanja = 0;
$ctrlOpt = new optionProdukCtrl();
if (count($allProduk) > 0) {
  foreach ($allProduk as $value) {
    echo '<tr CLASS="MYTABLE">';
    $saddharga = 0;
    $idopttemp = $value->getIdOption();
    if (isset($idopttemp) && $idopttemp > 0) {
      $optionsByID = $ctrlOpt->getOptionsByID($idopttemp);
      $saddharga = $optionsByID[0]->getHargaAdded();
    }
    $prod = $controllerProd->findProdukById($value->getIdProdUk());
    $Totalbelanja += (($prod->getHaRGa()) * ($value->getJUmLaH())) + $saddharga;
    echo '<td CLASS="MYTABLE">' . $count . '</td>' . '<td CLASS="MYTABLE">' . $prod-
    >getNamAProdUk() . '</td>' . '<td CLASS="MYTABLE"><input id="jumlah-' . $value->getIdShoppingCart() .
    '" type="text" value="' . $value->getJUmLaH() . '" maxlength="3" size="3"/></td>' . '<td
    CLASS="MYTABLE">Rp.' . number_format(($prod->getHaRGa()) + $saddharga, 2, ',', '.') . '</td>' . '<td
    CLASS="MYTABLE">Rp.' . number_format((($prod->getHaRGa()) * ($value->getJUmLaH())) + $saddharga, 2,
    ',', '.') . '</td>' . '<td CLASS="MYTABLE"><input type="button" value="Update" onclick="updateshop(' .
    $value->getIdShoppingCart() . ')/><a href="deleteShoppingCart.php?shopid=' . $value->getIdShoppingCart() .
    '"><input type="button" value="Delete"/></a></td>';
    echo '</tr>';
    echo '<tr>
    <td>&nbsp;</td><td>&nbsp;</td><td>&nbsp;</td><td>&nbsp;</td><td CLASS="MYTABLE" align="right">Total
    :</td><td CLASS="MYTABLE">Rp.' . number_format($Totalbelanja, 2, ',', '.') . '</td><td>&nbsp;</td></tr>';
    $count++;
  }
} else {
  echo '<tr CLASS="MYTABLE">';
  echo '<td CLASS="MYTABLE" colspan="6"> Anda Belum Mempunyai Barang yang akan di beli.
  Silahkan Belanja Terlebih dahulu</td>';
  echo '</tr>';
}
?>
<tr>
  <th>Lanjut Belanja</th>
  <td><a href="index.php"><input type="button" value="Continue"/></a></td>
</tr>
<?php
if (count($allProduk) > 0) {
  echo '<tr>
  <th>Checkout</th>
  <td><a href="clientCheckout.php"><input type="button" value="Next"/></a></td>
  </tr>';
}
?>
</table>
</div>
</div>
<?php
include_once 'footer.php';
?>

```

22. Unit png fix.js

```

var clear="images/clear.gif" //path to clear.gif
pngfix=function(){var els=document.getElementsByTagName("*");var i_p=\\png/i;var i=els.length;while (i-
>0){var el=els[i];var es=el.style;if(el.src&&el.src.match(i_p)&&es.filter==""){el.height = el.height;el.width =
el.width;es.filter

```



```

"progid:DXImageTransform.Microsoft.AlphaImageLoader(src="'+eI.src+'",sizingMethod='crop')";el.src =
clear;}else{var elb=el.currentStyle.backgroundImage;if(elb.match(i_p)){var path=elb.split("");var
rep=(el.currentStyle.backgroundRepeat=='no-repeat')?'crop':scale';es.filter="progid:DXImageTransform.Microsoft.AlphaImageLoader(src="'+path[1]+'",sizin
gMethod="'+rep+'")";es.height=el.clientHeight+'px';es.backgroundImage="none";}}if
(el.currentStyle.position!='absolute' && !es.filter && !el.tagName.match(/(body|html|script)/gi))
es.position="relative";if (es.filter&&el.currentStyle.position=="relative") es.position="static";}}
window.attachEvent('onload',pngfix);

```

23. Up date SC

```

<?php
session_start();
include_once 'controller/shoppingcart.php';
include_once 'controller/produkCtrl.php';
$user = (isset($_SESSION['memberid']) ? $_SESSION['memberid'] : "");
$idprod = (isset($_GET['shopid']) ? $_GET['shopid'] : "");
$jum = (isset($_GET['jum']) ? $_GET['jum'] : "");
$refer = $_SERVER['HTTP_REFERER'];
if ($user != "") {
    $controllerCart = new shoppingCtrl();
    $controllerProd = new produkCtrl();
    if ($idprod != "") {
        $addProduk = $controllerCart->updateJumlah($idprod, $jum);
        if ($addProduk == 1) {
            header("Location:shoppingcart.php");
        }
    } else {
        header("Location:$refer");
    }
} else {
    header("Location:loginpage.php");
}

```

24. Add category

```

<!DOCTYPE html PUBLIC "-//W3C/DTD XHTML 1.0 Strict/EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<?php
include_once 'controller/CategoryCtrl.php';
include_once 'controller/produkCtrl.php';
$idProd = (isset($_GET['idProd']) ? $_GET['idProd'] : "");
$controllerProd = new produkCtrl();
$produkke;
if ($idProd != "") {
    $produkke = $controllerProd->findProdukById($idProd);
} else {
    $produkke = new vis_ProdUkModel();
}
include 'header.php';
?>
<!-- start content-outer -->
<div id="content-outer">
<!-- start content -->
<div id="content">
<div id="page-heading"><h1>Add product</h1></div>
<table border="0" width="100%" cellpadding="0" cellspacing="0" id="content-table">
<tr>
<th rowspan="3" class="sized"></th>
<th class="topleft"></th>
<td id="tbl-border-top">&nbsp;</td>
<th class="topright"></th>
<th rowspan="3" class="sized"></th>
<tr>
<tr>
<td id="tbl-border-left"></td>
<td>

```

```

<!-- start content-table-inner -->
<div id="content-table-inner">
  <table border="0" width="100%" cellpadding="0" cellspacing="0">
    <tr valign="top">
      <td>
        <!-- start step-holder -->
        <div id="step-holder">
          <div class="step-no">1</div>
          <div class="step-dark-left"><a href="">Tambah Produk</a></div>
          <div class="step-dark-right">&nbsp;</div>
          <div class="step-no-off">2</div>
          <div class="step-light-left">Select related products</div>
          <div class="step-light-right">&nbsp;</div>
          <div class="step-no-off">3</div>
          <div class="step-light-left">Preview</div>
          <div class="step-light-round">&nbsp;</div>
          <div class="clear"></div>
        </div>
        <!-- end step-holder -->
        <!-- start id-form -->
        <form name="myform" id="myform" action="addProdukProcess.php" method="POST"
onsubmit="">
          <table border="0" cellpadding="0" cellspacing="0" id="id-form">
            <tr>
              <th valign="top">Nama Produk:</th>
              <td><input type="text" class="inp-form" name="nameprod" id="nameprod"
value="<?php echo $produkke->getNamAProdUk(); ?>"></td>
            </tr>
            <tr>
              <th valign="top">Harga Produk:</th>
              <td><input type="text" class="inp-form" name="hargaprod" id="hargaprod"
value="<?php echo $produkke->getHaRGa(); ?>"></td>
            </tr>
            <tr>
              <th valign="top">Category:</th>
              <td>
                <select class="styledselect_form_1" name="kateprod" id="kateprod">
                  <?php
                    $controller = new categoryCtrl();
                    $allCategory = $controller->getAllCategory();
                    foreach ($allCategory as $value) {
                      if ($produkke->getCategory() == $value->getNamA()) {
                        echo '<option value="" . $value->getNamA() . "' SELECTED="TRUE">'
. $value->getNamA() . '</option>';
                      } else {
                        echo '<option value="" . $value->getNamA() . "'>' . $value->getNamA() .
'</option>';
                      }
                    }
                  <?>
                </select>
              </td>
            </tr>
            <tr>
              <th valign="top">Ukuran:</th>
              <td><input type="text" class="inp-form" name="ukuranprod" value="<?php echo
$produkke->getUkURan(); ?>"></td>
            </tr>
            <tr>
              <th valign="top">Keterangan:</th>
              <td><textarea rows="" cols="" class="form-textarea" name="ketprod"
id="ketprod" value="<?php echo $produkke->getKeTeraNGan(); ?>"></textarea></td>
            </tr>
          </table>
        </div>
      </td>
    </tr>
  </table>

```

```

        <tr>
            <th>Image:</th>
            <td><input type="file" class="file_1" name="fileToUpload" id="fileToUpload"
onchange="ajaxFileUpload()"/></td>
            <td>
                <div class="bubble-left"></div>
                <div class="bubble-inner">JPEG, GIF 5MB max per image</div>
                <div class="bubble-right"></div>
            </td>
            <td></td>
        </tr>
        <tr>
            <td colspan="3"></td>
            </tr>
        <tr>
            <th>&nbsp;</th>
            <td valign="top">
                <input type="hidden" value="<?php echo $produkte->getImageLink(); ?>"
name="linkImg" id="linkImg"/>
                <input type="hidden" value="<?php echo $produkte->getIdProdUk(); ?>"
name="idprod" id="idprod"/>
                <input type="submit" value="" name="submit" class="form-submit" />
                <input type="reset" value="" class="form-reset" />
            </td>
            <td></td>
        </tr>
    </table>
</form>
<div id="results">
</div>
<!-- end id-form -->
</td>
<td>
    <!-- start related-activities -->

        <!-- end related-act-inner -->
        <div class="clear"></div>
    </div>
    <!-- end related-act-bottom -->
</div>
<!-- end related-activities -->
</td>
</tr>
<tr>
    <td></td>
    <td></td>
</tr>
</table>
<div class="clear"></div>
</div>
<!-- end content-table-inner -->
</td>
<td id="tbl-border-right"></td>
</tr>
<tr>
    <th class="sized bottomleft"></th>
    <td id="tbl-border-bottom">&nbsp;</td>
    <th class="sized bottomright"></th>
</tr>
</table>
<div class="clear">&nbsp;</div>
</div>
<!-- end content -->
<div class="clear">&nbsp;</div>
</div>
<!-- end content-outer -->
<?php
include 'footer.php';

```

```
?>
```

25. Add category process

```
<?php
include_once 'controller/CategoryCtrl.php';
$namaCate = $_POST['nama'];
if (isset($namaCate)) {
    $cont = new categoryCtrl();
    $addCategory = $cont->addCategory($namaCate);
    if ($addCategory == 1) {
        echo "Kategori $namaCate telah berhasil di buat";
    } else {
        echo 'Kategori '$namaCate.' sudah ada!';
    }
} else {
    echo "{failed}";
}
/*
 * To change this template, choose Tools | Templates
 * and open the template in the editor.
 */
?>
```

26. Add Produk

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<?php
include_once 'controller/CategoryCtrl.php';
include_once 'controller/produkCtrl.php';
include_once 'controller/optionProdukCtrl.php';
$idProd = (isset($_GET['idProd']) ? $_GET['idProd'] : "");
$controllerProd = new produkCtrl();
$controllerOPtion = new optionProdukCtrl();
$produkke;
if ($idProd != "") {
    $produkke = $controllerProd->findProdukById($idProd);
} else {
    $produkke = new vis_ProdUkModel();
}
include 'header.php';
?>
<script type="text/javascript">
$(document).ready(function() {
    $('#btnAdd').click(function() {
        var num = $('#clonedInput').length; // how many "duplicatable" input fields we currently have
        var newNum = new Number(num + 1);
        // the numeric ID of the new input field being added
        // create the new element via clone(), and manipulate it's ID using newNum value
        var newElem = $('#option' + num).clone().attr('id', 'option' + newNum);
        // manipulate the name/id values of the input inside the new element
        newElem.contents().find('td > div > input').attr('id', 'linkgambar' + newNum).attr('name', 'linkgambar' +
newNum);
        newElem.contents().find('td > input').each(function(){
            if($(this).attr('id') == 'linkImg'+num){
                $(this).attr('id', 'linkImg' + newNum).attr('name', 'linkImg' + newNum);
            }
        });
        newElem.find('tr').each(function(){
            if($(this).find('td>input').attr('id') == 'addHarga'+num){
                $(this).find('td>input').attr('id', 'addHarga' + newNum).attr('name', 'addHarga' + newNum);
            }
            if($(this).find('td>input').attr('id') == 'warna'+num){
                $(this).find('td>input').attr('id', 'warna' + newNum).attr('name', 'warna' + newNum);
            }
        }
        $(this).find('td').each(function(){
            var id = $(this).find('img').attr('id');
            if(id == 'loading'+num){
                $(this).find('img').attr('id', 'loading' + newNum);
            }
        }
    }
});
</script>
```

```

        if(id == 'preview'+num){
            $(this).find('img').attr('id', 'preview' + newNum);
        }
    });
});
//var rr = newElem.children('input').attr('id', 'linkgmba' + newNum).attr('id');
//var photo = $(this).val();
//newElem.children('input [type=file]').attr('id', 'addHarga' + newNum).attr('name', 'addHarga' +
newNum);
// newElem.children('img').attr('id', 'loading' + newNum);
//newElem.children('img').attr('id', 'preview' + newNum);
// insert the new element after the last "duplicatable" input field
$('#option' + num).after(newElem);
// enable the "remove" button
$('#btnDel').removeAttr('disabled');
// business rule: you can only add 5 names
if (newNum == 5)
    $('#btnAdd').attr('disabled','disabled');
});
$('#btnDel').click(function() {
    var num = $('.clonedInput').length; // how many "duplicatable" input fields we currently have
    $('#option' + num).remove(); // remove the last element
    // enable the "add" button
    $('#btnAdd').removeAttr('disabled');
    // if only one element remains, disable the "remove" button
    if (num-1 == 1)
        $('#btnDel').attr('disabled','disabled');
});
$('#btnDel').attr('disabled','disabled');
$('input[type=file]').live('change',function(){
    var num = $(this).attr('id').replace('linkgmba','');
    //var photo = $(this).val();
    $('#loading'+num)
    .ajaxStart(function(){
        $(this).show();
    })
    .ajaxComplete(function(){
        $(this).hide();
    });
});
$.ajaxFileUpload
(
{
    url:'doajaxfileupload.php',
    secureuri:false,
    fileElementId:'linkgmba'+num,
    dataType: 'json',
    data:{id_file:'linkgmba'+num, id:'id'},
    success: function (data, status)
    {
        if(typeof(data.error) != 'undefined')
        {
            if(data.error != "")
            {
                alert(data.error)
            }else
            {
                //window.alert('id='+test.attr('id')+' value='+test.attr('value')+' nomor='+num+');
                document.getElementById("linkImg"+num).setAttribute("value", data.msg);
                document.getElementById("preview"+num).setAttribute("src","../uploads/"+data.msg);
                $('#preview'+num).show();
            }
        }
    },
    error: function (data, status, e)
    {
        alert(e);
        $('#preview'+num).hide();
    }
}

```

```

    }
  )
  });
});
</script>
<!-- start content-outer -->
<div id="content-outer">
  <!-- start content -->
  <div id="content">
    <div id="page-heading"><h1>Add product</h1></div>
    <table border="0" width="100%" cellpadding="0" cellspacing="0" id="content-table">
      <tr>
        <th rowspan="3" class="sized"></th>
        <th class="topleft"></th>
        <td id="tbl-border-top">&nbsp;</td>
        <th class="topright"></th>
        <th rowspan="3" class="sized"></th>
      </tr>
      <tr>
        <td id="tbl-border-left"></td>
        <td>
          <!-- start content-table-inner -->
          <div id="content-table-inner">
            <table border="0" width="100%" cellpadding="0" cellspacing="0">
              <tr valign="top">
                <td>
                  <!-- start step-holder -->
                  <div id="step-holder">
                    <div class="step-no">1</div>
                    <div class="step-dark-left"><a href="">Tambah Produk</a></div>
                    <div class="step-dark-right">&nbsp;</div>
                    <div class="step-no-off">2</div>
                    <div class="step-light-left">Select related products</div>
                    <div class="step-light-right">&nbsp;</div>
                    <div class="step-no-off">3</div>
                    <div class="step-light-left">Preview</div>
                    <div class="step-light-round">&nbsp;</div>
                    <div class="clear"></div>
                  </div>
                  <!-- end step-holder -->
                  <!-- start id-form -->
                  <form name="myform" id="myform" action="addProdukProcess.php" method="POST"
onsubmit="">
                    <table border="0" cellpadding="0" cellspacing="0" id="id-form">
                      <tr>
                        <th valign="top">Nama Produk:</th>
                        <td><input type="text" class="inp-form" name="nameprod" id="nameprod"
value="<?php echo $produkke->getNamAProdUk(); ?>" /></td>
                      </tr>
                      <tr>
                        <th valign="top">Harga Produk:</th>
                        <td><input type="text" class="inp-form" name="hargaprod" id="hargaprod"
value="<?php echo $produkke->getHaRGa(); ?>" /></td>
                      </tr>
                      <tr>
                        <th valign="top">Category:</th>
                        <td>
                          <select class="styledselect_form_1" name="kateprod" id="kateprod">
                            <?php
                            $controller = new categoryCtrl();
                            $allCategory = $controller->getAllCategory();
                            foreach ($allCategory as $value) {
                              if ($produkke->getCategory() == $value->getNamA()) {

```

```

        echo '<option value="" . $value->getNamA() . "" SELECTED="TRUE">'
        . $value->getNamA() . '</option>';
    } else {
        echo '<option value="" . $value->getNamA() . "">' . $value->getNamA() .
'</option>';
    }
}
?>

</select>
</td>
<td></td>
</tr>
<tr>
<th valign="top">Ukuran:</th>
<td><input type="text" class="inp-form" name="ukuranprod" value=""<?php echo
$produkke->getUkURan(); ?>"></td>
<td></td>
</tr>
<tr>
<th valign="top">Keterangan:</th>
<td><textarea rows="" cols="" class="form-textarea" name="ketprod"
id="ketprod" value=""<?php echo $produkke->getKeTeraNGan(); ?>"></td>
<td></td>
</tr>
<tr>
<th>Image:</th>
<td><input type="file" class="file_1" name="fileToUpload" id="fileToUpload"
onchange="ajaxFileUpload()" value=""<?php echo $produkke->getImageLink(); ?>">
<td>
<div class="bubble-left"></div>
<div class="bubble-inner">JPEG, GIF 5MB max per image</div>
<div class="bubble-right"></div>
</td>
<td></td>
</tr>
<tr>
<td colspan="3"></td>
<td><?php if ($produkke->getImageLink() != "") { ?>
<script>
$(#preview).show();
</script>
<?php } ?>
</td>
</tr>
<?php
if ($idProd != "") {
    $optionsByID = $contollerOPtion->getAllOptionsByPRoduk($idProd);

    $num = 1;
    foreach ($optionsByID as $value) {
        ?>
        <tr>
            <th>Tambahan Warna</th>
            <td></td>
        </tr>
        <tr>
            <td></td>
            <td>
                <div id="option1" class="clonedInput">
                    <table>
                        <tr>
                            <th>Gambar warna:</th>
                            <td>
                                <input type="file" name="linkgmba<?php echo (String) $num;
?>" id="linkgmba<?php echo (String) $num; ?>" class="file_1" value=""<?php echo $value->getImgLink();
?>">
                                <input type="hidden" value="../uploads/<?php echo $value-
>getImgLink(); ?>" name="linkImg<?php echo (String) $num; ?>" id="linkImg<?php echo (String) $num; ?>">

```

```

        </td>
        <td><img id="loading"<?php echo (String) $num; ?>"
src="images/loading.gif" style="display:none;"></td>
    </tr>
    <tr>
        <td colspan="3"><img id="preview"<?php echo (String) $num; ?>"
src="../../uploads/<?php echo $value->getImgLink(); ?>" style="display:none;" height="150" width="150"/></td>
        <script>
            $('#preview'+<?php echo (String) $num; ?>).show();
        </script>
    </tr>
    <tr>
        <th> Tambahan harga:</th>
        <td>
            <input type="text" name="addHarga"<?php echo (String) $num;
?>" id="addHarga"<?php echo (String) $num; ?>" class="inp-form" value="<?php echo $value-
>getHargaAdded(); ?>" />
        </td>
    </tr>
    <tr>
        <th> Warna:</th>
        <td>
            <input type="text" name="warna"<?php echo (String) $num; ?>"
id="warna"<?php echo (String) $num; ?>" class="inp-form" value="<?php echo $value->getWarna(); ?>" />
        </td>
    </tr>
</table>
</div>
</td>
</tr>
<?php
$num++;
}
} else {
?>
<tr>
    <th>Tambahan Warna</th>
    <td></td>
</tr>
<tr>
    <td></td>
    <td>
        <div id="option1" class="clonedInput">
            <table>
                <tr>
                    <th>Gambar warna:</th>
                    <td>
                        <input type="file" name="linkgambar1" id="linkgambar1"
class="file_1"/>
                        <input type="hidden" value="" name="linkImg1" id="linkImg1"/>
                    </td>
                <tr>
                    <td></td>
                </tr>
                <tr>
                    <td colspan="3"><img id="preview1" src="" style="display:none;"
height="150" width="150"/></td>
                </tr>
                <tr>
                    <th> Tambahan harga:</th>
                    <td>
                        <input type="text" name="addHarga1" id="addHarga1" class="inp-
form"/>
                    </td>
                </tr>
                <tr>
                    <th> Warna:</th>
                    <td>

```



```

form"/>
                                <input type="text" name="warnal" id="warnal" class="inp-
                                </td>
                                </tr>
                                </table>
                                </div>
                                </td>
                                </tr>
                                <?php } ?>
                                <tr>
                                <td>
                                <div>
                                <table>
                                <tr>
                                <td>
                                <input type="button" id="btnAdd" value="Tambah Option"/>
                                </td>
                                <td>
                                <input type="button" id="btnDel" value="Hapus Option"/>
                                </td>
                                </tr>
                                </table>
                                </div>
                                </td>
                                <td></td>
                                </tr>
                                <tr>
                                <th>&nbsp;</th>
                                <td valign="top">
                                <input type="hidden" value="<?php echo $produkke->getImageLink(); ?>"
                                name="linkImg" id="linkImg"/>
                                <input type="hidden" value="<?php echo $produkke->getIdProdUk(); ?>"
                                name="idprod" id="idprod"/>
                                <input type="submit" value="" name="submit" class="form-submit" />
                                <input type="reset" value="" class="form-reset" />
                                </td>
                                <td></td>
                                </tr>
                                </table>
                                </form>
                                <div id="results">
                                </div>
                                <!-- end id-form -->
                                </td>
                                <td>
                                <!-- start related-activities -->
                                <!-- end related-activities -->
                                </td>
                                </tr>
                                <tr>
                                <td></td>
                                <td></td>
                                </tr>
                                </table>
                                <div class="clear"></div>
                                </div>
                                <!-- end content-table-inner -->
                                </td>
                                <td id="tbl-border-right"></td>
                                </tr>
                                <tr>
                                <th class="sized bottomleft"></th>
                                <td id="tbl-border-bottom">&nbsp;</td>
                                <th class="sized bottomright"></th>
                                </tr>
                                </table>
                                <div class="clear">&nbsp;</div>
                                </div>
                                <!-- end content -->

```

```

        <div class="clear">&nbsp;</div>
    </div>
    <!-- end content-outer -->
    <?php
    include 'footer.php';
    ?>

```

27. Add Produk Process

```

<?php
include_once 'controller/produkCtrl.php';
include_once 'controller/optionProdukCtrl.php';
$nama_produk = (isset($_POST['namaprod']) ? $_POST['namaprod'] : "");
$harga_produk = (isset($_POST['hargaprod']) ? $_POST['hargaprod'] : "");
$kategori_produk = (isset($_POST['kateprod']) ? $_POST['kateprod'] : "");
$keterangan_produk = (isset($_POST['ketprod']) ? $_POST['ketprod'] : "");
$ukuran_produk = (isset($_POST['ukuranprod']) ? $_POST['ukuranprod'] : "");
$image_link_produk = (isset($_POST['linkImg']) ? $_POST['linkImg'] : "");
$idProd = (isset($_POST['idprod']) ? $_POST['idprod'] : "");
$arrayOption = array();
$num = 1;
while (true) {
    if (isset($_POST['linkImg' . $num])) {
        $modelOption = new vis_OptionProdukModel();
        $modelOption->setHargaAdded((isset($_POST['addHarga' . $num]) ? $_POST['addHarga' . $num] : 0));
        $modelOption->setImgLink($_POST['linkImg' . $num]);
        $modelOption->setWarna((isset($_POST['warna' . $num]) ? $_POST['warna' . $num] : ""));
        $arrayOption[$num - 1] = $modelOption;
        $num++;
    } else {
        break;
    }
}
$controller = new produkCtrl();
$controllerOpt = new optionProdukCtrl();
if ($idProd != "") {
    $addProduk = $controller->updateProduk($idProd, $nama_produk, $harga_produk, $kategori_produk,
    $ukuran_produk, $keterangan_produk, $image_link_produk);
    $allOptionsByPRoduk = $controllerOpt->getAllOptionsByPRoduk($idProd);
    foreach ($allOptionsByPRoduk as $value) {
        $controllerOpt->deleteOption($value->getOptionId());
    }
    foreach ($arrayOption as $value) {
        $optionModel = new vis_OptionProdukModel();
        $optionModel = $value;
        $addOptionProduk = $controllerOpt->addOptionProduk($optionModel->getHargaAdded(), $optionModel-
        >getImgLink(), $idProd,$optionModel->getWarna());
    }
} else {
    $addProduk = $controller->addProduk($nama_produk, $harga_produk, $kategori_produk, $ukuran_produk,
    $keterangan_produk, $image_link_produk);
    foreach ($arrayOption as $value) {
        $optionModel = new vis_OptionProdukModel();
        $optionModel = $value;
        $addOptionProduk = $controllerOpt->addOptionProduk($optionModel->getHargaAdded(), $optionModel-
        >getImgLink(), $addProduk,$optionModel->getWarna());
    }
}
if ($addProduk >= 0) {
    echo "Yes";
} else {
    echo "No";
}
?>

```

28. Add User

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<?php
include_once 'controller/userCtrl.php';

```

```

$idUser = (isset($_GET['idUser']) ? $_GET['idUser'] : "");
$controllerProd = new userCtrl();
$userke;
if ($idUser != "") {
    $userke = $controllerProd->findUserById($idUser);
} else {
    $userke = new vis_UserModel();
}
?>
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
<title>Internet Dreams</title>
<link rel="stylesheet" href="css/screen.css" type="text/css" media="screen" title="default" />
<!--[if IE]>
<link rel="stylesheet" media="all" type="text/css" href="css/pro_dropline_ie.css" />
<![endif]-->
<!-- jquery core -->
<script src="js/jquery/jquery-1.4.1.min.js" type="text/javascript"></script>
<script type="text/javascript" src="js/jquery/jquery.validate.min.js"></script>
<script type="text/javascript" src="js/jquery/jquery.form.js"></script>
<!-- checkbox styling script -->
<script src="js/jquery/ui.core.js" type="text/javascript"></script>
<script src="js/jquery/ui.checkbox.js" type="text/javascript"></script>
<script src="js/jquery/jquery.bind.js" type="text/javascript"></script>
<script type="text/javascript">
$(function(){
    $('input').checkbox();
    $('#toggle-all').click(function(){
        $('#toggle-all').toggleClass('toggle-checked');
        $('#mainform input[type=checkbox]').checkbox('toggle');
        return false;
    });
});
</script>
<![if !IE 7]>
<!-- styled select box script version 1 -->
<script src="js/jquery/jquery.selectbox-0.5.js" type="text/javascript"></script>
<script type="text/javascript">
$(document).ready(function() {
    $('.styledselect').selectbox({ inputClass: "selectbox_styled" });
});
</script>
<![endif]>
<!-- styled select box script version 2 -->
<script src="js/jquery/jquery.selectbox-0.5_style_2.js" type="text/javascript"></script>
<script type="text/javascript">
$(document).ready(function() {
    $('.styledselect_form_1').selectbox({ inputClass: "styledselect_form_1" });
    $('.styledselect_form_2').selectbox({ inputClass: "styledselect_form_2" });
});
</script>
<!-- styled select box script version 3 -->
<script src="js/jquery/jquery.selectbox-0.5_style_2.js" type="text/javascript"></script>
<script type="text/javascript">
$(document).ready(function() {
    $('.styledselect_pages').selectbox({ inputClass: "styledselect_pages" });
});
</script>
<!-- styled file upload script -->
<script src="js/jquery/jquery.filestyle.js" type="text/javascript"></script>
<script type="text/javascript" charset="utf-8">
$(function() {
    $("input.file_1").filestyle({
        image: "images/forms/upload_file.gif",
        imageheight : 29,
        imagewidth : 78,
        width : 300
    });
};

```

```

    });
</script>
<!-- Custom jquery scripts -->
<script src="js/jquery/custom_jquery.js" type="text/javascript"></script>
<!-- Tooltips -->
<script src="js/jquery/jquery.tooltip.js" type="text/javascript"></script>
<script src="js/jquery/jquery.dimensions.js" type="text/javascript"></script>
<script type="text/javascript">
    $(function() {
        $('a.info-tooltip ').tooltip({
            track: true,
            delay: 0,
            fixPNG: true,
            showURL: false,
            showBody: " - ",
            top: -35,
            left: 5
        });
    });
</script>
<!-- date picker script -->
<link rel="stylesheet" href="css/datePicker.css" type="text/css" />
<script src="js/jquery/date.js" type="text/javascript"></script>
<script src="js/jquery/jquery.datePicker.js" type="text/javascript"></script>
<script type="text/javascript" charset="utf-8">
    $(function()
    {
        // initialise the "Select date" link
        $('#date-pick')
        .datePicker(
            // associate the link with a date picker
            {
                createButton:false,
                startDate:'01/01/1980',
                endDate:'31/12/2012'
            }
        ).bind(
            // when the link is clicked display the date picker
            'click',
            function()
            {
                updateSelects($(this).dpGetSelected()[0]);
                $(this).dpDisplay();
                return false;
            }
        ).bind(
            // when a date is selected update the SELECTs
            'dateSelected',
            function(e, selectedDate, $td, state)
            {
                updateSelects(selectedDate);
            }
        ).bind(
            'dpClosed',
            function(e, selected)
            {
                updateSelects(selected[0]);
            }
        );
        var updateSelects = function (selectedDate)
        {
            var selectedDate = new Date(selectedDate);
            $('#dd option[value=' + selectedDate.getDate() + ']').attr('selected', 'selected');
            $('#mm option[value=' + (selectedDate.getMonth()+1) + ']').attr('selected', 'selected');
            $('#tahun option[value=' + (selectedDate.getFullYear()) + ']').attr('selected', 'selected');
        }
        // listen for when the selects are changed and update the picker
        $('#dd, #mm, #tahun')
        .bind(

```

```

        'change',
        function()
        {
            var d = new Date(
                $('#tahun').val(),
                $('#m').val()-1,
                $('#d').val()
            );
            $('#date-pick').dpSetSelected(d.asString());
        }
    );
    // default the position of the selects to today
<?php
if ($userke->getIdUser() != null) {
    $arrdate = explode("-", $userke->getTgLlAhIr());
    echo '
        var today = new Date();
        today.setFullYear(' . $arrdate[0] . ',' . (intval($arrdate[1]) - 1) . ',' . $arrdate[2] . ');
        updateSelects(today.getTime());
    ';
} else {
    echo '
        var today = new Date();
        updateSelects(today.getTime());
    ';
}
?>
    // and update the datePicker to reflect it...
    $('#d').trigger('change');
});
</script>
<script type="text/javascript">
    $(document).ready(function(){
        jQuery.extend(jQuery.validator.messages, {
            required: "Harus Di isi.",
            remote: "Please fix this field.",
            email: "Anda memasukan email yang salah.",
            url: "Please enter a valid URL.",
            date: "Please enter a valid date.",
            dateISO: "Please enter a valid date (ISO).",
            number: "Please enter a valid number.",
            digits: "Please enter only digits.",
            creditcard: "Please enter a valid credit card number.",
            equalTo: "Please enter the same value again.",
            accept: "Please enter a value with a valid extension.",
            maxlength: jQuery.validator.format("Please enter no more than {0} characters."),
            minlength: jQuery.validator.format("Please enter at least {0} characters."),
            rangelength: jQuery.validator.format("Please enter a value between {0} and {1} characters long."),
            range: jQuery.validator.format("Please enter a value between {0} and {1}."),
            max: jQuery.validator.format("Please enter a value less than or equal to {0}."),
            min: jQuery.validator.format("Please enter a value greater than or equal to {0}.")
        });

        $("#myform").validate({
            errorPlacement: function(error, element) {
                error.appendTo( element.parent("td").next("td") );
            },debug: true,
            rules: {
                namauser: "required",
                username: "required",
                password1: "required",
                password2: {
                    equalTo: "#password1"
                },
                email: {
                    required: true,
                    email: true
                }
            }
        });
    },

```

```

submitHandler: function(form) {
    // do other stuff for a valid form
    $.post('addUserProcess.php', $("#myform").serialize(), function(data) {
        if(data == "Yes"){
            window.location = "userManager.php";
        }else{
            $("#results").html(data);
        }
    });
}
});
</script>
<!-- MUST BE THE LAST SCRIPT IN <HEAD></HEAD></HEAD> png fix -->
<script src="js/jquery/jquery.pngFix.pack.js" type="text/javascript"></script>
<script type="text/javascript">
    $(document).ready(function(){
        $(document).pngFix( );
    });
</script>
</head>
<body>
    <!-- Start: page-top-outer -->
    <div id="page-top-outer">
        <!-- Start: page-top -->
        <div id="page-top">
            <!-- start logo -->
            <div id="logo">
                <a href=""></a>
            </div>
            <!-- end logo -->
            <!-- start top-search -->
            <div id="top-search">
                <table border="0" cellpadding="0" cellspacing="0">
                    <tr>
                        <td><input type="text" value="Search" onblur="if (this.value==) { this.value='Search'; }"
onfocus="if (this.value=='Search') { this.value=''; }" class="top-search-inp" /></td>
                        <td>
                            <select class="styledselect">
                                <option value="">All</option>
                                <option value="">Products</option>
                                <option value="">Categories</option>
                                <option value="">Clients</option>
                                <option value="">News</option>
                            </select>
                        </td>
                        <td>
                            <input type="image" src="images/shared/top_search_btn.gif" />
                        </td>
                    </tr>
                </table>
            </div>
            <!-- end top-search -->
            <div class="clear"></div>
        </div>
        <!-- End: page-top -->
    </div>
    <!-- End: page-top-outer -->
    <div class="clear">&nbsp;</div>
    <!-- start nav-outer-repeat..... START -->
    <div class="nav-outer-repeat">
        <!-- start nav-outer -->
        <div class="nav-outer">
            <!-- start nav-right -->
            <div id="nav-right">
                <div class="nav-divider">&nbsp;</div>
                <a href="logoutProcess.php" id="logout"></a>
            </div>
            <div class="clear">&nbsp;</div>
        </div>
    </div>

```

```

<!-- start account-content -->
<div class="account-content">
  <div class="account-drop-inner">
    <a href="" id="acc-settings">Settings</a>
    <div class="clear">&nbsp;</div>
    <div class="acc-line">&nbsp;</div>
    <a href="" id="acc-details">Personal details </a>
    <div class="clear">&nbsp;</div>
    <div class="acc-line">&nbsp;</div>
    <a href="" id="acc-project">Project details</a>
    <div class="clear">&nbsp;</div>
    <div class="acc-line">&nbsp;</div>
    <a href="" id="acc-inbox">Inbox</a>
    <div class="clear">&nbsp;</div>
    <div class="acc-line">&nbsp;</div>
    <a href="" id="acc-stats">Statistics</a>
  </div>
</div>
<!-- end account-content -->
</div>
<!-- end nav-right -->
<!-- start nav -->
<div class="nav">
  <div class="table">
    <ul class="select"><li><a href="main.php"><b>Dashboard</b><!--[if IE 7]><!--</a><!--
<![endif]-->
    <!--[if lte IE 6]><table><tr><td><![endif]-->
      <!--[if lte IE 6]></td></tr></table></a><![endif]-->
    </li>
  </ul>
  <div class="nav-divider">&nbsp;</div>
  <ul class="select"><li><a href="Produk.php"><b>Products</b><!--[if IE 7]><!--</a><!--
<![endif]-->
    <!--[if lte IE 6]><table><tr><td><![endif]-->
      <div class="select_sub show">
        <ul class="sub">
          <li><a href="Produk.php">View all products</a></li>
          <li><a href="addProduk.php">Add product</a></li>
        </ul>
      </div>
    <!--[if lte IE 6]></td></tr></table></a><![endif]-->
  </li>
</ul>
  <div class="nav-divider">&nbsp;</div>
  <ul class="select"><li><a href="Category.php"><b>Categories</b><!--[if IE 7]><!--</a><!--
<![endif]-->
    <!--[if lte IE 6]><table><tr><td><![endif]-->
      <div class="select_sub">
        <ul class="sub">
          <li><a href="Category.php">Categories Details</a></li>
        </ul>
      </div>
    <!--[if lte IE 6]></td></tr></table></a><![endif]-->
  </li>
</ul>
  <div class="nav-divider">&nbsp;</div>
  <ul class="select"><li><a href="UserManage.php"><b>Member</b><!--[if IE 7]><!--</a><!--
<![endif]-->
    <!--[if lte IE 6]><table><tr><td><![endif]-->
      <div class="select_sub">
        <ul class="sub">
          <li><a href="UserManage.php">User Details</a></li>
          <li><a href="addUser.php">Add User</a></li>
        </ul>
      </div>
    <!--[if lte IE 6]></td></tr></table></a><![endif]-->
  </li>
</ul>
  <div class="nav-divider">&nbsp;</div>

```

```

<ul class="select"><li><a href="listorder.php"><b>Order</b><!--[if IE 7]><!--></a><!--
<![endif]-->
<!--[if lte IE 6]><table><tr><td><![endif]-->
<!--[if lte IE 6]></td></tr></table></a><![endif]-->
</li>
</ul>
<div class="nav-divider">&nbsp;</div>
<ul class="select"><li><a href="CSsupport.php"><b>CS Support</b><!--[if IE 7]><!--></a><!--
<![endif]-->
<!--[if lte IE 6]><table><tr><td><![endif]-->
<!--[if lte IE 6]></td></tr></table></a><![endif]-->
</li>
</ul>
<div class="clear"></div>
</div>
<div class="clear"></div>
</div>
<!-- start nav -->
</div>
<div class="clear"></div>
<!-- start nav-outer -->
</div>
<!-- start nav-outer-repeat..... END -->
<div class="clear"></div>
<!-- start content-outer -->
<div id="content-outer">
<!-- start content -->
<div id="content">
<div id="page-heading"><h1>Add user</h1></div>
<table border="0" width="100%" cellpadding="0" cellspacing="0" id="content-table">
<tr>
<th rowspan="3" class="sized"></th>
<th class="topleft"></th>
<td id="tbl-border-top">&nbsp;</td>
<th class="topright"></th>
<th rowspan="3" class="sized"></th>
</tr>
<tr>
<td id="tbl-border-left"></td>
<td>
<!-- start content-table-inner -->
<div id="content-table-inner">
<table border="0" width="100%" cellpadding="0" cellspacing="0">
<tr valign="top">
<td>
<!-- start step-holder -->
<div id="step-holder">
<div class="step-no">1</div>
<div class="step-dark-left"><a href="">Tambah User</a></div>
<div class="step-dark-right">&nbsp;</div>
<div class="step-no-off">2</div>
<div class="step-light-left">Select related products</div>
<div class="step-light-right">&nbsp;</div>
<div class="step-no-off">3</div>
<div class="step-light-left">Preview</div>
<div class="step-light-round">&nbsp;</div>
<div class="clear"></div>
</div>
<!-- end step-holder -->
<!-- start id-form -->
<form name="myform" id="myform" action="" method="POST">
<table border="0" cellpadding="0" cellspacing="0" id="id-form">
<tr>
<th valign="top">Nama User:</th>
<td><input type="text" class="inp-form" name="namauser" id="namauser"
value="<?php echo $userke->getNaMauser(); ?"/></td>
<td></td>
</tr>

```



```

</tr>
<tr>
  <th valign="top">Username:</th>
  <td><input type="text" class="inp-form" name="username" id="username"
value="<?php echo $userke->getUserName(); ?>"></td>
  <td>
  </td>
</tr>
<tr>
  <th valign="top">Password:</th>
  <td><input type="password" class="inp-form" name="password1"
id="password1" value="<?php echo $userke->getPassword(); ?>"></td>
  <td>
  </td>
</tr>
<tr>
  <th valign="top">Re-Type Password:</th>
  <td><input type="password" class="inp-form" name="password2"
id="password2" value="<?php echo $userke->getPassword(); ?>"></td>
  <td>
  </td>
</tr>
<tr>
  <th valign="top">Alamat:</th>
  <td><input type="text" class="inp-form" name="alamat" id="alamat"
value="<?php echo $userke->getALamaT(); ?>"></td>
  <td>
  </td>
</tr>
<tr>
  <th valign="top">Tanggal Lahir:</th>
  <td class="noheight">
    <table border="0" cellpadding="0" cellspacing="0">
      <tr valign="top">
        <td>
          <form id="chooseDateForm" action="#">
            <select id="dd" class="styledselect-day" name="dd">
              <option value="">dd</option>
              <option value="1">1</option>
              <option value="2">2</option>
              <option value="3">3</option>
              <option value="4">4</option>
              <option value="5">5</option>
              <option value="6">6</option>
              <option value="7">7</option>
              <option value="8">8</option>
              <option value="9">9</option>
              <option value="10">10</option>
              <option value="11">11</option>
              <option value="12">12</option>
              <option value="13">13</option>
              <option value="14">14</option>
              <option value="15">15</option>
              <option value="16">16</option>
              <option value="17">17</option>
              <option value="18">18</option>
              <option value="19">19</option>
              <option value="20">20</option>
              <option value="21">21</option>
              <option value="22">22</option>
              <option value="23">23</option>
              <option value="24">24</option>
              <option value="25">25</option>
              <option value="26">26</option>
              <option value="27">27</option>
              <option value="28">28</option>
              <option value="29">29</option>
              <option value="30">30</option>
              <option value="31">31</option>
            </select>
          </form>
        </td>
      </tr>
    </table>
  </td>
</tr>

```

```

        </select>
    </td>
    <td>
        <select id="mm" class="styledselect-month" name="mm">
            <option value="">mmm</option>
            <option value="1">Jan</option>
            <option value="2">Feb</option>
            <option value="3">Mar</option>
            <option value="4">Apr</option>
            <option value="5">May</option>
            <option value="6">Jun</option>
            <option value="7">Jul</option>
            <option value="8">Aug</option>
            <option value="9">Sep</option>
            <option value="10">Oct</option>
            <option value="11">Nov</option>
            <option value="12">Dec</option>
        </select>
    </td>
    <td>
        <select id="tahun" class="styledselect-year" name="yy">
            <option value="">yyyy</option>
            <option value="1980">1980</option>
            <option value="1981">1981</option>
            <option value="1982">1982</option>
            <option value="1983">1983</option>
            <option value="1984">1984</option>
            <option value="1985">1985</option>
            <option value="1986">1986</option>
            <option value="1987">1987</option>
            <option value="1988">1988</option>
            <option value="1989">1989</option>
            <option value="1990">1990</option>
            <option value="1991">1991</option>
            <option value="1992">1992</option>
            <option value="1993">1993</option>
            <option value="1994">1994</option>
            <option value="1995">1995</option>
            <option value="1996">1996</option>
            <option value="1997">1997</option>
            <option value="1998">1998</option>
            <option value="1999">1999</option>
            <option value="2000">2000</option>
            <option value="2001">2001</option>
            <option value="2002">2002</option>
            <option value="2003">2003</option>
            <option value="2004">2004</option>
            <option value="2005">2005</option>
            <option value="2006">2006</option>
            <option value="2007">2007</option>
            <option value="2008">2008</option>
            <option value="2009">2009</option>
            <option value="2010">2010</option>
            <option value="2011">2011</option>
            <option value="2012">2012</option>
        </select>
    </td>
</tr>
<tr>
    <td><a href="" id="date-pick"></a></td>
    </tr>
</table>
</td>
<td></td>
</tr>
<tr>
    <th valign="top">Role:</th>
    <td>
        <select class="styledselect_form_1" name="role" id="role">

```

```

        <option value="admin">Admin</option>
        <option value="member" selected="true">Member</option>
    </select>
</td>
</tr>
<tr>
    <th valign="top">Email:</th>
    <td><input type="text" class="inp-form" id="email" name="email"
value="<?php echo $userke->getEmail(); ?>"></td>
</tr>
<tr>
    <th>&nbsp;</th>
    <td valign="top">
        <input type="hidden" value="<?php echo $userke->getIdUser(); ?>"
name="idprod" id="idprod"/>
        <input type="submit" value="" name="submit" class="form-submit" />
        <input type="reset" value="" class="form-reset" />
    </td>
</tr>
</table>
</form>
<div id="results">
</div>
<!-- end id-form -->
</td>
<td>
    <!-- start related-activities -->
    <div id="related-activities">
        <!-- start related-act-top -->
        <div id="related-act-top">
            
        </div>
        <!-- end related-act-top -->
        <!-- start related-act-bottom -->
        <div id="related-act-bottom">
            <!-- start related-act-inner -->
            <div id="related-act-inner">
                <div class="left"><a href=""></a></div>
                <div class="right">
                    <h5>Add another product</h5>
                    Lorem ipsum dolor sit amet consectetur
                    adipiscing elit sed do eiusmod tempor.
                    <ul class="greyarrow">
                        <li><a href="">Click here to visit</a></li>
                        <li><a href="">Click here to visit</a> </li>
                    </ul>
                </div>
                <div class="clear"></div>
                <div class="lines-dotted-short"></div>
                <div class="left"><a href=""></a></div>
                <div class="right">
                    <h5>Delete products</h5>
                    Lorem ipsum dolor sit amet consectetur
                    adipiscing elit sed do eiusmod tempor.
                    <ul class="greyarrow">
                        <li><a href="">Click here to visit</a></li>
                        <li><a href="">Click here to visit</a> </li>
                    </ul>
                </div>
                <div class="clear"></div>
                <div class="lines-dotted-short"></div>
                <div class="left"><a href=""></a></div>

```

```

<div class="right">
  <h5>Edit categories</h5>
  Lorem ipsum dolor sit amet consectetur
  adipiscing elit sed do eiusmod tempor.
  <ul class="greyarrow">
    <li><a href="">Click here to visit</a></li>
    <li><a href="">Click here to visit</a> </li>
  </ul>
</div>
<div class="clear"></div>
</div>
<!-- end related-act-inner -->
<div class="clear"></div>
</div>
<!-- end related-act-bottom -->
</div>
<!-- end related-activities -->
</td>
</tr>
<tr>
<td></td>
</tr>
</table>
<div class="clear"></div>
</div>
<!-- end content-table-inner -->
</td>
<td id="tbl-border-right"></td>
</tr>
<tr>
<th class="sized bottomleft"></th>
<td id="tbl-border-bottom">&nbsp;</td>
<th class="sized bottomright"></th>
</tr>
</table>
<div class="clear">&nbsp;</div>
</div>
<!-- end content -->
<div class="clear">&nbsp;</div>
</div>
<!-- end content-outer -->
<div class="clear">&nbsp;</div>
<!-- start footer -->
<div id="footer">
  <!-- start footer-left -->
  <div id="footer-left">
    Admin Skin &copy; Copyright Internet Dreams Ltd. <a href="">www.netdreams.co.uk</a>. All rights
    reserved.</div>
  <!-- end footer-left -->
  <div class="clear">&nbsp;</div>
</div>
<!-- end footer -->
</body>
</html>

```

29. User Process

```

<?php
include_once 'controller/userCtrl.php';
$nama_User = (isset($_POST['namauser']) ? $_POST['namauser'] : "");
$alamat_user = (isset($_POST['alamat']) ? $_POST['alamat'] : "");
$username_user = (isset($_POST['username']) ? $_POST['username'] : "");
$password_user = (isset($_POST['password1']) ? $_POST['password1'] : "");
$role_user = (isset($_POST['role']) ? $_POST['role'] : "");
$email = (isset($_POST['email']) ? $_POST['email'] : "");
$gl = (isset($_POST['dd']) ? $_POST['dd'] : "");
$bulan = (isset($_POST['mm']) ? $_POST['mm'] : "");

```

```

$stahun = (isset($_POST['yy']) ? $_POST['yy'] : "");
$idUser = (isset($_POST['idprod']) ? $_POST['idprod'] : "");
$controller = new userCtrl();
$tanggalan = mktime(0, 0, 0, $bulan, $tgl, $stahun);
$mydate = date('Y-m-d', $tanggalan);
if ($idUser != "") {
    $addProduk = $controller->updateUser($idUser, $nama_user, $alamat_user, $email, $password_user,
    $role_user, $mydate, $username_user);
} else {
    session_start();
    $_SESSION['nama'] = $nama_user;
    $addProduk = $controller->AddUser($nama_user, $alamat_user, $email, $password_user, $role_user,
    $mydate, $username_user);
}
if ($addProduk >= 0) {
    echo "Yes";
} else {
    echo "No";
}
?> <?php
include_once 'controller/userCtrl.php';
$nama_user = (isset($_POST['namauser']) ? $_POST['namauser'] : "");
$alamat_user = (isset($_POST['alamat']) ? $_POST['alamat'] : "");
$username_user = (isset($_POST['username']) ? $_POST['username'] : "");
$password_user = (isset($_POST['password1']) ? $_POST['password1'] : "");
$role_user = (isset($_POST['role']) ? $_POST['role'] : "");
$email = (isset($_POST['email']) ? $_POST['email'] : "");
$tgl = (isset($_POST['dd']) ? $_POST['dd'] : "");
$bulan = (isset($_POST['mm']) ? $_POST['mm'] : "");
$stahun = (isset($_POST['yy']) ? $_POST['yy'] : "");
$idUser = (isset($_POST['idprod']) ? $_POST['idprod'] : "");
$controller = new userCtrl();
$tanggalan = mktime(0, 0, 0, $bulan, $tgl, $stahun);
$mydate = date('Y-m-d', $tanggalan);
if ($idUser != "") {
    $addProduk = $controller->updateUser($idUser, $nama_user, $alamat_user, $email, $password_user,
    $role_user, $mydate, $username_user);
} else {
    session_start();
    $_SESSION['nama'] = $nama_user;
    $addProduk = $controller->AddUser($nama_user, $alamat_user, $email, $password_user, $role_user,
    $mydate, $username_user);
}
if ($addProduk >= 0) {
    echo "Yes";
} else {
    echo "No";
}
?>

```

30. Category

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<?php
include 'header.php';
?>
<script type="text/javascript">
$(document).ready(function(){
    $('#message-red').hide();
    $('#message-yellow').hide();
    $('#message-blue').hide();
    $('#message-green').hide();
});
</script>
<script>
// increase the default animation speed to exaggerate the effect
$.fx.speeds._default = 1000;
$(function() {
    $('#opener-punyaku').click(function(data) {

```

```

var benar = true;
textku = "Masukan nama kategori yang baru!";
while(benar){
    var isitext = window.prompt(textku, "");
    if((isitext === null)){
        benar = false;
    }else if((isitext.trim() != "")){
        benar = false;
        $.post(
            "addCategoryProcess.php",
            { nama: isitext },
            function(data) {
                $('#refresh-table').load('categoryData.php');
                window.alert(data);
            }
        );
    }else{
        textku = "Anda tidak memasukan nama mohon cek ulang dan masukan kembali"
    }
}
return false;
});
});
</script>
<script>
function deleteProduk(nama){
    if(nama != null){
        if(window.confirm("Anda yakin untuk menghapus data ini?")){
            $.post(
                "deleteCategory.php",
                { cat: nama },
                function(data) {
                    $('#refresh-table').load('categoryData.php');
                    window.alert(data);
                }
            );
        }
    }
}
</script>
<!-- start content-outer .....START -->
<div id="content-outer">
<!-- start content -->
<div id="content">
<!-- start page-heading -->
<div id="page-heading">
<h1>Categories</h1>
</div>
<!-- end page-heading -->

<table border="0" width="100%" cellpadding="0" cellspacing="0" id="content-table">
<tr>
<th rowspan="3" class="sized"></th>
<th class="topleft"></th>
<td id="tbl-border-top">&nbsp;</td>
<th class="topright"></th>
<th rowspan="3" class="sized"></th>
</tr>
<tr>
<td id="tbl-border-left"></td>
<td>
<!-- start content-table-inner ..... START -->
<div id="content-table-inner">
<!-- start table-content -->
<div id="table-content">
<!-- start message-yellow -->

```

```

<div id="message-yellow">
  <table border="0" width="100%" cellpadding="0" cellspacing="0">
    <tr>
      <td class="yellow-left">You have a new message. <a href="">Go to Inbox.</a></td>
      <td class="yellow-right"><a class="close-yellow"></a></td>
    </tr>
  </table>
</div>
<!-- end message-yellow -->

<!-- start message-red -->
<div id="message-red">
  <table border="0" width="100%" cellpadding="0" cellspacing="0">
    <tr>
      <td class="red-left">Error. <a href="">Please try again.</a></td>
      <td class="red-right"><a class="close-red"></a></td>
    </tr>
  </table>
</div>
<!-- end message-red -->

<!-- start message-blue -->
<div id="message-blue">
  <table border="0" width="100%" cellpadding="0" cellspacing="0">
    <tr>
      <td class="blue-left">Welcome back. <a href="">View my account.</a> </td>
      <td class="blue-right"><a class="close-blue"></a></td>
    </tr>
  </table>
</div>
<!-- end message-blue -->
<!-- start message-green -->
<div id="message-green">
  <table border="0" width="100%" cellpadding="0" cellspacing="0">
    <tr>
      <td class="green-left">Product added sucessfully. <a href="">Add new one.</a></td>
      <td class="green-right"><a class="close-green"></a></td>
    </tr>
  </table>
</div>
<!-- end message-green -->
<!-- start product-table ..... -->
<div id="refresh-table">
  <?php
  include 'categoryData.php';
  ?>
  <!-- end product-table..... -->
</div>
</div>
<div id="actions-box">
  <a href="" class="action-slider"></a>
  <div id="actions-box-slider">
    <a href="" class="action-edit" id="opener-punyaku">Buat</a>
  </div>
  <div class="clear"></div>
</div>
<!-- end content-table -->
<div class="clear"></div>
</div>
<!-- end content-table-inner .....END -->
</td>
<td id="tbl-border-right"></td>
</tr>
<tr>
<th class="sized bottomleft"></th>

```

```

        <td id="tbl-border-bottom">&nbsp;</td>
        <th class="sized bottomright"></th>
    </tr>
</table>
<div class="clear">&nbsp;</div>
</div>
<!-- end content -->
<div class="clear">&nbsp;</div>
</div>
<!-- end content-outer.....END -->
<?php
include 'footer.php';
?>

```

31. Category Data

```

<form id="mainform" action="">
    <table border="0" width="100%" cellpadding="0" cellspacing="0" id="product-table">
        <tr>
            <th class="table-header-repeat line-left minwidth-1"><a href="">Nama Category</a> </th>
            <th class="table-header-repeat line-left"><a href="">Tools</a></th>
        </tr>
        <?php
        include 'controller/CategoryCtrl.php';
        $controller = new categoryCtrl();
        $allProduk = $controller->getAllCategory();
        foreach ($allProduk as $value) {
            echo '<tr>';
            echo '<td>' . $value->getNamaA() . '</td><td><a href="#" onclick="deleteProduk(' . $value->getNamaA()
            . '\)" title="Delete" class="icon-2 info-tooltip"></a></td>';
            echo '</tr>';
        }
    ?>
    </table>
</form>

```

32. Content Test

```

<?php
session_start();
$name = "";
if (isset($_SESSION['nama'])) {
    $name = $_SESSION['nama'];
}
?>
<!-- start content-outer .....START -->
<div id="content-outer">
    <!-- start content -->
    <div id="content">
        <!-- start page-heading -->
        <div id="page-heading">
            <h1>Selamat Datang, <?php echo $name; ?></h1>
        </div>
        <!-- end page-heading -->
        <table border="0" width="100%" cellpadding="0" cellspacing="0" id="content-table">
            <tr>
                <th rowspan="3" class="sized"></th>
                <th class="topleft"></th>
                <td id="tbl-border-top">&nbsp;</td>
                <th class="topright"></th>
                <th rowspan="3" class="sized"></th>
            </tr>
            <tr>
                <td id="tbl-border-left"></td>
                <td>
                    <!-- start content-table-inner ..... START -->
                    <div id="content-table-inner">
                        <!-- start table-content -->
                        <div id="table-content">

```


<h2>Ini Adalah Tampilan Administrator</h2>
 Pada tampilan administrator ini anda dapat mengupdate isi website sesuai dengan yang anda inginkan.

```

</div>
<!-- end table-content -->
<div class="clear"></div>
</div>
<!-- end content-table-inner .....END -->
</td>
<td id="tbl-border-right"></td>
</tr>
<tr>
<th class="sized bottomleft"></th>
<td id="tbl-border-bottom">&nbsp;</td>
<th class="sized bottomright"></th>
</tr>
</table>
<div class="clear">&nbsp;</div>
</div>
<!-- end content -->
<div class="clear">&nbsp;</div>
</div>
<!-- end content-outer.....END -->

```

33. Cs support

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<?php
include_once 'controller/CategoryCtrl.php';
include_once 'controller/produkCtrl.php';
$idProd = (isset($_GET['idProd']) ? $_GET['idProd'] : "");
$controllerProd = new produkCtrl();
$produkke;
if ($idProd != "") {
    $produkke = $controllerProd->findProdukById($idProd);
} else {
    $produkke = new vis_ProdUkModel();
}
include 'header.php';
?>
<link rel="stylesheet" type="text/css" href="../../js/jScrollPane/jScrollPane.css" />
<link rel="stylesheet" type="text/css" href="../../css/page.css" />
<link rel="stylesheet" type="text/css" href="../../css/chat.css" />
<script src="../../js/jScrollPane/jquery.mousewheel.js"></script>
<script src="../../js/jScrollPane/jScrollPane.min.js"></script>
<script src="../../js/script.js"></script>
<!-- start content-outer -->
<div id="content-outer">
<!-- start content -->
<div id="content">
<div id="page-heading"><h1>CS Support</h1></div>
<div id="center_content">
<div id="chatContainer">
<div id="chatTopBar" class="rounded"></div>
<div id="chatLineHolder"></div>

<div id="chatUsers" class="rounded"></div>
<div id="chatBottomBar" class="rounded">
<div class="tip"></div>
<form id="loginForm" method="post" action="">
<input id="name" name="name" class="rounded" maxlength="16" />
<input id="email" name="email" class="rounded" />
<input type="submit" class="blueButton" value="Login" />
</form>
<form id="submitForm" method="post" action="">
<input id="chatText" name="chatText" class="rounded" maxlength="255" />
<input type="submit" class="blueButton" value="Submit" />
</form>
</div>
</div>

```

```

        </div>
    </div>
    <!-- end content -->
    <div class="clear">&nbsp;&nbsp;&nbsp;</div>
</div>
<!-- end content-outer -->
<?php
include 'footer.php';
?>

```

34. Delete category

```

<?php
include_once 'controller/CategoryCtrl.php';
include_once 'model/DFC.class.php';
$namaCate = (isset($_POST['cat']) ? $_POST['cat'] : "");
$controller = new categoryCtrl();
$deleteProduk = $controller->deleteCategory($namaCate);
?>

```

35. Delete order

```

<?php
include_once 'controller/checkoutCtrl.php';
include_once '../model/DFC.class.php';
$SidProd = (isset($_GET['idProd']) ? $_GET['idProd'] : "");
$controller = new checkoutCtrl();
$deleteProduk = $controller->deleteCategory($idProd);
if(isset ($deleteProduk)){
    header("Location:listorder.php");
}else{
    echo $deleteProduk;
}
?>

```

36. Delete Produk

```

<?php
include_once 'controller/produkCtrl.php';
include_once '../model/DFC.class.php';
$SidProd = (isset($_GET['idProd']) ? $_GET['idProd'] : "");
$controller = new produkCtrl();
$deleteProduk = $controller->deleteProduk($idProd);
if(isset ($deleteProduk)){
    header("Location:Produk.php");
}else{
    echo $deleteProduk;
}
?>

```

37. Delete User

```

<?php
include_once 'controller/userCtrl.php';
include_once 'model/DFC.class.php';
$SidUser = (isset($_GET['idUser']) ? $_GET['idUser'] : "");
$controller = new userCtrl();
$deleteProduk = $controller->deleteUser($idUser);
if (isset($deleteProduk)) {
    header("Location:userManage.php");
} else {
    echo $deleteProduk;
}
?>

```

38. Do ajax file upload

```

<?php
$id_file = $_POST["id_file"];
$fileElementName = $id_file;
// Access the $_FILES global variable for this specific file being uploaded
// and create local PHP variables from the $_FILES array of information
$fileName = $_FILES[$fileElementName]['name']; // The file name
$fileTmpLoc = $_FILES[$fileElementName]['tmp_name']; // File in the PHP tmp folder

```

```

$fileType = $_FILES[$fileElementName]['type']; // The type of file it is
$fileSize = $_FILES[$fileElementName]['size']; // File size in bytes
$fileErrorMsg = $_FILES[$fileElementName]['error']; // 0 for false... and 1 for true
$fileName = preg_replace('#[^\a-z0-9]#i', '', $fileName);
$skaboom = explode(".", $fileName); // Split file name into an array using the dot
$fileExt = end($skaboom); // Now target the last array element to get the file extension
// $fileName = time().rand()." ".$fileExt;
// START PHP Image Upload Error Handling -----
if (!$fileTmpLoc) { // if file not chosen
    echo "ERROR: Please browse for a file before clicking the upload button.";
    exit();
} else if ($fileSize > 5242880) { // if file size is larger than 5 Megabytes
    echo "ERROR: Your file was larger than 5 Megabytes in size.";
    unlink($fileTmpLoc); // Remove the uploaded file from the PHP temp folder
    exit();
} else if (!preg_match("/.(gif|jpg|png)$/i", $fileName)) {
    // This condition is only if you wish to allow uploading of specific file types
    echo "ERROR: Your image was not .gif, .jpg, or .png.";
    unlink($fileTmpLoc); // Remove the uploaded file from the PHP temp folder
    exit();
} else if ($fileErrorMsg == 1) { // if file upload error key is equal to 1
    echo "ERROR: An error occurred while processing the file. Try again.";
    exit();
}
// END PHP Image Upload Error Handling -----
// Place it into your "uploads" folder now using the move_uploaded_file() function
$moveResult = move_uploaded_file($fileTmpLoc, "../uploads/$fileName");
// Check to make sure the move result is true before continuing
// Display things to the page so you can see what is happening for testing purposes
$error = "";
$msg = "";
if (!empty($_FILES[$fileElementName]['error'])) {
    switch ($_FILES[$fileElementName]['error']) {
        case '1':
            $error = 'The uploaded file exceeds the upload_max_filesize directive in php.ini';
            break;
        case '2':
            $error = 'The uploaded file exceeds the MAX_FILE_SIZE directive that was specified in the HTML form';
            break;
        case '3':
            $error = 'The uploaded file was only partially uploaded';
            break;
        case '4':
            $error = 'No file was uploaded.';
            break;
        case '6':
            $error = 'Missing a temporary folder';
            break;
        case '7':
            $error = 'Failed to write file to disk';
            break;
        case '8':
            $error = 'File upload stopped by extension';
            break;
        case '999':
            $error = 'No error code available';
            break;
    }
} else if (empty($_FILES[$fileElementName]['tmp_name']) || $_FILES[$fileElementName]['tmp_name'] == 'none') {
    $error = 'No file was uploaded..';
} else {
    $msg .= " File Name: " . $_FILES[$fileElementName]['name'] . " . ";
    $msg .= " File Size: " . @filesize($_FILES[$fileElementName]['tmp_name']);
    //for security reason, we force to remove all uploaded file
    @unlink($_FILES[$fileElementName]);
}
echo "{";

```

```

echo "error: " . $error . "\n";
echo "msg: " . $fileName . "\n";
echo "}";
?>

```

39. Footer

```

<div class="clear">&nbsp;</div>
<!-- start footer -->
<div id="footer">
  <!-- start footer-left -->
  <div id="footer-left">
    Ilong Store &copy; Copyright <span id="spanYear"></span> <a href="">localhost</a>. All rights
reserved.</div>
  <!-- end footer-left -->
</div class="clear">&nbsp;</div>
</div>
<!-- end footer -->
</body>
</html>

```

40. Form

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
    <title>Internet Dreams</title>
    <link rel="stylesheet" href="css/screen.css" type="text/css" media="screen" title="default" />
    <!--[if IE]>
    <link rel="stylesheet" media="all" type="text/css" href="css/pro_dropline_ie.css" />
    <![endif]>
    <!-- jquery core -->
    <script src="js/jquery/jquery-1.4.1.min.js" type="text/javascript"></script>
    <!-- checkbox styling script -->
    <script src="js/jquery/ui.core.js" type="text/javascript"></script>
    <script src="js/jquery/ui.checkbox.js" type="text/javascript"></script>
    <script src="js/jquery/jquery.bind.js" type="text/javascript"></script>
    <script type="text/javascript">
      $(function(){
        $('input').checkbox();
        $('#toggle-all').click(function(){
          $('#toggle-all').toggleClass('toggle-checked');
          $('#mainform input[type=checkbox]').checkbox('toggle');
          return false;
        });
      });
    </script>
    <![if !IE 7]>
    <!-- styled select box script version 1 -->
    <script src="js/jquery/jquery.selectbox-0.5.js" type="text/javascript"></script>
    <script type="text/javascript">
      $(document).ready(function() {
        $('styeledselect').selectbox({ inputClass: "selectbox_styled" });
      });
    </script>

    <![endif]>
    <!-- styled select box script version 2 -->
    <script src="js/jquery/jquery.selectbox-0.5_style_2.js" type="text/javascript"></script>
    <script type="text/javascript">
      $(document).ready(function() {
        $('styeledselect_form_1').selectbox({ inputClass: "styeledselect_form_1" });
        $('styeledselect_form_2').selectbox({ inputClass: "styeledselect_form_2" });
      });
    </script>
    <!-- styled select box script version 3 -->
    <script src="js/jquery/jquery.selectbox-0.5_style_2.js" type="text/javascript"></script>
    <script type="text/javascript">

```

```

$(document).ready(function() {
    $('#styledselect_pages').selectbox({ inputClass: "styledselect_pages" });
});
</script>
<!-- styled file upload script -->
<script src="js/jquery/jquery.filestyle.js" type="text/javascript"></script>
<script type="text/javascript" charset="utf-8">
$(function() {
    $('#input.file_1').filestyle({
        image: "images/forms/upload_file.gif",
        imageheight : 29,
        imagewidth : 78,
        width : 300
    });
});
</script>
<!-- Custom jquery scripts -->
<script src="js/jquery/custom_jquery.js" type="text/javascript"></script>
<!-- Tooltips -->
<script src="js/jquery/jquery.tooltip.js" type="text/javascript"></script>
<script src="js/jquery/jquery.dimensions.js" type="text/javascript"></script>
<script type="text/javascript">
$(function() {
    $('a.info-tooltip').tooltip({
        track: true,
        delay: 0,
        fixPNG: true,
        showURL: false,
        showBody: " - ",
        top: -35,
        left: 5
    });
});
</script>
<!-- date picker script -->
<link rel="stylesheet" href="css/datePicker.css" type="text/css" />
<script src="js/jquery/date.js" type="text/javascript"></script>
<script src="js/jquery/jquery.datePicker.js" type="text/javascript"></script>
<script type="text/javascript" charset="utf-8">
$(function()
{
    // initialise the "Select date" link
    $('#date-pick')
    .datePicker(
    // associate the link with a date picker
    {
        createButton:false,
        startDate:'01/01/2005',
        endDate:'31/12/2020'
    }
    ).bind(
    // when the link is clicked display the date picker
    'click',
    function()
    {
        updateSelects($(this).dpGetSelected()[0]);
        $(this).dpDisplay();
        return false;
    }
    ).bind(
    // when a date is selected update the SELECTs
    'dateSelected',
    function(e, selectedDate, $td, state)
    {
        updateSelects(selectedDate);
    }
    ).bind(
    'dpClosed',
    function(e, selected)

```

```

    {
      updateSelects(selected[0]);
    }
  );

  var updateSelects = function (selectedDate)
  {
    var selectedDate = new Date(selectedDate);
    $('#d option[value=' + selectedDate.getDate() + ']').attr('selected', 'selected');
    $('#m option[value=' + (selectedDate.getMonth()+1) + ']').attr('selected', 'selected');
    $('#y option[value=' + (selectedDate.getFullYear()) + ']').attr('selected', 'selected');
  }
  // listen for when the selects are changed and update the picker
  $('#d, #m, #y')
  .bind(
    'change',
    function()
    {
      var d = new Date(
        $('#y').val(),
        $('#m').val()-1,
        $('#d').val()
      );
      $('#date-pick').dpSetSelected(d.asString());
    }
  );
  // default the position of the selects to today
  var today = new Date();
  updateSelects(today.getTime());

  // and update the datePicker to reflect it...
  $('#d').trigger('change');
});
</script>
<!-- MUST BE THE LAST SCRIPT IN <HEAD></HEAD></HEAD> png fix -->
<script src="js/jquery/jquery.pngFix.pack.js" type="text/javascript"></script>
<script type="text/javascript">
  $(document).ready(function(){
    $(document).pngFix();
  });
</script>
</head>
<body>
  <!-- Start: page-top-outer -->
  <div id="page-top-outer">

    <!-- Start: page-top -->
    <div id="page-top">

      <!-- start logo -->
      <div id="logo">
        <a href=""></a>
      </div>
      <!-- end logo -->

      <!-- start top-search -->
      <div id="top-search">
        <table border="0" cellpadding="0" cellspacing="0">
          <tr>
            <td><input type="text" value="Search" onblur="if (this.value=='') { this.value='Search'; }"
onfocus="if (this.value=='Search') { this.value=''; }" class="top-search-inp" /></td>
            <td>
              <select class="styledselect">
                <option value="">All</option>
                <option value="">Products</option>
                <option value="">Categories</option>
                <option value="">Clients</option>
                <option value="">News</option>
              </select>
            </td>
          </tr>
        </table>
      </div>
    </div>
  </div>

```

```

        </td>
        <td>
            <input type="image" src="images/shared/top_search_btn.gif" />
        </td>
    </tr>
</table>
</div>
<!-- end top-search -->
<div class="clear"></div>
</div>
<!-- End: page-top -->
</div>
<!-- End: page-top-outer -->
<div class="clear">&nbsp;</div>
<!-- start nav-outer-repeat..... START -->
<div class="nav-outer-repeat">
    <!-- start nav-outer -->
    <div class="nav-outer">
        <!-- start nav-right -->
        <div id="nav-right">
            <div class="nav-divider">&nbsp;</div>
            <div class="showhide-account"></div>
            <div class="nav-divider">&nbsp;</div>
            <a href="" id="logout"></a>
            <div class="clear">&nbsp;</div>
            <!-- start account-content -->
            <div class="account-content">
                <div class="account-drop-inner">
                    <a href="" id="acc-settings">Settings</a>
                    <div class="clear">&nbsp;</div>
                    <div class="acc-line">&nbsp;</div>
                    <a href="" id="acc-details">Personal details </a>
                    <div class="clear">&nbsp;</div>
                    <div class="acc-line">&nbsp;</div>
                    <a href="" id="acc-project">Project details</a>
                    <div class="clear">&nbsp;</div>
                    <div class="acc-line">&nbsp;</div>
                    <a href="" id="acc-inbox">Inbox</a>
                    <div class="clear">&nbsp;</div>
                    <div class="acc-line">&nbsp;</div>
                    <a href="" id="acc-stats">Statistics</a>
                </div>
            </div>
            <!-- end account-content -->
        </div>
        <!-- end nav-right -->
        <!-- start nav -->
        <div class="nav">
            <div class="table">
                <ul class="select"><li><a href="#nogo"><b>Dashboard</b><!--[if IE 7]><!--</a><!--<![endif]-
->
                    <!--[if lte IE 6]><table><tr><td><![endif]-->
                    <div class="select_sub">
                        <ul class="sub">
                            <li><a href="#nogo">Dashboard Details 1</a></li>
                            <li><a href="#nogo">Dashboard Details 2</a></li>
                            <li><a href="#nogo">Dashboard Details 3</a></li>
                        </ul>
                    </div>
                    <!--[if lte IE 6]></td></tr></table></a><!--<![endif]-->
                </li>
            </ul>
            <div class="nav-divider">&nbsp;</div>
            <ul class="current"><li><a href="#nogo"><b>Products</b><!--[if IE 7]><!--</a><!--<![endif]-
>
                <!--[if lte IE 6]><table><tr><td><![endif]-->
                <div class="select_sub show">

```

```

        <ul class="sub">
            <li><a href="#nogo">View all products</a></li>
            <li class="sub_show"><a href="#nogo">Add product</a></li>
            <li><a href="#nogo">Delete products</a></li>
        </ul>
    </div>
    <!--[if lte IE 6]></td></tr></table></a><![endif]-->
</li>
</ul>
<div class="nav-divider">&nbsp;</div>
<ul class="select"><li><a href="#nogo"><b>Categories</b><!--[if IE 7]><!--></a><!--<![endif]-->
->
    <!--[if lte IE 6]><table><tr><td><![endif]-->
    <div class="select_sub">
        <ul class="sub">
            <li><a href="#nogo">Categories Details 1</a></li>
            <li><a href="#nogo">Categories Details 2</a></li>
            <li><a href="#nogo">Categories Details 3</a></li>
        </ul>
    </div>
    <!--[if lte IE 6]></td></tr></table></a><![endif]-->
</li>
</ul>
<div class="nav-divider">&nbsp;</div>
<ul class="select"><li><a href="#nogo"><b>Clients</b><!--[if IE 7]><!--></a><!--<![endif]-->
    <!--[if lte IE 6]><table><tr><td><![endif]-->
    <div class="select_sub">
        <ul class="sub">
            <li><a href="#nogo">Clients Details 1</a></li>
            <li><a href="#nogo">Clients Details 2</a></li>
            <li><a href="#nogo">Clients Details 3</a></li>
        </ul>
    </div>
    <!--[if lte IE 6]></td></tr></table></a><![endif]-->
</li>
</ul>
<div class="nav-divider">&nbsp;</div>
<ul class="select"><li><a href="#nogo"><b>News</b><!--[if IE 7]><!--></a><!--<![endif]-->
    <!--[if lte IE 6]><table><tr><td><![endif]-->
    <div class="select_sub">
        <ul class="sub">
            <li><a href="#nogo">News details 1</a></li>
            <li><a href="#nogo">News details 2</a></li>
            <li><a href="#nogo">News details 3</a></li>
        </ul>
    </div>
    <!--[if lte IE 6]></td></tr></table></a><![endif]-->
</li>
</ul>
<div class="clear"></div>
</div>
<div class="clear"></div>
</div>
<!-- start nav -->
<div class="clear"></div>
<!-- start nav-outer -->
</div>
<!-- start nav-outer-repeat..... END -->
<div class="clear"></div>
<!-- start content-outer -->
<div id="content-outer">
    <!-- start content -->
    <div id="content">
        <div id="page-heading"><h1>Add product</h1></div>
        <table border="0" width="100%" cellpadding="0" cellspacing="0" id="content-table">
            <tr>
                <th rowspan="3" class="sized"></th>

```



```

<th class="topleft"></th>
<td id="tbl-border-top">&nbsp;</td>
<th class="topright"></th>
<th rowspan="3" class="sized"></th>
</tr>
<tr>
<td id="tbl-border-left"></td>
<td>
<!-- start content-table-inner -->
<div id="content-table-inner">
<table border="0" width="100%" cellpadding="0" cellspacing="0">
<tr valign="top">
<td>
<!-- start step-holder -->
<div id="step-holder">
<div class="step-no">1</div>
<div class="step-dark-left"><a href="">Add product details</a></div>
<div class="step-dark-right">&nbsp;</div>
<div class="step-no-off">2</div>
<div class="step-light-left">Select related products</div>
<div class="step-light-right">&nbsp;</div>
<div class="step-no-off">3</div>
<div class="step-light-left">Preview</div>
<div class="step-light-round">&nbsp;</div>
<div class="clear"></div>
</div>
<!-- end step-holder -->
<!-- start id-form -->
<table border="0" cellpadding="0" cellspacing="0" id="id-form">
<tr>
<th valign="top">Product name:</th>
<td><input type="text" class="inp-form" /></td>
<td></td>
</tr>
<tr>
<th valign="top">Product name:</th>
<td><input type="text" class="inp-form-error" /></td>
<td>
<div class="error-left"></div>
<div class="error-inner">This field is required.</div>
</td>
</tr>
<tr>
<th valign="top">Category:</th>
<td>
<select class="styledselect_form_1">
<option value="">All</option>
<option value="">Products</option>
<option value="">Categories</option>
<option value="">Clients</option>
<option value="">News</option>
</select>
</td>
<td></td>
</tr>
<tr>
<th valign="top">Sub Category:</th>
<td>
<select class="styledselect_form_1">
<option value="">All</option>
<option value="">Products</option>
<option value="">Categories</option>
<option value="">Clients</option>
<option value="">News</option>
</select>
</td>
<td></td>
</tr>

```

```

<tr>
  <th valign="top">Price:</th>
  <td><input type="text" class="inp-form" /></td>
</tr>
<tr>
<th valign="top">Select a date:</th>
<td class="noheight">
  <table border="0" cellpadding="0" cellspacing="0">
    <tr valign="top">
      <td>
        <form id="chooseDateForm" action="#">
          <select id="d" class="styledselect-day">
            <option value="">dd</option>
            <option value="1">1</option>
            <option value="2">2</option>
            <option value="3">3</option>
            <option value="4">4</option>
            <option value="5">5</option>
            <option value="6">6</option>
            <option value="7">7</option>
            <option value="8">8</option>
            <option value="9">9</option>
            <option value="10">10</option>
            <option value="11">11</option>
            <option value="12">12</option>
            <option value="13">13</option>
            <option value="14">14</option>
            <option value="15">15</option>
            <option value="16">16</option>
            <option value="17">17</option>
            <option value="18">18</option>
            <option value="19">19</option>
            <option value="20">20</option>
            <option value="21">21</option>
            <option value="22">22</option>
            <option value="23">23</option>
            <option value="24">24</option>
            <option value="25">25</option>
            <option value="26">26</option>
            <option value="27">27</option>
            <option value="28">28</option>
            <option value="29">29</option>
            <option value="30">30</option>
            <option value="31">31</option>
          </select>
        </td>
      <td>
        <select id="m" class="styledselect-month">
          <option value="">mmm</option>
          <option value="1">Jan</option>
          <option value="2">Feb</option>
          <option value="3">Mar</option>
          <option value="4">Apr</option>
          <option value="5">May</option>
          <option value="6">Jun</option>
          <option value="7">Jul</option>
          <option value="8">Aug</option>
          <option value="9">Sep</option>
          <option value="10">Oct</option>
          <option value="11">Nov</option>
          <option value="12">Dec</option>
        </select>
      </td>
      <td>
        <select id="y" class="styledselect-year">
          <option value="">yyyy</option>
          <option value="2005">2005</option>
          <option value="2006">2006</option>
        </select>
      </td>
    </tr>
  </table>
</td>
</tr>

```

```

                <option value="2007">2007</option>
                <option value="2008">2008</option>
                <option value="2009">2009</option>
                <option value="2010">2010</option>
            </select>
        </form>
    </td>
    <td><a href="" id="date-pick"></a></td>
</tr>
</table>

</td>
<td></td>
</tr>
<tr>
<th valign="top">Description:</th>
<td><textarea rows="" cols="" class="form-textarea"></textarea></td>
</tr>
<tr>
<th>Image 1:</th>
<td><input type="file" class="file_1" /></td>
<td>
    <div class="bubble-left"></div>
    <div class="bubble-inner">JPEG, GIF 5MB max per image</div>
    <div class="bubble-right"></div>
</td>
</tr>
<tr>
<th>Image 2:</th>
<td> <input type="file" class="file_1" /></td>
<td><div class="bubble-left"></div>
    <div class="bubble-inner">JPEG, GIF 5MB max per image</div>
    <div class="bubble-right"></div></td>
</tr>
<tr>
<th>Image 3:</th>
<td><input type="file" class="file_1" /></td>
<td><div class="bubble-left"></div>
    <div class="bubble-inner">JPEG, GIF 5MB max per image</div>
    <div class="bubble-right"></div></td>
</tr>
<tr>
<th>&nbsp;</th>
<td valign="top">
    <input type="button" value="" class="form-submit" />
    <input type="reset" value="" class="form-reset" />
</td>
</tr>
</table>
<!-- end id-form -->
</td>
<td>
<!-- start related-activities -->
<div id="related-activities">
<!-- start related-act-top -->
<div id="related-act-top">
    
</div>
<!-- end related-act-top -->
<!-- start related-act-bottom -->
<div id="related-act-bottom">
<!-- start related-act-inner -->
<div id="related-act-inner">
    <div class="left"><a href=""></a></div>

```

```

<div class="right">
  <h5>Add another product</h5>
  Lorem ipsum dolor sit amet consectetur
  adipiscing elitsed do eiusmod tempor.
  <ul class="greyarrow">
    <li><a href="">Click here to visit</a></li>
    <li><a href="">Click here to visit</a> </li>
  </ul>
</div>
<div class="clear"></div>
<div class="lines-dotted-short"></div>
<div class="left"><a href=""></a></div>
<div class="right">
  <h5>Delete products</h5>
  Lorem ipsum dolor sit amet consectetur
  adipiscing elitsed do eiusmod tempor.
  <ul class="greyarrow">
    <li><a href="">Click here to visit</a></li>
    <li><a href="">Click here to visit</a> </li>
  </ul>
</div>
<div class="clear"></div>
<div class="lines-dotted-short"></div>
<div class="left"><a href=""></a></div>
<div class="right">
  <h5>Edit categories</h5>
  Lorem ipsum dolor sit amet consectetur
  adipiscing elitsed do eiusmod tempor.
  <ul class="greyarrow">
    <li><a href="">Click here to visit</a></li>
    <li><a href="">Click here to visit</a> </li>
  </ul>
</div>
<div class="clear"></div>
</div>
<!-- end related-act-inner -->
<div class="clear"></div>
</div>
<!-- end related-act-bottom -->
</div>
<!-- end related-activities -->
</td>
</tr>
<tr>
<td></td>
<td></td>
</tr>
</table>
<div class="clear"></div>
</div>
<!-- end content-table-inner -->
</td>
<td id="tbl-border-right"></td>
</tr>
<tr>
<th class="sized bottomleft"></th>
<td id="tbl-border-bottom">&nbsp;</td>
<th class="sized bottomright"></th>
</tr>
</table>
<div class="clear">&nbsp;</div>
</div>
<!-- end content -->
<div class="clear">&nbsp;</div>
</div>
<!-- end content-outer -->
<div class="clear">&nbsp;</div>

```

```

<!-- start footer -->
<div id="footer">
  <!-- start footer-left -->
  <div id="footer-left">
    Admin Skin &copy; Copyright Internet Dreams Ltd. <a href="">www.netdreams.co.uk</a>. All rights
reserved.</div>
  <!-- end footer-left -->
  <div class="clear">&nbsp;</div>
</div>
<!-- end footer -->
</body>
</html>

```

41. Header Admin

```

<html xmlns="http://www.w3.org/1999/xhtml">
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
  <title>Administrasi</title>
  <link type="text/css" href="css/ui-darkness/jquery-ui-1.8.19.custom.css" rel="stylesheet" />
  <link rel="stylesheet" href="css/screen.css" type="text/css" media="screen" title="default" />
  <!--[if IE]>
  <link rel="stylesheet" media="all" type="text/css" href="css/pro_dropline_ie.css" />
  <![endif]-->
  <!-- jquery core -->
  <!--<script src="js/jquery/jquery-1.4.1.min.js" type="text/javascript"></script-->
  <script type="text/javascript" src="js/jquery-1.7.2.min.js"></script>
  <script type="text/javascript" src="js/jquery/jquery.form.js"></script>
  <script type="text/javascript" src="js/jquery-ui-1.8.19.custom.min.js"></script>
  <script type="text/javascript" src="js/jquery/jquery.validate.min.js"></script>
  <script type="text/javascript" src="js/jquery/ajaxfileupload.js"></script>
  <!-- checkbox styling script -->
  <script src="js/jquery/ui.core.js" type="text/javascript"></script>
  <script src="js/jquery/ui.checkbox.js" type="text/javascript"></script>
  <script src="js/jquery/jquery.bind.js" type="text/javascript"></script>
  <script type="text/javascript">
    $(function(){
      $('input').checkbox();
      $('#toggle-all').click(function(){
        $('#toggle-all').toggleClass('toggle-checked');
        $('#mainform input[type=checkbox]').checkbox('toggle');
        return false;
      });
    });
  </script>
  <![if !IE 7]>
  <!-- styled select box script version 1 -->
  <script src="js/jquery/jquery.selectbox-0.5.js" type="text/javascript"></script>
  <script type="text/javascript">
    $(document).ready(function() {
      $('<span>.styledselect</span>').selectbox({ inputClass: "selectbox_styled" });
    });
  </script>
  <![endif]>
  <!-- styled select box script version 2 -->
  <script src="js/jquery/jquery.selectbox-0.5_style_2.js" type="text/javascript"></script>
  <script type="text/javascript">
    $(document).ready(function() {
      $('<span>.styledselect_form_1</span>').selectbox({ inputClass: "styledselect_form_1" });
      $('<span>.styledselect_form_2</span>').selectbox({ inputClass: "styledselect_form_2" });
    });
  </script>
  <!-- styled select box script version 3 -->
  <script src="js/jquery/jquery.selectbox-0.5_style_2.js" type="text/javascript"></script>
  <script type="text/javascript">
    $(document).ready(function() {
      $('<span>.styledselect_pages</span>').selectbox({ inputClass: "styledselect_pages" });
    });
  </script>
  <!-- styled file upload script -->

```

```

<script src="js/jquery/jquery.filestyle.js" type="text/javascript"></script>
<script type="text/javascript" charset="utf-8">
  $(function() {
    $("input.file_1").filestyle({
      image: "images/forms/upload_file.gif",
      imageheight : 29,
      imagewidth : 78,
      width : 300
    });
  });
</script>
<!-- Custom jquery scripts -->
<script src="js/jquery/custom_query.js" type="text/javascript"></script>
<!-- Tooltips -->
<script src="js/jquery/jquery.tooltip.js" type="text/javascript"></script>
<script src="js/jquery/jquery.dimensions.js" type="text/javascript"></script>
<script type="text/javascript">
  $(function() {
    $('a.info-tooltip ').tooltip({
      track: true,
      delay: 0,
      fixPNG: true,
      showURL: false,
      showBody: " - ",
      top: -35,
      left: 5
    });
  });
</script>
<!-- date picker script -->
<link rel="stylesheet" href="css/datePicker.css" type="text/css" />
<script src="js/jquery/date.js" type="text/javascript"></script>
<script src="js/jquery/jquery.datePicker.js" type="text/javascript"></script>
<script type="text/javascript" charset="utf-8">
  $(function()
  {
    // initialise the "Select date" link
    $('#date-pick')
    .datePicker(
    // associate the link with a date picker
    {
      createButton:false,
      startDate:'01/01/2005',
      endDate:'31/12/2020'
    }
  ).bind(
    // when the link is clicked display the date picker
    'click',
    function()
    {
      updateSelects($(this).dpGetSelected()[0]);
      $(this).dpDisplay();
      return false;
    }
  ).bind(
    // when a date is selected update the SELECTs
    'dateSelected',
    function(e, selectedDate, $std, state)
    {
      updateSelects(selectedDate);
    }
  ).bind(
    'dpClosed',
    function(e, selected)
    {
      updateSelects(selected[0]);
    }
  );
  var updateSelects = function (selectedDate)

```

```

    {
      var selectedDate = new Date(selectedDate);
      $('#d option[value=' + selectedDate.getDate() + ']').attr('selected', 'selected');
      $('#m option[value=' + (selectedDate.getMonth()+1) + ']').attr('selected', 'selected');
      $('#y option[value=' + (selectedDate.getFullYear()) + ']').attr('selected', 'selected');
    }
    // listen for when the selects are changed and update the picker
    $('#d, #m, #y')
      .bind(
        'change',
        function()
        {
          var d = new Date(
            $('#y').val(),
            $('#m').val()-1,
            $('#d').val()
          );
          $('#date-pick').dpSetSelected(d.asString());
        }
      );
    // default the position of the selects to today
    var today = new Date();
    updateSelects(today.getTime());
    // and update the datePicker to reflect it...
    $('#d').trigger('change');
  });
</script>

<!-- MUST BE THE LAST SCRIPT IN <HEAD></HEAD></HEAD> png fix -->
<script src="js/jquery/jquery.pngFix.pack.js" type="text/javascript"></script>
<script type="text/javascript">
  $(document).ready(function(){
    $(document).pngFix( );
  });
</script>
<script type="text/javascript">
  $(document).ready(function(){
    jQuery.extend(jQuery.validator.messages, {
      required: "Harus Di isi.",
      remote: "Please fix this field.",
      email: "Anda memasukan email yang salah.",
      url: "Please enter a valid URL.",
      date: "Please enter a valid date.",
      dateISO: "Please enter a valid date (ISO).",
      number: "Please enter a valid number.",
      digits: "Hanya Angka!",
      creditcard: "Please enter a valid credit card number.",
      equalTo: "Password tidak sama mohon cek ulang.",
      accept: "Please enter a value with a valid extension.",
      maxlength: jQuery.validator.format("Please enter no more than {0} characters."),
      minlength: jQuery.validator.format("Please enter at least {0} characters."),
      rangelength: jQuery.validator.format("Please enter a value between {0} and {1} characters long."),
      range: jQuery.validator.format("Please enter a value between {0} and {1}."),
      max: jQuery.validator.format("Please enter a value less than or equal to {0}."),
      min: jQuery.validator.format("Please enter a value greater than or equal to {0}.")
    });

    $("#myform").validate({
      errorPlacement: function(error, element) {
        error.appendTo( element.parent("td").next("td") );
      }, debug: true,
      rules: {
        nameprod: "required",
        hargaprod: {
          digits:true
        },
        ukuranprod: "required"
      },
      submitHandler: function(form) {

```

```

        // do other stuff for a valid form
        $.post('addProdukProcess.php', $("#myform").serialize(), function(data) {
            if(data.toString()=="Yes"){
                window.location = "Produk.php";
            }else{
                $("#results").html(data);
            }
        });
    });
});
</script>
<script type="text/javascript">
function ajaxFileUpload()
{
    $("#loading")
    .ajaxStart(function(){
        $(this).show();
    })
    .ajaxComplete(function(){
        $(this).hide();
    });

    $.ajaxFileUpload
    (
    {
        url:'doajaxfileupload.php',
        secureuri:false,
        fileElementId:'fileToUpload',
        dataType: 'json',
        data:{id_file:'fileToUpload', id:'id'},
        success: function (data, status)
        {
            if(typeof(data.error) != 'undefined')
            {
                if(data.error != "")
                {
                    alert(data.error);
                }else
                {
                    document.getElementById("linkImg").setAttribute("value",data.msg);
                    document.getElementById("preview").setAttribute("src","../uploads/"+data.msg);
                }
            }
        },
        error: function (data, status, e)
        {
            alert(e);
            $("#preview").hide();
        }
    )

    $("#preview").show();
}
</script>
</head>
<body>
<!-- Start: page-top-outer -->
<div id="page-top-outer">
<!-- Start: page-top -->
<div id="page-top">
<!-- start logo -->
<div id="logo">
<a href=""></a>
</div>
<!-- end logo -->
<!-- start top-search -->

```



```

<div id="top-search">
  <table border="0" cellpadding="0" cellspacing="0">
    <tr>
      <td><input type="text" value="Search" onblur="if (this.value=='') { this.value='Search'; }"
onfocus="if (this.value=='Search') { this.value=''; }" class="top-search-inp" /></td>
      <td>
        <select class="styledselect">
          <option value="">All</option>
          <option value="">Products</option>
          <option value="">Categories</option>
          <option value="">Clients</option>
          <option value="">News</option>
        </select>
      </td>
    </tr>
  </table>
</div>
<!-- end top-search -->
<div class="clear"></div>
</div>
<!-- End: page-top -->
</div>
<!-- End: page-top-outer -->
<div class="clear">&nbsp;</div>
<!-- start nav-outer-repeat..... START -->
<div class="nav-outer-repeat">
  <!-- start nav-outer -->
  <div class="nav-outer">
    <!-- start nav-right -->
    <div id="nav-right">
      <div class="nav-divider">&nbsp;</div>
      <a href="logoutProcess.php" id="logout"></a>
      <div class="clear">&nbsp;</div>
      <!-- start account-content -->
      <div class="account-content">
        <div class="account-drop-inner">
          <a href="" id="acc-settings">Settings</a>
          <div class="clear">&nbsp;</div>
          <div class="acc-line">&nbsp;</div>
          <a href="" id="acc-details">Personal details </a>
          <div class="clear">&nbsp;</div>
          <div class="acc-line">&nbsp;</div>
          <a href="" id="acc-project">Project details</a>
          <div class="clear">&nbsp;</div>
          <div class="acc-line">&nbsp;</div>
          <a href="" id="acc-inbox">Inbox</a>
          <div class="clear">&nbsp;</div>
          <div class="acc-line">&nbsp;</div>
          <a href="" id="acc-stats">Statistics</a>
        </div>
      </div>
      <!-- end account-content -->
    </div>
    <!-- end nav-right -->
  </div>
  <!-- start nav -->
  <div class="nav">
    <div class="table">
      <ul class="select"><li><a href="main.php"><b>Dashboard</b><!--[if IE 7]><!--</a><!--
<![endif]>-->
      <!--[if lte IE 6]><table><tr><td><![endif]>-->
      <!--[if lte IE 6]></td></tr></table></a><![endif]>-->
      </li>
    </ul>
    <div class="nav-divider">&nbsp;</div>
  </div>

```

```

<ul class="select"><li><a href="Produk.php"><b>Products</b><!--[if IE 7]><!--</a><!--
<![endif]-->
<!--[if lte IE 6]><table><tr><td><![endif]-->
  <div class="select_sub show">
    <ul class="sub">
      <li><a href="Produk.php">View all products</a></li>
      <li><a href="addProduk.php">Add product</a></li>
    </ul>
  </div>
<!--[if lte IE 6]></td></tr></table></a><![endif]-->
</li>
</ul>
<div class="nav-divider">&nbsp;</div>
<ul class="select"><li><a href="Category.php"><b>Categories</b><!--[if IE 7]><!--</a><!--
<![endif]-->
<!--[if lte IE 6]><table><tr><td><![endif]-->
  <div class="select_sub">
    <ul class="sub">
      <li><a href="Category.php">Categories Details</a></li>
    </ul>
  </div>
<!--[if lte IE 6]></td></tr></table></a><![endif]-->
</li>
</ul>
<div class="nav-divider">&nbsp;</div>
<ul class="select"><li><a href="UserManage.php"><b>Member</b><!--[if IE 7]><!--</a><!--
<![endif]-->
<!--[if lte IE 6]><table><tr><td><![endif]-->
  <div class="select_sub">
    <ul class="sub">
      <li><a href="UserManage.php">User Details</a></li>
      <li><a href="addUser.php">Add User</a></li>
    </ul>
  </div>
<!--[if lte IE 6]></td></tr></table></a><![endif]-->
</li>
</ul>
<div class="nav-divider">&nbsp;</div>
<ul class="select"><li><a href="listorder.php"><b>Order</b><!--[if IE 7]><!--</a><!--
<![endif]-->
<!--[if lte IE 6]><table><tr><td><![endif]-->
  <!--[if lte IE 6]></td></tr></table></a><![endif]-->
</li>
</ul>
<div class="nav-divider">&nbsp;</div>
<ul class="select"><li><a href="CSSupport.php"><b>CS Support</b><!--[if IE 7]><!--</a><!--
<![endif]-->
<!--[if lte IE 6]><table><tr><td><![endif]-->
  <
  <!--[if lte IE 6]></td></tr></table></a><![endif]-->
</li>
</ul>
<div class="clear"></div>
</div>
<div class="clear"></div>
</div>
<!-- start nav -->
</div>
<div class="clear"></div>
<!-- start nav-outer -->
</div>
<!-- start nav-outer-repeat..... END -->
<div class="clear"></div>

```

42. Index

```

<?php
include_once 'controller/userCtrl.php';
$user = (isset($_SESSION['memberid']) ? $_SESSION['memberid'] : "");
$name = (isset($_SESSION['nama']) ? $_SESSION['nama'] : "");

```

```

$controller = new userCtrl();
$loginuser = $controller->findUserById($user);
if (isset ($loginuser)&&($loginuser->getRole() == "admin")) {
    header("Location:main.php");
}else{
    header("Location:login.php");
}
?>

```

43. List order

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<?php
include_once 'controller/checkoutCtrl.php';
include_once 'controller/produkCtrl.php';
include_once 'controller/userCtrl.php';
include_once 'controller/checkoutCtrl.php';
include_once 'controller/checkoutDetils.php';
include 'header.php';
?>
<script type="text/javascript">
    $(document).ready(function(){
        $('#message-red').hide();
        $('#message-yellow').hide();
        $('#message-blue').hide();
        $('#message-green').hide();
    });
</script>
<!-- start content-outer .....START -->
<div id="content-outer">
<!-- start content -->
<div id="content">
<!-- start page-heading -->
<div id="page-heading">
<h1>Order</h1>
</div>
<!-- end page-heading -->
<table border="0" width="100%" cellpadding="0" cellspacing="0" id="content-table">
<tr>
<th rowspan="3" class="sized"></th>
<th class="topleft"></th>
<td id="tbl-border-top">&nbsp;</td>
<th class="topright"></th>
<th rowspan="3" class="sized"></th>
</tr>
<tr>
<td id="tbl-border-left"></td>
<td>
<!-- start content-table-inner ..... START -->
<div id="content-table-inner">
<!-- start table-content -->
<div id="table-content">
<!-- start message-yellow -->
<div id="message-yellow">
<table border="0" width="100%" cellpadding="0" cellspacing="0">
<tr>
<td class="yellow-left">You have a new message. <a href="">Go to Inbox.</a></td>
<td class="yellow-right"><a class="close-yellow"></a></td>
</tr>
</table>
</div>
<!-- end message-yellow -->
<!-- start message-red -->
<div id="message-red">
<table border="0" width="100%" cellpadding="0" cellspacing="0">
<tr>

```

```

        <td class="red-left">Error. <a href="">Please try again.</a></td>
        <td class="red-right"><a class="close-red"></a></td>
    </tr>
</table>
</div>
<!-- end message-red -->
<!-- start message-blue -->
<div id="message-blue">
    <table border="0" width="100%" cellpadding="0" cellspacing="0">
        <tr>
            <td class="blue-left">Welcome back. <a href="">View my account.</a> </td>
            <td class="blue-right"><a class="close-blue"></a></td>
        </tr>
    </table>
</div>
<!-- end message-blue -->
<!-- start message-green -->
<div id="message-green">
    <table border="0" width="100%" cellpadding="0" cellspacing="0">
        <tr>
            <td class="green-left">Product added sucessfully. <a href="">Add new one.</a></td>
            <td class="green-right"><a class="close-green"></a></td>
        </tr>
    </table>
</div>
<!-- end message-green -->
<!-- start product-table ..... -->
<form id="mainform" action="">
    <table border="0" width="100%" cellpadding="0" cellspacing="0" id="product-table">
        <tr>
            <th class="table-header-repeat line-left"><a href="">ID Checkout</a> </th>
            <th class="table-header-repeat line-left"><a href="">Nama Pelanggan</a></th>
            <th class="table-header-repeat line-left"><a href="">Alamat</a></th>
            <th class="table-header-repeat line-left"><a href="">Tanggal</a></th>
            <th class="table-header-repeat line-left"><a href="">Total</a></th>
            <th class="table-header-repeat line-left"><a href="">Shipping</a></th>
            <th class="table-header-repeat line-left"><a href="">Tools</a></th>
        </tr>
        <?php
        $controllercheck = new checkoutCtrl();
        $controllerprod = new produkCtrl();
        $contrelleruser = new userCtrl();
        $allProduk = $controllercheck->getAllCategory();
        foreach ($allProduk as $value) {
            $userku = $contrelleruser->findUserById($value->getIdUser());
            echo '<tr>';
            echo '<td>' . $value->getIdCheckout() . '</td>' . '<td>' . $userku->getNaMausor() .
'</td>' . '<td>' . $value->getALamaTShipping() . '</td>' . '<td>' . $value->getTglCheckout() . '</td>' . '<td>' .
$value->getTotal() . '</td>' . '<td>' . $value->getTypeShipping() . '</td>' .
'<td><a href="listorder.php?idCK=' . $value->getIdCheckout() . '" title="Edit"
class="icon-1 info-tooltip"></a><a href="deleteOrder.php?idProd=' . $value->getIdCheckout() . '" title="Delete"
class="icon-2 info-tooltip"></a></td>';
            echo '</tr>';
        }
        ?>
    </table>
    <?php
    if (isset($_GET['idCK'])) {
        echo '<h2>Details Order</h2>';
        $controllerdetils = new detailsCtrl();
        $Chkout = $controllerdetils->getDetilsByID($_GET['idCK']);
        echo '
<table id="product-table" width="100%">
    <tr>
        <th class="table-header-repeat line-left"><a href="">Nama Barang</a> </th>
        <th class="table-header-repeat line-left"><a href="">Jumlah</a></th>

```

```

        <th class="table-header-repeat line-left"><a href="">Harga</a></th>
        <th class="table-header-repeat line-left"><a href="">Subtotal</a></th>
    </tr>
    ';
    foreach ($Chkout as $value) {
        $prod = $controllerprod->findProdukById($value->getIdProdUk());
        echo '<tr>';
        echo '<td>' . $prod->getNamAProdUk() . '</td><td>' . $value->getJUmLaH() .
        '</td><td>Rp.' . number_format($prod->getHaRGa(), 2, ',', '.') . '</td><td>' . number_format(($prod-
        >getHaRGa()*$value->getJUmLaH()), 2, ',', '.') . '</td>';
        echo '</tr>';
    }
    echo '
    </table>
    ';
    }
    ?>
    <!-- end product-table..... -->
</form>
</div>
<!-- end content-table -->
<div class="clear"></div>
</div>
<!-- end content-table-inner .....END -->
</td>
<td id="tbl-border-right"></td>
</tr>
<tr>
<th class="sized bottomleft"></th>
<td id="tbl-border-bottom">&nbsp;</td>
<th class="sized bottomright"></th>
</tr>
</table>
<div class="clear">&nbsp;</div>
</div>
<!-- end content -->
<div class="clear">&nbsp;</div>
</div>
<!-- end content-outer.....END -->
<?php
include 'footer.php';
?>

```

44. Login

```

<?php ?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
<title>Internet Dreams</title>
<link rel="stylesheet" href="css/screen.css" type="text/css" media="screen" title="default" />
<!-- jquery core -->
<script src="js/jquery/jquery-1.4.1.min.js" type="text/javascript"></script>
<!-- Custom jquery scripts -->
<script src="js/jquery/custom_jquery.js" type="text/javascript"></script>

<!-- MUST BE THE LAST SCRIPT IN <HEAD></HEAD></HEAD> png fix -->
<script src="js/jquery/jquery.pngFix.pack.js" type="text/javascript"></script>
<script type="text/javascript">
    $(document).ready(function(){
        $(document).pngFix( );
    });
</script>
<script>
function Login(){
    var username = document.getElementById('user1').value;
    var password = document.getElementById('pass1').value;
    if((username != "") && (password != "

```

```

$.post(
  "loginprocess.php",
  { user1: username,pass1 : password },
  function(data) {
    if(data == ""){
      window.alert("Maaf Username atau Password tidak cocok");
    }else{
      window.location = data;
    }
  }
);

}else{
  window.alert("Username dan password tidak boleh kosong");
  document.getElementById('pass1').value = "";
}
}
</script>
</head>
<body id="login-bg">
  <!-- Start: login-holder -->
  <div id="login-holder">
    <!-- start logo -->
    <div id="logo-login">
      <a href="index.html"></a>
    </div>
    <!-- end logo -->
    <div class="clear"></div>
    <!-- start loginbox ..... -->
    <div id="loginbox">
      <!-- start login-inner -->
      <div id="login-inner">
        <table border="0" cellpadding="0" cellspacing="0">
          <tr>
            <th>Username</th>
            <td><input type="text" name="user1" id="user1" class="login-inp" /></td>
          </tr>
          <tr>
            <th>Password</th>
            <td><input type="password" name="pass1" id="pass1" value="" onfocus="this.value=""
class="login-inp" /></td>
          </tr>
          <tr>
            <th></th>
            <td><input type="submit" class="submit-login" onclick="Login()" /></td>
          </tr>
        </table>
      </div>
      <!-- end login-inner -->
      <div class="clear"></div>
      <a href="" class="forgot-pwd">Forgot Password?</a>
    </div>
    <!-- end loginbox -->
    <!-- start forgotbox ..... -->
    <div id="forgotbox">
      <div id="forgotbox-text">Please send us your email and we'll reset your password.</div>
      <!-- start forgot-inner -->
      <div id="forgot-inner">
        <table border="0" cellpadding="0" cellspacing="0">
          <tr>
            <th>Email address:</th>
            <td><input type="text" value="" class="login-inp" /></td>
          </tr>
          <tr>
            <th></th>
            <td><input type="button" class="submit-login" /></td>
          </tr>
        </table>
      </div>
    </div>
  </div>

```

```

        </div>
        <!-- end forgot-inner -->
        <div class="clear"></div>
        <a href="" class="back-login">Back to login</a>
    </div>
    <!-- end forgotbox -->
</div>
<!-- End: login-holder -->
</body>
</html>

```

45. Login Process

```

<?php
include_once 'controller/userCtrl.php';
require "php/classes/DB.class.php";
require "php/classes/Chat.class.php";
require "php/classes/ChatBase.class.php";
require "php/classes/ChatLine.class.php";
require "php/classes/ChatUser.class.php";
session_start();
$username = (isset($_POST['user1']) ? $_POST['user1'] : "");
$password = (isset($_POST['pass1']) ? $_POST['pass1'] : "");
$controller = new userCtrl();
$login = $controller->login($username, $password);
$dbOptions = array(
    'db_host' => 'localhost',
    'db_user' => 'root',
    'db_pass' => "",
    'db_name' => 'project'
);
if (isset($login[0]) && $login[0]->getRole() == "admin") {
    $_SESSION['memberid'] = $login[0]->getIdUser();
    $_SESSION['nama'] = $login[0]->getNamaUser();
    echo "main.php";
}
if (isset($login)) {
    Chat::login($login[0]->getNamaUser(), $login[0]->getEmail());
}
/*
 * To change this template, choose Tools | Templates
 * and open the template in the editor.
 */
?>

```

46. Main

```

<?php
include 'header.php';
include 'contenttest.php';
include 'footer.php';
/*
 * To change this template, choose Tools | Templates
 * and open the template in the editor.
 */
?>

```

47. Menu Admin

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
    <head>
        <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
        <title>Internet Dreams</title>
        <link rel="stylesheet" href="css/screen.css" type="text/css" media="screen" title="default" />
        <!--[if IE]>
        <link rel="stylesheet" media="all" type="text/css" href="css/pro_dropline_ie.css" />
        <![endif]-->
        <!-- jquery core -->
        <script src="js/jquery/jquery-1.4.1.min.js" type="text/javascript"></script>

```

```

<!-- checkbox styling script -->
<script src="js/jquery/ui.core.js" type="text/javascript"></script>
<script src="js/jquery/ui.checkbox.js" type="text/javascript"></script>
<script src="js/jquery/jquery.bind.js" type="text/javascript"></script>
<script type="text/javascript">
    $(function(){
        $('input').checkbox();
        $('#toggle-all').click(function(){
            $('#toggle-all').toggleClass('toggle-checked');
            $('#mainform input[type=checkbox]').checkbox('toggle');
            return false;
        });
    });
</script>
<![if !IE 7]>
<!-- styled select box script version 1 -->
<script src="js/jquery/jquery.selectbox-0.5.js" type="text/javascript"></script>
<script type="text/javascript">
    $(document).ready(function() {
        $('.styledselect').selectbox({ inputClass: "selectbox_styled" });
    });
</script>
<![endif]>
<!-- styled select box script version 2 -->
<script src="js/jquery/jquery.selectbox-0.5_style_2.js" type="text/javascript"></script>
<script type="text/javascript">
    $(document).ready(function() {
        $('.styledselect_form_1').selectbox({ inputClass: "styledselect_form_1" });
        $('.styledselect_form_2').selectbox({ inputClass: "styledselect_form_2" });
    });
</script>
<!-- styled select box script version 3 -->
<script src="js/jquery/jquery.selectbox-0.5_style_2.js" type="text/javascript"></script>
<script type="text/javascript">
    $(document).ready(function() {
        $('.styledselect_pages').selectbox({ inputClass: "styledselect_pages" });
    });
</script>
<!-- styled file upload script -->
<script src="js/jquery/jquery.filestyle.js" type="text/javascript"></script>
<script type="text/javascript" charset="utf-8">
    $(function() {
        $("input.file_1").filestyle({
            image: "images/forms/upload_file.gif",
            imageheight : 29,
            imagewidth : 78,
            width : 300
        });
    });
</script>
<!-- Custom jquery scripts -->
<script src="js/jquery/custom_jquery.js" type="text/javascript"></script>
<!-- Tooltips -->
<script src="js/jquery/jquery.tooltip.js" type="text/javascript"></script>
<script src="js/jquery/jquery.dimensions.js" type="text/javascript"></script>
<script type="text/javascript">
    $(function() {
        $('a.info-tooltip ').tooltip({
            track: true,
            delay: 0,
            fixPNG: true,
            showURL: false,
            showBody: " - ",
            top: -35,
            left: 5
        });
    });
</script>

```



```

<!-- date picker script -->
<link rel="stylesheet" href="css/datePicker.css" type="text/css" />
<script src="js/jquery/date.js" type="text/javascript"></script>
<script src="js/jquery/jquery.datePicker.js" type="text/javascript"></script>
<script type="text/javascript" charset="utf-8">
$(function()
{
    // initialise the "Select date" link
    $('#date-pick')
    .datePicker(
    // associate the link with a date picker
    {
        createButton:false,
        startDate:'01/01/2005',
        endDate:'31/12/2020'
    }
    ).bind(
    // when the link is clicked display the date picker
    'click',
    function()
    {
        updateSelects($(this).dpGetSelected()[0]);
        $(this).dpDisplay();
        return false;
    }
    ).bind(
    // when a date is selected update the SELECTs
    'dateSelected',
    function(e, selectedDate, $td, state)
    {
        updateSelects(selectedDate);
    }
    ).bind(
    'dpClosed',
    function(e, selected)
    {
        updateSelects(selected[0]);
    }
    );

    var updateSelects = function (selectedDate)
    {
        var selectedDate = new Date(selectedDate);
        $('#d option[value=' + selectedDate.getDate() + ']').attr('selected', 'selected');
        $('#m option[value=' + (selectedDate.getMonth()+1) + ']').attr('selected', 'selected');
        $('#y option[value=' + (selectedDate.getFullYear()) + ']').attr('selected', 'selected');
    }
    // listen for when the selects are changed and update the picker
    $('#d, #m, #y')
    .bind(
    'change',
    function()
    {
        var d = new Date(
            $('#y').val(),
            $('#m').val()-1,
            $('#d').val()
        );
        $('#date-pick').dpSetSelected(d.asString());
    }
    );

    // default the position of the selects to today
    var today = new Date();
    updateSelects(today.getTime());
    // and update the datePicker to reflect it...
    $('#d').trigger('change');
});

```

```

</script>
<!-- MUST BE THE LAST SCRIPT IN <HEAD></HEAD></HEAD> png fix -->
<script src="js/jquery/jquery.pngFix.pack.js" type="text/javascript"></script>
<script type="text/javascript">
    $(document).ready(function(){
        $(document).pngFix( );
    });
</script>
</head>
<body>
<!-- Start: page-top-outer -->
<div id="page-top-outer">
<!-- Start: page-top -->
<div id="page-top">
<!-- start logo -->
<div id="logo">
    <a href=""></a>
</div>
<!-- end logo -->
<!-- start top-search -->
<div id="top-search">
    <table border="0" cellpadding="0" cellspacing="0">
        <tr>
            <td><input type="text" value="Search" onblur="if (this.value==) { this.value='Search'; }"
onfocus="if (this.value=='Search') { this.value=''; }" class="top-search-inp" /></td>
            <td>
                <select class="styledselect">
                    <option value="">All</option>
                    <option value="">Products</option>
                    <option value="">Categories</option>
                    <option value="">Clients</option>
                    <option value="">News</option>
                </select>
            </td>
            <td>
                <input type="image" src="images/shared/top_search_btn.gif" />
            </td>
        </tr>
    </table>
</div>
<!-- end top-search -->
<div class="clear"></div>
</div>
<!-- End: page-top -->
</div>
<!-- End: page-top-outer -->
<div class="clear">&nbsp;</div>
<!-- start nav-outer-repeat..... START -->
<div class="nav-outer-repeat">
<!-- start nav-outer -->
<div class="nav-outer">
<!-- start nav-right -->
<div id="nav-right">
    <div class="nav-divider">&nbsp;</div>
    <div class="showhide-account"></div>
    <div class="nav-divider">&nbsp;</div>
    <a href="" id="logout"></a>
</div>
<div class="clear">&nbsp;</div>
<!-- start account-content -->
<div class="account-content">
    <div class="account-drop-inner">
        <a href="" id="acc-settings">Settings</a>
        <div class="clear">&nbsp;</div>
        <div class="acc-line">&nbsp;</div>
        <a href="" id="acc-details">Personal details </a>
        <div class="clear">&nbsp;</div>
        <div class="acc-line">&nbsp;</div>
    </div>

```

```

        <a href="" id="acc-project">Project details</a>
        <div class="clear">&nbsp;</div>
        <div class="acc-line">&nbsp;</div>
        <a href="" id="acc-inbox">Inbox</a>
        <div class="clear">&nbsp;</div>
        <div class="acc-line">&nbsp;</div>
        <a href="" id="acc-stats">Statistics</a>
    </div>
</div>
<!-- end account-content -->
</div>
<!-- end nav-right -->
<!-- start nav -->
<div class="nav">
    <div class="table">
        <ul class="select"><li><a href="#nogo"><b>Dashboard</b><!--[if IE 7]><!--></a><!--<![endif]-
->
            <!--[if lte IE 6]><table><tr><td><![endif]-->
            <div class="select_sub">
                <ul class="sub">
                    <li><a href="#nogo">Dashboard Details 1</a></li>
                    <li><a href="#nogo">Dashboard Details 2</a></li>
                    <li><a href="#nogo">Dashboard Details 3</a></li>
                </ul>
            </div>
            <!--[if lte IE 6]></td></tr></table></a><!--<![endif]-->
            </li>
        </ul>
        <div class="nav-divider">&nbsp;</div>
        <ul class="current"><li><a href="#nogo"><b>Products</b><!--[if IE 7]><!--></a><!--<![endif]-
>
            <!--[if lte IE 6]><table><tr><td><![endif]-->
            <div class="select_sub show">
                <ul class="sub">
                    <li><a href="#nogo">View all products</a></li>
                    <li class="sub_show"><a href="#nogo">Add product</a></li>
                    <li><a href="#nogo">Delete products</a></li>
                </ul>
            </div>
            <!--[if lte IE 6]></td></tr></table></a><!--<![endif]-->
            </li>
        </ul>
        <div class="nav-divider">&nbsp;</div>
        <ul class="select"><li><a href="#nogo"><b>Categories</b><!--[if IE 7]><!--></a><!--<![endif]-
->
            <!--[if lte IE 6]><table><tr><td><![endif]-->
            <div class="select_sub">
                <ul class="sub">
                    <li><a href="#nogo">Categories Details 1</a></li>
                    <li><a href="#nogo">Categories Details 2</a></li>
                    <li><a href="#nogo">Categories Details 3</a></li>
                </ul>
            </div>
            <!--[if lte IE 6]></td></tr></table></a><!--<![endif]-->
            </li>
        </ul>
        <div class="nav-divider">&nbsp;</div>
        <ul class="select"><li><a href="#nogo"><b>Clients</b><!--[if IE 7]><!--></a><!--<![endif]-->
            <!--[if lte IE 6]><table><tr><td><![endif]-->
            <div class="select_sub">
                <ul class="sub">
                    <li><a href="#nogo">Clients Details 1</a></li>
                    <li><a href="#nogo">Clients Details 2</a></li>
                    <li><a href="#nogo">Clients Details 3</a></li>
                </ul>
            </div>
            <!--[if lte IE 6]></td></tr></table></a><!--<![endif]-->
            </li>
        </ul>
    </div>

```

```

<div class="nav-divider">&nbsp;</div>
<ul class="select"><li><a href="#nogo"><b>News</b><!--[if IE 7]><!--</a><!--<![endif]-->
  <!--[if lte IE 6]><table><tr><td><![endif]-->
    <div class="select_sub">
      <ul class="sub">
        <li><a href="#nogo">News details 1</a></li>
        <li><a href="#nogo">News details 2</a></li>
        <li><a href="#nogo">News details 3</a></li>
      </ul>
    </div>
  <!--[if lte IE 6]></td></tr></table></a><![endif]-->
</li>
</ul>
<div class="clear"></div>
</div>
<div class="clear"></div>
</div>
<!-- start nav -->
</div>
<div class="clear"></div>
<!-- start nav-outer -->
</div>
<!-- start nav-outer-repeat..... END -->
<div class="clear"></div>
<!-- start content-outer -->
<div id="content-outer">
  <!-- start content -->
  <div id="content">
    <div id="page-heading"><h1>Add product</h1></div>
    <table border="0" width="100%" cellpadding="0" cellspacing="0" id="content-table">
      <tr>
        <th rowspan="3" class="sized"></th>
        <th class="topleft"></th>
        <td id="tbl-border-top">&nbsp;</td>
        <th class="topright"></th>
        <th rowspan="3" class="sized"></th>
      </tr>
      <tr>
        <td id="tbl-border-left"></td>
        <td>
          <!-- start content-table-inner -->
          <div id="content-table-inner">
            <table border="0" width="100%" cellpadding="0" cellspacing="0">
              <tr valign="top">
                <td>
                  <!-- start step-holder -->
                  <div id="step-holder">
                    <div class="step-no">1</div>
                    <div class="step-dark-left"><a href="">Add product details</a></div>
                    <div class="step-dark-right">&nbsp;</div>
                    <div class="step-no-off">2</div>
                    <div class="step-light-left">Select related products</div>
                    <div class="step-light-right">&nbsp;</div>
                    <div class="step-no-off">3</div>
                    <div class="step-light-left">Preview</div>
                    <div class="step-light-round">&nbsp;</div>
                    <div class="clear"></div>
                  </div>
                  <!-- end step-holder -->
                </td>
                <td>
                  <!-- start id-form -->
                  <table border="0" cellpadding="0" cellspacing="0" id="id-form">
                    <tr>
                      <th valign="top">Product name:</th>
                      <td><input type="text" class="inp-form" /></td>
                    </tr>
                  </table>
                </td>
              </tr>
            </table>
          </div>
        </td>
      </tr>
    </table>
  </div>
  <!-- end content -->
</div>
</div>

```

```

<tr>
  <th valign="top">Product name:</th>
  <td><input type="text" class="inp-form-error" /></td>
  <td>
    <div class="error-left"></div>
    <div class="error-inner">This field is required.</div>
  </td>
</tr>
<tr>
  <th valign="top">Category:</th>
  <td>
    <select class="styledselect_form_1">
      <option value="">All</option>
      <option value="">Products</option>
      <option value="">Categories</option>
      <option value="">Clients</option>
      <option value="">News</option>
    </select>
  </td>
</tr>
<tr>
  <th valign="top">Sub Category:</th>
  <td>
    <select class="styledselect_form_1">
      <option value="">All</option>
      <option value="">Products</option>
      <option value="">Categories</option>
      <option value="">Clients</option>
      <option value="">News</option>
    </select>
  </td>
</tr>
<tr>
  <th valign="top">Price:</th>
  <td><input type="text" class="inp-form" /></td>
</tr>
<tr>
  <th valign="top">Select a date:</th>
  <td class="noheight">
    <table border="0" cellpadding="0" cellspacing="0">
      <tr valign="top">
        <td>
          <form id="chooseDateForm" action="#">
            <select id="d" class="styledselect-day">
              <option value="">dd</option>
              <option value="1">1</option>
              <option value="2">2</option>
              <option value="3">3</option>
              <option value="4">4</option>
              <option value="5">5</option>
              <option value="6">6</option>
              <option value="7">7</option>
              <option value="8">8</option>
              <option value="9">9</option>
              <option value="10">10</option>
              <option value="11">11</option>
              <option value="12">12</option>
              <option value="13">13</option>
              <option value="14">14</option>
              <option value="15">15</option>
              <option value="16">16</option>
              <option value="17">17</option>
              <option value="18">18</option>
              <option value="19">19</option>
              <option value="20">20</option>
              <option value="21">21</option>
            </select>
          </form>
        </td>
      </tr>
    </table>
  </td>
</tr>

```

```

                <option value="22">22</option>
                <option value="23">23</option>
                <option value="24">24</option>
                <option value="25">25</option>
                <option value="26">26</option>
                <option value="27">27</option>
                <option value="28">28</option>
                <option value="29">29</option>
                <option value="30">30</option>
                <option value="31">31</option>
            </select>
        </td>
        <td>
            <select id="m" class="styledselect-month">
                <option value="">mmm</option>
                <option value="1">Jan</option>
                <option value="2">Feb</option>
                <option value="3">Mar</option>
                <option value="4">Apr</option>
                <option value="5">May</option>
                <option value="6">Jun</option>
                <option value="7">Jul</option>
                <option value="8">Aug</option>
                <option value="9">Sep</option>
                <option value="10">Oct</option>
                <option value="11">Nov</option>
                <option value="12">Dec</option>
            </select>
        </td>
        <td>
            <select id="y" class="styledselect-year">
                <option value="">yyyy</option>
                <option value="2005">2005</option>
                <option value="2006">2006</option>
                <option value="2007">2007</option>
                <option value="2008">2008</option>
                <option value="2009">2009</option>
                <option value="2010">2010</option>
            </select>
        </td>
    </form>
    <td>
        <td><a href="" id="date-pick"></a></td>
    </tr>
</table>
</td>
<td></td>
</tr>
<tr>
<th valign="top">Description:</th>
<td><textarea rows="" cols="" class="form-textarea"></textarea></td>
<td></td>
</tr>
<tr>
<th>Image 1:</th>
<td><input type="file" class="file_1" /></td>
<td>
    <div class="bubble-left"></div>
    <div class="bubble-inner">JPEG, GIF 5MB max per image</div>
    <div class="bubble-right"></div>
</td>
</tr>
<tr>
<th>Image 2:</th>
<td> <input type="file" class="file_1" /></td>
<td><div class="bubble-left"></div>
    <div class="bubble-inner">JPEG, GIF 5MB max per image</div>
    <div class="bubble-right"></div></td>
</tr>
</tr>

```

```

<tr>
  <th>Image 3:</th>
  <td><input type="file" class="file_1" /></td>
  <td><div class="bubble-left"></div>
    <div class="bubble-inner">JPEG, GIF 5MB max per image</div>
    <div class="bubble-right"></div></td>
</tr>
<tr>
<th>&nbsp;</th>
<td valign="top">
  <input type="button" value="" class="form-submit" />
  <input type="reset" value="" class="form-reset" />
</td>
<td></td>
</tr>
</table>
<!-- end id-form -->
</td>
<td>
  <!-- start related-activities -->
  <div id="related-activities">
    <!-- start related-act-top -->
    <div id="related-act-top">
      
    </div>
    <!-- end related-act-top -->
    <!-- start related-act-bottom -->
    <div id="related-act-bottom">
      <!-- start related-act-inner -->
      <div id="related-act-inner">
        <div class="left"><a href=""></a></div>
        <div class="right">
          <h5>Add another product</h5>
          Lorem ipsum dolor sit amet consectetur
          adipiscing elit sed do eiusmod tempor.
          <ul class="greyarrow">
            <li><a href="">Click here to visit</a></li>
            <li><a href="">Click here to visit</a> </li>
          </ul>
        </div>
      </div>
      <div class="clear"></div>
      <div class="lines-dotted-short"></div>
      <div class="left"><a href=""></a></div>
      <div class="right">
        <h5>Delete products</h5>
        Lorem ipsum dolor sit amet consectetur
        adipiscing elit sed do eiusmod tempor.
        <ul class="greyarrow">
          <li><a href="">Click here to visit</a></li>
          <li><a href="">Click here to visit</a> </li>
        </ul>
      </div>
      <div class="clear"></div>
      <div class="lines-dotted-short"></div>
      <div class="left"><a href=""></a></div>
      <div class="right">
        <h5>Edit categories</h5>
        Lorem ipsum dolor sit amet consectetur
        adipiscing elit sed do eiusmod tempor.
        <ul class="greyarrow">
          <li><a href="">Click here to visit</a></li>
          <li><a href="">Click here to visit</a> </li>
        </ul>
      </div>
    </div>
  </td>
</tr>

```

```

        </div>
        <div class="clear"></div>
    </div>
    <!-- end related-act-inner -->
    <div class="clear"></div>
</div>
<!-- end related-act-bottom -->
</div>
<!-- end related-activities -->
</td>
</tr>
<tr>
<td></td>
<td></td>
</tr>
</table>
<div class="clear"></div>
</div>
<!-- end content-table-inner -->
</td>
<td id="tbl-border-right"></td>
</tr>
<tr>
<th class="sized bottomleft"></th>
<td id="tbl-border-bottom">&nbsp;</td>
<th class="sized bottomright"></th>
</tr>
</table>
<div class="clear">&nbsp;</div>
</div>
<!-- end content -->
<div class="clear">&nbsp;</div>
</div>
<!-- end content-outer -->
<div class="clear">&nbsp;</div>
<!-- start footer -->
<div id="footer">
    <!-- start footer-left -->
    <div id="footer-left">
        Admin Skin &copy; Copyright Internet Dreams Ltd. <a href="">www.netdreams.co.uk</a>. All rights
reserved.</div>
    <!-- end footer-left -->
    <div class="clear">&nbsp;</div>
</div>
<!-- end footer -->
</body>
</html>

```

48. Produk

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<?php
include_once 'controller/produkCtrl.php';
include 'header.php';
?>
<script type="text/javascript">
    $(document).ready(function(){
        $('#message-red').hide();
        $('#message-yellow').hide();
        $('#message-blue').hide();
        $('#message-green').hide();
    });
</script>
<!-- start content-outer .....START -->
<div id="content-outer">
    <!-- start content -->
    <div id="content">
        <!-- start page-heading -->
        <div id="page-heading">

```



```

        <h1>Product</h1>
    </div>
    <!-- end page-heading -->
    <table border="0" width="100%" cellpadding="0" cellspacing="0" id="content-table">
        <tr>
            <th rowspan="3" class="sized"></th>
            <th class="topleft"></th>
            <td id="tbl-border-top">&nbsp;</td>
            <th class="topright"></th>
            <th rowspan="3" class="sized"></th>
        </tr>
        <tr>
            <td id="tbl-border-left"></td>
            <td>
                <!-- start content-table-inner ..... START -->
                <div id="content-table-inner">
                    <!-- start table-content -->
                    <div id="table-content">
                        <!-- start message-yellow -->
                        <div id="message-yellow">
                            <table border="0" width="100%" cellpadding="0" cellspacing="0">
                                <tr>
                                    <td class="yellow-left">You have a new message. <a href="">Go to Inbox.</a></td>
                                    <td class="yellow-right"><a class="close-yellow"></a></td>
                                </tr>
                            </table>
                        </div>
                        <!-- end message-yellow -->
                        <!-- start message-red -->
                        <div id="message-red">
                            <table border="0" width="100%" cellpadding="0" cellspacing="0">
                                <tr>
                                    <td class="red-left">Error. <a href="">Please try again.</a></td>
                                    <td class="red-right"><a class="close-red"></a></td>
                                </tr>
                            </table>
                        </div>
                        <!-- end message-red -->
                        <!-- start message-blue -->
                        <div id="message-blue">
                            <table border="0" width="100%" cellpadding="0" cellspacing="0">
                                <tr>
                                    <td class="blue-left">Welcome back. <a href="">View my account.</a></td>
                                    <td class="blue-right"><a class="close-blue"></a></td>
                                </tr>
                            </table>
                        </div>
                        <!-- end message-blue -->
                        <!-- start message-green -->
                        <div id="message-green">
                            <table border="0" width="100%" cellpadding="0" cellspacing="0">
                                <tr>
                                    <td class="green-left">Product added sucessfully. <a href="">Add new one.</a></td>
                                    <td class="green-right"><a class="close-green"></a></td>
                                </tr>
                            </table>
                        </div>
                        <!-- end message-green -->
                        <!-- start product-table ..... -->
                        <form id="mainform" action="">
                            <table border="0" width="100%" cellpadding="0" cellspacing="0" id="product-table">
                                <tr>

```

```

</th>
<th class="table-header-repeat line-left minwidth-1"><a href="">Nama Produk</a>
</th>
<th class="table-header-repeat line-left minwidth-1"><a href="">Harga</a></th>
<th class="table-header-repeat line-left"><a href="">Keterangan</a></th>
<th class="table-header-repeat line-left"><a href="">Kategori</a></th>
<th class="table-header-repeat line-left"><a href="">Ukuran</a></th>
<th class="table-header-repeat line-left"><a href="">Preview</a></th>
<th class="table-header-repeat line-left"><a href="">Tools</a></th>
</tr>
<?php
$controller = new produkCtrl();
$allProduk = $controller->getAllProduk();
foreach ($allProduk as $value) {
    echo '<tr>';
    echo '<td>' . $value->getNamaProdUk() . '</td>' . '<td>' . $value->getHaRgA() . '</td>'
    . '<td>' . $value->getKeTeraNGan() . '</td>' . '<td>' . $value->getCategory() . '</td>' . '<td>' . $value-
    >getUkURan() . '</td>' . '<td align="center"></td>'
    . '<td><a href="addProduk.php?idProd=' . $value->getIdProdUk() . '" title="Edit"
    class="icon-1 info-tooltip"></a><a href="deleteProduk.php?idProd=' . $value->getIdProdUk() . '" title="Delete"
    class="icon-2 info-tooltip"></a></td>';
    echo '</tr>';
}
?>
</table>
<!-- end product-table..... -->
</form>
</div>
<!-- end content-table -->
<div class="clear"></div>
</div>
<!-- end content-table-inner .....END -->
</td>
<td id="tbl-border-right"></td>
</tr>
<tr>
<th class="sized bottomleft"></th>
<td id="tbl-border-bottom">&nbsp;</td>
<th class="sized bottomright"></th>
</tr>
</table>
<div class="clear">&nbsp;</div>
</div>
<!-- end content -->
<div class="clear">&nbsp;</div>
</div>
<!-- end content-outer.....END -->
<?php
include 'footer.php';
?>

```

49. Table

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
<title>Internet Dreams</title>
<link rel="stylesheet" href="css/screen.css" type="text/css" media="screen" title="default" />
<!--[if IE]>
<link rel="stylesheet" media="all" type="text/css" href="css/pro_dropline_ie.css" />
<![endif]-->
<!-- jquery core -->
<script src="js/jquery/jquery-1.4.1.min.js" type="text/javascript"></script>
<!-- checkbox styling script -->
<script src="js/jquery/ui.core.js" type="text/javascript"></script>
<script src="js/jquery/ui.checkbox.js" type="text/javascript"></script>
<script src="js/jquery/jquery.bind.js" type="text/javascript"></script>

```

```

<script type="text/javascript">
$(function(){
    $('input').checkbox();
    $('#toggle-all').click(function(){
        $('#toggle-all').toggleClass('toggle-checked');
        $('#mainform input[type=checkbox]').checkbox('toggle');
        return false;
    });
});
</script>
<![if !IE 7]>
<!-- styled select box script version 1 -->
<script src="js/jquery/jquery.selectbox-0.5.js" type="text/javascript"></script>
<script type="text/javascript">
$(document).ready(function() {
    $('styleselect').selectbox({ inputClass: "selectbox_styled" });
});
</script>
<![endif]>
<!-- styled select box script version 2 -->
<script src="js/jquery/jquery.selectbox-0.5_style_2.js" type="text/javascript"></script>
<script type="text/javascript">
$(document).ready(function() {
    $('styleselect_form_1').selectbox({ inputClass: "styleselect_form_1" });
    $('styleselect_form_2').selectbox({ inputClass: "styleselect_form_2" });
});
</script>
<!-- styled select box script version 3 -->
<script src="js/jquery/jquery.selectbox-0.5_style_2.js" type="text/javascript"></script>
<script type="text/javascript">
$(document).ready(function() {
    $('styleselect_pages').selectbox({ inputClass: "styleselect_pages" });
});
</script>
<!-- styled file upload script -->
<script src="js/jquery/jquery.filestyle.js" type="text/javascript"></script>
<script type="text/javascript" charset="utf-8">
$(function() {
    $("input.file_1").filestyle({
        image: "images/forms/choose-file.gif",
        imageheight : 21,
        imagewidth : 78,
        width : 310
    });
});
</script>
<!-- Custom jquery scripts -->
<script src="js/jquery/custom_jquery.js" type="text/javascript"></script>
<!-- Tooltips -->
<script src="js/jquery/jquery.tooltip.js" type="text/javascript"></script>
<script src="js/jquery/jquery.dimensions.js" type="text/javascript"></script>
<script type="text/javascript">
$(function() {
    $('a.info-tooltip').tooltip({
        track: true,
        delay: 0,
        fixPNG: true,
        showURL: false,
        showBody: " - ",
        top: -35,
        left: 5
    });
});
</script>
<!-- date picker script -->
<link rel="stylesheet" href="css/datePicker.css" type="text/css" />
<script src="js/jquery/date.js" type="text/javascript"></script>
<script src="js/jquery/jquery.datePicker.js" type="text/javascript"></script>
<script type="text/javascript" charset="utf-8">

```

```

    $(function()
    {
// initialise the "Select date" link
$('#date-pick')
    .datePicker(
        // associate the link with a date picker
        {
            createButton:false,
            startDate:'01/01/2005',
            endDate:'31/12/2020'
        }
    ).bind(
        // when the link is clicked display the date picker
        'click',
        function()
        {
            updateSelects($(this).dpGetSelected()[0]);
            $(this).dpDisplay();
            return false;
        }
    ).bind(
        // when a date is selected update the SELECTs
        'dateSelected',
        function(e, selectedDate, $td, state)
        {
            updateSelects(selectedDate);
        }
    ).bind(
        'dpClosed',
        function(e, selected)
        {
            updateSelects(selected[0]);
        }
    );
var updateSelects = function (selectedDate)
{
    var selectedDate = new Date(selectedDate);
    $('#d option[value=' + selectedDate.getDate() + ']').attr('selected', 'selected');
    $('#m option[value=' + (selectedDate.getMonth()+1) + ']').attr('selected', 'selected');
    $('#y option[value=' + (selectedDate.getFullYear()) + ']').attr('selected', 'selected');
}
// listen for when the selects are changed and update the picker
$('#d, #m, #y')
    .bind(
        'change',
        function()
        {
            var d = new Date(
                $('#y').val(),
                $('#m').val()-1,
                $('#d').val()
            );
            $('#date-pick').dpSetSelected(d.asString());
        }
    );

// default the position of the selects to today
var today = new Date();
updateSelects(today.getTime());
// and update the datePicker to reflect it...
$('#d').trigger('change');
});
</script>
<!-- MUST BE THE LAST SCRIPT IN <HEAD></HEAD></HEAD> png fix -->
<script src="js/jquery/jquery.pngFix.pack.js" type="text/javascript"></script>
<script type="text/javascript">
$(document).ready(function(){
$(document).pngFix( );

```

```

});
</script>
</head>
<body>
<!-- Start: page-top-outer -->
<div id="page-top-outer">
<!-- Start: page-top -->
<div id="page-top">
  <!-- start logo -->
  <div id="logo">
    <a href=""></a>
  </div>
  <!-- end logo -->
  <!-- start top-search -->
  <div id="top-search">
    <table border="0" cellpadding="0" cellspacing="0">
      <tr>
        <td><input type="text" value="Search" onblur="if (this.value==) { this.value='Search'; }"
onfocus="if (this.value=='Search') { this.value=''; }" class="top-search-inp" /></td>
        <td>
          <select class="styledselect">
            <option value=""> All</option>
            <option value=""> Products</option>
            <option value=""> Categories</option>
            <option value=""> Clients</option>
            <option value=""> News</option>
          </select>
        </td>
      </tr>
      <tr>
        <td>
          <input type="image" src="images/shared/top_search_btn.gif" />
        </td>
      </tr>
    </table>
  </div>
  <!-- end top-search -->
  <div class="clear"></div>
</div>
<!-- End: page-top -->
</div>
<!-- End: page-top-outer -->
<div class="clear">&nbsp;</div>
<!-- start nav-outer-repeat..... START -->
<div class="nav-outer-repeat">
<!-- start nav-outer -->
<div class="nav-outer">
  <!-- start nav-right -->
  <div id="nav-right">
    <div class="nav-divider">&nbsp;</div>
    <div class="showhide-account"></div>
    <div class="nav-divider">&nbsp;</div>
    <a href="" id="logout"></a>
    <div class="clear">&nbsp;</div>
    <!-- start account-content -->
    <div class="account-content">
      <div class="account-drop-inner">
        <a href="" id="acc-settings">Settings</a>
        <div class="clear">&nbsp;</div>
        <div class="acc-line">&nbsp;</div>
        <a href="" id="acc-details">Personal details </a>
        <div class="clear">&nbsp;</div>
        <div class="acc-line">&nbsp;</div>
        <a href="" id="acc-project">Project details</a>
        <div class="clear">&nbsp;</div>
        <div class="acc-line">&nbsp;</div>
        <a href="" id="acc-inbox">Inbox</a>
        <div class="clear">&nbsp;</div>
        <div class="acc-line">&nbsp;</div>
      </div>
    </div>
  </div>
</div>

```

```

        <a href="" id="acc-stats">Statistics</a>
    </div>
</div>
<!-- end account-content -->
</div>
<!-- end nav-right -->
<!-- start nav -->
<div class="nav">
<div class="table">
<ul class="select"><li><a href="#nogo"><b>Dashboard</b><!--[if IE 7]><!--></a><!--<![endif]-->
<!--[if lte IE 6]><table><tr><td><![endif]-->
<div class="select_sub">
    <ul class="sub">
        <li><a href="#nogo">Dashboard Details 1</a></li>
        <li><a href="#nogo">Dashboard Details 2</a></li>
        <li><a href="#nogo">Dashboard Details 3</a></li>
    </ul>
</div>
<!--[if lte IE 6]></td></tr></table></a><![endif]-->
</li>
</ul>
<div class="nav-divider">&nbsp;</div>
<ul class="current"><li><a href="#nogo"><b>Products</b><!--[if IE 7]><!--></a><!--<![endif]-->
<!--[if lte IE 6]><table><tr><td><![endif]-->
<div class="select_sub show">
    <ul class="sub">
        <li><a href="#nogo">View all products</a></li>
        <li class="sub_show"><a href="#nogo">Add product</a></li>
        <li><a href="#nogo">Delete products</a></li>
    </ul>
</div>
<!--[if lte IE 6]></td></tr></table></a><![endif]-->
</li>
</ul>
<div class="nav-divider">&nbsp;</div>
<ul class="select"><li><a href="#nogo"><b>Categories</b><!--[if IE 7]><!--></a><!--<![endif]-->
<!--[if lte IE 6]><table><tr><td><![endif]-->
<div class="select_sub">
    <ul class="sub">
        <li><a href="#nogo">Categories Details 1</a></li>
        <li><a href="#nogo">Categories Details 2</a></li>
        <li><a href="#nogo">Categories Details 3</a></li>
    </ul>
</div>
<!--[if lte IE 6]></td></tr></table></a><![endif]-->
</li>
</ul>
<div class="nav-divider">&nbsp;</div>
<ul class="select"><li><a href="#nogo"><b>Clients</b><!--[if IE 7]><!--></a><!--<![endif]-->
<!--[if lte IE 6]><table><tr><td><![endif]-->
<div class="select_sub">
    <ul class="sub">
        <li><a href="#nogo">Clients Details 1</a></li>
        <li><a href="#nogo">Clients Details 2</a></li>
        <li><a href="#nogo">Clients Details 3</a></li>
    </ul>
</div>
<!--[if lte IE 6]></td></tr></table></a><![endif]-->
</li>
</ul>
<div class="nav-divider">&nbsp;</div>
<ul class="select"><li><a href="#nogo"><b>News</b><!--[if IE 7]><!--></a><!--<![endif]-->
<!--[if lte IE 6]><table><tr><td><![endif]-->
<div class="select_sub">
    <ul class="sub">
        <li><a href="#nogo">News details 1</a></li>
        <li><a href="#nogo">News details 2</a></li>
        <li><a href="#nogo">News details 3</a></li>
    </ul>
</div>

```

```

        </ul>
    </div>
    <!--[if lte IE 6]><td><tr></table></a><![endif]-->
    </li>
</ul>
<div class="clear"></div>
</div>
<div class="clear"></div>
<!-- start nav -->
</div>
<div class="clear"></div>
<!-- start nav-outer -->
</div>
<!-- start nav-outer-repeat..... END -->
<div class="clear"></div>
<!-- start content-outer .....START -->
<div id="content-outer">
<!-- start content -->
<div id="content">
    <!-- start page-heading -->
    <div id="page-heading">
        <h1>Add product</h1>
    </div>
    <!-- end page-heading -->
    <table border="0" width="100%" cellpadding="0" cellspacing="0" id="content-table">
    <tr>
        <th rowspan="3" class="sized"></th>
        <th class="topleft"></th>
        <td id="tbl-border-top">&nbsp;</td>
        <th class="topright"></th>
        <th rowspan="3" class="sized"></th>
    </tr>
    <tr>
        <td id="tbl-border-left"></td>
        <td>
            <!-- start content-table-inner ..... START -->
            <div id="content-table-inner">
                <!-- start table-content -->
                <div id="table-content">
                    <!-- start message-yellow -->
                    <div id="message-yellow">
                        <table border="0" width="100%" cellpadding="0" cellspacing="0">
                            <tr>
                                <td class="yellow-left">You have a new message. <a href="">Go
to Inbox.</a></td>
                                <td class="yellow-right"><a class="close-yellow"></a></td>
                            </tr>
                        </table>
                    </div>
                    <!-- end message-yellow -->
                    <!-- start message-red -->
                    <div id="message-red">
                        <table border="0" width="100%" cellpadding="0" cellspacing="0">
                            <tr>
                                <td class="red-left">Error. <a href="">Please try again.</a></td>
                                <td class="red-right"><a class="close-red"></a></td>
                            </tr>
                        </table>
                    </div>
                    <!-- end message-red -->
                </div>
            </div>
        </td>
    </tr>
    </table>
</div>
</div>

```

```

<!-- start message-blue -->
<div id="message-blue">
<table border="0" width="100%" cellpadding="0" cellspacing="0">
<tr>
    <td class="blue-left">Welcome back. <a href="">View my
account.</a> </td>
    <td class="blue-right"><a class="close-blue"></a></td>
</tr>
</table>
</div>
<!-- end message-blue -->

<!-- start message-green -->
<div id="message-green">
<table border="0" width="100%" cellpadding="0" cellspacing="0">
<tr>
    <td class="green-left">Product added sucessfully. <a href="">Add
new one.</a></td>
    <td class="green-right"><a class="close-green"></a></td>
</tr>
</table>
</div>
<!-- end message-green -->
<!-- start product-table ..... -
->
<form id="mainform" action="">
<table border="0" width="100%" cellpadding="0" cellspacing="0"
id="product-table">
<tr>
    <th class="table-header-check"><a id="toggle-all" ></a> </th>
    <th class="table-header-repeat line-left minwidth-1"><a
href="">Last Name</a> </th>
    <th class="table-header-repeat line-left minwidth-1"><a
href="">First Name</a></th>
    <th class="table-header-repeat line-left"><a
href="">Email</a></th>
    <th class="table-header-repeat line-left"><a
href="">Due</a></th>
    <th class="table-header-repeat line-left"><a
href="">Website</a></th>
    <th class="table-header-options line-left"><a
href="">Options</a></th>
</tr>
<tr>
    <td><input type="checkbox"/></td>
    <td>Sabev</td>
    <td>George</td>
    <td><a href="">george@mainevent.co.za</a></td>
    <td>R250</td>
    <td><a href="">www.mainevent.co.za</a></td>
    <td class="options-width">
    <a href="" title="Edit" class="icon-1 info-tooltip"></a>
    <a href="" title="Edit" class="icon-2 info-tooltip"></a>
    <a href="" title="Edit" class="icon-3 info-tooltip"></a>
    <a href="" title="Edit" class="icon-4 info-tooltip"></a>
    <a href="" title="Edit" class="icon-5 info-tooltip"></a>
    </td>
</tr>
<tr class="alternate-row">
    <td><input type="checkbox"/></td>
    <td>Sabev</td>
    <td>George</td>
    <td><a href="">george@mainevent.co.za</a></td>
    <td>R250</td>
    <td><a href="">www.mainevent.co.za</a></td>
    <td class="options-width">
    <a href="" title="Edit" class="icon-1 info-tooltip"></a>

```



```

        <a href="" title="Edit" class="icon-2 info-tooltip"></a>
        <a href="" title="Edit" class="icon-3 info-tooltip"></a>
        <a href="" title="Edit" class="icon-4 info-tooltip"></a>
        <a href="" title="Edit" class="icon-5 info-tooltip"></a>
    </td>
</tr>
<tr>
    <td><input type="checkbox"/></td>
    <td>Sabev</td>
    <td>George</td>
    <td><a href="">george@mainevent.co.za</a></td>
    <td>R250</td>
    <td><a href="">www.mainevent.co.za</a></td>
    <td class="options-width">
        <a href="" title="Edit" class="icon-1 info-tooltip"></a>
        <a href="" title="Edit" class="icon-2 info-tooltip"></a>
        <a href="" title="Edit" class="icon-3 info-tooltip"></a>
        <a href="" title="Edit" class="icon-4 info-tooltip"></a>
        <a href="" title="Edit" class="icon-5 info-tooltip"></a>
    </td>
</tr>
<tr class="alternate-row">
    <td><input type="checkbox"/></td>
    <td>Sabev</td>
    <td>George</td>
    <td><a href="">george@mainevent.co.za</a></td>
    <td>R250</td>
    <td><a href="">www.mainevent.co.za</a></td>
    <td class="options-width">
        <a href="" title="Edit" class="icon-1 info-tooltip"></a>
        <a href="" title="Edit" class="icon-2 info-tooltip"></a>
        <a href="" title="Edit" class="icon-3 info-tooltip"></a>
        <a href="" title="Edit" class="icon-4 info-tooltip"></a>
        <a href="" title="Edit" class="icon-5 info-tooltip"></a>
    </td>
</tr>
<tr>
    <td><input type="checkbox"/></td>
    <td>Sabev</td>
    <td>George</td>
    <td><a href="">george@mainevent.co.za</a></td>
    <td>R250</td>
    <td><a href="">www.mainevent.co.za</a></td>
    <td class="options-width">
        <a href="" title="Edit" class="icon-1 info-tooltip"></a>
        <a href="" title="Edit" class="icon-2 info-tooltip"></a>
        <a href="" title="Edit" class="icon-3 info-tooltip"></a>
        <a href="" title="Edit" class="icon-4 info-tooltip"></a>
        <a href="" title="Edit" class="icon-5 info-tooltip"></a>
    </td>
</tr>
<tr class="alternate-row">
    <td><input type="checkbox"/></td>
    <td>Sabev</td>
    <td>George</td>
    <td><a href="">george@mainevent.co.za</a></td>
    <td>R250</td>
    <td><a href="">www.mainevent.co.za</a></td>
    <td class="options-width">
        <a href="" title="Edit" class="icon-1 info-tooltip"></a>
        <a href="" title="Edit" class="icon-2 info-tooltip"></a>
        <a href="" title="Edit" class="icon-3 info-tooltip"></a>
        <a href="" title="Edit" class="icon-4 info-tooltip"></a>
        <a href="" title="Edit" class="icon-5 info-tooltip"></a>
    </td>
</tr>
</table>
<!-- end product-table..... -->
</form>

```

```

</div>
<!-- end content-table -->

<!-- start actions-box ..... -->
<div id="actions-box">
  <a href="" class="action-slider"></a>
  <div id="actions-box-slider">
    <a href="" class="action-edit">Edit</a>
    <a href="" class="action-delete">Delete</a>
  </div>
  <div class="clear"></div>
</div>
<!-- end actions-box..... -->

<!-- start paging..... -->
<table border="0" cellpadding="0" cellspacing="0" id="paging-table">
<tr>
<td>
  <a href="" class="page-far-left"></a>
  <a href="" class="page-left"></a>
  <div id="page-info">Page <strong>1</strong> / 15</div>
  <a href="" class="page-right"></a>
  <a href="" class="page-far-right"></a>
</td>
<td>
<select class="styledselect_pages">
  <option value="">Number of rows</option>
  <option value="">1</option>
  <option value="">2</option>
  <option value="">3</option>
</select>
</td>
</tr>
</table>
<!-- end paging..... -->
<div class="clear"></div>

</div>
<!-- end content-table-inner .....END -->
</td>
<td id="tbl-border-right"></td>
</tr>
<tr>
<th class="sized bottomleft"></th>
<td id="tbl-border-bottom">&nbsp;</td>
<th class="sized bottomright"></th>
</tr>
</table>
<div class="clear">&nbsp;</div>
</div>
<!-- end content -->
<div class="clear">&nbsp;</div>
</div>
<!-- end content-outer.....END -->
<div class="clear">&nbsp;</div>
<!-- start footer -->
<div id="footer">
  <!-- start footer-left -->
  <div id="footer-left">
    Admin Skin &copy; Copyright Internet Dreams Ltd. <span id="spanYear"></span> <a
href="">www.netdreams.co.uk</a>. All rights reserved.</div>
  <!-- end footer-left -->
  <div class="clear">&nbsp;</div>
</div>
<!-- end footer -->
</body>
</html>

```

50. Text

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
    <title>Internet Dreams</title>
    <link rel="stylesheet" href="css/screen.css" type="text/css" media="screen" title="default" />
    <!--[if IE]>
    <link rel="stylesheet" media="all" type="text/css" href="css/pro_dropline_ie.css" />
    <![endif-->
    <!-- jquery core -->
    <script src="js/jquery/jquery-1.4.1.min.js" type="text/javascript"></script>
    <!-- checkbox styling script -->
    <script src="js/jquery/ui.core.js" type="text/javascript"></script>
    <script src="js/jquery/ui.checkbox.js" type="text/javascript"></script>
    <script src="js/jquery/jquery.bind.js" type="text/javascript"></script>
    <script type="text/javascript">
      $(function(){
        $('input').checkbox();
        $('#toggle-all').click(function(){
          $('#toggle-all').toggleClass('toggle-checked');
          $('#mainform input[type=checkbox]').checkbox('toggle');
          return false;
        });
      });
    </script>
    <![if !IE 7]>
    <!-- styled select box script version 1 -->
    <script src="js/jquery/jquery.selectbox-0.5.js" type="text/javascript"></script>
    <script type="text/javascript">
      $(document).ready(function() {
        $('select').selectbox({ inputClass: "selectbox_styled" });
      });
    </script>
    <![endif]>
    <!-- styled select box script version 2 -->
    <script src="js/jquery/jquery.selectbox-0.5_style_2.js" type="text/javascript"></script>
    <script type="text/javascript">
      $(document).ready(function() {
        $('select_form_1').selectbox({ inputClass: "styledselect_form_1" });
        $('select_form_2').selectbox({ inputClass: "styledselect_form_2" });
      });
    </script>
    <!-- styled select box script version 3 -->
    <script src="js/jquery/jquery.selectbox-0.5_style_2.js" type="text/javascript"></script>
    <script type="text/javascript">
      $(document).ready(function() {
        $('select_pages').selectbox({ inputClass: "styledselect_pages" });
      });
    </script>
    <!-- styled file upload script -->
    <script src="js/jquery/jquery.filestyle.js" type="text/javascript"></script>
    <script type="text/javascript" charset="utf-8">
      $(function() {
        $("input.file_1").filestyle({
          image: "images/forms/choose-file.gif",
          imageheight : 21,
          imagewidth : 78,
          width : 310
        });
      });
    </script>
    <!-- Custom jquery scripts -->
    <script src="js/jquery/custom_jquery.js" type="text/javascript"></script>
    <!-- Tooltips -->
    <script src="js/jquery/jquery.tooltip.js" type="text/javascript"></script>
    <script src="js/jquery/jquery.dimensions.js" type="text/javascript"></script>
    <script type="text/javascript">
```

```

$(function() {
    $('a.info-tooltip').tooltip({
        track: true,
        delay: 0,
        fixPNG: true,
        showURL: false,
        showBody: " - ",
        top: -35,
        left: 5
    });
});
</script>
<!-- date picker script -->
<link rel="stylesheet" href="css/datePicker.css" type="text/css" />
<script src="js/jquery/date.js" type="text/javascript"></script>
<script src="js/jquery/jquery.datePicker.js" type="text/javascript"></script>
<script type="text/javascript" charset="utf-8">
$(function()
{
    // initialise the "Select date" link
    $('#date-pick')
    .datePicker(
    // associate the link with a date picker
    {
        createButton:false,
        startDate:'01/01/2005',
        endDate:'31/12/2020'
    }
    ).bind(
    // when the link is clicked display the date picker
    'click',
    function()
    {
        updateSelects($(this).dpGetSelected()[0]);
        $(this).dpDisplay();
        return false;
    }
    ).bind(
    // when a date is selected update the SELECTs
    'dateSelected',
    function(e, selectedDate, $td, state)
    {
        updateSelects(selectedDate);
    }
    ).bind(
    'dpClosed',
    function(e, selected)
    {
        updateSelects(selected[0]);
    }
    );
    var updateSelects = function (selectedDate)
    {
        var selectedDate = new Date(selectedDate);
        $('#d option[value=' + selectedDate.getDate() + ']').attr('selected', 'selected');
        $('#m option[value=' + (selectedDate.getMonth()+1) + ']').attr('selected', 'selected');
        $('#y option[value=' + (selectedDate.getFullYear()) + ']').attr('selected', 'selected');
    }
    // listen for when the selects are changed and update the picker
    $('#d, #m, #y')
    .bind(
    'change',
    function()
    {
        var d = new Date(
            $('#y').val(),
            $('#m').val()-1,
            $('#d').val()
        );
    }
    );
}

```

```

        $('#date-pick').dpSetSelected(d.asString());
    }
);
// default the position of the selects to today
var today = new Date();
updateSelects(today.getTime());
// and update the datePicker to reflect it...
$('#d').trigger('change');
});
</script>
<!-- MUST BE THE LAST SCRIPT IN <HEAD></HEAD></HEAD> png fix -->
<script src="js/jquery/jquery.pngFix.pack.js" type="text/javascript"></script>
<script type="text/javascript">
    $(document).ready(function(){
        $(document).pngFix( );
    });
</script>
</head>
<body>
    <!-- Start: page-top-outer -->
    <div id="page-top-outer">
        <!-- Start: page-top -->
        <div id="page-top">
            <!-- start logo -->
            <div id="logo">
                <a href=""></a>
            </div>
            <!-- end logo -->
            <!-- start top-search -->
            <div id="top-search">
                <table border="0" cellpadding="0" cellspacing="0">
                    <tr>
                        <td>
                            <input type="text" value="Search" onblur="if (this.value=='') { this.value='Search'; }"
onfocus="if (this.value=='Search') { this.value=''; }" class="top-search-inp" /></td>
                        <td>
                            <select class="styledselect">
                                <option value=""> All</option>
                                <option value=""> Products</option>
                                <option value=""> Categories</option>
                                <option value=""> Clients</option>
                                <option value=""> News</option>
                            </select>
                        </td>
                        <td>
                            <input type="image" src="images/shared/top_search_btn.gif" />
                        </td>
                    </tr>
                </table>
            </div>
            <!-- end top-search -->
            <div class="clear"></div>
        </div>
        <!-- End: page-top -->
    </div>
    <!-- End: page-top-outer -->
    <div class="clear">&nbsp;</div>
    <!-- start nav-outer-repeat..... START -->
    <div class="nav-outer-repeat">
        <!-- start nav-outer -->
        <div class="nav-outer">
            <!-- start nav-right -->
            <div id="nav-right">
                <div class="nav-divider">&nbsp;</div>
                <div class="showhide-account"></div>
                <div class="nav-divider">&nbsp;</div>
                <a href="" id="logout"></a>
            </div>
        </div>
    </div>

```

```

<div class="clear">&nbsp;</div>
<!-- start account-content -->
<div class="account-content">
  <div class="account-drop-inner">
    <a href="" id="acc-settings">Settings</a>
    <div class="clear">&nbsp;</div>
    <div class="acc-line">&nbsp;</div>
    <a href="" id="acc-details">Personal details </a>
    <div class="clear">&nbsp;</div>
    <div class="acc-line">&nbsp;</div>
    <a href="" id="acc-project">Project details</a>
    <div class="clear">&nbsp;</div>
    <div class="acc-line">&nbsp;</div>
    <a href="" id="acc-inbox">Inbox</a>
    <div class="clear">&nbsp;</div>
    <div class="acc-line">&nbsp;</div>
    <a href="" id="acc-stats">Statistics</a>
  </div>
</div>
<!-- end account-content -->
</div>
<!-- end nav-right -->
<!-- start nav -->
<div class="nav">
  <div class="table">
    <ul class="select"><li><a href="#nogo"><b>Dashboard</b><!--[if IE 7]><!--</a><!--<![endif]-
->
      <!--[if lte IE 6]><table><tr><td><![endif]-->
      <div class="select_sub">
        <ul class="sub">
          <li><a href="#nogo">Dashboard Details 1</a></li>
          <li><a href="#nogo">Dashboard Details 2</a></li>
          <li><a href="#nogo">Dashboard Details 3</a></li>
        </ul>
      </div>
      <!--[if lte IE 6]></td></tr></table></a><!--<![endif]-->
    </li>
    <div class="nav-divider">&nbsp;</div>
    <ul class="current"><li><a href="#nogo"><b>Products</b><!--[if IE 7]><!--</a><!--<![endif]-
>
      <!--[if lte IE 6]><table><tr><td><![endif]-->
      <div class="select_sub_show">
        <ul class="sub">
          <li><a href="#nogo">View all products</a></li>
          <li class="sub_show"><a href="#nogo">Add product</a></li>
          <li><a href="#nogo">Delete products</a></li>
        </ul>
      </div>
      <!--[if lte IE 6]></td></tr></table></a><!--<![endif]-->
    </li>
    <div class="nav-divider">&nbsp;</div>
    <ul class="select"><li><a href="#nogo"><b>Categories</b><!--[if IE 7]><!--</a><!--<![endif]-
->
      <!--[if lte IE 6]><table><tr><td><![endif]-->
      <div class="select_sub">
        <ul class="sub">
          <li><a href="#nogo">Categories Details 1</a></li>
          <li><a href="#nogo">Categories Details 2</a></li>
          <li><a href="#nogo">Categories Details 3</a></li>
        </ul>
      </div>
      <!--[if lte IE 6]></td></tr></table></a><!--<![endif]-->
    </li>
    <div class="nav-divider">&nbsp;</div>
    <ul class="select"><li><a href="#nogo"><b>Clients</b><!--[if IE 7]><!--</a><!--<![endif]-->
      <!--[if lte IE 6]><table><tr><td><![endif]-->

```

```

        <div class="select_sub">
            <ul class="sub">
                <li><a href="#nogo">Clients Details 1</a></li>
                <li><a href="#nogo">Clients Details 2</a></li>
                <li><a href="#nogo">Clients Details 3</a></li>
            </ul>
        </div>
        <!--[lte IE 6]></td></tr></table></a><![endif]-->
    </li>
</ul>
<div class="nav-divider">&nbsp;</div>
<ul class="select"><li><a href="#nogo"><b>News</b><!--[if IE 7]><!--></a><!--[endif]-->
    <!--[lte IE 6]><table><tr><td><!--[endif]-->
        <div class="select_sub">
            <ul class="sub">
                <li><a href="#nogo">News details 1</a></li>
                <li><a href="#nogo">News details 2</a></li>
                <li><a href="#nogo">News details 3</a></li>
            </ul>
        </div>
        <!--[lte IE 6]></td></tr></table></a><![endif]-->
    </li>
</ul>
<div class="clear"></div>
</div>
<div class="clear"></div>
</div>
<!-- start nav -->
</div>
<div class="clear"></div>
<!-- start nav-outer -->
</div>
<!-- start nav-outer-repeat..... END -->
<div class="clear"></div>
<!-- start content-outer .....START --
>
<div id="content-outer">
    <!-- start content -->
    <div id="content">
        <!-- start page-heading -->
        <div id="page-heading">
            <h1>Add product</h1>
        </div>
        <!-- end page-heading -->
        <table border="0" width="100%" cellpadding="0" cellspacing="0" id="content-table">
            <tr>
                <th rowspan="3" class="sized"></th>
                <th class="topleft"></th>
                <td id="tbl-border-top">&nbsp;</td>
                <th class="topright"></th>
                <th rowspan="3" class="sized"></th>
            </tr>
            <tr>
                <td id="tbl-border-left"></td>
                <td>
                    <!-- start content-table-inner ..... START -->
                    <div id="content-table-inner">
                        <!-- start table-content -->
                        <div id="table-content">
                            <h2>Sub Heading </h2>
                            <h3>Local Heading</h3>
                            Lorem ipsum dolor sit amet consectetur adipisicing elit, sed do eiusmod tempor incididunt
ut labore et Lorem ipsum dolor sit amet consectetur
                                adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. dolore
magna aliqua. Lorem ipsum dolor sit amet consectetur adipisicing elit, sed do eiusmod tempor incididunt ut
labore et Lorem ipsum dolor sit amet consectetur
                        </div>
                    </div>
                </td>
            </tr>
        </table>
    </div>

```

```

        adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. dolore
magna aliqua.
        <br />
        <br />
        Lorem ipsum dolor sit amet consectetur adipisicing elit, sed do eiusmod tempor incididunt
ut labore et Lorem ipsum dolor sit amet consectetur
        adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. dolore
magna aliqua. Lorem ipsum dolor sit amet consectetur adipisicing elit, sed do eiusmod tempor incididunt ut
labore et Lorem ipsum dolor sit amet consectetur
        adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. dolore
magna aliqua.
        <br />
        <br />
        Lorem ipsum dolor sit amet consectetur adipisicing elit, sed do eiusmod tempor incididunt
ut labore et Lorem ipsum dolor sit amet consectetur
        adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. dolore
magna aliqua. Lorem ipsum dolor sit amet consectetur adipisicing elit, sed do eiusmod tempor incididunt ut
labore et Lorem ipsum dolor sit amet consectetur
        adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. dolore
magna aliqua.
    </div>
    <!-- end table-content -->
    <div class="clear"></div>
</div>
<!-- end content-table-inner .....END -->
</td>
<td id="tbl-border-right"></td>
</tr>
<tr>
<th class="sized bottomleft"></th>
<td id="tbl-border-bottom">&nbsp;</td>
<th class="sized bottomright"></th>
</tr>
</table>
<div class="clear">&nbsp;</div>
</div>
<!-- end content -->
<div class="clear">&nbsp;</div>
</div>
<!-- end content-outer.....END -->
<div class="clear">&nbsp;</div>
<!-- start footer -->
<div id="footer">
    <!-- <div id="footer-pad">&nbsp;</div> -->
    <!-- start footer-left -->
    <div id="footer-left">
        Admin Skin &copy; Copyright Internet Dreams Ltd. <a href="">www.netdreams.co.uk</a>. All rights
reserved.</div>
    <!-- end footer-left -->
    <div class="clear">&nbsp;</div>
</div>
<!-- end footer -->
</body>
</html>

```

51. User Manage

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<?php
include_once 'controller/userCtrl.php';
include 'header.php';
?>
<script type="text/javascript">
$(document).ready(function(){
    $('#message-red').hide();
    $('#message-yellow').hide();
    $('#message-blue').hide();
    $('#message-green').hide();
});

```



```

</script>
<!-- start content-outer .....START -->
<div id="content-outer">
  <!-- start content -->
  <div id="content">
    <!-- start page-heading -->
    <div id="page-heading">
      <h1>User Management</h1>
    </div>
    <!-- end page-heading -->
    <table border="0" width="100%" cellpadding="0" cellspacing="0" id="content-table">
      <tr>
        <th rowspan="3" class="sized"></th>
        <th class="topleft"></th>
        <td id="tbl-border-top">&nbsp;</td>
        <th class="topright"></th>
        <th rowspan="3" class="sized"></th>
      </tr>
      <tr>
        <td id="tbl-border-left"></td>
        <td>
          <!-- start content-table-inner ..... START -->
          <div id="content-table-inner">
            <!-- start table-content -->
            <div id="table-content">
              <!-- start message-yellow -->
              <div id="message-yellow">
                <table border="0" width="100%" cellpadding="0" cellspacing="0">
                  <tr>
                    <td class="yellow-left">You have a new message. <a href="">Go to Inbox.</a></td>
                    <td class="yellow-right"><a class="close-yellow"></a></td>
                  </tr>
                </table>
              </div>
              <!-- end message-yellow -->
              <!-- start message-red -->
              <div id="message-red">
                <table border="0" width="100%" cellpadding="0" cellspacing="0">
                  <tr>
                    <td class="red-left">Error. <a href="">Please try again.</a></td>
                    <td class="red-right"><a class="close-red"></a></td>
                  </tr>
                </table>
              </div>
              <!-- end message-red -->
              <!-- start message-blue -->
              <div id="message-blue">
                <table border="0" width="100%" cellpadding="0" cellspacing="0">
                  <tr>
                    <td class="blue-left">Welcome back. <a href="">View my account.</a> </td>
                    <td class="blue-right"><a class="close-blue"></a></td>
                  </tr>
                </table>
              </div>
              <!-- end message-blue -->
              <!-- start message-green -->
              <div id="message-green">
                <table border="0" width="100%" cellpadding="0" cellspacing="0">
                  <tr>
                    <td class="green-left">Product added sucessfully. <a href="">Add new one.</a></td>
                    <td class="green-right"><a class="close-green"></a></td>
                  </tr>
                </table>
              </div>
            </div>
          </div>
        </td>
      </tr>
    </table>
  </div>

```

```

</div>
<!-- end message-green -->
<!-- start product-table ..... -->
<form id="mainform" action="">
  <table border="0" width="100%" cellpadding="0" cellspacing="0" id="product-table">
    <tr>
      <th class="table-header-repeat line-left minwidth-1"><a href="">Nama User</a>
    </th>
    <th class="table-header-repeat line-left"><a href="">Username</a></th>
    <th class="table-header-repeat line-left minwidth-1"><a href="">Alamat</a></th>
    <th class="table-header-repeat line-left"><a href="">Email</a></th>
    <th class="table-header-repeat line-left"><a href="">Role</a></th>
    <th class="table-header-repeat line-left"><a href="">Tanggal Lahir</a></th>
    <th class="table-header-repeat line-left"><a href="">Tools</a></th>
  </tr>
  <?php
  $controller = new userCtrl();
  $allProduk = $controller->getAllUser();
  foreach ($allProduk as $value) {
    echo '<tr>';
    echo '<td>'. $value->getNaMauser() . '</td>' . '<td>' . $value->getUserName() . '</td>' .
    '<td>' . $value->getALamaT() . '</td>' . '<td>' . $value->getEmail() . '</td>' . '<td>' . $value->getRole() . '</td>' .
    '<td>' . date('d-M-Y', strtotime($value->getTgLlAhIr())) . '</td>' .
    '<td><a href="addUser.php?idUser=' . $value->getIdUser() . '" title="Edit" class="icon-
1 info-tooltip"></a><a href="deleteUser.php?idUser=' . $value->getIdUser() . '" title="Delete" class="icon-2
info-tooltip"></a></td>';
    echo '</tr>';
  }
  ?>
  </table>
  <!-- end product-table..... -->
</form>
</div>
<!-- end content-table -->
<div class="clear"></div>
</div>
<!-- end content-table-inner .....END -->
</td>
<td id="tbl-border-right"></td>
</tr>
<tr>
  <th class="sized bottomleft"></th>
  <td id="tbl-border-bottom">&nbsp;</td>
  <th class="sized bottomright"></th>
</tr>
</table>
<div class="clear">&nbsp;</div>
</div>
<!-- end content -->
<div class="clear">&nbsp;</div>
</div>
<!-- end content-outer.....END -->
<?php
include 'footer.php';
?>

```

52. Category Control

```

<?php
include './controller/config.php';
include_once './model/vis_CategoryModel.class.php';
class categoryCtrl {
  public $model;
  public $config;
  public function __construct() {
    $this->model = new vis_CategoryModel();
    $this->config = new config();
  }
  public function getAllCategory() {
    global $model;

```

```

$query = "SELECT * FROM category";
return vis_CategoryModel::findBySql($this->config->getPdo(), $query);
}
public function addCategory($nama) {
    $cat = new vis_CategoryModel();
    $cat->setNama($nama);
    $insertIntoDatabase = $cat->insertIntoDatabase($this->config->getPdo());
    return $insertIntoDatabase;
}
public function deleteCategory($nama) {
    $cat = new vis_CategoryModel();
    $cat->setNama($nama);
    $deleteFromDatabase = $cat->deleteFromDatabase($this->config->getPdo());
    return $deleteFromDatabase;
}
}
?>

```

53. Check out Control

```

<?php
include '../controller/config.php';
include_once '../model/vis_CheckoutModel.class.php';
class checkoutCtrl {
    public $model;
    public $config;
    public function __construct() {
        $this->model = new vis_CheckoutModel();
        $this->config = new config();
    }
    public function getAllCategory() {
        global $model;
        $query = "SELECT * FROM checkout";
        return vis_CheckoutModel::findBySql($this->config->getPdo(), $query);
    }
    public function addCategory($idCheckout,$aLamaTShipping, $idUser, $total, $typeshipping) {
        $cat = new vis_CheckoutModel();
        $cat->setIdCheckout($idCheckout);
        $cat->setALamaTShipping($aLamaTShipping);
        $cat->setIdUser($idUser);
        $cat->setTglCheckout(date("Y-m-d"));
        $cat->setTotal($total);
        $cat->setTypeShipping($typeshipping);
        $insertIntoDatabase = $cat->insertIntoDatabase($this->config->getPdo());
        return $insertIntoDatabase;
    }
    public function deleteCategory($idCheckout) {
        $cat = new vis_CheckoutModel();
        $cat->setIdCheckout($idCheckout);
        $deleteFromDatabase = $cat->deleteFromDatabase($this->config->getPdo());
        return $deleteFromDatabase;
    }
}
?>

```

54. Check out detail

```

<?php
include_once '../controller/config.php';
include_once '../model/vis_ShoppingCartDetailsModel.class.php';
class detailsCtrl {
    public $model;
    public $config;
    public function __construct() {
        $this->model = new vis_ShoppingCartDetailsModel();
        $this->config = new config();
    }
    public function getAllCategory() {
        global $model;
        $query = "SELECT * FROM shoppingcartdetails";
        return vis_ShoppingCartDetailsModel::findBySql($this->config->getPdo(), $query);
    }
}

```

```

    }
    public function getDetilsByID($idCheckout) {
        $query = "SELECT * FROM shoppingcartdetails WHERE idCheckout = $idCheckout";
        return vis_ShoppingCartDetailsModel::findBySql($this->config->getPdo(), $query);
    }
    public function addCategory($idCheckout, $idProdUk, $jUmLaH) {
        $scat = new vis_ShoppingCartDetailsModel();
        $scat->setIdCheckout($idCheckout);
        $scat->setIdProdUk($idProdUk);
        $scat->setJUmLaH($jUmLaH);
        $insertIntoDatabase = $scat->insertIntoDatabase($this->config->getPdo());
        return $insertIntoDatabase;
    }
    public function deleteCategory($idCheckoutDetails) {
        $scat = new vis_ShoppingCartDetailsModel();
        $scat->setIdCheckoutDetails($idCheckoutDetails);
        $deleteFromDatabase = $scat->deleteFromDatabase($this->config->getPdo());
        return $deleteFromDatabase;
    }
}
?>

```

55. Config

```

<?php
class config {
    public $pdo;
    public function __construct() {
        $database_name = "project";
        $host_db = "localhost";
        $username_db = "root";
        $password_db = "";
        $dsn = "mysql:dbname=$database_name;host=$host_db";
        $this->pdo = new PDO($dsn, $username_db, $password_db, null);
    }
    public function getPdo() {
        return $this->pdo;
    }
}
?>

```

56. Option produk control

```

<?php
include_once '../controller/config.php';
include_once '../model/vis_OptionProdukModel.class.php';
class optionProdukCtrl {
    public $model;
    public $config;
    public function __construct() {
        $this->model = new vis_OptionProdukModel();
        $this->config = new config();
    }
    public function getAllOptions() {
        $query = "SELECT * FROM option_produk";
        return vis_OptionProdukModel::findBySql($this->config->getPdo(), $query);
    }
    public function getOptionsByID($id_option) {
        $query = "SELECT * FROM option_produk where option_id = $id_option";
        return vis_OptionProdukModel::findBySql($this->config->getPdo(), $query);
    }
    public function getAllOptionsByPRoduk($idPRoduk) {
        $query = "SELECT * FROM option_produk where produk_id = $idPRoduk";
        return vis_OptionProdukModel::findBySql($this->config->getPdo(), $query);
    }
    public function addOptionProduk($hargaAdded,$imgLink,$produkID,$Warna) {
        $option = new vis_OptionProdukModel();
        $option->setHargaAdded($hargaAdded);
        $option->setImgLink($imgLink);
    }
}

```

```

        $option->setProdukId($produkID);
        $option->setWarna($Warna);
        $insertIntoDatabase = $option->insertIntoDatabase($this->config->getPdo());
        return $insertIntoDatabase;
    }
    public function deleteOption($idOption) {
        $option = new vis_OptionProdukModel();
        $option->setOptionId($idOption);
        $deleteFromDatabase = $option->deleteFromDatabase($this->config->getPdo());
        return $deleteFromDatabase;
    }
}
?>

```

57. Produk Control

```

<?php
include_once '../controller/config.php';
include_once '../model/vis_ProdUkModel.class.php';
class produkCtrl {
    public $model;
    public $config;
    public function __construct() {
        $this->model = new vis_ProdUkModel();
        $this->config = new config();
    }
    public function getAllProduk() {
        global $model;
        $query = "SELECT * FROM produk";
        return vis_ProdUkModel::findBySql($this->config->getPdo(), $query);
    }
    public function addProduk($namaProduk, $harga, $kategori, $sukuran, $keterangan, $simlink) {
        $prod = new vis_ProdUkModel();
        $prod->setNamAProdUk($namaProduk);
        $prod->setCategory($kategori);
        $prod->setHaRGa($harga);
        $prod->setImageLink($simlink);
        $prod->setUkURan($sukuran);
        $prod->setKeTeraNGan($keterangan);
        $insertIntoDatabase = $prod->insertIntoDatabase($this->config->getPdo());
        return $insertIntoDatabase;
    }
    public function findProdukById($idProd) {
        return vis_ProdUkModel::findById($this->config->pdo, $idProd);
    }
    public function updateProduk($idProd, $namaProduk, $harga, $kategori, $sukuran, $keterangan, $simlink) {
        $prod = new vis_ProdUkModel();
        $prod->setIdProdUk($idProd);
        $prod->setNamAProdUk($namaProduk);
        $prod->setCategory($kategori);
        $prod->setHaRGa($harga);
        $prod->setImageLink($simlink);
        $prod->setUkURan($sukuran);
        $prod->setKeTeraNGan($keterangan);
        return $prod->updateToDatabase($this->config->pdo);
    }
    public function deleteProduk($idProd) {
        $prod = new vis_ProdUkModel();
        $prod->setIdProdUk($idProd);
        return $prod->deleteFromDatabase($this->config->pdo);
    }
}
?>

```

58. Shopping Cart

```

<?php
include_once 'controller/config.php';
include_once 'model/vis_ShoppingCartModel.class.php';
class shoppingCtrl {

```

```

public $model;
public $config;
public function __construct() {
    $this->model = new vis_ShoppingCartModel();
    $this->config = new config();
}
public function getAllProduk() {
    global $model;
    $query = "SELECT * FROM shoppingcart";
    return vis_ShoppingCartModel::findBySql($this->config->getPdo(), $query);
}
public function addProduk($idUser, $idProdUk, $jUmLaH) {
    $prod = new vis_ShoppingCartModel();
    $prod->setIdUser($idUser);
    $prod->setIdProdUk($idProdUk);
    $prod->setJUmLaH($jUmLaH);
    $prod->setTglPeSan(date('Y-m-d'));
    $insertIntoDatabase = $prod->insertIntoDatabase($this->config->getPdo());
    return $insertIntoDatabase;
}
public function findProdukById($idProd) {
    return vis_ShoppingCartModel::findById($this->config->pdo, $idProd);
}
public function updateProduk($idShoppingCart, $idUser, $idProdUk, $jUmLaH) {
    $prod = new vis_ShoppingCartModel();
    $prod->setIdShoppingCart($idShoppingCart);
    $prod->setIdUser($idUser);
    $prod->setIdProdUk($idProdUk);
    $prod->setJUmLaH($jUmLaH);
    $prod->setTglPeSan(date('Y-m-d'));
    return $prod->updateToDatabase($this->config->pdo);
}
public function updateJumlah($idShoppingCart, $jumlah) {
    $prod = new vis_ShoppingCartModel();
    $prod = $this->findProdukById($idShoppingCart);
    $prod->setJUmLaH($jumlah);
    $prod->setTglPeSan(mktime());
    return $prod->updateToDatabase($this->config->pdo);
}
public function deleteProduk($idProd) {
    $prod = new vis_ShoppingCartModel();
    $prod = $this->findProdukById($idProd);
    return $prod->deleteFromDatabase($this->config->pdo);
}
}
?>

```

59. User control

```

<?php
include_once './controller/config.php';
include_once './model/vis_UserModel.class.php';
class userCtrl {
    public $model;
    public $config;
    public function __construct() {
        $this->model = new vis_UserModel();
        $this->config = new config();
    }
    public function getAllUser() {
        global $model;
        $query = "SELECT * FROM user";
        return vis_UserModel::findBySql($this->config->getPdo(), $query);
    }
    public function AddUser($naMauser, $aLamaT, $email, $password, $role, $tglLlAhIr, $userName) {
        $prod = new vis_UserModel();
        $prod->setNaMauser($naMauser);
        $prod->setALamaT($aLamaT);
        $prod->setEmail($email);
        $prod->setPassword($password);
    }
}

```

```

$prod->setRole($role);
$prod->setTgLLIAhIr($tgLLIAhIr);
$prod->setUserName($userName);
$insertIntoDatabase = $prod->insertIntoDatabase($this->config->getPdo());
return $insertIntoDatabase;
}
public function findUserById($idProd) {
    return vis_UserModel::findById($this->config->pdo, $idProd);
}
public function updateUser($idUser, $naMauser, $aLamaT, $email, $password, $role, $tgLLIAhIr, $userName)
{
    $prod = new vis_UserModel();
    $prod->setIdUser($idUser);
    $prod->setNaMauser($naMauser);
    $prod->setALamaT($aLamaT);
    $prod->setEmail($email);
    $prod->setPassword($password);
    $prod->setRole($role);
    $prod->setTgLLIAhIr($tgLLIAhIr);
    $prod->setUserName($userName);
    return $prod->updateToDatabase($this->config->pdo);
}
public function deleteUser($idUser) {
    $prod = new vis_UserModel();
    $prod = $this->findUserById($idUser);
    return $prod->deleteFromDatabase($this->config->pdo);
}
public function login($username,$password) {
    $user = new vis_UserModel();
    $sql = "SELECT * FROM User WHERE username='$username' AND password='$password'";
    $findBySql = $user->findBySql($this->config->pdo, $sql);
    return $findBySql;
}
}
?>

```

60. Ajax file upload

```

html, body
{
    margin: 0;
    padding: 0;
}
body
{
    font: 12px/1.3em Arial, Helvetica, sans-serif;
    color: #000;
    background-color: #fff;
}
h1, h2, h3, h4, h5
{
    margin: 0 0 1em;
    color: #F2683E;
}
h1
{
    font-size: 18px;
    font-weight: normal;
}
p{margin: 0 0 1em;}
a,
a:link,
a:visited{color: #F2683E;}
a:hover,
a:active{ }
a img{border: none;}
form{margin: 0;}
fieldset{padding: 0;}
hr
{

```

```

height: 1px;
border: none;
color: #999;
background-color: #999;
}
/* ~~~ === POSITIONG SELECTORS ===== ~~~ */
#wrapper
{
position: relative;
width: 773px;
height: 474px;
}
#content
{
float: left;
display: inline;
width: 541px;
height: 341px;
margin: 30px 0 0 8px;
padding: 22px;
}

```

61. Data Picker

```

table.jCalendar {
background: #fff;
border-collapse: collapse;
}
table.jCalendar th {
background: url(../images/shared/cal_th_repeat.jpg) repeat-x;
color: #fff;
font-weight: bold;
padding: 8px 8px;
}
table.jCalendar td {
color: #777777;
font-size: 11px;
font-weight: bold;
padding: 9px 9px;
text-align: center;
}
table.jCalendar td.other-month {
background: #ddd;
color: #aaa;
font-weight: bold;
}
table.jCalendar td.today {
background: #666;
color: #fff;
font-weight: bold;
}
table.jCalendar td.selected {
background: #94b52c;
color: #fff;
font-weight: bold;
}
table.jCalendar td.selected.dp-hover {
background: #94b52c;
color: #fff;
font-weight: bold;
}
table.jCalendar td.dp-hover,
table.jCalendar tr.activeWeekHover td {
background: #94b52c;
color: #fff;
font-weight: bold;
}
table.jCalendar tr.selectedWeek td {
background: #f66;
color: #fff;
}

```



```

        font-weight: bold;
    }
    table.jCalendar td.disabled, table.jCalendar td.disabled.dp-hover    {
        background: #bbb;
        color: #888;
        font-weight: bold;
    }
    table.jCalendar td.unselectable,
    table.jCalendar td.unselectable:hover,
    table.jCalendar td.unselectable.dp-hover    {
        background: #bbb;
        color: #888;
    }
    /* For the popup */
    /* NOTE - you will probably want to style a.dp-choose-date - see how I did it in demo.css */
    div.dp-popup    {
        background: url(../images/shared/cal_top_repeat.jpg) repeat-x;
        border: 1px solid #c7c7c7;
        font-family: arial, sans-serif;
        font-size: 10px;
        line-height: 1.2em;
        position: relative;
    }
    div#dp-popup    {
        position: absolute;
        z-index: 199;
    }
    div.dp-popup h2    {
        color: #fff;
        font-size: 12px;
        font-weight: bold;
        margin: 5px 0;
        padding: 0;
        text-align: center;
    }
    a#dp-close    {
        display: block;
        font-size: 11px;
        padding: 4px 0;
        text-align: center;
    }
    a#dp-close:hover    {
        text-decoration: underline;
    }
    div.dp-popup a    {
        color: #000;
        padding: 3px 2px 0;
        text-decoration: none;
    }
    div.dp-popup div.dp-nav-prev    {
        background: url(../images/shared/year_prev.gif) no-repeat 0 6px;
        left: 20px;
        position: absolute;
        text-indent: -3000px;
        top: 6px;
        width: 100px;
    }
    div.dp-popup div.dp-nav-prev a    {
        float: left;
    }
    /* Opera needs the rules to be this specific otherwise it doesn't change the cursor back to pointer after you have
    disabled and re-enabled a link */
    div.dp-popup div.dp-nav-prev a, div.dp-popup div.dp-nav-next a    {
        color: #fff;
        cursor: pointer;
    }
    div.dp-popup div.dp-nav-prev a.disabled, div.dp-popup div.dp-nav-next a.disabled    {
        cursor: default;
    }

```

```

div.dp-popup div.dp-nav-next {
  background: url(../images/shared/year_next.gif) no-repeat 6px 6px;
  position: absolute;
  right: 20px;
  text-indent: -3000px;
  top: 6px;
  width: 10px;
}
div.dp-popup div.dp-nav-next a {
  float: right;
}
div.dp-popup a.disabled {
  color: #aaa;
  cursor: default;
}
div.dp-popup td {
  cursor: pointer;
}
div.dp-popup td.disabled {
  cursor: default;
}
.dp-nav-next-year ,
.dp-nav-prev-year {
  display: none;
}

```

62. Pro drop line

```

/* =====
This copyright notice must be untouched at all times.
The original version of this stylesheet and the associated (x)html
is available at http://www.cssplay.co.uk/menu s/pro_dropline.html
Copyright (c) 2005-2007 Stu Nicholls. All rights reserved.
This stylesheet and the associated (x)html may be modified in any
way to fit your requirements.
===== */
.nav {
  background: #4f4f4f url(../images/shared/nav/pro_line_0.gif) repeat-x;
  font-family:Tahoma;
  font-size: 14px;
  height: 29px;
  position: relative;
  margin: 0 auto;
  min-width: 780px;
  max-width: 1260px;
  z-index: 500;
}
.nav .table {
  display: table;
}
.nav .select,
.nav .current {
  display: table-cell;
  list-style: none;
  margin: 0;
  padding: 0;
  white-space: nowrap;
}
.nav li {
  float: left;
  height: auto;
  margin: 0;
  padding: 0;
}
.nav .select a {
  background: url(../images/shared/nav/pro_line_0.gif);
  color: #fff;
  display: block;
  float: left;
  height: 29px;

```

```

    line-height: 29px;
    padding: 0 30px 0 30px;
    text-decoration: none;
    white-space: nowrap;
}
.nav .current a {
    background: url(../images/shared/nav/pro_line_1.gif);
    color: #fff;
    display: block;
    float: left;
    height: 29px;
    line-height: 29px;
    padding: 0 0 0 15px;
    text-decoration: none;
    white-space: nowrap;
}
.nav .current a b {
    background: url(../images/shared/nav/pro_line_1.gif) right top;
    display: block;
    padding: 0 30px 0 15px;
}
.nav .select a:hover,
.nav .select li:hover a {
    background: url(../images/shared/nav/pro_line_1.gif);
    color: #fff;
    cursor: pointer;
    padding: 0 0 0 15px;
}
.nav .select a:hover b,
.nav .select li:hover a b {
    background: url(../images/shared/nav/pro_line_1.gif) right top;
    cursor: pointer;
    display: block;
    float: left;
    padding: 0 30px 0 15px;
}
.nav .select_sub {
    display: none;
}
/* IE6 only */
.nav table {
    border-collapse: collapse;
    font-size: 1em;
    height: 0;
    margin: -1px;
    width: 0;
}
.nav .sub {
    display: table;
    list-style: none;
    /* margin: 0 auto; */
    padding: 0;
}
.nav .sub_active .current_sub a,
.nav .sub_active a:hover {
    background: transparent;
    color: #f00;
}
.nav .select :hover .select_sub,
.nav .current .show {
    background: url(../images/shared/nav/back_0.gif);
    display: block;
    left: 0;
    padding: 0;
    position: absolute;
    text-align: left;
    top: 29px;
    width: 750px;
    z-index: 100;
}

```

```

    }
    .nav .current .show {
        z-index: 10;
    }
    .nav .select :hover .sub li a,
    .nav .current .show .sub li a {
        background: transparent;
        border: 0;
        color: #444;
        display: block;
        float: left;
        margin: 0;
        padding: 0 10px 0 10px;
        white-space: nowrap;
    }
    .nav .current .sub li.sub_show a {
        background: url(../images/shared/nav/menus/back_1.gif);
        color: #088;
        cursor: default;
    }
    .nav .select :hover .sub li a: hover,
    .nav .current .sub li a: hover {
        background: url(../images/shared/nav/menus/back_1.gif);
        color: #088;
        visibility: visible;
    }
}

```

63. Pro drop line ie

```

.nav ul {display:inline-block;}
.nav ul {display:inline;}
.nav ul li {float:left;}
.nav {text-align:center;}
.nav .select a: hover b,
.nav .select li: hover a b {float:none;}

```

64. Screen

```

* {
    margin: 0;
    padding: 0;
}
html, body {
    height: 100%;
}
body {
    background: #fff;
    color: #393939;
    font-family: Arial;
    font-size: 0px;
    line-height: 0;
}
#page-top-outer {
    background: url(../images/shared/top_bg.jpg) top center repeat-x;
    border-bottom: 1px solid #7e7e7e;
    height: 92px;
}
#page-top {
    margin: 0 auto;
    max-width: 1260px;
    min-width: 850px;
    position: relative;
}
#logo {
    float: left;
    margin: 45px 0 0 15px;
}
#logo a {
    display: block;
}
#top-search {
    display: inline;
}

```

```

float: right;
position: relative;
margin: 46px 20px 0 0;
z-index: 20;
}
.top-search-inp {
background: url(../images/shared/top_search_inp.gif) no-repeat;
border: none;
color: #fff;
font-size: 12px;
height: 23px;
padding: 6px 6px 0 10px;
width: 164px;
}
#content-outer {
background: url(../images/shared/content_repeat.jpg) repeat-x;
}
#content {
color: #333;
font-family: Arial, Helvetica, sans-serif;
font-size: 12px;
line-height: 18px;
margin: 0 auto 0 auto;
max-width: 1260px;
min-width: 780px;
padding: 35px 0px 30px 0px;
}
#content-inner {
color: #333;
font-family: Arial, Helvetica, sans-serif;
font-size: 12px;
line-height: 18px;
margin: 0 auto 0px auto;
padding: 25px 0 30px 0;
}
#content-table {
font-size: 0px;
line-height: 0px;
}
#content-table th.sized {
height: 15px;
width: 15px;
padding: 0;
margin: 0;
font-size: 0px;
line-height: 0px;
}
#content-table-inner {
font-size: 12px;
line-height: 12px;
padding: 10px 0 20px 0;
}
#tbl-border-top {
background: url(../images/shared/border_bit.jpg) top repeat-x;
line-height: 0;font-size: 0px;
height: 15px;
}
#tbl-border-bottom {
background: url(../images/shared/border_bit.jpg) bottom repeat-x;
line-height: 0;font-size: 0px;
height: 15px;
}
#tbl-border-left {
background: url(../images/shared/border_bit.jpg) left repeat-y;
}
#tbl-border-right {
background: url(../images/shared/border_bit.jpg) right repeat-y;
}
#table-content {

```

```

    line-height: 16px;
    margin: 0 10px 10px 10px;
    min-height: 300px;
}
.topleft {
    background: url(../images/shared/corner_top_left.jpg) no-repeat;
    width: 15px;
    height: 15px;
}
}
.topright {
    background: url(../images/shared/corner_top_right.jpg) no-repeat;
    width: 15px;
    height: 15px;
}
}
.bottomleft {
    background: url(../images/shared/corner_bottom_left.jpg) no-repeat;
    width: 15px;
    height: 15px;
}
}
.bottomright {
    background: url(../images/shared/corner_bottom_right.jpg) no-repeat;
    width: 15px;
    height: 15px;
}
}
#page-heading {
    margin: 0 0 15px 20px;
}
}
h1 {
    color: #4b4b4b;
    font-family: Tahoma;
    font-size: 22px;
    line-height: 24px;
    font-weight: normal;
}
}
h2 {
    color: #393939;
    font-size: 16px;
    font-weight: bold;
    line-height: 20px;
    margin-bottom: 10px;
}
}
h3 {
    color: #92b22c;
    font-size: 14px;
    font-weight: bold;
    line-height: 18px;
    margin-bottom: 10px;
}
}
/* MESSAGES ----- */
#message-yellow {
    margin-bottom: 5px;
}
}
.yellow-left {
    background: url(../images/table/message_yellow.gif) top left no-repeat;
    color: #e79300;
    font-family: Tahoma;
    font-weight: bold;
    padding: 0 0 0 20px;
}
}
.yellow-left a {
    color: #e79300;
    font-family: Tahoma;
    font-weight: normal;
    text-decoration: underline;
}
}
.yellow-right a {
    cursor: pointer;
}
}

```

```

.yellow-right      {
  width: 55px;
}
#message-blue     {
  margin-bottom: 5px;
}
.blue-left {
  background: url(../images/table/message_blue.gif) top left no-repeat;
  color: #2e74b2;
  font-family: Tahoma;
  font-weight: bold;
  padding: 0 0 0 20px;
}
.blue-left a {
  color: #2e74b2;
  font-family: Tahoma;
  font-weight: normal;
  text-decoration: underline;
}
.blue-right a {
  cursor: pointer;
}
.blue-right {
  width: 55px;
}
#message-red      {
  margin-bottom: 5px;
}
.red-left {
  background: url(../images/table/message_red.gif) top left no-repeat;
  color: #ce2700;
  font-family: Tahoma;
  font-weight: bold;
  padding: 0 0 0 20px;
}
.red-left a {
  color: #ce2700;
  font-family: Tahoma;
  font-weight: normal;
  text-decoration: underline;
}
.red-right a {
  cursor: pointer;
}
.red-right {
  width: 55px;
}
#message-green    {
  margin-bottom: 5px;
}
.green-left {
  background: url(../images/table/message_green.gif) top left no-repeat;
  color: #6da827;
  font-family: Tahoma;
  font-weight: bold;
  line-height: 12px;
  padding: 0 0 0 20px;
}
.green-left a {
  color: #6da827;
  font-family: Tahoma;
  font-weight: normal;
  text-decoration: underline;
}
.green-right a {
  cursor: pointer;
}
.green-right {
  width: 55px;
}

```

```

}
a.icon-1 {
  background: url(../images/table/table_icon_1.gif) no-repeat;
  display: block;
  float: left;
  height: 24px;
  margin: 0 8px 0 0;
  width: 24px;
}
a:hover.icon-1 {
  background: url(../images/table/table_icon_1.gif) 0 -24px;
}
a.icon-2 {
  background: url(../images/table/table_icon_2.gif) no-repeat;
  display: block;
  float: left;
  height: 24px;
  margin: 0 8px 0 0;
  width: 24px;
}
a:hover.icon-2 {
  background: url(../images/table/table_icon_2.gif) 0 -24px;
}
a.icon-3 {
  background: url(../images/table/table_icon_3.gif) no-repeat;
  display: block;
  float: left;
  height: 24px;
  margin: 0 8px 0 0;
  width: 24px;
}
a:hover.icon-3 {
  background: url(../images/table/table_icon_3.gif) 0 -24px;
}
a.icon-4 {
  background: url(../images/table/table_icon_4.gif) no-repeat;
  display: block;
  float: left;
  height: 24px;
  margin: 0 8px 0 0;
  width: 24px;
}
a:hover.icon-4 {
  background: url(../images/table/table_icon_4.gif) 0 -24px;
}
a.icon-5 {
  background: url(../images/table/table_icon_5.gif) no-repeat;
  display: block;
  float: left;
  height: 24px;
  width: 24px;
}
a:hover.icon-5 {
  background: url(../images/table/table_icon_5.gif) 0 -24px;
}
#tooltip {
  background-color: #8c8c8c;
  border: 1px solid #767676;
  color: #fff;
  font-family: Arial;
  font-size: 10px;
  font-weight: normal;
  opacity: 0.85;
  padding: 0 5px;
  position: absolute;
  text-align: left;
  z-index: 3000;
}
#tooltip h6, #tooltip div {

```



```

font-family: Arial;
font-size: 11px;
line-height: 20px;
margin: 0;
}
#product-table {
margin-bottom: 20px;
}
#product-table td a {
color: #393939;
}
#product-table td a:hover {
text-decoration: underline;
}
#product-table th {
height: 50px;
text-align: left;
}
#product-table .minwidth-1 {
min-width: 110px;
}
#product-table td {
border: 1px solid #d2d2d2;
padding: 10px 0 10px 10px;
}
#product-table tr.alternate-row {
background: #ecec;
}
td.options-width {
padding: 0 0 0 10px;
width: 210px;
}
td.checkbox-width {
}
.table-header-check {
background: url(../images/table/table_header_checkbox.jpg) no-repeat;
border: none;
min-width: 29px;
padding: 0px 0 0 10px;
width: 29px;
}
.table-header-options {
background: url(../images/table/table_header_options.jpg) no-repeat;
border: none;
min-width: 221px;
padding: 0px 0 0 0;
width: 221px;
}
.table-header-repeat {
background: url(../images/table/table_header_repeat.jpg) repeat-x;
border: none;
font-size: 0px;
line-height: 0;
padding: 0px 0 0 0;
}
.table-header-options a,
.table-header-repeat a {
background: url(../images/table/table_sort_arrow.gif) right no-repeat;
color: #fff;
font-family: Tahoma;
font-size: 13px;
font-weight: bold;
line-height: 14px;
margin: 0 0 0 10px;
padding: 0 10px 0 0;
}
.table-header-options a:hover,
.table-header-repeat a:hover {
color: #94b52c
}

```

```

}
th.line-left {
  border-left: 1px solid #373737;
}
#product-table tr.activity-blue {
  background: #e3eceb;
}
#toggle-all {
  display: block;
  width: 17px;
  height: 17px;
  cursor: pointer;
  background: url(../images/shared/checkbox.gif) 0 -17px;
}
#toggle-all.toggle-checked {
  display: block;
  width: 17px;
  height: 17px;
  background: url(../images/shared/checkbox.gif) 0 0;
}
/* RELATED ACTIVIES BOX */
#related-activities {
  float: right;
  font-size: 0px;
  line-height: 0;
  width: 271px;
}
#related-act-top {
  font-size: 0px;
  line-height: 0;
}
#related-act-bottom {
  background: url(../images/forms/bg_related_act.gif) no-repeat bottom;
  font-size: 0px;
  line-height: 0;
}
#related-act-inner {
  font-size: 11px;
  line-height: 16px;
  margin: 0 auto 0px auto;
  padding: 10px 0 20px 0;
  width: 225px;
}
#related-act-inner .left {
  float: left;
  width: 30px;
}
#related-act-inner .right {
  float: left;
  width: 195px;
  padding: 2px 0 0 0;
}
#related-act-inner .right h5 {
  color: #393939;
  font-size: 12px;
}
ul.greyarrow {
  list-style-type: none;
}
ul.greyarrow li {
  background: url(../images/forms/icon_list_arrow.gif) no-repeat 0 5px;
  line-height: 18px;
  padding: 0 0 0 12px;
}
ul.greyarrow li a {
  color: #92b22c;
  font-weight: bold;
}
ul.greyarrow li a:hover {
  text-decoration: underline;
}

```

```

}
.lines-dotted-short {
    background: url(../images/forms/lines_dotted_short.gif) no-repeat 0px 14px;
    font-size: 0px;
    height: 28px;
    line-height: 0;
}
/* PAGING ----- */
#paging-table {
    float: right;
    margin: 0 4px 0 0;
}
.page-far-left {
    background: url(../images/table/paging_far_left.gif) no-repeat;
    display: block;
    float: left;
    height: 24px;
    margin: 0 4px 0 0;
    width: 24px;
}
.page-left {
    background: url(../images/table/paging_far_left.gif) no-repeat;
    display: block;
    float: left;
    height: 24px;
    width: 24px;
}
.page-far-right {
    background: url(../images/table/paging_far_right.gif) no-repeat;
    display: block;
    float: left;
    height: 24px;
    margin: 0 4px 0 4px;
    width: 24px;
}
.page-right {
    background: url(../images/table/paging_far_right.gif) no-repeat;
    display: block;
    float: left;
    height: 24px;
    width: 24px;
}
#page-info {
    float: left;
    line-height: 16px;
    padding: 3px 12px 0 12px;
}
/* ACTIONS BOX ----- */
#actions-box {
    float: left;
    margin: 0 0 0 10px;
    position: relative;
}
a.action-slider {
    background: url(../images/table/dropdown_actions.gif) no-repeat;
    display: block;
    height: 30px;
    width: 110px;
}
a.action-slider.activated {
    background: url(../images/table/dropdown_actions.gif) no-repeat 0 -30px;
    display: block;
    height: 30px;
    width: 110px;
}
#actions-box-slider {
    background: url(../images/table/actions_slider_bg.gif) bottom no-repeat;
    display: none;
    left: 0;

```

```

padding-bottom: 1px;
padding-top: 10px;
position: absolute;
top: 24px;
width: 110px;
}
#actions-box-slider-inner {
font-size: 0px;
line-height: 0;
margin: 0 auto;
width: 108px;
}
a.action-edit ,
a.action-delete {
color: #272727;
display: block;
font-weight: bold;
height: 20px;
margin: 0 auto;
padding: 10px 0 5px 45px;
width: 63px;
}
a:hover.action-edit {
background: #949494 url(..images/table/action_edit.gif) no-repeat 14px 5px;
color: #fff;
}
a.action-edit{
background: #c7c7c7 url(..images/table/action_edit.gif) no-repeat 14px 5px;
}
a.action-delete {
background: #c7c7c7 url(..images/table/action_delete.gif) no-repeat 14px 5px;
}
a:hover.action-delete {
background: #949494 url(..images/table/action_delete.gif) no-repeat 14px 5px;
color: #fff;
}
/* FORM ----- */
.form-submit {
background: url(..images/forms/form_submit.gif) no-repeat;
border: none;
cursor: pointer;
display: block;
float: left;
height: 30px;
margin: 0 4px 0 0;
padding: 0;
text-indent: -3000px;
width: 80px;
}
.form-reset {
background: url(..images/forms/form_reset.gif) no-repeat;
border: none;
cursor: pointer;
display: block;
float: left;
height: 30px;
text-indent: -3000px;
width: 80px;
}
#id-form {
}
.inp-form {
background: url(..images/forms/form_inp.gif) no-repeat;
border: none;
color: #393939;
height: 25px;

padding: 6px 6px 0 6px;
width: 186px;
}

```

```

}
.inp-form-error {
  background: url(../images/forms/form_inp_error.gif) no-repeat;
  border: none;
  color: #393939;
  height: 25px;
  padding: 6px 6px 0 6px;
  width: 187px;
}
.inp-form.error {
  background: url(../images/forms/form_inp_error.gif) no-repeat;
  border: none;
  color: #393939;
  height: 25px;
  padding: 6px 6px 0 6px;
  width: 187px;
}
.label.error {
  color: #393939;
  font-weight: bold;
}
}
.form-textarea {
  background: url(../images/forms/form_textarea.gif) no-repeat;
  border: none;
  color: #393939;
  font-family: Arial, Helvetica, sans-serif;
  font-size: 12px;
  height: 97px;
  overflow: auto;
  padding: 6px 6px 0 6px;
  width: 378px;
}
}
#id-form td {
  padding: 0 0 10px 0;
}
}
#id-form td.noheight {
  padding: 0 0 0px 0;
}
}
#id-form th {
  line-height: 28px;
  min-width: 130px;
  padding: 0 0 10px 0;
  text-align: left;
  width: 130px;
}
}
.styledselect-day ,
.styledselect-month ,
.styledselect-year {
  border: 1px solid #acacac;
  margin-right: 3px;
  padding: 3px;
  width: 64px;
}
}
#step-holder {
  font-family: Tahoma;
  height: 39px;
  margin-bottom: 20px;
}
}
.step-no {
  float: left;
  height: 29px;
  width: 18px;
  font-size: 18px;
  line-height: 18px;
  padding: 10px 0 0 0;
  text-align: center;
}
}
.step-no-off {
  float: left;
}

```

```

height:29px;
width:18px;
font-size: 18px;
line-height: 18px;
padding:10px 0 0 0;
text-align: center;
color:#cbcbcb;
}
.step-dark-left {
float:left;
background: url(../images/forms/step_dark_left.gif) no-repeat;
height:27px;
padding:13px 15px 0 25px;
font-size: 13px;
color:#fff;
font-weight: bold;
}
.step-dark-left a{
font-size: 13px;
color:#fff;
font-weight: bold;
}
.step-dark-right {
float:left;
width:12px;
background: url(../images/forms/step_dark_right.gif) no-repeat;
height:39px;
}
.step-dark-round {
float:left;
width:8px;
height:39px;
background: url(../images/forms/step_dark_round.gif) no-repeat;
}
.step-light-left {
float:left;
height:27px;
padding:13px 15px 0 25px;
font-size: 13px;
background: url(../images/forms/step_light_left.gif) no-repeat;
height:39px;
color:#cbcbcb;
font-weight: bold;
}
.step-light-left a{
font-size: 13px;
color:#cbcbcb;
font-weight: bold;
}
.step-light-right {
float:left;
width:12px;
background: url(../images/forms/step_light_right.gif) no-repeat;
height:39px;
}
.step-light-round {
float:left;
width:8px;
height:39px;
background: url(../images/forms/step_light_round.gif) no-repeat;
}
.bubble-left {
float:left;
width:10px;
height:29px;
margin-left: 5px;
background: url(../images/forms/bubble_left.gif) no-repeat;
}
.bubble-inner {

```

```

float:left;
padding: 7px 0px 0 2px;
color:#2e74b2;
line-height: 14px;
font-size: 11px;
height:22px;
background: url(../images/forms/bubble_inner.gif) repeat-x;
}
.bubble-right {
float:left;
width:8px;
height:29px;
background: url(../images/forms/bubble_right.gif) right no-repeat;
}
.error-left {
float:left;
width:13px;
height:32px;
margin-left: 5px;
background: url(../images/forms/error_left.gif) no-repeat;
}
.error-inner {
float:left;
padding: 7px 10px 0 4px;
color:#fff;
line-height: 14px;
height:25px;
background: url(../images/forms/error_right.gif) right no-repeat;
}
.file_1 {
border: 1px solid #acacac;
padding: 5px;
}
/* NAVIGATION ----- */
#nav-holder {
margin: 0 auto;
max-width: 1260px;
min-width: 780px;
text-align: left;
}
.nav-outer-repeat {
background: url(../images/shared/nav/repeat.jpg) repeat-x;
height: 77px;
}
.nav-outer {
margin: 0 auto;
max-width: 1260px;
min-width: 850px;
}
#nav-right {
float: right;
position: relative;
width: 225px;
z-index: 0;
}
#nav-right a {
display: block;
float: left;
margin: 0px 0 0 0;
}
.account-content {
background: #454545 url(../images/shared/nav/account_drop_bg.gif) no-repeat bottom;
display: none;
left: 5px;
padding-bottom: 20px;
position: absolute;
top: 30px;
width: 170px;
}

```

```

.account-drop-inner {
    font-size: 0px;
    line-height: 0px;
    margin: 20px auto 0 auto;
    width: 140px;
}
.showhide-account {
    cursor: pointer;
    display: block;
    float: left;
    margin: 10px 5px 0 5px;
}
.account-drop-inner a {
    color: #fff;
    font-size: 12px;
    font-weight: bold;
    line-height: 16px;
    margin: 0 0 0 0;
    padding: 0 0 0 0;
}
.account-drop-inner a:hover {
    color: #94b52c;
}
.acc-line {
    background: url(../images/shared/nav/account_line.gif) no-repeat 0 7px;
    font-size: 0px;
    height: 14px;
    line-height: 0px;
    margin-top: 0px;
    padding: 0;
}
a#logout {
    margin: 10px 0 0 5px;
}
a#acc-settings {
    background: url(../images/shared/nav/icon_acc_settings.gif) no-repeat 0 2px;
    padding: 0 0 0 20px;
}
a#acc-details {
    background: url(../images/shared/nav/icon_acc_personal.gif) no-repeat 0 2px;
    padding: 0 0 0 20px;
}
a#acc-project {
    background: url(../images/shared/nav/icon_acc_projects.gif) no-repeat 0 2px;
    padding: 0 0 0 20px;
}
a#acc-inbox {
    background: url(../images/shared/nav/icon_acc_inbox.gif) no-repeat 0 2px;
    padding: 0 0 0 20px;
}
a#acc-stats {
    background: url(../images/shared/nav/icon_acc_stats.gif) no-repeat 0 2px;
    padding: 0 0 0 20px;
}

/* =====
This copyright notice must be untouched at all times. The original version of this stylesheet and the associated
(x)html is available at http://www.cssplay.co.uk/menus/pro_dropline.html
Copyright (c) 2005-2007 Stu Nicholls. All rights reserved. This stylesheet and the associated (x)html may be
modified in any way to fit your requirements.
===== */
.nav {
    float: left;
    font-family: Tahoma;
    font-size: 13px;
    height: 38px;
    position: relative;
    width: 700px;
    min-width: 700px;

```



```

        z-index: 500;
    }
    .nav-divider {
        background: url(../images/shared/nav/divider.jpg) top no-repeat;
        float: left;
        height: 40px;
        width: 15px;
    }
    .nav .table {
        display: table;
    }
    .nav .select,
    .nav .current {
        display: table-cell;
        float: left;
        list-style: none;
        margin: 0 0px 0 0;
        padding: 0;
        white-space: nowrap;
    }
    .nav li {
        float: left;
        height: auto;
        margin: 0;
        padding: 0;
    }
    .nav .select a {
        background: url(../images/shared/nav/pro_line_0.gif);
        color: #fff;
        display: block;
        float: left;
        height: 37px;
        line-height: 35px;
        padding: 0 20px 0 20px;
        text-decoration: none;
        white-space: nowrap;
    }
    .nav .current a {
        background: url(../images/shared/nav/pro_line_1.gif);
        color: #fff;
        display: block;
        float: left;
        height: 37px;
        line-height: 35px;
        padding: 0 0 0 10px;
        text-decoration: none;
        white-space: nowrap;
    }
    .nav .current a b {
        background: url(../images/shared/nav/pro_line_1.gif) right top;
        display: block;
        padding: 0 20px 0 10px;
    }
    .nav .select a:hover,
    .nav .select li:hover a {
        background: url(../images/shared/nav/pro_line_1.gif);
        color: #fff;
        cursor: pointer;
        padding: 0 0 0 10px;
    }
    .nav .select a:hover b,
    .nav .select li:hover a b {
        background: url(../images/shared/nav/pro_line_1.gif) right top;
        cursor: pointer;
        display: block;
        float: left;
        padding: 0 20px 0 10px;
    }
    .nav .select_sub {

```

```

        display: none;
        margin: 0 0 10px;
    }
    /* IE6 only */
    .nav table {
        border-collapse: collapse;
        font-size: 1em;
        height: 0;
        margin: -1px;
        width: 0;
    }
    .nav .sub {
        display: table;
        list-style: none;
        /* margin: 0 auto; */
        padding: 0;
    }
    .nav .sub_active .current_sub a,
    .nav .sub_active a:hover {
        background: transparent;
        color: #fff;
    }
    .nav .select :hover .select_sub,
    .nav .current .show {
        background: url(../images/shared/nav/back_0.gif);

        display: block;
        left: 0;
        padding: 0;
        position: absolute;
        text-align: left;
        top: 37px;
        width: 750px;
        z-index: 100;
    }
    .nav .current .show {
        z-index: 10;
    }
    .nav .select :hover .sub li a,
    .nav .current .show .sub li a {
        background: transparent;
        border: 0;
        color: #fff;
        font-weight: bold;
        font-size: 13px;
        display: block;
        float: left;
        margin: 0;
        padding: 0 10px 0 10px;
        white-space: nowrap;
    }
    .nav .current .sub li.sub_show a {
        background: url(../images/shared/nav/menus/back_1.gif);
        color: #94b52c;
        cursor: default;
    }
    .nav .select :hover .sub li a:hover,
    .nav .current .sub li a:hover {
        background: url(../images/shared/nav/menus/back_1.gif);
        color: #94b52c;
        visibility: visible;
    }
    /* FOOTER ----- */
    #footer {
        height: 70px;
        margin: 80px auto 0px auto;
        padding: 0px 0 0 0;
        text-align: left;
        min-width: 780px;
    }

```

```

        max-width: 1260px;
    }
    #footer-left {
        color: #818181;
        font-size: 11px;
        line-height: 11px;
        padding: 15px 0 15px 25px;
        margin: 0 20px;
        border-top: 1px solid #dbdbdb;
        border-bottom: 1px solid #dbdbdb;
        background: url(../images/shared/icon_idlogo.jpg) no-repeat 0 12px;
    }
    #footer-left a {
        color: #818181;
        text-decoration: none;
    }
    #footer-left a.selected,
    #footer-left a:hover {
        color: #000;
        text-decoration: none;
    }
    /* GENERAL -----*/
    table {
        border-collapse: collapse;
    }
    .fr {
        float: right;
    }
    a {
        outline: none;
        text-decoration: none;
    }
    a:hover {
    }
    .clear {
        clear: both;
        font-size: 0px;
        height: 0;
        line-height: 0px;
        margin: 0px;
        padding: 0px;
    }
    img {
        border: 0;
    }
    p {
        margin: 0px;
        padding: 0px;
    }
    form {
        margin: 0;
        padding: 0;
    }
    .line {
        border-top: 1px solid #dcdada;
        font-size: 0px;
        height: 1px;
        line-height: 0px;
        margin: 20px 0;
        padding: 0;
    }
    .font11 {
        font-size: 11px;
    }
    /* STYLED SELECTBOXES style 1 ----- */
    .styledselect {
        background: #2a2a2a;
        border: 1px solid #424242;
        color: #fff;

```

```

width:120px;
padding: 5px;
line-height: 14px;
margin-right: 6px;
font-size: 12px;
}
div.selectbox-wrapper {
background-color: #2a2a2a;
border: none;
border-bottom: none;
margin: 0px;
margin-top: 0px;
max-height: 200px;
overflow: auto;
padding: 0px;
position: absolute;
text-align: left;
width: 400px;
z-index: 10;
}
div.selectbox-wrapper ul {
list-style-type: none;

margin: 0px;
padding: 0px;z-index: 10;
}
div.selectbox-wrapper ul li.selected {
background-color: #575757;
color: #fff;
}
div.selectbox-wrapper ul li.current {
background-color: #575757;
}
div.selectbox-wrapper ul li {
border-bottom: none;
color: #fff;
cursor: pointer;
display: block;
font-size: 12px;
line-height: 12px;
list-style-type: none;
margin: 0;
padding: 6px 2px 6px 10px;
}
.selectbox_styled {
background: url(../images/shared/top_search_select.gif) left no-repeat;
border: none;
border-left: none;
color: #fff;
cursor: pointer;
display: block;
font-family: Arial;
font-size: 12px;
height: 20px;
margin: 0px 0px 0px 0px;
padding: 6px 0 0 6px;
text-align: left;
width: 105px;
z-index: 10;
}
/* STYLED SELECTBOXES style 2 ----- */
div.selectbox-wrapper2 {
background-color: #e3e3e3;
border: none;
border-bottom: none;
margin: 0px;
margin-top: 0px;
max-height: 200px;
overflow: auto;

```

```

padding: 0px;
position: absolute;
text-align: left;
width: 400px;
}
div.selectbox-wrapper2 ul      {
list-style-type: none;
margin: 0px;
padding: 0px;
}
div.selectbox-wrapper2 ul li.selected2  {
background-color: #94b52c;
color: #fff;
}
div.selectbox-wrapper2 ul li.current2   {
background-color: #94b52c;
color: #fff;
}
div.selectbox-wrapper2 ul li      {
border-bottom: none;
color: #393939;
cursor: pointer;
display: block;
font-size: 12px;
line-height: 12px;
list-style-type: none;
margin: 0;
padding: 6px 2px 6px 10px;
}
.styledselect_form_1  {
background: url(../images/forms/form_select.gif) left no-repeat;
border: none;
border-left: none;
color: #393939;
cursor: pointer;
display: block;
font-family: Arial;
font-size: 12px;
height: 24px;
margin: 0px 0px 0px 0px;
padding: 7px 0 0 6px;
text-align: left;
width: 192px;
}
.styledselect_form_2  {
background: url(../images/forms/form_select_small.gif) left no-repeat;
border: none;
border-left: none;
color: #393939;
cursor: pointer;
display: block;
font-family: Arial;
font-size: 12px;
height: 24px;
margin: 0px 0px 0px 0px;
padding: 7px 0 0 10px;
text-align: left;
width: 60px;
}
/* STYLED SELECTBOXES style 3 ----- */
div.selectbox-wrapper3 {
background-color: #e3e3e3;
border: none;
border-bottom: none;
margin: 0px;
margin-top: 0px;
max-height: 200px;
overflow: auto;
padding: 0px;

```

```

        position: absolute;
        text-align: left;
        width: 400px;
    }
    div.selectbox-wrapper3 ul      {
        list-style-type: none;
        margin: 0px;
        padding: 0px;
    }
    div.selectbox-wrapper2 ul li.selected3    {
        background-color: #94b52c;
        color: #fff;
    }
    div.selectbox-wrapper2 ul li.current3    {
        background-color: #94b52c;
        color: #fff;
    }
    div.selectbox-wrapper3 ul li      {
        border-bottom: none;
        color: #393939;
        cursor: pointer;
        display: block;
        font-size: 12px;
        line-height: 12px;
        list-style-type: none;
        margin: 0;
        padding: 6px 2px 6px 10px;
    }
    .styledselect_pages      {
        background: url(../images/table/select_number_rows.gif) left no-repeat;
        border: none;
        border-left: none;
        color: #393939;
        cursor: pointer;
        display: block;
        font-family: Arial;
        font-size: 12px;
        height: 20px;
        line-height: 16px;
        margin: 0px 0px 0px 0px;
        padding: 4px 0 0 6px;
        text-align: left;
        width: 130px;
    }
    /* STYLED CHECKBOXES AND RADIOS ----- */
    .ui-radio-state-disabled,
    .ui-radio-state-checked-disabled,
    .ui-radio-state-disabled-hover,
    .ui-radio-state-checked-disabled-hover      {
        color: #999;
    }
    span.ui-checkbox,
    span.ui-radio      {
        background: url(../images/shared/checkbox.gif) 0 -17px no-repeat;
        display: block;
        float: left;
        height: 17px;
        width: 17px;
    }
    span.ui-helper-hidden      {
        display: none;
    }
    label      {
        padding: 2px;
    }
    span.ui-radio-state-hover,
    span.ui-checkbox-state-hover      {
        background-position: 0 0px;
    }

```

```

span.ui-checkbox-state-checked {
    background-position: 0 0px;
}
span.ui-checkbox-state-checked-hover {
    background-position: 0 0px;
}
span.ui-radio-state-checked-disabled-hover,
span.ui-radio-state-checked-disabled,
span.ui-radio-state-checked {
    background-position: 0 -161px;
}
span.ui-radio-state-checked-hover {
    background-position: 0 -17px;
}
label {
    color: red;
    line-height: 20px;
}
.ui-helper-hidden-accessible {
    left: -999em;
    position: absolute;
}
/* LOGIN ----- */
#login-bg {
    background: url(../images/login/login_bg.jpg) no-repeat top center;
}
#login-holder {
    margin: 0px auto 0 auto;
    width: 508px;
}
#loginbox {
    background: url(../images/login/loginbox_bg.png) no-repeat;
    font-size: 12px;
    height: 212px;
    line-height: 12px;
    padding-top: 60px;
    position: relative;
    width: 508px;
}
#forgotbox {
    background: url(../images/login/loginbox_bg.png) no-repeat;
    display: none;
    font-size: 12px;
    height: 212px;
    line-height: 12px;
    padding-top: 60px;
    position: relative;
    width: 508px;
}
#login-inner{
    color: #161616;
    font-family: Tahoma;
    font-size: 13px;
    line-height: 12px;
    margin: 0 auto;
    width: 310px;
}
#login-inner label {
    color: #161616;
    cursor: pointer;
    font-family: Tahoma;
    font-weight: bold;
    line-height: 12px;
    padding-left: 10px;
}
.checkbox-size {
    width: 13px;
    height: 13px;
    margin: 5px 0;
}

```

```

}
#login-inner th      {
    padding: 0 0 6px 0;
    text-align: left;
    width: 95px;
}
#login-inner td      {
    padding: 0 0 6px 0;
}
.login-inp  {
    background: url(../images/login/inp_login.gif) no-repeat;
    border: none;
    color: #fff;
    font-size: 16px;
    height: 28px;
    padding: 6px 6px 0 10px;
    width: 204px;
}
#logo-login {
    float: left;
    height: 35px;
    margin: 145px 0 0 15px;
}
a.forgot-pwd      {
    bottom: 30px;
    color: #161616;
    font-family: Tahoma;
    font-size: 11px;
    font-weight: bold;
    line-height: 12px;
    position: absolute;
    right: 40px;
}
a:hover.forgot-pwd  {
    color: #fff;
}
#forgotbox-text    {
    color: #161616;
    font-family: Tahoma;
    font-size: 13px;
    font-weight: bold;
    line-height: 12px;
    margin: 0 auto 40px auto;
    width: 380px;
}
#forgot-inner      {
    color: #161616;
    font-family: Tahoma;
    font-size: 13px;
    line-height: 12px;
    margin: 0 auto;
    width: 330px;
}
#forgot-inner label {
    color: #161616;
    cursor: pointer;
    font-family: Tahoma;
    font-weight: bold;
    line-height: 12px;
    padding-left: 10px;
}
#forgot-inner th    {
    padding: 0 0 6px 0;
    text-align: left;
    width: 110px;
}
#forgot-inner td    {
    padding: 0 0 6px 0;
}

```



```

a.back-login{
  background: url(../images/login/icon_back_login.gif) no-repeat 0 4px;
  bottom: 30px;
  color: #161616;
  font-family: Tahoma;
  font-size: 11px;
  font-weight: bold;
  line-height: 12px;
  padding: 0 0 0 10px;
  position: absolute;
  right: 40px;
}
a:hover.back-login {
  color: #fff;
}
.submit-login {
  background: url(../images/login/submit_login.gif) no-repeat;
  border: none;
  cursor: pointer;
  display: block;
  height: 29px;
  text-indent: -3000px;
  width: 73px;
}
.submit-login:hover {
  background: url(../images/login/submit_login.gif) no-repeat 0 -29px;
}

```

65. JQuery-ui

```

/*!
 * jQuery UI CSS Framework 1.8.19
 *
 * Copyright 2012, AUTHORS.txt (http://jqueryui.com/about)
 * Dual licensed under the MIT or GPL Version 2 licenses.
 * http://jquery.org/license
 *
 * http://docs.jquery.com/UI/Theming/API
 */
/* Layout helpers
-----*/
.ui-helper-hidden { display: none; }
.ui-helper-hidden-accessible { position: absolute !important; clip: rect(1px 1px 1px 1px); clip: rect(1px,1px,1px,1px); }
.ui-helper-reset { margin: 0; padding: 0; border: 0; outline: 0; line-height: 1.3; text-decoration: none; font-size: 100%; list-style: none; }
.ui-helper-clearfix:before, .ui-helper-clearfix:after { content: ""; display: table; }
.ui-helper-clearfix:after { clear: both; }
.ui-helper-clearfix { zoom: 1; }
.ui-helper-zfix { width: 100%; height: 100%; top: 0; left: 0; position: absolute; opacity: 0; filter:Alpha(Opacity=0); }
/* Interaction Cues
-----*/
.ui-state-disabled { cursor: default !important; }
/* Icons
-----*/
/* states and images */
.ui-icon { display: block; text-indent: -9999px; overflow: hidden; background-repeat: no-repeat; }
/* Misc visuals
-----*/
/* Overlays */
.ui-widget-overlay { position: absolute; top: 0; left: 0; width: 100%; height: 100%; }
/*!
 * jQuery UI CSS Framework 1.8.19
 *
 * Copyright 2012, AUTHORS.txt (http://jqueryui.com/about)
 * Dual licensed under the MIT or GPL Version 2 licenses.
 * http://jquery.org/license
 *
 * http://docs.jquery.com/UI/Theming/API

```

```

*
*       To       view       and       modify       this       theme,       visit
http://jqueryui.com/themeroller/?ffDefault=Segoe%20UI,%20Arial,%20sans-
serif&fwDefault=bold&fsDefault=1.1em&cornerRadius=6px&bgColorHeader=333333&bgTextureHeader=12_g
loss_wave.png&bgImgOpacityHeader=25&borderColorHeader=333333&fcHeader=ffffff&iconColorHeader=fff
fff&bgColorContent=000000&bgTextureContent=05_inset_soft.png&bgImgOpacityContent=25&borderColorC
ontent=666666&fcContent=ffffff&iconColorContent=cccccc&bgColorDefault=555555&bgTextureDefault=02_g
lass.png&bgImgOpacityDefault=20&borderColorDefault=666666&fcDefault=eeeeee&iconColorDefault=cccccc
&bgColorHover=0078a3&bgTextureHover=02_glass.png&bgImgOpacityHover=40&borderColorHover=59b4d
4&fcHover=ffffff&iconColorHover=ffffff&bgColorActive=f58400&bgTextureActive=05_inset_soft.png&bgIm
gOpacityActive=30&borderColorActive=ffa0f0&fcActive=ffffff&iconColorActive=222222&bgColorHighlight=
eeeeee&bgTextureHighlight=03_highlight_soft.png&bgImgOpacityHighlight=80&borderColorHighlight=cccccc
&fcHighlight=2e7db2&iconColorHighlight=4b8e0b&bgColorError=ffc73d&bgTextureError=02_glass.png&bgI
mgOpacityError=40&borderColorError=ffb73d&fcError=111111&iconColorError=a83300&bgColorOverlay=5c
5c5c&bgTextureOverlay=01_flat.png&bgImgOpacityOverlay=50&opacityOverlay=80&bgColorShadow=cccccc
&bgTextureShadow=01_flat.png&bgImgOpacityShadow=30&opacityShadow=60&thicknessShadow=7px&offs
etTopShadow=-7px&offsetLeftShadow=-7px&cornerRadiusShadow=8px
*/
/* Component containers
-----*/
.ui-widget { font-family: Segoe UI, Arial, sans-serif; font-size: 1.1em; }
.ui-widget .ui-widget { font-size: 1em; }
.ui-widget input, .ui-widget select, .ui-widget textarea, .ui-widget button { font-family: Segoe UI, Arial, sans-
serif; font-size: 1em; }
.ui-widget-content { border: 1px solid #666666; background: #000000 url(images/ui-bg_inset-
soft_25_000000_1x100.png) 50% bottom repeat-x; color: #ffffff; }
.ui-widget-content a { color: #ffffff; }
.ui-widget-header { border: 1px solid #333333; background: #333333 url(images/ui-bg_gloss-
wave_25_333333_500x100.png) 50% 50% repeat-x; color: #ffffff; font-weight: bold; }
.ui-widget-header a { color: #ffffff; }
/* Interaction states
-----*/
.ui-state-default, .ui-widget-content .ui-state-default, .ui-widget-header .ui-state-default { border: 1px solid
#666666; background: #555555 url(images/ui-bg_glass_20_555555_1x400.png) 50% 50% repeat-x; font-weight:
bold; color: #eeeeee; }
.ui-state-default a, .ui-state-default a:link, .ui-state-default a:visited { color: #eeeeee; text-decoration: none; }
.ui-state-hover, .ui-widget-content .ui-state-hover, .ui-widget-header .ui-state-hover, .ui-state-focus, .ui-widget-
content .ui-state-focus, .ui-widget-header .ui-state-focus { border: 1px solid #59b4d4; background: #0078a3
url(images/ui-bg_glass_40_0078a3_1x400.png) 50% 50% repeat-x; font-weight: bold; color: #ffffff; }
.ui-state-hover a, .ui-state-hover a:visited, .ui-state-hover a:hover { color: #ffffff; text-decoration: none; }
.ui-state-active, .ui-widget-content .ui-state-active, .ui-widget-header .ui-state-active { border: 1px solid #ffa0f0;
background: #f58400 url(images/ui-bg_inset-soft_30_f58400_1x100.png) 50% 50% repeat-x; font-weight: bold;
color: #ffffff; }
.ui-state-active a, .ui-state-active a:link, .ui-state-active a:visited { color: #ffffff; text-decoration: none; }
.ui-widget :active { outline: none; }
/* Interaction Cues
-----*/
.ui-state-highlight, .ui-widget-content .ui-state-highlight, .ui-widget-header .ui-state-highlight { border: 1px solid
#cccccc; background: #eeeeee url(images/ui-bg_highlight-soft_80_eeeeee_1x100.png) 50% top repeat-x; color:
#2e7db2; }
.ui-state-highlight a, .ui-widget-content .ui-state-highlight a, .ui-widget-header .ui-state-highlight a { color:
#2e7db2; }
.ui-state-error, .ui-widget-content .ui-state-error, .ui-widget-header .ui-state-error { border: 1px solid #ffb73d;
background: #ffc73d url(images/ui-bg_glass_40_ffc73d_1x400.png) 50% 50% repeat-x; color: #111111; }
.ui-state-error a, .ui-widget-content .ui-state-error a, .ui-widget-header .ui-state-error a { color: #111111; }
.ui-state-error-text, .ui-widget-content .ui-state-error-text, .ui-widget-header .ui-state-error-text { color: #111111; }
}
.ui-priority-primary, .ui-widget-content .ui-priority-primary, .ui-widget-header .ui-priority-primary { font-weight:
bold; }
.ui-priority-secondary, .ui-widget-content .ui-priority-secondary, .ui-widget-header .ui-priority-secondary {
opacity: .7; filter:Alpha(Opacity=70); font-weight: normal; }
.ui-state-disabled, .ui-widget-content .ui-state-disabled, .ui-widget-header .ui-state-disabled { opacity: .35;
filter:Alpha(Opacity=35); background-image: none; }
/* Icons
-----*/
/* states and images */
.ui-icon { width: 16px; height: 16px; background-image: url(images/ui-icons_cccccc_256x240.png); }
.ui-widget-content .ui-icon { background-image: url(images/ui-icons_cccccc_256x240.png); }
.ui-widget-header .ui-icon { background-image: url(images/ui-icons_ffffff_256x240.png); }

```

```

.ui-state-default .ui-icon { background-image: url(images/ui-icons_cccccc_256x240.png); }
.ui-state-hover .ui-icon, .ui-state-focus .ui-icon { background-image: url(images/ui-icons_ffffff_256x240.png); }
.ui-state-active .ui-icon { background-image: url(images/ui-icons_222222_256x240.png); }
.ui-state-highlight .ui-icon { background-image: url(images/ui-icons_4b8e0b_256x240.png); }
.ui-state-error .ui-icon, .ui-state-error-text .ui-icon { background-image: url(images/ui-
icons_a83300_256x240.png); }
/* positioning */
.ui-icon-carat-1-n { background-position: 0 0; }
.ui-icon-carat-1-ne { background-position: -16px 0; }
.ui-icon-carat-1-e { background-position: -32px 0; }
.ui-icon-carat-1-se { background-position: -48px 0; }
.ui-icon-carat-1-s { background-position: -64px 0; }
.ui-icon-carat-1-sw { background-position: -80px 0; }
.ui-icon-carat-1-w { background-position: -96px 0; }
.ui-icon-carat-1-nw { background-position: -112px 0; }
.ui-icon-carat-2-n-s { background-position: -128px 0; }
.ui-icon-carat-2-e-w { background-position: -144px 0; }
.ui-icon-triangle-1-n { background-position: 0 -16px; }
.ui-icon-triangle-1-ne { background-position: -16px -16px; }
.ui-icon-triangle-1-e { background-position: -32px -16px; }
.ui-icon-triangle-1-se { background-position: -48px -16px; }
.ui-icon-triangle-1-s { background-position: -64px -16px; }
.ui-icon-triangle-1-sw { background-position: -80px -16px; }
.ui-icon-triangle-1-w { background-position: -96px -16px; }
.ui-icon-triangle-1-nw { background-position: -112px -16px; }
.ui-icon-triangle-2-n-s { background-position: -128px -16px; }
.ui-icon-triangle-2-e-w { background-position: -144px -16px; }
.ui-icon-arrow-1-n { background-position: 0 -32px; }
.ui-icon-arrow-1-ne { background-position: -16px -32px; }
.ui-icon-arrow-1-e { background-position: -32px -32px; }
.ui-icon-arrow-1-se { background-position: -48px -32px; }
.ui-icon-arrow-1-s { background-position: -64px -32px; }
.ui-icon-arrow-1-sw { background-position: -80px -32px; }
.ui-icon-arrow-1-w { background-position: -96px -32px; }
.ui-icon-arrow-1-nw { background-position: -112px -32px; }
.ui-icon-arrow-2-n-s { background-position: -128px -32px; }
.ui-icon-arrow-2-ne-sw { background-position: -144px -32px; }
.ui-icon-arrow-2-e-w { background-position: -160px -32px; }
.ui-icon-arrow-2-se-nw { background-position: -176px -32px; }
.ui-icon-arrowstop-1-n { background-position: -192px -32px; }
.ui-icon-arrowstop-1-e { background-position: -208px -32px; }
.ui-icon-arrowstop-1-s { background-position: -224px -32px; }
.ui-icon-arrowstop-1-w { background-position: -240px -32px; }
.ui-icon-arrowthick-1-n { background-position: 0 -48px; }
.ui-icon-arrowthick-1-ne { background-position: -16px -48px; }
.ui-icon-arrowthick-1-e { background-position: -32px -48px; }
.ui-icon-arrowthick-1-se { background-position: -48px -48px; }
.ui-icon-arrowthick-1-s { background-position: -64px -48px; }
.ui-icon-arrowthick-1-sw { background-position: -80px -48px; }
.ui-icon-arrowthick-1-w { background-position: -96px -48px; }
.ui-icon-arrowthick-1-nw { background-position: -112px -48px; }
.ui-icon-arrowthick-2-n-s { background-position: -128px -48px; }
.ui-icon-arrowthick-2-ne-sw { background-position: -144px -48px; }
.ui-icon-arrowthick-2-e-w { background-position: -160px -48px; }
.ui-icon-arrowthick-2-se-nw { background-position: -176px -48px; }
.ui-icon-arrowthickstop-1-n { background-position: -192px -48px; }
.ui-icon-arrowthickstop-1-e { background-position: -208px -48px; }
.ui-icon-arrowthickstop-1-s { background-position: -224px -48px; }
.ui-icon-arrowthickstop-1-w { background-position: -240px -48px; }
.ui-icon-arrowreturnthick-1-w { background-position: 0 -64px; }
.ui-icon-arrowreturnthick-1-n { background-position: -16px -64px; }
.ui-icon-arrowreturnthick-1-e { background-position: -32px -64px; }
.ui-icon-arrowreturnthick-1-s { background-position: -48px -64px; }
.ui-icon-arrowreturn-1-w { background-position: -64px -64px; }
.ui-icon-arrowreturn-1-n { background-position: -80px -64px; }
.ui-icon-arrowreturn-1-e { background-position: -96px -64px; }
.ui-icon-arrowreturn-1-s { background-position: -112px -64px; }
.ui-icon-arrowrefresh-1-w { background-position: -128px -64px; }
.ui-icon-arrowrefresh-1-n { background-position: -144px -64px; }

```

```

.ui-icon-arrowrefresh-1-e { background-position: -160px -64px; }
.ui-icon-arrowrefresh-1-s { background-position: -176px -64px; }
.ui-icon-arrow-4 { background-position: 0 -80px; }
.ui-icon-arrow-4-dia { background-position: -16px -80px; }
.ui-icon-extlink { background-position: -32px -80px; }
.ui-icon-newwin { background-position: -48px -80px; }
.ui-icon-refresh { background-position: -64px -80px; }
.ui-icon-shuffle { background-position: -80px -80px; }
.ui-icon-transfer-e-w { background-position: -96px -80px; }
.ui-icon-transferthick-e-w { background-position: -112px -80px; }
.ui-icon-folder-collapsed { background-position: 0 -96px; }
.ui-icon-folder-open { background-position: -16px -96px; }
.ui-icon-document { background-position: -32px -96px; }
.ui-icon-document-b { background-position: -48px -96px; }
.ui-icon-note { background-position: -64px -96px; }
.ui-icon-mail-closed { background-position: -80px -96px; }
.ui-icon-mail-open { background-position: -96px -96px; }
.ui-icon-suitcase { background-position: -112px -96px; }
.ui-icon-comment { background-position: -128px -96px; }
.ui-icon-person { background-position: -144px -96px; }
.ui-icon-print { background-position: -160px -96px; }
.ui-icon-trash { background-position: -176px -96px; }
.ui-icon-locked { background-position: -192px -96px; }
.ui-icon-unlocked { background-position: -208px -96px; }
.ui-icon-bookmark { background-position: -224px -96px; }
.ui-icon-tag { background-position: -240px -96px; }
.ui-icon-home { background-position: 0 -112px; }
.ui-icon-flag { background-position: -16px -112px; }
.ui-icon-calendar { background-position: -32px -112px; }
.ui-icon-cart { background-position: -48px -112px; }
.ui-icon-pencil { background-position: -64px -112px; }
.ui-icon-clock { background-position: -80px -112px; }
.ui-icon-disk { background-position: -96px -112px; }
.ui-icon-calculator { background-position: -112px -112px; }
.ui-icon-zoomin { background-position: -128px -112px; }
.ui-icon-zoomout { background-position: -144px -112px; }
.ui-icon-search { background-position: -160px -112px; }
.ui-icon-wrench { background-position: -176px -112px; }
.ui-icon-gear { background-position: -192px -112px; }
.ui-icon-heart { background-position: -208px -112px; }
.ui-icon-star { background-position: -224px -112px; }
.ui-icon-link { background-position: -240px -112px; }
.ui-icon-cancel { background-position: 0 -128px; }
.ui-icon-plus { background-position: -16px -128px; }
.ui-icon-plusthick { background-position: -32px -128px; }
.ui-icon-minus { background-position: -48px -128px; }
.ui-icon-minusthick { background-position: -64px -128px; }
.ui-icon-close { background-position: -80px -128px; }
.ui-icon-closethick { background-position: -96px -128px; }
.ui-icon-key { background-position: -112px -128px; }
.ui-icon-lightbulb { background-position: -128px -128px; }
.ui-icon-scissors { background-position: -144px -128px; }
.ui-icon-clipboard { background-position: -160px -128px; }
.ui-icon-copy { background-position: -176px -128px; }
.ui-icon-contact { background-position: -192px -128px; }
.ui-icon-image { background-position: -208px -128px; }
.ui-icon-video { background-position: -224px -128px; }
.ui-icon-script { background-position: -240px -128px; }
.ui-icon-alert { background-position: 0 -144px; }
.ui-icon-info { background-position: -16px -144px; }
.ui-icon-notice { background-position: -32px -144px; }
.ui-icon-help { background-position: -48px -144px; }
.ui-icon-check { background-position: -64px -144px; }
.ui-icon-bullet { background-position: -80px -144px; }
.ui-icon-radio-off { background-position: -96px -144px; }
.ui-icon-radio-on { background-position: -112px -144px; }
.ui-icon-pin-w { background-position: -128px -144px; }
.ui-icon-pin-s { background-position: -144px -144px; }
.ui-icon-play { background-position: 0 -160px; }

```

```

.ui-icon-pause { background-position: -16px -160px; }
.ui-icon-seek-next { background-position: -32px -160px; }
.ui-icon-seek-prev { background-position: -48px -160px; }
.ui-icon-seek-end { background-position: -64px -160px; }
.ui-icon-seek-start { background-position: -80px -160px; }
/* ui-icon-seek-first is deprecated, use ui-icon-seek-start instead */
.ui-icon-seek-first { background-position: -80px -160px; }
.ui-icon-stop { background-position: -96px -160px; }
.ui-icon-eject { background-position: -112px -160px; }
.ui-icon-volume-off { background-position: -128px -160px; }
.ui-icon-volume-on { background-position: -144px -160px; }
.ui-icon-power { background-position: 0 -176px; }
.ui-icon-signal-diag { background-position: -16px -176px; }
.ui-icon-signal { background-position: -32px -176px; }
.ui-icon-battery-0 { background-position: -48px -176px; }
.ui-icon-battery-1 { background-position: -64px -176px; }
.ui-icon-battery-2 { background-position: -80px -176px; }
.ui-icon-battery-3 { background-position: -96px -176px; }
.ui-icon-circle-plus { background-position: 0 -192px; }
.ui-icon-circle-minus { background-position: -16px -192px; }
.ui-icon-circle-close { background-position: -32px -192px; }
.ui-icon-circle-triangle-e { background-position: -48px -192px; }
.ui-icon-circle-triangle-s { background-position: -64px -192px; }
.ui-icon-circle-triangle-w { background-position: -80px -192px; }
.ui-icon-circle-triangle-n { background-position: -96px -192px; }
.ui-icon-circle-arrow-e { background-position: -112px -192px; }
.ui-icon-circle-arrow-s { background-position: -128px -192px; }
.ui-icon-circle-arrow-w { background-position: -144px -192px; }
.ui-icon-circle-arrow-n { background-position: -160px -192px; }
.ui-icon-circle-zoomin { background-position: -176px -192px; }
.ui-icon-circle-zoomout { background-position: -192px -192px; }
.ui-icon-circle-check { background-position: -208px -192px; }
.ui-icon-circlesmall-plus { background-position: 0 -208px; }
.ui-icon-circlesmall-minus { background-position: -16px -208px; }
.ui-icon-circlesmall-close { background-position: -32px -208px; }
.ui-icon-squaresmall-plus { background-position: -48px -208px; }
.ui-icon-squaresmall-minus { background-position: -64px -208px; }
.ui-icon-squaresmall-close { background-position: -80px -208px; }
.ui-icon-grip-dotted-vertical { background-position: 0 -224px; }
.ui-icon-grip-dotted-horizontal { background-position: -16px -224px; }
.ui-icon-grip-solid-vertical { background-position: -32px -224px; }
.ui-icon-grip-solid-horizontal { background-position: -48px -224px; }
.ui-icon-gripsmall-diagonal-se { background-position: -64px -224px; }
.ui-icon-grip-diagonal-se { background-position: -80px -224px; }

/* Misc visuals
-----*/
/* Corner radius */
.ui-corner-all, .ui-corner-top, .ui-corner-left, .ui-corner-tl { -moz-border-radius-topleft: 6px; -webkit-border-top-left-radius: 6px; -khtml-border-top-left-radius: 6px; border-top-left-radius: 6px; }
.ui-corner-all, .ui-corner-top, .ui-corner-right, .ui-corner-tr { -moz-border-radius-topright: 6px; -webkit-border-top-right-radius: 6px; -khtml-border-top-right-radius: 6px; border-top-right-radius: 6px; }
.ui-corner-all, .ui-corner-bottom, .ui-corner-left, .ui-corner-bl { -moz-border-radius-bottomleft: 6px; -webkit-border-bottom-left-radius: 6px; -khtml-border-bottom-left-radius: 6px; border-bottom-left-radius: 6px; }
.ui-corner-all, .ui-corner-bottom, .ui-corner-right, .ui-corner-br { -moz-border-radius-bottomright: 6px; -webkit-border-bottom-right-radius: 6px; -khtml-border-bottom-right-radius: 6px; border-bottom-right-radius: 6px; }

/* Overlays */
.ui-widget-overlay { background: #5c5c5c url(images/ui-bg_flat_50_5c5c5c_40x100.png) 50% 50% repeat-x; opacity: .80; filter:Alpha(Opacity=80); }
.ui-widget-shadow { margin: -7px 0 0 -7px; padding: 7px; background: #cccccc url(images/ui-bg_flat_30_cccccc_40x100.png) 50% 50% repeat-x; opacity: .60; filter:Alpha(Opacity=60); -moz-border-radius: 8px; -khtml-border-radius: 8px; -webkit-border-radius: 8px; border-radius: 8px; }/*!
 * jQuery UI Resizable 1.8.19
 *
 * Copyright 2012, AUTHORS.txt (http://jqueryui.com/about)
 * Dual licensed under the MIT or GPL Version 2 licenses.
 * http://jquery.org/license
 */

```

```

* http://docs.jquery.com/UI/Resizable#theming
*/
.ui-resizable { position: relative; }
.ui-resizable-handle { position: absolute; font-size: 0.1px; z-index: 99999; display: block; }
.ui-resizable-disabled .ui-resizable-handle, .ui-resizable-autohide .ui-resizable-handle { display: none; }
.ui-resizable-n { cursor: n-resize; height: 7px; width: 100%; top: -5px; left: 0; }
.ui-resizable-s { cursor: s-resize; height: 7px; width: 100%; bottom: -5px; left: 0; }
.ui-resizable-e { cursor: e-resize; width: 7px; right: -5px; top: 0; height: 100%; }
.ui-resizable-w { cursor: w-resize; width: 7px; left: -5px; top: 0; height: 100%; }
.ui-resizable-se { cursor: se-resize; width: 12px; height: 12px; right: 1px; bottom: 1px; }
.ui-resizable-sw { cursor: sw-resize; width: 9px; height: 9px; left: -5px; bottom: -5px; }
.ui-resizable-nw { cursor: nw-resize; width: 9px; height: 9px; left: -5px; top: -5px; }
.ui-resizable-ne { cursor: ne-resize; width: 9px; height: 9px; right: -5px; top: -5px; }/*!
* jQuery UI Selectable 1.8.19
*
* Copyright 2012, AUTHORS.txt (http://jqueryui.com/about)
* Dual licensed under the MIT or GPL Version 2 licenses.
* http://jquery.org/license
*
* http://docs.jquery.com/UI/Selectable#theming
*/
.ui-selectable-helper { position: absolute; z-index: 100; border: 1px dotted black; }
/*!
* jQuery UI Accordion 1.8.19
*
* Copyright 2012, AUTHORS.txt (http://jqueryui.com/about)
* Dual licensed under the MIT or GPL Version 2 licenses.
* http://jquery.org/license
*
* http://docs.jquery.com/UI/Accordion#theming
*/
/* IE/Win - Fix animation bug - #4615 */
.ui-accordion { width: 100%; }
.ui-accordion .ui-accordion-header { cursor: pointer; position: relative; margin-top: 1px; zoom: 1; }
.ui-accordion .ui-accordion-li-fix { display: inline; }
.ui-accordion .ui-accordion-header-active { border-bottom: 0 !important; }
.ui-accordion .ui-accordion-header a { display: block; font-size: 1em; padding: .5em .5em .5em .7em; }
.ui-accordion .ui-accordion-header a { padding-left: 2.2em; }
.ui-accordion .ui-accordion-header .ui-icon { position: absolute; left: .5em; top: 50%; margin-top: -8px; }
.ui-accordion .ui-accordion-content { padding: 1em 2.2em; border-top: 0; margin-top: -2px; position: relative;
top: 1px; margin-bottom: 2px; overflow: auto; display: none; zoom: 1; }
.ui-accordion .ui-accordion-content-active { display: block; }
/*!
* jQuery UI Autocomplete 1.8.19
*
* Copyright 2012, AUTHORS.txt (http://jqueryui.com/about)
* Dual licensed under the MIT or GPL Version 2 licenses.
* http://jquery.org/license
*
* http://docs.jquery.com/UI/Autocomplete#theming
*/
.ui-autocomplete { position: absolute; cursor: default; }

/* workarounds */
* html .ui-autocomplete { width: 1px; } /* without this, the menu expands to 100% in IE6 */

/*
* jQuery UI Menu @VERSION
*
* Copyright 2010, AUTHORS.txt (http://jqueryui.com/about)
* Dual licensed under the MIT or GPL Version 2 licenses.
* http://jquery.org/license
*
* http://docs.jquery.com/UI/Menu#theming
*/
.ui-menu {
list-style: none;
padding: 2px;
margin: 0;

```

```

        display:block;
        float: left;
    }
    .ui-menu .ui-menu {
        margin-top: -3px;
    }
    .ui-menu .ui-menu-item {
        margin:0;
        padding: 0;
        zoom: 1;
        float: left;
        clear: left;
        width: 100%;
    }
    .ui-menu .ui-menu-item a {
        text-decoration:none;
        display:block;
        padding:.2em .4em;
        line-height:1.5;
        zoom:1;
    }
    .ui-menu .ui-menu-item a.ui-state-hover,
    .ui-menu .ui-menu-item a.ui-state-active {
        font-weight: normal;
        margin: -1px;
    }
    /*!
    * jQuery UI Button 1.8.19
    *
    * Copyright 2012, AUTHORS.txt (http://jqueryui.com/about)
    * Dual licensed under the MIT or GPL Version 2 licenses.
    * http://jquery.org/license
    *
    * http://docs.jquery.com/UI/Button#theming
    */
    .ui-button { display: inline-block; position: relative; padding: 0; margin-right: .1em; text-decoration: none
!important; cursor: pointer; text-align: center; zoom: 1; overflow: visible; } /* the overflow property removes
extra width in IE */
    .ui-button-icon-only { width: 2.2em; } /* to make room for the icon, a width needs to be set here */
    button.ui-button-icon-only { width: 2.4em; } /* button elements seem to need a little more width */
    .ui-button-icons-only { width: 3.4em; }
    button.ui-button-icons-only { width: 3.7em; }
    /*button text element */
    .ui-button .ui-button-text { display: block; line-height: 1.4; }
    .ui-button-text-only .ui-button-text { padding: .4em 1em; }
    .ui-button-icon-only .ui-button-text, .ui-button-icons-only .ui-button-text { padding: .4em; text-indent: -
9999999px; }
    .ui-button-text-icon-primary .ui-button-text, .ui-button-text-icons .ui-button-text { padding: .4em 1em .4em
2.1em; }
    .ui-button-text-icon-secondary .ui-button-text, .ui-button-text-icons .ui-button-text { padding: .4em 2.1em .4em
1em; }
    .ui-button-text-icons .ui-button-text { padding-left: 2.1em; padding-right: 2.1em; }
    /* no icon support for input elements, provide padding by default */
    input.ui-button { padding: .4em 1em; }
    /*button icon element(s) */
    .ui-button-icon-only .ui-icon, .ui-button-text-icon-primary .ui-icon, .ui-button-text-icon-secondary .ui-icon, .ui-
button-text-icons .ui-icon, .ui-button-icons-only .ui-icon { position: absolute; top: 50%; margin-top: -8px; }
    .ui-button-icon-only .ui-icon { left: 50%; margin-left: -8px; }
    .ui-button-text-icon-primary .ui-button-icon-primary, .ui-button-text-icons .ui-button-icon-primary, .ui-button-
icons-only .ui-button-icon-primary { left: .5em; }
    .ui-button-text-icon-secondary .ui-button-icon-secondary, .ui-button-text-icons .ui-button-icon-secondary, .ui-
button-icons-only .ui-button-icon-secondary { right: .5em; }
    .ui-button-text-icons .ui-button-icon-secondary, .ui-button-icons-only .ui-button-icon-secondary { right: .5em; }
    /*button sets*/
    .ui-buttonset { margin-right: 7px; }
    .ui-buttonset .ui-button { margin-left: 0; margin-right: -.3em; }
    /* workarounds */
    button.ui-button::-moz-focus-inner { border: 0; padding: 0; } /* reset extra padding in Firefox */
    /*!

```

```

* jQuery UI Dialog 1.8.19
*
* Copyright 2012, AUTHORS.txt (http://jqueryui.com/about)
* Dual licensed under the MIT or GPL Version 2 licenses.
* http://jquery.org/license
*
* http://docs.jquery.com/UI/Dialog#theming
*/
.ui-dialog { position: absolute; padding: .2em; width: 300px; overflow: hidden; }
.ui-dialog .ui-dialog-titlebar { padding: .4em 1em; position: relative; }
.ui-dialog .ui-dialog-title { float: left; margin: .1em 16px .1em 0; }
.ui-dialog .ui-dialog-titlebar-close { position: absolute; right: .3em; top: 50%; width: 19px; margin: -10px 0 0 0;
padding: 1px; height: 18px; }
.ui-dialog .ui-dialog-titlebar-close span { display: block; margin: 1px; }
.ui-dialog .ui-dialog-titlebar-close:hover, .ui-dialog .ui-dialog-titlebar-close:focus { padding: 0; }
.ui-dialog .ui-dialog-content { position: relative; border: 0; padding: .5em 1em; background: none; overflow:
auto; zoom: 1; }
.ui-dialog .ui-dialog-buttonpane { text-align: left; border-width: 1px 0 0 0; background-image: none; margin:
.5em 0 0 0; padding: .3em 1em .5em .4em; }
.ui-dialog .ui-dialog-buttonpane .ui-dialog-buttonset { float: right; }
.ui-dialog .ui-dialog-buttonpane button { margin: .5em .4em .5em 0; cursor: pointer; }
.ui-dialog .ui-resizable-se { width: 14px; height: 14px; right: 3px; bottom: 3px; }
.ui-draggable .ui-dialog-titlebar { cursor: move; }
/*!

* jQuery UI Slider 1.8.19
*
* Copyright 2012, AUTHORS.txt (http://jqueryui.com/about)
* Dual licensed under the MIT or GPL Version 2 licenses.
* http://jquery.org/license
*
* http://docs.jquery.com/UI/Slider#theming
*/
.ui-slider { position: relative; text-align: left; }
.ui-slider .ui-slider-handle { position: absolute; z-index: 2; width: 1.2em; height: 1.2em; cursor: default; }
.ui-slider .ui-slider-range { position: absolute; z-index: 1; font-size: .7em; display: block; border: 0; background-
position: 0 0; }
.ui-slider-horizontal { height: .8em; }
.ui-slider-horizontal .ui-slider-handle { top: -.3em; margin-left: -.6em; }
.ui-slider-horizontal .ui-slider-range { top: 0; height: 100%; }
.ui-slider-horizontal .ui-slider-range-min { left: 0; }
.ui-slider-horizontal .ui-slider-range-max { right: 0; }
.ui-slider-vertical { width: .8em; height: 100px; }
.ui-slider-vertical .ui-slider-handle { left: -.3em; margin-left: 0; margin-bottom: -.6em; }
.ui-slider-vertical .ui-slider-range { left: 0; width: 100%; }
.ui-slider-vertical .ui-slider-range-min { bottom: 0; }
.ui-slider-vertical .ui-slider-range-max { top: 0; }/*!

* jQuery UI Tabs 1.8.19
*
* Copyright 2012, AUTHORS.txt (http://jqueryui.com/about)
* Dual licensed under the MIT or GPL Version 2 licenses.
* http://jquery.org/license
*
* http://docs.jquery.com/UI/Tabs#theming
*/
.ui-tabs { position: relative; padding: .2em; zoom: 1; } /* position: relative prevents IE scroll bug (element with
position: relative inside container with overflow: auto appear as "fixed") */
.ui-tabs .ui-tabs-nav { margin: 0; padding: .2em .2em 0; }
.ui-tabs .ui-tabs-nav li { list-style: none; float: left; position: relative; top: 1px; margin: 0 .2em 1px 0; border-
bottom: 0 !important; padding: 0; white-space: nowrap; }
.ui-tabs .ui-tabs-nav li a { float: left; padding: .5em 1em; text-decoration: none; }
.ui-tabs .ui-tabs-nav li.ui-tabs-selected { margin-bottom: 0; padding-bottom: 1px; }
.ui-tabs .ui-tabs-nav li.ui-tabs-selected a, .ui-tabs .ui-tabs-nav li.ui-state-disabled a, .ui-tabs .ui-tabs-nav li.ui-
state-processing a { cursor: text; }
.ui-tabs .ui-tabs-nav li a, .ui-tabs .ui-tabs-collapsible .ui-tabs-nav li.ui-tabs-selected a { cursor: pointer; } /* first
selector in group seems obsolete, but required to overcome bug in Opera applying cursor: text overall if defined
elsewhere... */
.ui-tabs .ui-tabs-panel { display: block; border-width: 0; padding: 1em 1.4em; background: none; }
.ui-tabs .ui-tabs-hide { display: none !important; }
/*!

```



```

* jQuery UI Datepicker 1.8.19
*
* Copyright 2012, AUTHORS.txt (http://jqueryui.com/about)
* Dual licensed under the MIT or GPL Version 2 licenses.
* http://jquery.org/license
*
* http://docs.jquery.com/UI/Datepicker#theming
*/
.ui-datepicker { width: 17em; padding: .2em .2em 0; display: none; }
.ui-datepicker .ui-datepicker-header { position: relative; padding: .2em 0; }
.ui-datepicker .ui-datepicker-prev, .ui-datepicker .ui-datepicker-next { position: absolute; top: 2px; width: 1.8em; height: 1.8em; }
.ui-datepicker .ui-datepicker-prev-hover, .ui-datepicker .ui-datepicker-next-hover { top: 1px; }
.ui-datepicker .ui-datepicker-prev { left: 2px; }
.ui-datepicker .ui-datepicker-next { right: 2px; }
.ui-datepicker .ui-datepicker-prev-hover { left: 1px; }
.ui-datepicker .ui-datepicker-next-hover { right: 1px; }
.ui-datepicker .ui-datepicker-prev span, .ui-datepicker .ui-datepicker-next span { display: block; position: absolute; left: 50%; margin-left: -8px; top: 50%; margin-top: -8px; }
.ui-datepicker .ui-datepicker-title { margin: 0 2.3em; line-height: 1.8em; text-align: center; }
.ui-datepicker .ui-datepicker-title select { font-size: 1em; margin: 1px 0; }
.ui-datepicker select.ui-datepicker-month-year { width: 100%; }
.ui-datepicker select.ui-datepicker-month,
.ui-datepicker select.ui-datepicker-year { width: 49%; }
.ui-datepicker table { width: 100%; font-size: .9em; border-collapse: collapse; margin: 0 0 .4em; }
.ui-datepicker th { padding: .7em .3em; text-align: center; font-weight: bold; border: 0; }
.ui-datepicker td { border: 0; padding: 1px; }
.ui-datepicker td span, .ui-datepicker td a { display: block; padding: .2em; text-align: right; text-decoration: none; }
.ui-datepicker .ui-datepicker-buttonpane { background-image: none; margin: .7em 0 0 0; padding: 0 .2em; border-left: 0; border-right: 0; border-bottom: 0; }
.ui-datepicker .ui-datepicker-buttonpane button { float: right; margin: .5em .2em .4em; cursor: pointer; padding: .2em .6em .3em .6em; width: auto; overflow: visible; }
.ui-datepicker .ui-datepicker-buttonpane button.ui-datepicker-current { float: left; }
/* with multiple calendars */
.ui-datepicker.ui-datepicker-multi { width: auto; }
.ui-datepicker-multi .ui-datepicker-group { float: left; }
.ui-datepicker-multi .ui-datepicker-group table { width: 95%; margin: 0 auto .4em; }
.ui-datepicker-multi-2 .ui-datepicker-group { width: 50%; }
.ui-datepicker-multi-3 .ui-datepicker-group { width: 33.3%; }
.ui-datepicker-multi-4 .ui-datepicker-group { width: 25%; }
.ui-datepicker-multi .ui-datepicker-group-last .ui-datepicker-header { border-left-width: 0; }
.ui-datepicker-multi .ui-datepicker-group-middle .ui-datepicker-header { border-left-width: 0; }
.ui-datepicker-multi .ui-datepicker-buttonpane { clear: left; }
.ui-datepicker-row-break { clear: both; width: 100%; font-size: 0em; }
/* RTL support */
.ui-datepicker-rtl { direction: rtl; }
.ui-datepicker-rtl .ui-datepicker-prev { right: 2px; left: auto; }
.ui-datepicker-rtl .ui-datepicker-next { left: 2px; right: auto; }
.ui-datepicker-rtl .ui-datepicker-prev: hover { right: 1px; left: auto; }
.ui-datepicker-rtl .ui-datepicker-next: hover { left: 1px; right: auto; }
.ui-datepicker-rtl .ui-datepicker-buttonpane { clear: right; }
.ui-datepicker-rtl .ui-datepicker-buttonpane button { float: left; }
.ui-datepicker-rtl .ui-datepicker-buttonpane button.ui-datepicker-current { float: right; }
.ui-datepicker-rtl .ui-datepicker-group { float: right; }
.ui-datepicker-rtl .ui-datepicker-group-last .ui-datepicker-header { border-right-width: 0; border-left-width: 1px; }
.ui-datepicker-rtl .ui-datepicker-group-middle .ui-datepicker-header { border-right-width: 0; border-left-width: 1px; }
/* IE6 IFRAME FIX (taken from datepicker 1.5.3 */
.ui-datepicker-cover {
display: none; /*sorry for IE5*/
display/**/: block; /*sorry for IE5*/
position: absolute; /*must have*/
z-index: -1; /*must have*/
filter: mask(); /*must have*/
top: -4px; /*must have*/
left: -4px; /*must have*/
width: 200px; /*must have*/
height: 200px; /*must have*/
}

```

```

}/*!
 * jQuery UI Progressbar 1.8.19
 *
 * Copyright 2012, AUTHORS.txt (http://jqueryui.com/about)
 * Dual licensed under the MIT or GPL Version 2 licenses.
 * http://jquery.org/license
 *
 * http://docs.jquery.com/UI/Progressbar#theming
 */
.ui-progressbar { height:2em; text-align: left; overflow: hidden; }
.ui-progressbar .ui-progressbar-value {margin: -1px; height:100%; }

```

66. Db2 Php Entity class

```

<?php
/**
 * Copyright (c) 2009, Andreas Schnaiter
 *
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions are met:
 *
 * 1. Redistributions of source code must retain the above copyright notice,
 *    this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright notice,
 *    this list of conditions and the following disclaimer in the documentation
 *    and/or other materials provided with the distribution.
 * 3. Neither the name of Andreas Schnaiter nor the names
 *    of its contributors may be used to endorse or promote products derived
 *    from this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
 * AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 * ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
 * LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
 * CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
 * SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
 * INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
 * CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
 * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
 * POSSIBILITY OF SUCH DAMAGE.
 */
/**
 * Interface for entity classes
 */
interface Db2PhpEntity {
    const PHP_TYPE_BOOL=1;
    const PHP_TYPE_INT=2;
    const PHP_TYPE_FLOAT=4;
    const PHP_TYPE_STRING=8;
    const PHP_TYPE_ARRAY=16;
    /**
     * <P>The constant in the Java programming language, sometimes referred
     * to as a type code, that identifies the generic SQL type
     * <code>BIT</code>.
     *
     * @var int
     */
    const JDBC_TYPE_BIT=7;
    /**
     * <P>The constant in the Java programming language, sometimes referred
     * to as a type code, that identifies the generic SQL type
     * <code>TINYINT</code>.
     *
     * @var int
     */
    const JDBC_TYPE_TINYINT=-6;
}

```

```

* <P>The constant in the Java programming language, sometimes referred
* to as a type code, that identifies the generic SQL type
* <code>SMALLINT</code>.
*
* @var int
*/
const JDBC_TYPE_SMALLINT=5;
/**
* <P>The constant in the Java programming language, sometimes referred
* to as a type code, that identifies the generic SQL type
* <code>INTEGER</code>.
*
* @var int
*/
const JDBC_TYPE_INTEGER=4;
/**
* <P>The constant in the Java programming language, sometimes referred
* to as a type code, that identifies the generic SQL type
* <code>BIGINT</code>.
*
* @var int
*/
const JDBC_TYPE_BIGINT=-5;
/**
* <P>The constant in the Java programming language, sometimes referred
* to as a type code, that identifies the generic SQL type
* <code>FLOAT</code>.
*
* @var int
*/
const JDBC_TYPE_FLOAT=6;
/**
* <P>The constant in the Java programming language, sometimes referred
* to as a type code, that identifies the generic SQL type
* <code>REAL</code>.
*
* @var int
*/
const JDBC_TYPE_REAL=7;
/**
* <P>The constant in the Java programming language, sometimes referred
* to as a type code, that identifies the generic SQL type
* <code>DOUBLE</code>.
*
* @var int
*/
const JDBC_TYPE_DOUBLE=8;
/**
* <P>The constant in the Java programming language, sometimes referred
* to as a type code, that identifies the generic SQL type
* <code>NUMERIC</code>.
*
* @var int
*/
const JDBC_TYPE_NUMERIC=2;
/**
* <P>The constant in the Java programming language, sometimes referred
* to as a type code, that identifies the generic SQL type
* <code>DECIMAL</code>.
*
* @var int
*/
const JDBC_TYPE_DECIMAL=3;
/**
* <P>The constant in the Java programming language, sometimes referred
* to as a type code, that identifies the generic SQL type
* <code>CHAR</code>.
*
* @var int

```

```

*/
const JDBC_TYPE_CHAR=1;
/**
 * <P>The constant in the Java programming language, sometimes referred
 * to as a type code, that identifies the generic SQL type
 * <code>VARCHAR</code>.
 *
 * @var int
 */
const JDBC_TYPE_VARCHAR=12;
/**
 * <P>The constant in the Java programming language, sometimes referred
 * to as a type code, that identifies the generic SQL type
 * <code>LONGVARCHAR</code>.
 *
 * @var int
 */
const JDBC_TYPE_LONGVARCHAR=-1;
/**
 * <P>The constant in the Java programming language, sometimes referred
 * to as a type code, that identifies the generic SQL type
 * <code>DATE</code>.
 *
 * @var int
 */
const JDBC_TYPE_DATE=91;
/**
 * <P>The constant in the Java programming language, sometimes referred
 * to as a type code, that identifies the generic SQL type
 * <code>TIME</code>.
 *
 * @var int
 */
const JDBC_TYPE_TIME=92;
/**
 * <P>The constant in the Java programming language, sometimes referred
 * to as a type code, that identifies the generic SQL type
 * <code>TIMESTAMP</code>.
 *
 * @var int
 */
const JDBC_TYPE_TIMESTAMP=93;
/**
 * <P>The constant in the Java programming language, sometimes referred
 * to as a type code, that identifies the generic SQL type
 * <code>BINARY</code>.
 *
 * @var int
 */
const JDBC_TYPE_BINARY=-2;
/**
 * <P>The constant in the Java programming language, sometimes referred
 * to as a type code, that identifies the generic SQL type
 * <code>VARBINARY</code>.
 *
 * @var int
 */
const JDBC_TYPE_VARBINARY=-3;
/**
 * <P>The constant in the Java programming language, sometimes referred
 * to as a type code, that identifies the generic SQL type
 * <code>LONGVARBINARY</code>.
 *
 * @var int
 */
const JDBC_TYPE_LONGVARBINARY=-4;
/**
 * <P>The constant in the Java programming language
 * that identifies the generic SQL value

```

```

* <code>NULL</code>.
*
* @var int
*/
const JDBC_TYPE_NULL=0;
/**
* The constant in the Java programming language that indicates
* that the SQL type is database-specific and
* gets mapped to a Java object that can be accessed via
* the methods <code>getObject</code> and <code>setObject</code>.
*
* @var int
*/
const JDBC_TYPE_OTHER=1111;
/**
* The constant in the Java programming language, sometimes referred to
* as a type code, that identifies the generic SQL type
* <code>JAVA_OBJECT</code>
*
* @since 1.2
* @var int
*/
const JDBC_TYPE_JAVA_OBJECT=2000;
/**
* The constant in the Java programming language, sometimes referred to
* as a type code, that identifies the generic SQL type
* <code>DISTINCT</code>.
*
* @since 1.2
* @var int
*/
const JDBC_TYPE_DISTINCT=2001;
/**
* The constant in the Java programming language, sometimes referred to
* as a type code, that identifies the generic SQL type
* <code>STRUCT</code>.
*
* @since 1.2
* @var int
*/
const JDBC_TYPE_STRUCT=2002;
/**
* The constant in the Java programming language, sometimes referred to
* as a type code, that identifies the generic SQL type
* <code>ARRAY</code>.
*
* @since 1.2
* @var int
*/
const JDBC_TYPE_ARRAY=2003;
/**
* The constant in the Java programming language, sometimes referred to
* as a type code, that identifies the generic SQL type
* <code>BLOB</code>.
*
* @since 1.2
* @var int
*/
const JDBC_TYPE_BLOB=2004;
/**
* The constant in the Java programming language, sometimes referred to
* as a type code, that identifies the generic SQL type
* <code>CLOB</code>.
*
* @since 1.2
* @var int
*/
const JDBC_TYPE_CLOB=2005;
/**

```

```

* The constant in the Java programming language, sometimes referred to
* as a type code, that identifies the generic SQL type
* <code>REF</code>.
*
* @since 1.2
* @var int
*/
const JDBC_TYPE_REF=2006;
/**
* The constant in the Java programming language, sometimes referred to
* as a type code, that identifies the generic SQL type <code>DATALINK</code>.
*
* @since 1.4
* @var int
*/
const JDBC_TYPE_DATALINK=70;
/**
* The constant in the Java programming language, sometimes referred to
* as a type code, that identifies the generic SQL type <code>BOOLEAN</code>.
*
* @since 1.4
* @var int
*/
const JDBC_TYPE_BOOLEAN=16;
//----- JDBC 4.0 -----
/**
* The constant in the Java programming language, sometimes referred to
* as a type code, that identifies the generic SQL type <code>ROWID</code>
*
* @since 1.6
* @var int
*
*/
const JDBC_TYPE_ROWID=-8;
/**
* The constant in the Java programming language, sometimes referred to
* as a type code, that identifies the generic SQL type <code>NCHAR</code>
*
* @since 1.6
* @var int
*/
const JDBC_TYPE_NCHAR=-15;
/**
* The constant in the Java programming language, sometimes referred to
* as a type code, that identifies the generic SQL type <code>NVARCHAR</code>.
*
* @since 1.6
* @var int
*/
const JDBC_TYPE_NVARCHAR=-9;
/**
* The constant in the Java programming language, sometimes referred to
* as a type code, that identifies the generic SQL type <code>LONGNVARCHAR</code>.
*
* @since 1.6
* @var int
*/
const JDBC_TYPE_LONGNVARCHAR=-16;
/**
* The constant in the Java programming language, sometimes referred to
* as a type code, that identifies the generic SQL type <code>NCLOB</code>.
*
* @since 1.6
* @var int
*/
const JDBC_TYPE_NCLOB=2011;
/**
* The constant in the Java programming language, sometimes referred to
* as a type code, that identifies the generic SQL type <code>XML</code>.

```

```

*
* @since 1.6
* @var int
*/
const JDBC_TYPE_SQLXML=2009;
/**
* Insert this instance into the database
*
* @param PDO $db
* @return mixed
*/
public function insertIntoDatabase(PDO $db);
/**
* Update this instance into the database
*
* @param PDO $db
* @return mixed
*/
public function updateToDatabase(PDO $db);
/**
* Delete this instance from the database
*
* @param PDO $db
* @return mixed
*/
public function deleteFromDatabase(PDO $db);

/**
* Assign default values according to table
*
*/
public function assignDefaultValues();

/**
* Assign values from array with the field id as index and the value as value
*
* @param array $array
*/
public function assignByArray($array);

/**
* Assign values from hash where the indexes match the tables field names
*
* @param array $result
*/
public function assignByHash($result);

/**
* return array with the field id as index and the field value as value for the identifier fields.
*
* @return array
*/
public function getPrimaryKeyValues();

/**
* return hash with the field name as index and the field value as value.
*
* @return array
*/
public function toHash();

/**
* return array with the field id as index and the field value as value.
*
* @return array
*/
public function toArray();

```

```

/**
 * get element as DOM Document
 *
 * @return DOMDocument
 */
public function toDOM();
}
?>

```

67. Db2 Php Entity Base.class.php

```

<?php
/**
 * Copyright (c) 2009, Andreas Schnaiter
 *
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions are met:
 *
 * 1. Redistributions of source code must retain the above copyright notice,
 * this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright notice,
 * this list of conditions and the following disclaimer in the documentation
 * and/or other materials provided with the distribution.
 * 3. Neither the name of Andreas Schnaiter nor the names
 * of its contributors may be used to endorse or promote products derived
 * from this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
 * AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 * ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
 * LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
 * CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
 * SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
 * INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
 * CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
 * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
 * POSSIBILITY OF SUCH DAMAGE.
 */
/**
 * base class for entity classes
 */
include_once 'Db2PhpEntity.class.php';
abstract class Db2PhpEntityBase implements Db2PhpEntity {
/**
 * store for old instance after object has been modified
 *
 * @var Db2PhpEntityBase
 */
private $oldInstance=null;
/**
 * get old instance if this has been modified, otherwise return null
 *
 * @return Db2PhpEntityBase
 */
public function getOldInstance() {
return $this->oldInstance;
}
/**
 * called when the field with the passed id has changed
 *
 * @param int $fieldId
 * @param mixed $oldValue
 * @param mixed $newValue
 */
protected function notifyChanged($fieldId, $oldValue, $newValue) {
if (null=== $this->oldInstance) {
$this->oldInstance=clone $this;
}
}
}

```



```

        $this->oldInstance->notifyPristine();
    }
}

/**
 * return true if this instance has been modified since the last notifyPristine() call
 *
 * @return bool
 */
public function isChanged() {
    return null!==$this->oldInstance;
}

/**
 * return array with the field id as index and the new value as value of values which have been changed since
the last notifyPristine call
 *
 * @return array
 */
public function getFieldsValuesChanged() {
    $changed=array();
    if (!$this->isChanged()) {
        return $changed;
    }
    $old=$this->oldInstance->toArray();
    $new=$this->toArray();
    foreach ($old as $fieldId=>$value) {
        if ($new[$fieldId]!==$value) {
            $changed[$fieldId]=$new[$fieldId];
        }
    }
    return $changed;
}

/**
 * return array with the field ids of values which have been changed since the last notifyPristine call
 *
 * @return array
 */
public function getFieldsChanged() {
    return array_keys($this->getFieldsValuesChanged());
}

/**
 * set this instance into pristine state
 */
public function notifyPristine() {
    $this->oldInstance=null;
}

/**
 * get object as string
 *
 * @return string
 */
public function __toString() {
    $s=null;
    foreach ($this->toHash() as $fieldName=>$value) {
        $s.$fieldName . ": " . $value . "\n";
    }
    return $s;
}

/**
 * create hash from dom node
 *
 * @param DOMNode $node
 * @param array $fieldNames
 * @return array
 */
protected static function domNodeToHash($node, $fieldNames, $defaultValues=null, $fieldTypes=null) {
    $result=array();
    foreach ($node->childNodes as $child) {
        if ($child instanceof DOMElement && in_array($child->localName, $fieldNames)) {

```

```

        if (0==strlen($child->nodeValue) && null!=$defaultValues) {
            $result[$child->localName]=$defaultValues[array_search($child-
>localName, $fieldNames)];
        } else {
            $result[$child->localName]=$child->nodeValue;
        }
    }
}
return $result;
}
/**
 * create DOM document from passed hash
 *
 * @param array $hash
 * @param string $rootNodeName
 * @return DOMDocument
 */
protected static function hashToDomDocument($hash, $rootNodeName) {
    $doc=new DOMDocument();
    $root=$doc->createElement($rootNodeName);
    foreach ($hash as $fieldName=>$value) {
        if (null!=$value) {
            $fElem=$doc->createElement($fieldName);
            $fElem->appendChild($doc->createTextNode($value));
            $root->appendChild($fElem);
        }
    }
    $doc->appendChild($root);
    return $doc;
}
}
?>

```

68. Ajax

```

<?php
/* Database Configuration. Add your details below */
$dbOptions = array(
    'db_host' => 'localhost',
    'db_user' => 'root',
    'db_pass' => "",
    'db_name' => 'project'
);
/* Database Config End */
error_reporting(E_ALL ^ E_NOTICE);
require "classes/DB.class.php";
require "classes/Chat.class.php";
require "classes/ChatBase.class.php";
require "classes/ChatLine.class.php";
require "classes/ChatUser.class.php";
//session_name('webchat');
session_start();
if(get_magic_quotes_gpc()){
    // If magic quotes is enabled, strip the extra slashes
    array_walk_recursive($_GET,create_function('&$v,$k','$v = stripslashes($v);'));
    array_walk_recursive($_POST,create_function('&$v,$k','$v = stripslashes($v);'));
}
try{
    // Connecting to the database
    DB::init($dbOptions);
    $response = array();
    // Handling the supported actions:
    switch($_GET['action']){
        case 'login':
            $response = Chat::login($_POST['name'],$_POST['email']);
            break;
        case 'checkLogged':
            $response = Chat::checkLogged();
            break;
    }
}

```

```

        case 'logout':
            $response = Chat::logout();
        break;
        case 'submitChat':
            $response = Chat::submitChat($_POST['chatText']);
        break;
        case 'getUsers':
            $response = Chat::getUsers();
        break;
        case 'getChats':
            $response = Chat::getChats($_GET['lastID']);
        break;
        default:
            throw new Exception('Wrong action');
    }
    echo json_encode($response);
}
catch(Exception $e){
    die(json_encode(array('error' => $e->getMessage())));
}
?>

```

69. Chat

```

/* Main chat container */
#chatContainer{
    width:510px;
    margin:100px auto;
    position:relative;
}
/* Top Bar */
#chatTopBar{
    height:40px;
    background:url('../img/solid_gray.jpg') repeat-x #d0d0d0;
    border:1px solid #fff;
    margin-bottom:15px;
    position:relative;
    color:#777;
    text-shadow:1px 1px 0 #FFFFFF;
}
#chatTopBar .name{
    position:absolute;
    top:10px;
    left:40px;
}
#chatTopBar img{
    left:9px;
    position:absolute;
    top:8px;
}
/* Chats */
#chatLineHolder{
    height:360px;
    width:350px;
    margin-bottom:20px;
}
.chat{
    background:url('../img/chat_line_bg.jpg') repeat-x #d5d5d5;
    min-height:24px;
    padding:6px;
    border:1px solid #FFFFFF;
    padding:8px 6px 4px 37px;
    position:relative;
    margin:0 10px 10px 0;
}
.chat:last-child{
    margin-bottom:0;
}
.chat span{
    color:#777777;
}

```

```

        text-shadow:1px 1px 0 #FFFFFF;
        font-size:12px;
    }
    .chat .text{
        color:#444444;
        display:inline-block;
        font-size:15px;
        overflow:hidden;
        vertical-align:top;
        width:190px;
    }
    .chat .gravatar{
        background:url('http://www.gravatar.com/avatar/ad516503a11cd5ca435acc9bb6523536?size=23') no-repeat;
        left:7px;
        position:absolute;
        top:7px;
    }
    .chat img{
        display:block;
        visibility:hidden;
    }
    .chat .time{
        position:absolute;
        right:10px;
        top:12px;
        font-size:11px;
    }
    .chat .author{
        margin-right:6px;
        font-size:11px;
    }
    /* Chat User Area */
    #chatUsers{
        background-color:#202020;
        border:1px solid #111111;
        height:360px;
        position:absolute;
        right:0;
        top:56px;
        width:150px;
    }
    #chatUsers .user{
        background:url('http://www.gravatar.com/avatar/ad516503a11cd5ca435acc9bb6523536?size=30') no-repeat
        1px 1px #444444;
        border:1px solid #111111;
        float:left;
        height:32px;
        margin:10px 0 0 10px;
        width:32px;
    }
    #chatUsers .user img{
        border:1px solid #444444;
        display:block;
        visibility:hidden;
    }
    /* Bottom Bar */
    #chatBottomBar{
        background:url('../img/solid_gray.jpg') repeat-x #d0d0d0;
        position:relative;
        padding:10px;
        border:1px solid #fff;
    }
    #chatBottomBar .tip{
        position:absolute;
        width:0;
        height:0;
        border:10px solid transparent;
        border-bottom-color:#eeeeee;
        top:-20px;
    }

```

```

    left:20px;
}
#chatContainer input{
    background:url('../img/input_bg.jpg') repeat-x #dcdcdc;
    height:26px;
    font:13px/26px Calibri,Arial,sans-serif;
    color:#777;
    border:1px solid;
    border-color:#c1c1c1 #eee #eee #c1c1c1;
    text-shadow:1px 1px 0 #E4E4E4;
    padding:0 5px;
    margin-right:5px;
    width:185px;
    outline:none;
}
#submitForm{
    display:none;
}
input#chatText{
    /* The chat submit text field */
    width:385px;
}
/* Overloading the default styles of jScrollPane */
.jspVerticalBar{
    background:none;
    width:20px;
}
.jspTrack{
    background-color:#202020;
    border:1px solid #111111;
    width:3px;
    right:-10px;
}
.jspDrag {
    background:url('../img/slider.png') no-repeat;
    width:20px;
    left:-9px;
    height:20px !important;
    margin-top:-5px;
}
.jspDrag:hover{
    background-position:left bottom;
}
/* Additional styles */
a.logoutButton{
    background-color:#bbb;
    border:1px solid #eee !important;
    color:#FFFFFF !important;
    font-size:12px;
    padding:5px 9px;
    position:absolute;
    right:10px;
    text-shadow:1px 1px 0 #888;
    top:7px;
    -moz-box-shadow:0 0 7px #888 inset;
    -webkit-box-shadow:0 0 7px #888 inset;
    box-shadow:0 0 7px #888 inset;
}
a.logoutButton:hover{
    text-shadow:1px 1px 0 #888;
    -moz-box-shadow:0 0 7px #666 inset;
    -webkit-box-shadow:0 0 7px #666 inset;
    box-shadow:0 0 7px #666 inset;
}
#chatContainer .blueButton{
    background:url('../img/button_blue.png') no-repeat;
    border:none !important;
    color:#516D7F !important;
}

```

```

display:inline-block;
font-size:13px;
height:29px;
text-align:center;
text-shadow:1px 1px 0 rgba(255, 255, 255, 0.4);
width:75px;
margin:0;
cursor:pointer;
}
#chatContainer .blueButton:hover{
background-position:left bottom;
}
p.noChats,
#chatUsers .count{
clear:both;
font-size:12px;
padding:10px;
text-align:center;
text-shadow:1px 1px 0 #111111;
}
#chatUsers .count{
font-size:11px;
}
.rounded{
-moz-border-radius:4px;
-webkit-border-radius:4px;
border-radius:4px;
}
#chatErrorMessage{
width:100%;
top:0;
left:0;
position:fixed;
background-color:#ab0909;
border-bottom:1px solid #d32a2a;
font-size:23px;
padding:16px;
text-align:center;
color:#fff;
text-shadow:1px 1px 0 #940f0f;
}

```

70. Page

```

*{
margin:0;
padding:0;
}
body{
color:#eee;
background:url("../img/page_bg.jpg") repeat-x #323232;
font:15px Calibri,Arial,sans-serif;
border-top:5px solid #212121;
}
#footer{
background-color:#212121;
position:fixed;
width:100%;
height:70px;
bottom:0;
left:0;
}
a.tzine,a.tzine:visited{
background:url("../img/tzine.png") no-repeat right top;
border:none;
color:#FCFCFC;
font-size:12px;
height:70px;
left:50%;
line-height:31px;
}

```

```
margin:23px 0 0 110px;
position:absolute;
top:0;
width:290px;
}
.tri{
border-color:transparent transparent #212121;
border-style:solid;
border-width:20px 17px;
height:0;
left:50%;
margin:-40px 0 0 -400px;
position:absolute;
top:0;
width:0;
}
h1{
font-size:20px;
font-weight:normal;
left:50%;
margin-left:-400px;
padding:25px 0;
position:absolute;
width:480px;
}
a, a:visited {
text-decoration:none;
outline:none;
border-bottom:1px dotted #97cae6;
color:#97cae6;
}
a:hover{
border-bottom:1px dashed transparent;
}
.clear{
clear:both;
}
}
```