

## LAMPIRAN

**(1.1) connecting.php**

```

<?

    $host = "localhost";
    $user = "root";
    $pass = "";
    mysql_connect($host,$user,$pass);
    mysql_select_db("ciek");
?>

```

**(1.2) menu-utama.php**

```

<html>
<head>
<title>Menu Utama</title>
</head>
<body bgcolor="#A9C5BE" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>
        <td width="991"><span
class=menu><font size="2"><div align="center">
            <a
href="menu-utama.php">MENU UTAMA</a> |
            <a
href="registerloginadmin.php">ADMINISTRATOR</a> |
            <a
href="registerlogin.php">DOSEN </a>|
            <a
href="registerloginmhs.php">MAHASISWA </a>
        </div></font></span></td>
    </tr>
</table>

    <marquee>
        <strong><font color="#0000FF" size="6">Selamat Datang di Situs
Pembelajaran Menggunakan PHP</font></strong>
    </marquee>
    <br>
    <br>
</p>
<p>&nbsp;</p>
<p><br>
</p>
<p align="center"><font size="15"><b>MENU
UTAMA</b></font></p><br><br>

<center>

    <table width="404" height="135" border="3" cellpadding="0"
cellspacing="0">

```

```

        <tr>
            <td bgcolor="#FF9900"><div align="center"><b><u><font
size="+1"> PILIHAN LOGIN : </font></u></b></div></td>
        </tr>
        <tr>
            <td bgcolor="#FF9900"><div align="center"><a
href="registerloginadmin.php"><font size="+2">ADMINISTRATOR</font>
            </a></font></div></td>
        </tr>
        <tr>
            <td bgcolor="#FF9900"><div align="center"><a
href="registerlogin.php"><font
size="+2">DOSEN</font></a></font></div></td>
        </tr>
        <tr>
            <td bgcolor="#FF9900"><div align="center"><a
href="registerloginmhs.php"><font
size="+2">MAHASISWA</font></a></font></div>
            </td>
        </tr>
    </table>

    <p><br>
</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p><br>
</p>
    <BR>
</center>
<table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
    <tr bgcolor="#FF9900">
        <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
            Copyright &copy; 2007 Ady Triono, All
            right reserved<b> </font></span></div></td>
        </tr>
    </table>

</body>
</html>

```

### (1.3) registerloginadmin.php

```

<html>
<head>
<title>Proses Login Administrator</title>
</head>
<body bgcolor="#00CCFF" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">

```

```

                <tr>
                <td width="991"><span
class=menu><font size="2"><div align="center">
                <a
href="menu-utama.php">MENU UTAMA</a> |
                <a
href="registerloginadmin.php">ADMINISTRATOR</a> |
                <a
href="registerlogin.php">DOSEN </a>|
                <a
href="registerloginmhs.php">MAHASISWA
                </div></font></span></td>
                </tr>
</table>

<p>
<script>
        function checklogin(){
            if(window.document.isipassadmin.newnama.value == ""){
                alert ("Silakan mengisi Nama Anda")
                window.document.isipassadmin.newnama.focus()
                return false
            }
            if(window.document.isipassadmin.newpass.value == ""){
                alert ("Silakan mengisi Password Anda")
                window.document.isipassadmin.newpass.focus()
                return false
            }
        }

        function home() {
            window.location="registerloginadmin.php"
        }
    </script>
</p>
<p>&nbsp;</p>
<p align="center"><strong><font size="6">LOGIN
ADMINISTRATOR</font> </strong></p>
<p align="center">&nbsp;</p>
<table width="102%" align="center" border="0" cellspacing="0"
cellpadding="0">
    <tr>
        <td height="397" align="center" valign="top">
            <form onsubmit="return checklogin();"
name="isipassadmin" method="post"
action="registerlogin_processadmin.php">

                <table border="3" cellspacing="0" cellpadding="3">
                    <tr>
                        <td align="center"><font face="Arial">Nama</font></td>
                        <td bgcolor="#CCFFFF">:</td>
                        <td align="center" colspan="1">
                            <input
class="style1" type="text" name="newnama" /></td>
                    </tr>
                </table>
            </td>
        </tr>
    </table>

```

```

        <td bgcolor="#CCFFFF"><font class="password"
face="Arial">Password</font></td>
        <td bgcolor="#CCFFFF">:</td>
        <td bgcolor="#CCFFFF"> <input class="style1"
type="password" name="newpass" /></td>
    </tr>
    <td bgcolor="#CCFFFF" colspan="3" align="center">
<input type="submit" name="submit" value="LOGIN" />
        <input onClick="home();" type="button" name="button"
value="RESET" /></td>
    </tr>
</table>
    <p>&nbsp;</p>
    <p>&nbsp;</p>
    <p>&nbsp;</p>
    <p>&nbsp;</p>

    <table cellpadding="0" cellspacing="0"
width="100%" height="73" align="center">
    <tr bgcolor="#FF9900">
        <td width="1000" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
                Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
    </tr>
    </table>
    <p>&nbsp;</p>
    </form>
</td>
</tr>
</table>

</body>
</html>

```

#### (1.4) registerlogin\_procesadmin.php

```

<html>
<head>
<title>Crosscek Login Administrator</title>
</head>
<body bgcolor="#00CCFF">

<?
include "connecting.php";

$pass = $_POST['newpass'];
$user = $_POST['newnama'];

$sql = "select * from administrator where nama = '$user' and
password = password('$pass)";
$query = mysql_query($sql) or die("error... ".$sql);
$numrows = mysql_num_rows($query);

if(!$numrows){
?>

```

```

        <script>alert('Nama atau Password yang Anda masukkan
        salah,\nSilakan Ulangi Lagi. ');

        window.location.href='registerloginadmin.php';</script>
    <? }else{

    ?>

        <script>window.location.href='admin.php?login=yes';</script>

    <? } ?>

</body>
</html>

```

### (1.5) admin.php

```

<?
include "connecting.php";
?>

<html>
<head>
<title>Menu Administrator</title>
</head>
<body bgcolor="#66FF66" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>
        <td width="991"><span
class=menu><font size="2"><div align="center">
            <a
href="menu-utama.php">MENU UTAMA</a> |
            <a
href="registerloginadmin.php">ADMINISTRATOR</a> |
            <a
href="ubahpassadmin.php">UBAH DATA </a>|
            <a
href="daftarhapusadmin.php">HAPUS DATA </a>|
            <a
href="registerlogin.php">DOSEN </a>|
            <a
href="registerloginmhs.php">MAHASISWA </a>|
            <a
href="adminlogout.php">LOGOUT </a> </div></font></span></td>
        </tr>
</table>

<p align="center"><font size="15"><b>MENU
ADMINISTRATOR</b></font></p><br><br>

<center>

```

```

<table width="319" border="3" cellspacing="0" cellpadding="0">
  <tr>
    <td bgcolor="#FFCC33" width="309"><div
align="center"><b><u><font
size="+1"> PILIHAN :
</font></u></b></div></td>
  </tr>
  <tr>
    <td bgcolor="#FFCC33"><a href="login-dosen.php"><font
size="+2">1. Menu Dosen.</font></a></font></td>
  </tr>
  <tr>
    <td bgcolor="#FFCC33"><a href="login-mahasiswa.php"><font
size="+2">2. Menu Mahasiswa.</font></a></font></td>
  </tr>
</table>

```

```

<p><br>
</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p><br>
</p>
<BR>
</center>
<table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
  <tr bgcolor="#FF9900">
    <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
  </tr>
</table>
</body>
</html>

```

#### (1.6) login-dosen.php

```

<html>
<head>
<title>Administrator Ubah Dosen</title>
</head>

<body bgcolor="#00CCFF" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
  <tr>
    <td width="991"><span
class=menu><font size="2"><div align="center">

```

```

href="menu-utama.php">MENU UTAMA</a> |
                                <a
href="registerloginadmin.php">ADMINISTRATOR</a> |
                                <a
href="registerlogin.php">DOSEN </a>|
                                <a
href="registerloginmhs.php">MAHASISWA </a>
</div></font></span></td>
                                </tr>
</table>
<p align="center"><font size="13"><b>MENU UBAH
DOSEN</b></font></p><br><br>
<center>
<p><b><u></b></p>
<table width="319" border="3" cellspacing="0" cellpadding="0">
<tr>
<td align="center" bgcolor="#FFCC33" width="309"><div
align="center"><b><u><font size="+1"> PILIHAN :
</font></u></b></div></td>
</tr>
<tr>
<td bgcolor="#FFCC33"><div align="center"><a href="login-
dosen1.php"><b><font size="+2">TAMBAH DATA DOSEN</font>
</b></a></div></td>
</tr>
<tr>
<td bgcolor="#FFCC33"><div align="center"><a href="hapus-
dosen.php"><b><font size="+2">HAPUS DATA DOSEN</font>
</b></a></div></td>
</tr>
<tr>
<td bgcolor="#FFCC33"><div align="center"><a href="update-
dosen.php"><b><font size="+2">UPDATE DATA DOSEN</font></a>
<b></div></td>
</tr>
</table>
<p><a href="admin.php">KEMBALI</a></p><BR><BR><BR><BR><BR><BR>
</center>
<table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
<tr bgcolor="#FF9900">
<td align="center" width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
</tr>
</table>
</body>
</html>

```

**(1.7) login-dosen1.php**

&lt;?&gt;

include "connecting.php";

?&gt;

```
<script>

function cleartext(){
    document.adminisidosen.newnama.value="";
    document.adminisidosen.newalmt.value="";
    document.adminisidosen.newkota.value="";
    document.adminisidosen.newprop.value="";
    document.adminisidosen.newkode.value="";
    document.adminisidosen.newtelp.value="";
    document.adminisidosen.newuser.value="";
    document.adminisidosen.newpass.value="";
}

function back(){

    window.location.href="login-dosen.php";
}

function checknama(){
    if(window.document.adminisidosen.newnama.value == ""){
        alert ("Silakan mengisi Nama Anda")
        window.document.adminisidosen.newnama.focus()
        return false
    }
    if(window.document.adminisidosen.newalmt.value == ""){
        alert ("Silakan mengisi Alamat Anda")
        window.document.adminisidosen.newalmt.focus()
        return false
    }
    if(window.document.adminisidosen.newkota.value == ""){
        alert ("Silakan mengisi Kota Anda")
        window.document.adminisidosen.newkota.focus()
        return false
    }
    if(window.document.adminisidosen.newprop.value == ""){
        alert ("Silakan mengisi Propinsi Anda")
        window.document.adminisidosen.newprop.focus()
        return false
    }
    if(window.document.adminisidosen.newkode.value == ""){
        alert ("Silakan mengisi Kode Pos Anda")
        window.document.adminisidosen.newkode.focus()
        return false
    }
    if(window.document.adminisidosen.newtelp.value == ""){
        alert ("Silakan mengisi Telepon Anda")
        window.document.adminisidosen.newtelp.focus()
        return false
    }
    if(window.document.adminisidosen.newuser.value == ""){
        alert ("Silakan mengisi User Name Anda")
        window.document.adminisidosen.newuser.focus()
        return false
    }
    if(window.document.adminisidosen.newpass.value == ""){
```



```

        alert ("Silakan mengisi Password Anda")
        window.document.adminisidosen.newpass.focus()
        return false
    }
}
</script>

<html>
<head>
<title>Daftar Dosen oleh Administrator</title>
</head>
<body bgcolor="#FFFF00" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>
        <td width="991"><span
class=menu><font size="2"><div align="center">
            <a
href="menu-utama.php">MENU UTAMA</a> |
            <a
href="registerloginadmin.php">ADMINISTRATOR</a> |
            <a
href="registerlogin.php">DOSEN </a>|
            <a
href="registerloginmhs.php">MAHASISWA </a>
        </div></font></span></td>
    </tr>
</table>

    <form onSubmit="return checknama();" name="adminisidosen"
action="registerindex_addsave.php" method="post">
    <input type="hidden" name="newid" value="<?=$result['id_dosen'] ?>" />
    <table border="1" align="center" cellspacing="3"
cellpadding="3">
    <tr>
        <td bgcolor="#00CC33" class="admin"
align="center" colspan="3"><b>[ Tambah Dosen]</b></td>
    </tr>
    <tr>
        <td bgcolor="#00CC33" class="admin">Nama</td>
        <td bgcolor="#00CC33" class="admin">:</td>
        <td bgcolor="#00CC33" class="admin"><input
type="text" name="newnama" value="" class="style1" /></td>
    </tr>
    <tr>
        <td bgcolor="#00CC33" class="admin">Alamat</td>
        <td bgcolor="#00CC33" class="admin">:</td>
        <td bgcolor="#00CC33" class="admin"><input
type="text" name="newalmt" value="" class="style1" /></td>
    </tr>
    <tr>

```

```

        <td bgcolor="#00CC33" class="admin">Kota</td>
        <td bgcolor="#00CC33" class="admin">:</td>
        <td bgcolor="#00CC33" class="admin"><input
type="text" name="newkota" value="" class="style1" /></td>
</tr>
<tr>
        <td
class="admin">Propinsi</td>
        <td bgcolor="#00CC33" class="admin">:</td>
        <td bgcolor="#00CC33" class="admin"><input
type="text" name="newprop" value="" class="style1" /></td>
</tr>
<tr>
        <td bgcolor="#00CC33" class="admin">Kode
Pos</td>
        <td bgcolor="#00CC33" class="admin">:</td>
        <td bgcolor="#00CC33" class="admin"><input
type="text" name="newkode" value="" class="style1" /></td>
</tr>
<tr>
        <td bgcolor="#00CC33" class="admin">Telepon</td>
        <td bgcolor="#00CC33" class="admin">:</td>
        <td bgcolor="#00CC33" class="admin"><input
type="text" name="newtelp" value="" class="style1" /></td>
</tr>
<tr>
        <td
class="admin">Username</td>
        <td bgcolor="#00CC33" class="admin">:</td>
        <td bgcolor="#00CC33" class="admin"><input
type="text" name="newuser" value="" class="style1" /></td>
</tr>
<tr>
        <td
class="admin">Password</td>
        <td bgcolor="#00CC33" class="admin">:</td>
        <td bgcolor="#00CC33" class="admin"><input
type="password" name="newpass" value="" class="style1" /></td>
</tr>
<tr>
        <td
align="center" bgcolor="#00CC33" colspan="3"
value="Simpan">
        <input type="submit" name="submit"
onClick="cleartext();" >
        <input type="button" name="reset" value="Ulang"
value="Kembali" onClick="back();" /></td>
</tr>
</table>
</form>
</td><a href="lihatdosen.php"><center>Lihat Daftar
Dosen</center></a><br><br>
<table cellpadding="0" cellspacing="0" width="107%"
height="73" align="center">
        <tr bgcolor="#FF9900">
                <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>

```

```

                Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
                </tr>
</table>

</body>

</html>

```

### (1.8) registerindex\_addsave.php

```

<html>
<head>
<title>Save Daftar Dosen oleh Administrator</title>
</head>
<body bgcolor="#FFFF00" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>
<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
                <tr>
                        <td width="991"><span
class=menu><font size="2"><div align="center">
                                <a
href="menu-utama.php">MENU UTAMA</a> |
                                <a
href="registerloginadmin.php">ADMINISTRATOR</a> |
                                <a
href="registerlogin.php">DOSEN </a>|
                                <a
href="registerloginmhs.php">MAHASISWA </a>
                        </div></font></span></td>
                </tr>
</table>

<p>
<?
        include "connecting.php";
        $nama = $_POST['newnama'];
        $alamat = $_POST['newalmt'];
        $kota = $_POST['newkota'];
        $propinsi = $_POST['newprop'];
        $kode = $_POST['newkode'];
        $telepon = $_POST['newtelp'];
        $pass = $_POST['newpass'];
        $user = $_POST['newuser'];
        $aid = $_POST['newid'];

        $sql = "insert into dosen (nama, alamat,kota, propinsi,
kodepos, telepon, username, password)
                values ( '$nama', '$alamat', '$kota',
'$propinsi', '$kode',
                                '$telepon', '$user',
password('$pass'))";
        $query = mysql_query($sql) or die ("Maaf.. Nama, Alamat,
Kode Pos, Telepon, User Name atau Password

```

```

yang Anda masukkan sudah ada yang memakai.");

echo("Data berhasil dimasukkan");
?>
    <br>

    <a href="login-dosen.php"><br>
    <b>back</b></a><br>
</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p><br>

</p>
<table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
    <tr bgcolor="#FF9900">
        <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
                Copyright &copy; 2007 Ady Triono, All
                right reserved<b> </font></span></div></td>
        </tr>
</table>

</body>

</html>

(1.9) hapus-dosen.php
<?

    include "connecting.php";

?>

<html>

<head>
<title>Daftar Hapus Data Dosen</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1"></head>

<body    bgcolor="#66FF66"    leftmargin="0"    topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
                                <tr>

```

```

                                <td          width="991"><span
class=menu><font size="2"><div align="center">
                                <a
href="menu-utama.php">MENU UTAMA</a> |
                                <a
href="registerloginadmin.php">ADMINISTRATOR</a> |
                                <a
href="registerlogin.php">DOSEN </a>|
                                <a
href="registerloginmhs.php">MAHASISWA
                                </a>
</div></font></span></td>
                                </tr>
</table>
    <p>&nbsp;</p>
    <p>&nbsp;</p>
    <table align="center">
        <td width="70%" align="center" valign="top" style="padding-
left:10px">
            <table border="0" cellspacing="9" cellpadding="9">
                <tr>
                    <td          bgcolor="#FFFF00"align="center"
colspan="10"><b>[ Daftar Dosen]</b></td>
                </tr>
                <tr>
                    <td          bgcolor="#FFFF00"
align="center"><b>Id</b></td>
                    <td          bgcolor="#FFFF00"
align="center"><strong>Nama </strong></td>
                    <td          bgcolor="#FFFF00"
align="center"><strong>Alamat</strong></td>
                    <td          bgcolor="#FFFF00"
align="center"><strong>Kota</strong></td>
                    <td          bgcolor="#FFFF00"
align="center"><strong>Propinsi</strong></td>
                    <td          bgcolor="#FFFF00"
align="center"><strong>Kode Pos</strong></td>
                    <td          bgcolor="#FFFF00"
align="center"><strong>Telepon</strong></td>
                    <td          bgcolor="#FFFF00"
align="center"><strong>Username</strong></td>
                    <td          bgcolor="#FFFF00"
align="center"><strong>Password</strong></td>
                    <td          bgcolor="#FFFF00"
align="center"><b>Perintah</b></td>
                </tr>
                <?
                $sql = "select * from dosen ORDER BY id_dosen ";
                $query = mysql_query($sql) or die ("error");

                $nomorurut = 1;
                while($result = mysql_fetch_array($query)){
                ?>
                <tr>
                    <td          bgcolor="#FFFF00"          align="center"><?=$
nomorurut ?></td>
                    <td          bgcolor="#FFFF00"><?=$result['nama']
?></td>

```

```

        <td bgcolor="#FFFF00"><?= $result['alamat']
?></td>
        <td bgcolor="#FFFF00"><?= $result['kota']
?></td>
        <td bgcolor="#FFFF00"><?= $result['propinsi']
?></td>
        <td bgcolor="#FFFF00"><?= $result['kodepos']
?></td>
        <td bgcolor="#FFFF00"><?= $result['telepon']
?></td>
        <td bgcolor="#FFFF00"><?= $result['username']
?></td>
        <td bgcolor="#FFFF00"><?= $result['password']
?></td>
        <td bgcolor="#FFFF00">
            <a class="action" href="hapus-
dosen2.php?nomid=<?= $result['id_dosen'] ?>">Hapus</a>]
        </td>
    </tr>
    <?
$nomorurut++;
}
?>

    <tr>
        <td bgcolor="#FFFF00" colspan="10"
align="center">
            <a class="action" href="login-
dosen.php">KEMBALI</a>]
        </td>
    </tr>
</table>
</td>

</table>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<table cellpadding="0" cellspacing="0" width="107%"
height="73" align="center">
    <tr bgcolor="#FF9900">
        <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
            Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
        </tr>
</table>

</body>

</html>

```

**(1.10) hapus-dosen2.php**

```

<?
    include "connecting.php";

?>

<html>

<head>
<title>Proses Hapus Data Dosen</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1">

</head>

<body bgcolor="#66CCFF" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>
        <td width="991"><span
class=menu><font size="2"><div align="center">
            <a
href="menu-utama.php">MENU UTAMA</a> |
            <a
href="registerloginadmin.php">ADMINISTRATOR</a> |
            <a
href="registerlogin.php">DOSEN </a>|
            <a
href="registerloginmhs.php">MAHASISWA </a>
        </div></font></span></td>
    </tr>
</table>
<p>&nbsp;</p>
    <p>&nbsp;</p>
    <p>&nbsp;</p>
    <table width="100%" border="0">

<?
    $sql = "select * from dosen where id_dosen = '$nomid'";

    $query = mysql_query($sql) or die ("error");
    $result = mysql_fetch_array($query);
    ?>
    <td colspan="1" align="center" valign="top" style="padding-
left:10px">
        <form onSubmit="return checkeditadmin();"
name="frmeditadmin" action="hapus-dosen3.php" method="post">
            <input type="hidden" name="newid" value="<?=$
$result['id_dosen'] ?>" />
            <table border="1" cellspacing="3" cellpadding="3">

```

```

        <tr>
            <td bgcolor="#FFCCFF" colspan="3"
align="center"><b>[ Hapus Dosen]</b></td>
        </tr>
        <tr>
            <td bgcolor="#FFCCFF">Nama Dosen </td>
            <td bgcolor="#FFCCFF">:</td>
            <td bgcolor="#FFCCFF"><?=$result['username']
?></td>
        </tr>
        <tr>
            <td bgcolor="#FFCCFF">Password</td>
            <td bgcolor="#FFCCFF">:</td>
            <td bgcolor="#FFCCFF"><?=$result['password']
?></td>
        </tr>
        <tr>
            <td bgcolor="#FFCCFF" colspan="3"
align="center">
                <input type="submit" name="submit" value="Hapus"
                >
                <input type="button" name="reset" value="Batal"
onClick="history.back();" ></td>
            </tr>
    </table>
</form>
</td>

</table>
<p>&nbsp;</p>
    <p>&nbsp;</p>
    <p>&nbsp;</p>
    <p>&nbsp;</p>
    <p>&nbsp;</p>
    <p>&nbsp;</p>
    <table cellpadding="0" cellspacing="0" width="100%"
height="73" align="center">
        <tr bgcolor="#FF9900">
            <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
                Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
            </tr>
    </table>
</body>

</html>

```



**(1.11) hapus-dosen3.php**

```

<title>Hapus Data Dosen Save</title>
<?
    include "connecting.php";
    $aid = $_POST['newid'];

    $sql = "delete from dosen where id_dosen = '$aid'";
    $query = mysql_query($sql) or die ("error2");
?>
<script>>window.location.href="hapus-dosen.php";</script>

```

**(1.12) update-dosen.php**

```

<?
    include "connecting.php";
?>

<html>

<head>
<title>Daftar Data Dosen</title>
</head>
<body    bgcolor="#00CCFF"    leftmargin="0"    topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table  bgcolor="#FF9900"  width="103%"  height="23"  border="0"
align="center">
    <tr>
        <td
            width="991"><span
class=menu><font size="2"><div align="center">
                <a
href="menu-utama.php">MENU UTAMA</a> |
                <a
href="registerloginadmin.php">ADMINISTRATOR</a> |
                <a
href="registerlogin.php">DOSEN </a>|
                <a
href="registerloginmhs.php">MAHASISWA
            </div></font></span></td>
    </tr>
</table>
<p    align="center"><font    size="13"><b>DAFTAR    DATA
DOSEN</b></font></p><br><br>

    <table align="center">
        <td width="70%" align="center" valign="top" style="padding-
left:10px">
            <table border="3" cellspacing="3" cellpadding="3">
                <tr>
                    <td
                        bgcolor="#FFFF00"align="center"
colspan="10"><b>[ Daftar Data Dosen]</b></td>
                </tr>
                <tr>

```

```

                <td                                bgcolor="#FFFF00"
align="center"><b>Id</b></td>
                <td                                bgcolor="#FFFF00"
align="center"><strong>Nama </strong></td>
                <td                                bgcolor="#FFFF00"
align="center"><strong>Alamat</strong></td>
                <td                                bgcolor="#FFFF00"
align="center"><strong>Kota</strong></td>
                <td                                bgcolor="#FFFF00"
align="center"><strong>Propinsi</strong></td>
                <td                                bgcolor="#FFFF00"
align="center"><strong>Kode Pos</strong></td>
                <td                                bgcolor="#FFFF00"
align="center"><strong>Telepon</strong></td>
                <td                                bgcolor="#FFFF00"
align="center"><strong>Username</strong></td>
                <td                                bgcolor="#FFFF00"
align="center"><strong>Password</strong></td>
                <td                                bgcolor="#FFFF00"    class="admin"
align="center"><strong>Perintah</strong></td>
            </tr>
            <?
            $sql = "select * from dosen ORDER BY id_dosen ";
            $query = mysql_query($sql) or die ("error");

            $nomorurut = 1;
            while($result = mysql_fetch_array($query)){
            ?>
            <tr>
            <td                                bgcolor="#FFFF00"    align="center"><?=$
$nomorurut ?></td>
            <td                                bgcolor="#FFFF00"><?=$result['nama']
?></td>
            <td                                bgcolor="#FFFF00"><?=$result['alamat']
?></td>
            <td                                bgcolor="#FFFF00"><?=$result['kota']
?></td>
            <td                                bgcolor="#FFFF00"><?=$result['propinsi']
?></td>
            <td                                bgcolor="#FFFF00"><?=$result['kodepos']
?></td>
            <td                                bgcolor="#FFFF00"><?=$result['telepon']
?></td>
            <td                                bgcolor="#FFFF00"><?=$result['username']
?></td>
            <td                                bgcolor="#FFFF00"><?=$result['password']
?></td>
            <td                                bgcolor="#FFFF00"    align="center">
            [ <a                                class="action"                                href="update-
dosen2.php?login=yes&noiddosen=<?=$result['id_dosen']
?>">Ubah</a> ] </td>
            </tr>
            <?
            $nomorurut++;
            }
            ?>

            <tr>

```

```

        <td          bgcolor="#FFFF00"          colspan="10"
align="center">
        [ <a          class="action"          href="login-
dosen.php">KEMBALI</a>]
        </tr>
        </table>
        </td>

</table>

<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>

<table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
        <tr bgcolor="#FF9900">
                <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
                        Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
                </tr>
        </table>

</body>

</html>

```

**(1.13) update-dosen2.php**

```

<?

        include "connecting.php";

?>

<script>

        function cleartext(){
                document.editdosen.newnama.value="";
                document.editdosen.newalmt.value="";
                document.editdosen.newkota.value="";
                document.editdosen.newprop.value="";
                document.editdosen.newkode.value="";
                document.editdosen.newtelp.value="";

        }

        function checknama(){
                if(window.document.editdosen.newnama.value == ""){
                        alert ("Silakan mengisi Nama Anda")
                        window.document.editdosen.newnama.focus()
                        return false
                }
                if(window.document.editdosen.newalmt.value == ""){

```

```

        alert ("Silakan mengisi Alamat Anda")
        window.document.editdosen.newalmt.focus()
        return false
    }
    if(window.document.editdosen.newkota.value == ""){
        alert ("Silakan mengisi Kota Anda")
        window.document.editdosen.newkota.focus()
        return false
    }
    if(window.document.editdosen.newprop.value == ""){
        alert ("Silakan mengisi Propinsi Anda")
        window.document.editdosen.newprop.focus()
        return false
    }
    if(window.document.editdosen.newkode.value == ""){
        alert ("Silakan mengisi Kode Pos Anda")
        window.document.editdosen.newkode.focus()
        return false
    }
    if(window.document.editdosen.newtelp.value == ""){
        alert ("Silakan mengisi Telepon Anda")
        window.document.editdosen.newtelp.focus()
        return false
    }
}

}

</script>

<html>

<head>
<title>Proses Ubah Data Dosen</title>
</head>

<body bgcolor="#00CCFF" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>
        <td width="991"><span
class=menu><font size="2"><div align="center">
            <a
href="menu-utama.php">MENU UTAMA</a> |
            <a
href="registerloginadmin.php">ADMINISTRATOR</a> |
            <a
href="registerlogin.php">DOSEN </a>|
            <a
href="registerloginmhs.php">MAHASISWA </a>
        </div></font></span></td>
    </tr>

```

```

</table>

    <table width="30%" align="center"><br><br>

        <td width="70%" colspan="1" align="center" valign="top"
style="padding-left:10px">
            <?
                $sql = "select * from dosen where id_dosen =
'$noiddosen' ";
                $query = mysql_query($sql) or die ("error baca data
dosen");
                $result = mysql_fetch_array($query);
            ?>

            <form onSubmit="return checknama();" name="editdosen"
action="update-dosen3.php" method="post"
enctype="multipart/form-data">
                <input type="hidden" name="MAX_FILE_SIZE"
value="1000000" />
                <input type="hidden" name="newid" value="<?=
$result['id_dosen'] ?>" />
                <table border="1" cellspacing="3" cellpadding="3">
                    <tr>
                        <td bgcolor="#FFFF00" class="admin"
align="center" colspan="5"><b>[ Ubah Data Dosen]</b></td>
                    </tr>
                    <tr>
                        <td bgcolor="#FFFF00" class="admin">Id Dosen
                    </td>
                        <td bgcolor="#FFFF00" class="admin">:</td>
                        <td bgcolor="#FFFF00" class="admin"><?=
$result['id_dosen'] ?></td>
                    </tr>
                    <tr>
                        <td bgcolor="#FFFF00" class="admin">User Name
                    </td>
                        <td bgcolor="#FFFF00" class="admin">:</td>
                        <td bgcolor="#FFFF00" class="admin"><?=
$result['username'] ?></td>
                    </tr>
                    <tr>
                        <td
class="admin">Password</td>
                        <td bgcolor="#FFFF00" class="admin">:</td>
                        <td bgcolor="#FFFF00" class="admin"><?=
$result['password'] ?></td>
                    </tr>
                    <tr>
                        <td bgcolor="#FFFF00" class="admin">Nama</td>
                        <td bgcolor="#FFFF00" class="admin">:</td>
                        <td bgcolor="#FFFF00" class="admin"><input
type="text" name="newnama" value="<?= $result['nama'] ?>"
class="style1" /></td>
                    </tr>
                    <tr>
                        <td bgcolor="#FFFF00" class="admin">Alamat</td>

```

```

        <td bgcolor="#FFFF00" class="admin">:</td>
        <td bgcolor="#FFFF00" class="admin"><input
type="text" name="newalmt" value="<?=$result['alamat'] ?>"
class="style1" /></td>
    </tr>
    <tr>
        <td bgcolor="#FFFF00" class="admin">Kota</td>
        <td bgcolor="#FFFF00" class="admin">:</td>
        <td bgcolor="#FFFF00" class="admin"><input
type="text" name="newkota" value="<?=$result['kota'] ?>"
class="style1" /></td>
    </tr>
    <tr>
        <td
                                bgcolor="#FFFF00"
class="admin">Propinsi</td>
        <td bgcolor="#FFFF00" class="admin">:</td>
        <td bgcolor="#FFFF00" class="admin"><input
type="text" name="newprop" value="<?=$result['propinsi'] ?>"
class="style1" /></td>
    </tr>
    <tr>
        <td bgcolor="#FFFF00" class="admin">Kode Pos
</td>
        <td bgcolor="#FFFF00" class="admin">:</td>
        <td bgcolor="#FFFF00" class="admin"><input
type="text" name="newkode" value="<?=$result['kodepos'] ?>"
class="style1" /></td>
    </tr>
    <tr>
        <td bgcolor="#FFFF00" class="admin">Telepon</td>
        <td bgcolor="#FFFF00" class="admin">:</td>
        <td bgcolor="#FFFF00" class="admin"><input
type="text" name="newtelp" value="<?=$result['telepon'] ?>"
class="style1" /></td>
    </tr>
    <tr>
        <td
                                bgcolor="#FFFF00"
                                colspan="3"
align="center">
        <input type="submit" name="submit" value="Ubah">
        <input type="button" name="reset" value="Ulang"
onClick="cleartext();" >
        <input
                                type="button"
                                name="reset"
value="Kembali" onClick="history.back();"></td>
    </tr>
</table>
</form>
</td>
</table>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>

```

```

<table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
    <tr bgcolor="#FF9900">
        <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
                Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
    </tr>
</table>

```

```
</body>
```

```
</html>
```

#### (1.14) update-dosen3.php

```

<html>
<head>
<title>Ubah Data Dosen Save</title>
</head>
<body bgcolor="#00CCFF" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>
<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>
        <td width="991"><span
class=menu><font size="2"><div align="center">
                <a
href="menu-utama.php">MENU UTAMA</a> |
                <a
href="registerloginadmin.php">ADMINISTRATOR</a> |
                <a
href="registerlogin.php">DOSEN </a>|
                <a
href="registerloginmhs.php">MAHASISWA </a>
            </div></font></span></td>
    </tr>
</table>
<p>

```

```

<?
    include "connecting.php";

    $nama = $_POST['newnama'];
    $salamat = $_POST['newalmt'];
    $kota = $_POST['newkota'];
    $propinsi = $_POST['newprop'];
    $kode = $_POST['newkode'];
    $telepon = $_POST['newtelp'];
    $aid = $_POST['newid'];

```

```

$sql = "update dosen
set nama = '$nama',
alamat = '$alamat',
kota = '$kota',
propinsi = '$propinsi',
kodepos = '$kode',
telepon = '$telepon'
where id_dosen = '$aid'";
$query = mysql_query($sql) or die ("Maaf.. Nama, Alamat,
Kode Pos atau Telepon yang Anda masukkan sudah ada yang
memakai.");

```

```
?>
```

```

<script>
    window.location.href="update-dosen.php?update=yes";
</script>

<table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
    <tr bgcolor="#FF9900">
        <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
                Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
    </tr>
</table>
</body>

</html>

```

#### (1.15) login-mahasiswa.php

```

<html>
<head>
<title>Administrator Ubah Mahasiswa</title>
</head>

<body bgcolor="#00CCFF" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>
        <td width="991"><span
class=menu><font size="2"><div align="center">
                <a
href="menu-utama.php">MENU UTAMA</a> |
                <a
href="registerloginadmin.php">ADMINISTRATOR</a> |
                <a
href="registerlogin.php">DOSEN </a>|
                <a
href="registerloginmhs.php">MAHASISWA
            </div></font></span></td>
    </tr>

```



```

</tr>
</table>
<p align="center"><font size="13"><b>MENU UBAH
MAHASISWA</b></font></p><br><br>
<center>
<p><b><u></b></p>
<table width="381" height="177" border="3">
<tr>
<td bgcolor="#FFCC33" width="350"> <div
align="center"><b><u><font size="+1"> PILIHAN :
</font></u></b></div></td>
</tr>
<tr>
<td bgcolor="#FFCC33"><div align="center"><a href="login-
mahasiswa.php"><b><font size="+2">TAMBAH DATA MAHASISWA</font>
</b></a></div></td>
</tr>
<tr>
<td bgcolor="#FFCC33"><div align="center"><a href="hapus-
mahasiswa.php"><b><font size="+2">HAPUS DATA MAHASISWA</font>
</b></a></div></td>
</tr>
<tr>
<td bgcolor="#FFCC33"><div align="center"><a href="update-
mahasiswa.php"><font size="+2"><b>UPDATE DATA
MAHASISWA</b></font></a></div></td>
</tr>
</table>
<p><a href="admin.php"><b>KEMBALI</b></a></p>

<br>
<br>

</center><br>
<table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
<tr bgcolor="#FF9900">
<td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
</tr>
</table>
</body>
</html>

```

**(1.16) login-mahasiswa1.php**

```

<?
include "connecting.php";

?>

<script>

function cleartext(){
document.adminisimhs.newnama.value="";
document.adminisimhs.newalmt.value="";

```

```
document.adminisimhs.newkota.value="";
document.adminisimhs.newprop.value="";
document.adminisimhs.newkode.value="";
document.adminisimhs.newtelp.value="";
document.adminisimhs.newnrp.value="";
document.adminisimhs.newpass.value="";
}

function back(){

    window.location.href="login-mahasiswa.php";
}

function checknama(){
    if(window.document.adminisimhs.newnama.value == ""){
        alert ("Silakan mengisi Nama Anda")
        window.document.adminisimhs.newnama.focus()
        return false
    }
    if(window.document.adminisimhs.newalmt.value == ""){
        alert ("Silakan mengisi Alamat Anda")
        window.document.adminisimhs.newalmt.focus()
        return false
    }
    if(window.document.adminisimhs.newkota.value == ""){
        alert ("Silakan mengisi Kota Anda")
        window.document.adminisimhs.newkota.focus()
        return false
    }
    if(window.document.adminisimhs.newprop.value == ""){
        alert ("Silakan mengisi Propinsi Anda")
        window.document.adminisimhs.newprop.focus()
        return false
    }
    if(window.document.adminisimhs.newkode.value == ""){
        alert ("Silakan mengisi Kode Pos Anda")
        window.document.adminisimhs.newkode.focus()
        return false
    }
    if(window.document.adminisimhs.newtelp.value == ""){
        alert ("Silakan mengisi Telepon Anda")
        window.document.adminisimhs.newtelp.focus()
        return false
    }

    if(window.document.adminisimhs.newnrp.value == ""){
        alert ("Silakan mengisi Nrp Anda")
        window.document.adminisimhs.newnrp.focus()
        return false
    }
    if(window.document.adminisimhs.newpass.value == ""){
        alert ("Silakan mengisi Password Anda")
        window.document.adminisimhs.newpass.focus()
        return false
    }
}
</script>
```

```

<html>
<head>
<title>Daftar Mahasiswa oleh Administrator</title>
</head>
<body bgcolor="#66CCFF" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
<tr>
<td width="991"><span
class=menu><font size="2"><div align="center">
<a href="menu-utama.php">MENU UTAMA</a> |
<a href="registerloginadmin.php">ADMINISTRATOR</a> |
<a href="registerlogin.php">DOSEN </a>|
<a href="registerloginmhs.php">MAHASISWA </a>
</div></font></span></td>
</tr>
</table>

<form onSubmit="return checknama();" name="adminisimhs"
action="registerindex_addsavemhs.php" method="post">
<input type="hidden" name="newid" value="<?=$result['id_mahasiswa'] ?>" />
<table border="1" align="center" cellspacing="3"
cellpadding="3">
<tr>
<td align="center" colspan="3" bgcolor="#CC99FF" class="admin"><b>[ Tambah Mahasiswa]</b></td>
</tr>
<tr>
<td align="center" colspan="3" bgcolor="#CC99FF" class="admin">Nama</td>
<td align="center" colspan="3" bgcolor="#CC99FF" class="admin">:</td>
<td align="center" colspan="3" bgcolor="#CC99FF" class="admin"><input
type="text" name="newnama" value="" class="style1" /></td>
</tr>
<tr>
<td align="center" colspan="3" bgcolor="#CC99FF" class="admin">Alamat</td>
<td align="center" colspan="3" bgcolor="#CC99FF" class="admin">:</td>
<td align="center" colspan="3" bgcolor="#CC99FF" class="admin"><input
type="text" name="newalmt" value="" class="style1" /></td>
</tr>
<tr>
<td align="center" colspan="3" bgcolor="#CC99FF" class="admin">Kota</td>
<td align="center" colspan="3" bgcolor="#CC99FF" class="admin">:</td>
<td align="center" colspan="3" bgcolor="#CC99FF" class="admin"><input
type="text" name="newkota" value="" class="style1" /></td>
</tr>
<tr>

```

```

                <td                                bgcolor="#CC99FF"
class="admin">Propinsi</td>
                <td bgcolor="#CC99FF" class="admin">:</td>
                <td bgcolor="#CC99FF" class="admin"><input
type="text" name="newprop" value="" class="style1" /></td>
            </tr>
            <tr>
                <td                                bgcolor="#CC99FF"
class="admin">Kode
Pos</td>
                <td bgcolor="#CC99FF" class="admin">:</td>
                <td bgcolor="#CC99FF" class="admin"><input
type="text" name="newkode" value="" class="style1" /></td>
            </tr>
            <tr>
                <td bgcolor="#CC99FF" class="admin">Telepon</td>
                <td bgcolor="#CC99FF" class="admin">:</td>
                <td bgcolor="#CC99FF" class="admin"><input
type="text" name="newtelp" value="" class="style1" /></td>
            </tr>
            <tr>
                <td bgcolor="#CC99FF" class="admin">Nrp</td>
                <td bgcolor="#CC99FF" class="admin">:</td>
                <td bgcolor="#CC99FF" class="admin"><input
type="text" name="newnrp" value="" class="style1" /></td>
            </tr>
            <tr>
                <td                                bgcolor="#CC99FF"
class="admin">Password</td>
                <td bgcolor="#CC99FF" class="admin">:</td>
                <td bgcolor="#CC99FF" class="admin"><input
type="password" name="newpass" value="" class="style1" /></td>
            </tr>
            <tr>
                <td                                bgcolor="#CC99FF"
align="center">
                <input                                type="submit"
value="Simpan">
                <input type="button" name="reset" value="Ulang"
onClick="cleartext();" >
                <input                                type="button"
value="Kembali" onClick="back();"></td>
            </tr>
        </table>
    </form>
    </td><a href="lihatmahasiswa.php"><center>Lihat Daftar
Mahasiswa</center><br><br>
<table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
    <tr bgcolor="#FF9900">
        <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
                Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
    </tr>
</table>
</body>

```

```
</html>
```

### (1.17) registerindex\_addsavemhs.php

```
<html>
<head>
<title>Save Daftar Mahasiswa oleh Administrator</title>
</head>
<body bgcolor="#66CCFF" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>
<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
<tr>
<td width="991"><span
class=menu><font size="2"><div align="center">
<a
href="menu-utama.php">MENU UTAMA</a> |
<a
href="registerloginadmin.php">ADMINISTRATOR</a> |
<a
href="registerlogin.php">DOSEN </a>|
<a
href="registerloginmhs.php">MAHASISWA </a>
</div></font></span></td>
</tr>
</table>
<p>
<?
include "connecting.php";
$nama = $_POST['newnama'];
$alamat = $_POST['newalmt'];
$kota = $_POST['newkota'];
$propinsi = $_POST['newprop'];
$kode = $_POST['newkode'];
$telepon = $_POST['newtelp'];
$pass = $_POST['newpass'];
$nrp = $_POST['newnrp'];
$aid = $_POST['newid'];

$sql = "insert into mahasiswa (nama, alamat,kota, propinsi,
kodepos, telepon, nrp, password)
values ( '$nama', '$alamat', '$kota',
'$propinsi', '$kode',
'$telepon', '$nrp',
password('$pass'))";
$query = mysql_query($sql) or die ("Maaf.. Nama, Nrp atau
Password yang Anda masukkan sudah ada yang memakai.");

echo("Data berhasil dimasukkan");
?>
<br>
<a href="login-mahasiswa.php"><br><b>back</b></a><br>
</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
```

```

<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p><br>

</p>
<table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
    <tr bgcolor="#FF9900">
        <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
                Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
        </tr>
</table>

</body>

</html>

```

**(1.18) hapus-mahasiswa.php**

```

<?

    include "connecting.php";

?>

<html>

<head>
<title>Daftar Hapus Data Mahasiswa</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1"></head>

<body bgcolor="#00CCFF" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>
        <td width="991"><span
class=menu><font size="2"><div align="center">
                <a
href="menu-utama.php">MENU UTAMA</a> |
                <a
href="registerloginadmin.php">ADMINISTRATOR</a> |
                <a
href="registerlogin.php">DOSEN </a>|
                <a
href="registerloginmhs.php">MAHASISWA </a>
            </div></font></span></td>
    </tr>

```

```

</table>
<p>&nbsp;</p>
<p>&nbsp;</p>
<table align="center">
  <td width="70%" align="center" valign="top" style="padding-
left:10px">
    <table border="0" cellspacing="9" cellpadding="9">
      <tr>
        <td colspan="10" align="center" bgcolor="#CCFFFF"><b>[ Daftar Mahasiswa]</b></td>
      </tr>
      <tr>
        <td align="center" bgcolor="#CCFFFF"><b>Id</b></td>
        <td align="center" bgcolor="#CCFFFF"><strong>Nama </strong></td>
        <td align="center" bgcolor="#CCFFFF"><strong>Alamat</strong></td>
        <td align="center" bgcolor="#CCFFFF"><strong>Kota</strong></td>
        <td align="center" bgcolor="#CCFFFF"><strong>Propinsi</strong></td>
        <td align="center" bgcolor="#CCFFFF"><strong>Kode Pos</strong></td>
        <td align="center" bgcolor="#CCFFFF"><strong>Telepon</strong></td>
        <td align="center" bgcolor="#CCFFFF"><strong>Nrp</strong></td>
        <td align="center" bgcolor="#CCFFFF"><strong>Password</strong></td>
        <td align="center" bgcolor="#CCFFFF"><b>Perintah</b></td>
      </tr>
      <tr>
        <td align="center" colspan="10">
          <?
          $sql = "select * from mahasiswa ORDER BY id_mahasiswa
          ";
          $query = mysql_query($sql) or die ("error");

          $nomorurut = 1;
          while($result = mysql_fetch_array($query)){
            <?>
            <tr>
              <td align="center" bgcolor="#CCFFFF"><?=$nomorurut ?></td>
              <td align="center" bgcolor="#CCFFFF"><?=$result['nama'] ?></td>
              <td align="center" bgcolor="#CCFFFF"><?=$result['alamat'] ?></td>
              <td align="center" bgcolor="#CCFFFF"><?=$result['kota'] ?></td>
              <td align="center" bgcolor="#CCFFFF"><?=$result['propinsi'] ?></td>
              <td align="center" bgcolor="#CCFFFF"><?=$result['kodepos'] ?></td>
              <td align="center" bgcolor="#CCFFFF"><?=$result['telepon'] ?></td>
              <td align="center" bgcolor="#CCFFFF"><?=$result['nrp'] ?></td>
            </tr>
          }
        </td>
      </tr>
    </table>
  </td>
</table>

```

```

        <td bgcolor="#CCFFFF"><?= $result['password']
?></td>
        <td bgcolor="#CCFFFF">
            [<a class="action" href="hapus-
mahasiswa2.php?nomid=<?= $result['id_mahasiswa'] ?>">Hapus</a>]
        </td>
    </tr>
    <?
$nomorurut++;
}
?>

    <tr>
        <td
            bgcolor="#CCFFFF"
            colspan="10"
            align="center">
            [<a class="action" href="login-
mahasiswa.php">KEMBALI</a>]
        </td>
    </tr>

</table>
</td>

</table>
<p>&nbsp;</p>
    <p>&nbsp;</p>
    <p>&nbsp;</p>
    <p>&nbsp;</p>
    <p>&nbsp;</p>
    <p>&nbsp;</p>
    <p>&nbsp;</p>
    <table cellpadding="0" cellspacing="0" width="107%"
height="73" align="center">
        <tr bgcolor="#FF9900">
            <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
                Copyright &copy; 2007 Ady Triono, All
                right reserved<b> </font></span></div></td>
            </tr>
    </table>

</body>

</html>

(1.19) hapus-mahasiswa2.php
<?

    include "connecting.php";

?>

<html>

<head>
<title>Proses Hapus Data Mahasiswa</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1">

```



```

</head>

<body bgcolor="#FFCC66" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>
        <td width="991"><span
class=menu><font size="2"><div align="center">
            <a
href="menu-utama.php">MENU UTAMA</a> |
            <a
href="registerloginadmin.php">ADMINISTRATOR</a> |
            <a
href="registerlogin.php">DOSEN </a>|
            <a
href="registerloginmhs.php">MAHASISWA </a>
        </div></font></span></td>
    </tr>
</table>
<p>&nbsp;</p>
    <p>&nbsp;</p>
    <p>&nbsp;</p>
<table width="100%" border="0">
    <?
        $sql = "select * from mahasiswa where id_mahasiswa =
'$nomid'";

        $query = mysql_query($sql) or die ("error");
        $result = mysql_fetch_array($query);
        ?>
        <td colspan="1" align="center" valign="top" style="padding-
left:10px">
            <form onSubmit="return checkeditadmin();"
name="frmeditadmin" action="hapus-mahasiswa3.php" method="post">
                <input type="hidden" name="newid" value="<?=
$result['id_mahasiswa'] ?>" />
                <table border="1" cellspacing="3" cellpadding="3">
                    <tr>
                        <td bgcolor="CC9966" colspan="3"
align="center"><b>[ Hapus Mahasiswa]</b></td>
                    </tr>
                    <tr>
                        <td bgcolor="CC9966" >Nrp </td>
                        <td bgcolor="CC9966" >:</td>
                        <td bgcolor="CC9966" ><?= $result['nrp'] ?></td>
                    </tr>
                    <tr>
                        <td bgcolor="CC9966" >Password</td>

```

```

        <td bgcolor="CC9966" >:</td>
        <td bgcolor="CC9966" ><?= $result['password']
?></td>

    </tr>
    <tr>
        <td bgcolor="CC9966" colspan="3" align="center">
        <input type="submit" name="submit" value="Hapus"
>
        <input type="button" name="reset" value="Batal"
onClick="history.back();" ></td>
    </tr>

</table>
</form>
</td>

</table>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<table cellpadding="0" cellspacing="0" width="107%"
height="73" align="center">
    <tr bgcolor="#FF9900">
        <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
                Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
    </tr>
</table>
</body>

</html>

```

**(1.20) hapus-mahasiswa3.php**

```

<title>Hapus Data Mahasiswa Save</title>
<?
    include "connecting.php";
    $aid = $_POST['newid'];

    $sql = "delete from mahasiswa where id_mahasiswa = '$aid'";
    $query = mysql_query($sql) or die ("error2");
?>
<script>window.location.href="hapus-mahasiswa.php";</script>

```

**(1.21) update-mahasiswa.php**

```

<?
    include "connecting.php";

?>

```

```

<html>

<head>
<title>Daftar Data Mahasiswa</title></head>
<body bgcolor="#00CCFF" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
<tr>
<td width="991"><span
class=menu><font size="2"><div align="center">
<a
href="menu-utama.php">MENU UTAMA</a> |
<a
href="registerloginadmin.php">ADMINISTRATOR</a> |
<a
href="registerlogin.php">DOSEN </a>|
<a
href="registerloginmhs.php">MAHASISWA </a>
</div></font></span></td>
</tr>
</table>
<p align="center"><font size="13"><b>DAFTAR DATA
MAHASISWA</b></font></p><br><br>

<table align="center">
<td width="70%" align="center" valign="top" style="padding-
left:10px">
<table width="616" border="3" cellpadding="3"
cellspacing="3">
<tr>
<td colspan="10" bgcolor="#FFFF00" align="center"><b>[ Daftar Data Mahasiswa]</b></td>
</tr>
<tr>
<td width="17" align="center"
bgcolor="#FFFF00"><b>Id</b></td>
<td width="44" align="center"
bgcolor="#FFFF00"><strong>Nama </strong></td>
<td width="48" align="center"
bgcolor="#FFFF00"><strong>Alamat</strong></td>
<td width="33" align="center"
bgcolor="#FFFF00"><strong>Kota</strong></td>
<td width="54" align="center"
bgcolor="#FFFF00"><strong>Propinsi</strong></td>
<td width="80" align="center"
bgcolor="#FFFF00"><strong>Kode Pos </strong></td>
<td width="54" align="center"
bgcolor="#FFFF00"><strong>Telepon</strong></td>
<td width="26" align="center"
bgcolor="#FFFF00"><strong>Nrp</strong></td>
<td width="63" align="center"
bgcolor="#FFFF00"><strong>Password</strong></td>

```

```

        <td width="74" align="center"
bgcolor="#FFFF00" class="admin"><strong>Perintah</strong></td>
    </tr>
    <?
    $sql = "select * from mahasiswa ORDER BY id_mahasiswa
";
    $query = mysql_query($sql) or die ("error");

    $nomorurut = 1;
    while($result = mysql_fetch_array($query)){
    ?>
    <tr>
    <td bgcolor="#FFFF00" align="center"><?=
$nomorurut ?></td>
    <td bgcolor="#FFFF00"><?= $result['nama']
?></td>
    <td bgcolor="#FFFF00"><?= $result['alamat']
?></td>
    <td bgcolor="#FFFF00"><?= $result['kota']
?></td>
    <td bgcolor="#FFFF00"><?= $result['propinsi']
?></td>
    <td bgcolor="#FFFF00"><?= $result['kodepos']
?></td>
    <td bgcolor="#FFFF00"><?= $result['telepon']
?></td>
    <td bgcolor="#FFFF00"><?= $result['nrp'] ?></td>
    <td bgcolor="#FFFF00"><?= $result['password']
?></td>
    <td bgcolor="#FFFF00" align="center">
    [ <a class="action" href="update-
mahasiswa2.php?login=yes&noidmhs=<?=
$result['id_mahasiswa']
?>">Ubah</a> ] </td>
    </tr>
    <?
    $nomorurut++;
    }
    ?>

    <tr>
    <td bgcolor="#FFFF00" colspan="10"
align="center">
    [ <a class="action" href="login-
mahasiswa.php">KEMBALI</a> ] </td>
    </tr>
    </table>
</td>
</table>

<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>

```

```

<table cellpadding="0" cellspacing="0" width="100%" height="73"
align="center">
    <tr bgcolor="#FF9900">
        <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
                Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
        </tr>
</table>

</body>

</html>

```

**(1.22) update-mahasiswa2.php**

```

<?
    include "connecting.php";

?>

<script>

    function cleartext(){
        document.editmahasiswa.newnama.value="";
        document.editmahasiswa.newalmt.value="";
        document.editmahasiswa.newkota.value="";
        document.editmahasiswa.newprop.value="";
        document.editmahasiswa.newkode.value="";
        document.editmahasiswa.newtelp.value="";

    }

    function checknama(){
        if(window.document.editmahasiswa.newnama.value == ""){
            alert ("Silakan mengisi Nama Anda")
            window.document.editmahasiswa.newnama.focus()
            return false
        }
        if(window.document.editmahasiswa.newalmt.value == ""){
            alert ("Silakan mengisi Alamat Anda")
            window.document.editmahasiswa.newalmt.focus()
            return false
        }
        if(window.document.editmahasiswa.newkota.value == ""){
            alert ("Silakan mengisi Kota Anda")
            window.document.editmahasiswa.newkota.focus()
            return false
        }
        if(window.document.editmahasiswa.newprop.value == ""){
            alert ("Silakan mengisi Propinsi Anda")
            window.document.editmahasiswa.newprop.focus()
            return false
        }
        if(window.document.editmahasiswa.newkode.value == ""){
            alert ("Silakan mengisi Kode Pos Anda")
            window.document.editmahasiswa.newkode.focus()
            return false
        }
    }

```

```

    }
    if(window.document.editmahasiswa.newtelp.value == ""){
        alert ("Silakan mengisi Telepon Anda")
        window.document.editmahasiswa.newtelp.focus()
        return false
    }
}

</script>

<html>

<head>
<title>Proses Ubah Data Mahasiswa</title>
</head>

<body bgcolor="#00CCFF" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>
        <td width="991"><span
class=menu><font size="2"><div align="center">
            <a
href="menu-utama.php">MENU UTAMA</a> |
            <a
href="registerloginadmin.php">ADMINISTRATOR</a> |
            <a
href="registerlogin.php">DOSEN </a>|
            <a
href="registerloginmhs.php">MAHASISWA </a>
        </div></font></span></td>
    </tr>
</table>

    <table width="30%" align="center"><br><br>

        <td width="70%" colspan="1" align="center" valign="top"
style="padding-left:10px">
            <?
                $sql = "select * from mahasiswa where id_mahasiswa =
'$noidmhs'";
                $query = mysql_query($sql) or die ("error baca data
mahasiswa");
                $result = mysql_fetch_array($query);
            ?>

            <form onsubmit="return checknama();"
name="editmahasiswa" action="update-mahasiswa3.php" method="post"

```

```

        enctype="multipart/form-data">
        <input type="hidden" name="MAX_FILE_SIZE"
value="1000000" />
        <input type="hidden" name="newid" value="<?=$result['id_mahasiswa'] ?>" />
        <table border="1" cellspacing="3" cellpadding="3">
        <tr>
            <td bgcolor="#FFFF00" class="admin"
align="center" colspan="5"><b>[ Ubah Data Mahasiswa]</b></td>
        </tr>
        <tr>
            <td bgcolor="#FFFF00" class="admin"
width="90">Id Mahasiswa </td>
            <td bgcolor="#FFFF00" class="admin">:</td>
            <td bgcolor="#FFFF00" class="admin"><?=$result['id_mahasiswa'] ?></td>
        </tr>
        <tr>
            <td bgcolor="#FFFF00" class="admin">Nrp </td>
            <td bgcolor="#FFFF00" class="admin">:</td>
            <td bgcolor="#FFFF00" class="admin"><?=$result['nrp'] ?></td>
        </tr>
        <tr>
            <td bgcolor="#FFFF00" class="admin">Password</td>
            <td bgcolor="#FFFF00" class="admin">:</td>
            <td bgcolor="#FFFF00" class="admin"><?=$result['password'] ?></td>
        </tr>
        <tr>
            <td bgcolor="#FFFF00" class="admin">Nama</td>
            <td bgcolor="#FFFF00" class="admin">:</td>
            <td bgcolor="#FFFF00" class="admin"><input
type="text" name="newnama" value="<?=$result['nama'] ?>"
class="style1" /></td>
        </tr>
        <tr>
            <td bgcolor="#FFFF00" class="admin">Alamat</td>
            <td bgcolor="#FFFF00" class="admin">:</td>
            <td bgcolor="#FFFF00" class="admin"><input
type="text" name="newalmt" value="<?=$result['alamat'] ?>"
class="style1" /></td>
        </tr>
        <tr>
            <td bgcolor="#FFFF00" class="admin">Kota</td>
            <td bgcolor="#FFFF00" class="admin">:</td>
            <td bgcolor="#FFFF00" class="admin"><input
type="text" name="newkota" value="<?=$result['kota'] ?>"
class="style1" /></td>
        </tr>
        <tr>
            <td bgcolor="#FFFF00" class="admin">Propinsi</td>
            <td bgcolor="#FFFF00" class="admin">:</td>

```

```

        <td bgcolor="#FFFF00" class="admin"><input
type="text" name="newprop" value="<?= $result['propinsi'] ?>"
class="style1" /></td>
    </tr>
    <tr>
        <td bgcolor="#FFFF00" class="admin">Kode Pos
    </td>
        <td bgcolor="#FFFF00" class="admin"></td>
        <td bgcolor="#FFFF00" class="admin"><input
type="text" name="newkode" value="<?= $result['kodepos'] ?>"
class="style1" /></td>
    </tr>
    <tr>
        <td bgcolor="#FFFF00" class="admin">Telepon</td>
        <td bgcolor="#FFFF00" class="admin"></td>
        <td bgcolor="#FFFF00" class="admin"><input
type="text" name="newtelp" value="<?= $result['telepon'] ?>"
class="style1" /></td>
    </tr>

    <tr>
        <td
            bgcolor="#FFFF00"
            colspan="3"
align="center">
            <input type="submit" name="submit" value="Ubah">
            <input type="button" name="reset" value="Ulang"
onClick="cleartext();" >
            <input
                type="button"
                name="reset"
value="Kembali" onClick="history.back();"></td>
    </tr>
</table>
</form>
</td>
</table>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>

<table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
    <tr bgcolor="#FF9900">
        <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
            Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
    </tr>
</table>

</body>

</html>

```



**(1.23) update-mahasiswa3.php**

```

<html>
<head>
<title>Ubah Data Mahasiswa Save</title>
</head>
<body bgcolor="#00CCFF" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>
<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
<tr>
<td width="991"><span
class=menu><font size="2"><div align="center">
<a href="menu-utama.php">MENU UTAMA</a> |
<a href="registerloginadmin.php">ADMINISTRATOR</a> |
<a href="registerlogin.php">DOSEN </a>|
<a href="registerloginmhs.php">MAHASISWA </a>
</div></font></span></td>
</tr>
</table>
<p>

<?
include "connecting.php";

$nama = $_POST['newnama'];
$alamat = $_POST['newalmt'];
$kota = $_POST['newkota'];
$propinsi = $_POST['newprop'];
$kode = $_POST['newkode'];
$telepon = $_POST['newtelp'];
$aid = $_POST['newid'];

$sql = "update mahasiswa
set nama = '$nama',
alamat = '$alamat',
kota = '$kota',
propinsi = '$propinsi',
kodepos = '$kode',
telepon = '$telepon'
where id_mahasiswa = '$aid'";
$query = mysql_query($sql) or die ("Maaf, Nama yang Anda
masukkan sudah ada yang memakai.");

?>

<script>

```

```

        window.location.href="update-mahasiswa.php?update=yes";
</script>

<table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
    <tr bgcolor="#FF9900">
        <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
                Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
    </tr>
</table>
</body>
</html>

```

**(1.24) ubahpassadmin.php**

```

<?
include "connecting.php";
?>

<html>
<head>
<title>Ubah Password Administrator</title></head>
<body bgcolor="#66FF66" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">

<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>
        <td width="991"><span
class=menu><font size="2"><div align="center">
                <a
href="menu-utama.php">MENU UTAMA</a> |
                <a
href="registerloginadmin.php">ADMINISTRATOR</a> |
                <a
href="daftarhapusadmin.php">HAPUS DATA </a>|
                <a
href="daftaradmin.php">TAMBAH DATA </a>|
                <a
href="registerlogin.php">DOSEN </a>|
                <a
href="registerloginmhs.php">MAHASISWA </a>
            </div></font></span></td>
    </tr>
</table>

<p align="center"><font size="15"><b>EDIT DATA
ADMINISTRATOR</b></font></p><br><br>

```

```

<table width="100%" border="0" cellpadding="0" cellspacing="0">
<td width="70%" align="center" valign="top" style="padding-left:10px">
    <table border="2" cellspacing="3" cellpadding="3">
        <tr>
            <td align="center" colspan="4" bgcolor="#FFCC33" class="admin"><b>[ Daftar Administrator ]</b></td>
        </tr>
        <tr>
            <td align="center" colspan="4" bgcolor="#FFCC33" class="admin"><strong>Id Administrator </strong></td>
            <td align="center" colspan="3" bgcolor="#FFCC33" class="admin"><b>Nama</b></td>
            <td align="center" colspan="2" bgcolor="#FFCC33" class="admin"><b>Password</b></td>
            <td align="center" colspan="2" bgcolor="#FFCC33" class="admin"><strong>Perintah</strong></td>
        </tr>
        <tr>
            <td colspan="4" <?
            $sql = "select * from administrator ORDER BY
            id_admin";
            $query = mysql_query($sql) or die ("error");

            $nomorurut = 1;
            while($result = mysql_fetch_array($query)){
            <?>
            <tr>
                <td align="center" colspan="2" bgcolor="#FFCC33" class="admin"><?=$nomorurut ?></td>
                <td align="center" colspan="2" bgcolor="#FFCC33" class="admin"><?=$result['nama'] ?></td>
                <td align="center" colspan="2" bgcolor="#FFCC33" class="admin"><?=$result['password'] ?></td>
                <td align="center" colspan="2" bgcolor="#FFCC33" class="admin">
                    [ <a href="prosesubahpassadmin.php?login=yes&noid=<?=$result['id_admin'] ?>">Ubah</a> ]
                </td>
            </tr>
            <tr>
                <td align="center" colspan="4" <?
                $nomorurut++;
                }
            <?>
            </table>
        </td>
    </table>
    <p><a href="admin.php" ><center><B>KEMBALI</B></center><br>
    </p>
    <p>&nbsp;</p>
    <p>&nbsp;</p>
    <p>&nbsp;</p>
    <p><br>
    </p>
    <BR>

```

```

<table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
  <tr bgcolor="#FF9900">
    <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
      Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
    </tr>
  </table>

```

```

</body>
</html>

```

#### (1.25) prosesubahpassadmin.php

```

<?
include "connecting.php";
?>

<script>

  function cleartext(){
    document.ubahpass.newuser.value="";
    document.ubahpass.newpass.value="";
  }

  function checknama(){
    if(window.document.ubahpass.newuser.value == ""){
      alert ("Silakan mengisi Nama Anda")
      window.document.ubahpass.newuser.focus()
      return false
    }
    if(window.document.ubahpass.newpass.value == ""){
      alert ("Silakan mengisi Password Anda")
      window.document.ubahpass.newpass.focus()
      return false
    }
  }
</script>

<html>
<head>
<title>Proses Ubah Password Administrator</title></head>
<body bgcolor="#66FF66" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">

<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
  <tr>
    <td width="991"><span
class=menu><font size="2"><div align="center">

```

```

href="menu-utama.php">MENU UTAMA</a> |


```

```

        <input type="button" name="reset" value="Ulang"
onClick="cleartext();" >
        <input type="button" name="reset"
value="Kembali" onClick="history.back();" ></td>
    </tr>

</table>
</form>
</td>
</table>

<p><br>
</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p><br>
</p>
<BR>

<table cellpadding="0" cellspacing="0" width="100%" height="73"
align="center">
    <tr bgcolor="#FF9900">
        <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
                Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
    </tr>
</table>

</body>
</html>

```

**(1.26) ubahpassadminsave.php**

```

<html>
<head>
<title>Ubah Password Administrator Save</title></head>

<?
    include "connecting.php";

    $user = $_POST['newuser'];
    $pass = $_POST['newpass'];
    $aid = $_POST['newid'];

    $sqlcheck = "select * from administrator where id_admin =
'$aid'";

    $querycheck = mysql_query($sqlcheck) or die ("error1");
    $resultcheck = mysql_fetch_array($querycheck);

    if($pass == $resultcheck['password']){
        $sql = "update administrator set nama = '$user' where
id_admin = '$aid'";
    }else{

```

```

        $sql = "update administrator set nama = '$user',
password = password('$pass') where id_admin = '$aid'";
    }
    $query = mysql_query($sql) or die ("error2");
?>

```

```

<script>>window.location.href="ubahpassadmin.php?login=yes";</scrip
t>

```

```

</html>

```

### (1.27) daftarhapusadmin.php

```

<?
include "connecting.php";
?>

```

```

<html>
<head>
<title>Ubah Password Administrator</title></head>
<body bgcolor="#66FF66" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">

```

```

<center></center>

```

```

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">

```

```

    <tr>
        <td width="991"><span
class=menu><font size="2"><div align="center">
            <a href="menu-utama.php">MENU UTAMA</a> |
            <a href="registerloginadmin.php">ADMINISTRATOR</a> |
            <a href="ubahpassadmin.php">UBAH DATA </a>|
            <a href="daftaradmin.php">TAMBAH DATA </a>|
            <a href="registerlogin.php">DOSEN </a>|
            <a href="registerloginmhs.php">MAHASISWA </a>
        </div></font></span></td>
    </tr>

```

```

</table>

```

```

<p align="center"><font size="15"><b>DELETE DATA
ADMINISTRATOR</b></font></p><br><br>

```

```

<table width="100%" border="0" cellpadding="0" cellspacing="0">

```

```

<td width="70%" align="center" valign="top" style="padding-left:10px">
    <table border="2" cellspacing="3" cellpadding="3">
        <tr>
            <td align="center" colspan="4" bgcolor="#FFCC33" class="admin"><b>[ Daftar Administrator ]</b></td>
        </tr>
        <tr>
            <td align="center" colspan="4" bgcolor="#FFCC33" class="admin"><strong>Id Administrator </strong></td>
            <td align="center" colspan="3" bgcolor="#FFCC33" class="admin"><b>Nama</b></td>
            <td align="center" colspan="2" bgcolor="#FFCC33" class="admin"><b>Password</b></td>
            <td align="center" colspan="3" bgcolor="#FFCC33" class="admin"><strong>Perintah</strong></td>
        </tr>
        <?
        $sql = "select * from administrator ORDER BY
id_admin";
        $query = mysql_query($sql) or die ("error");

        $nomorurut = 1;
        while($result = mysql_fetch_array($query)){
            <?
            <tr>
                <td align="center" colspan="4" bgcolor="#FFCC33" class="admin"><?=$nomorurut ?></td>
                <td align="center" colspan="3" bgcolor="#FFCC33" class="admin"><?=$result['nama'] ?></td>
                <td align="center" colspan="2" bgcolor="#FFCC33" class="admin"><?=$result['password'] ?></td>
                <td align="center" colspan="4" bgcolor="#FFCC33" align="center">
                    [ <a href="hapusadmin.php?login=yes&noidadmin=<?=$result['id_admin'] ?>">Hapus</a> ]
                </td>
            </tr>
            <?
            $nomorurut++;
        }
        <?
        </table>
    </td>
</table>
<p><a href="admin.php" ><center><B>KEMBALI</B></center><br>
</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p><br>
</p>
<BR>

```



```

<table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
  <tr bgcolor="#FF9900">
    <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
      Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
    </tr>
  </table>

```

```

</body>
</html>

```

### (1.28) hapusadmin.php

```

<?
include "connecting.php";
?>

<html>
<head>
<title>Proses Hapus Data Administrator</title></head>
<body bgcolor="#66FF66" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">

<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
  <tr>
    <td width="991"><span
class=menu><font size="2"><div align="center">
      <a href="menu-utama.php">MENU UTAMA</a> |
      <a href="registerloginadmin.php">ADMINISTRATOR</a> |
      <a href="ubahpassadmin.php">UBAH DATA </a>|
      <a href="daftaradmin.php">TAMBAH DATA </a>|
      <a href="registerlogin.php">DOSEN </a>|
      <a href="registerloginmhs.php">MAHASISWA </a>
    </div></font></span></td>
  </tr>
</table>

<?
  $sql = "select * from administrator where id_admin =
'&#x27;noidadmin'";

```



```

<table cellpadding="0" cellspacing="0" width="100%" height="73"
align="center">
  <tr bgcolor="#FF9900">
    <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
      Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
    </tr>
  </table>

```

```

</body>
</html>

```

### (1.29) eksekusihapusadmin.php

```

<title>Hapus Administrator Save</title>
<?
  include "connecting.php";
  $aid = $_POST['newid'];

  $sql = "delete from administrator where id_admin = '$aid'";
  $query = mysql_query($sql) or die ("error2");
?>
<script>>window.location.href="daftarhapusadmin.php?login=yes";</sc
ript>

```

### (1.30) daftaradmin.php

```

<?
include "connecting.php";
?>

<script>

  function cleartext(){
    document.addpass.newnama.value="";
    document.addpass.newpass.value="";
  }

  function checknama(){
    if(window.document.addpass.newnama.value == ""){
      alert ("Silakan mengisi Nama Anda")
      window.document.addpass.newuser.focus()
      return false
    }
    if(window.document.addpass.newpass.value == ""){
      alert ("Silakan mengisi Password Anda")
      window.document.addpass.newpass.focus()
      return false
    }
  }
</script>

```

```

<html>
<head>

```

```

<title>Daftar Password Administrator</title></head>
<body bgcolor="#66FF66" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">

<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>
        <td width="991"><span
class=menu><font size="2"><div align="center">
            <a
href="menu-utama.php">MENU UTAMA</a> |
            <a
href="registerloginadmin.php">ADMINISTRATOR</a> |
            <a
href="daftarhapusadmin.php">HAPUS DATA </a>|
            <a
href="ubahpassadmin.php">UBAH DATA </a>|
            <a
href="registerlogin.php">DOSEN </a>|
            <a
href="registerloginmhs.php">MAHASISWA </a>
</div></font></span></td>
    </tr>
</table>
<p align="center"><font size="15"><b>TAMBAH DATA
ADMINISTRATOR</b></font></p><br><br>

<table width="100%" border="0" cellpadding="0" cellspacing="0">
    <td colspan="1" align="center" valign="top" style="padding-
left:10px">
        <form onSubmit="return checknama();" name="addpass"
action="savedataadmin.php" method="post">
            <input type="hidden" name="newid" value="<?=$
result['id_admin'] ?>" />
            <table border="2" cellspacing="3" cellpadding="3">
                <tr>
                    <td bgcolor="#FFCC33" class="admin"
align="center" colspan="3"><b>[ Tambah Administrator]</b></td>
                </tr>
                <tr>
                    <td bgcolor="#FFCC33" class="admin">Nama</td>
                    <td bgcolor="#FFCC33" class="admin">:</td>
                    <td bgcolor="#FFCC33" class="admin"><input
type="text" name="newnama" value="" class="style1" /></td>
                </tr>
                <tr>
                    <td
class="admin">Password</td>
                    <td bgcolor="#FFCC33" class="admin">:</td>
                    <td bgcolor="#FFCC33" class="admin"><input
type="password" name="newpass" value="" class="style1" /></td>
                </tr>
            </table>
        </form>
    </td>
</table>

```

```

        <td bgcolor="#FFCC33" colspan="3"
align="center">
        <input type="submit" name="submit"
value="Tambah">
        <input type="button" name="reset" value="Ulang"
onClick="cleartext();" >
        <input type="button" name="reset"
value="Kembali" onClick="history.back();"></td>
    </tr>

    </table>
</form>
</td>
</table>
<p><br>
</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p><br>
</p>
<BR>

<table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
    <tr bgcolor="#FF9900">
        <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
            Copyright &copy; 2007 Ady Triono, All
            right reserved<b> </font></span></div></td>
    </tr>
</table>
</body>
</html>

```

**(1.31) savedataadmin.php**

```

<html>
<head>
<title>Save Data Administrator</title></head>
<body bgcolor="#66FF66" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">

<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>
        <td width="991"><span
class=menu><font size="2"><div align="center">
            <a
href="menu-utama.php">MENU UTAMA</a> |
            <a
href="registerloginadmin.php">ADMINISTRATOR</a> |
            <a
href="daftarhapusadmin.php">HAPUS DATA </a>|

```

```

href="ubahpassadmin.php">UBAH DATA </a>|
href="registerlogin.php">DOSEN </a>|
href="registerloginmhs.php">MAHASISWA
</div></font></span></td>
</tr>
</table>

<?
    include "connecting.php";

    $user = $_POST['newnama'];
    $pass = $_POST['newpass'];
    $aid = $_POST['newid'];

    $sql = "insert into administrator ( nama, password )
           values ( '$user', password ('$pass') )";
    $query = mysql_query($sql) or die ("Maaf, Nama atau Password
yang Anda masukkan sudah ada yang memakai.");

?>

<script>>window.location.href="ubahpassadmin.php?login=yes";</scrip
t>

<p><br>
</p>
<p>&nbsp;</p>

<p><br>
</p>
<BR>

    <table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
        <tr bgcolor="#FF9900">
            <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
                Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
            </tr>
        </table>

</body>
</html>

```

**(1.32) adminlogout.php**

```

<?
    session_start();
    session_unregister('nama');
?>
<script>location.href="menu-utama.php";</script>

```

**(2.1) registerlogin.php**

```

<html>
<head>
<title>Proses Login Dosen</title>
</head>
<body    bgcolor="#FFFF00"    leftmargin="0"    topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table  bgcolor="#FF9900"  width="103%"  height="23"  border="0"
align="center">
    <tr>
        <td
            class=menu><font size="2"><div align="center">
                <a
                    href="menu-utama.php">MENU UTAMA</a> |
                <a
                    href="registerloginadmin.php">ADMINISTRATOR</a> |
                <a
                    href="registerlogin.php">DOSEN </a>|
                <a
                    href="registerloginmhs.php">MAHASISWA
            </div></font></span></td>
    </tr>
</table>
<p>

<script>

    function checklogin(){
        if(window.document.isipasdsn.newuser.value == ""){
            alert ("Silakan mengisi User Name Anda")
            window.document.isipasdsn.newuser.focus()
            return false
        }
        if(window.document.isipasdsn.newpass.value == ""){
            alert ("Silakan mengisi Password Anda")
            window.document.isipasdsn.newpass.focus()
            return false
        }
    }

    function home() {
        window.location="registerlogin.php"
    }
</script>

```

```

<br></p>
<table width="102%" height="100%" cellpadding="0" cellspacing="0">
  <tr>
    <td valign="top" align="center">
      <form onsubmit="return checklogin();" method="post"
name="isipassdsn"
action="registerlogin_process.php">
        <p><strong><font size="6">LOGIN
DOSEN</font></strong></p>
        <table border="3" cellpadding="3">
          <tr>
            <td align="left"><font class="password" face="Arial">User
Name</font></td>
            <td bgcolor="#00CC33">:</td>
            <td bgcolor="#00CC33" class="style1"> <input
class="style1" type="text" name="newuser" /></td>
          </tr>
          <tr>
            <td bgcolor="#00CC33"><font class="password"
face="Arial">Password</font></td>
            <td bgcolor="#00CC33">:</td>
            <td bgcolor="#00CC33"> <input class="style1"
type="password" name="newpass" /></td>
          </tr>
          <tr>
            <td bgcolor="#00CC33" colspan="3" align="center">
<input type="submit" name="submit" value="LOGIN" />
            <input onClick="home();" type="button" name="button"
value="RESET" /></td>
          </tr>
        </table>
      <br>
      <p>&nbsp;</p>
      <p>&nbsp;</p>
      <p>&nbsp;</p>
      <table cellpadding="0" cellspacing="0" width="100%"
height="67" align="center">
        <tr bgcolor="#FF9900">
          <td width="1000" colspan="3"><div align="center"><span
class="style4"><font size="3"><b>
          Copyright &copy; 2007 Ady Triono, All right
reserved<b> </font></span></div></td>
        </tr>
      </table>
      <p>&nbsp;</p>
      <p>&nbsp;</p>
      <p>&nbsp;</p>
      <p>&nbsp;</p>
      <p>&nbsp;</p>
      <p>&nbsp;</p>
      <p>&nbsp;</p>
      <p>&nbsp;</p>
      </form>
    </td>
  </tr>

```



```

</table>

                <p>&nbsp;</p>
            </td>
        </tr>
    </table>

</body>
</html>

```

### (2.2) registerlogin\_process.php

```

<?
include "connecting.php";

$pass = $_POST['newpass'];
$user = $_POST['newuser'];

$sql = "select * from dosen where username = '$user' and password
= password('$pass')";
$query = mysql_query($sql) or die("error... ".$sql);
$numrows = mysql_num_rows($query);

if(!$numrows){
?><body bgcolor="#FFFF00"><script>alert('User Name atau Password
yang Anda masukkan salah,\nSilakan Ulangi Lagi.');

```

### (2.3) registerlogin\_process1.php

```

<?
session_start();
$username=$loginname;
$username1=$loginname1;
header ("location:menu-dosen.php?userlogin=$username");
?>
<title>Analisa Nama Dosen</title>

```

**(2.4) menu-dosen.php**

```

<?
session_start();
$username=$loginname;
$username1=$loginname1;
?>

<?
include "connecting.php";
?>

<html>
<head>
<title>Menu Dosen</title>
</head>

<body bgcolor="#CC9966" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
<tr>
<td width="991"><span
class=menu><font size="2"> <div align="center">
<?
include "logoutdosen.php" ;
?>

</div></font> </td>

</tr>

</table>
<p align="center"><font size="15"><b>MENU DOSEN</b></font></p>
<div align="center">
<p class="login"><b><i>Selamat Datang Dosen
<?
echo $username;
?>.
</i></b></p></div>
<p>&nbsp;</p>
<p>&nbsp;</p>

<center>

<table width="319" border="3">
<tr>
<td bgcolor="#FFCC33" width="309"><div
align="center"><b><u><font size="+1"> PILIHAN :
</font></u></b></div></td>
</tr>
<tr>
<td bgcolor="#FFCC33"><div align="center"><a href="materi-
kuliaah.php"><font size="+2"><b>Materi Kuliah</b></font>

```

```

        </a></div></td>
    </tr>
    <tr>
        <td bgcolor="#FFCC33"><div align="center"><a href="lihat-
nilai.php"><font size="+2"><b>Pemantauan Perkuliahan</b></font>
        </a></div></td>
    </tr>
</table>

<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<br>
</center>
<table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
    <tr bgcolor="#FF9900">
        <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
                Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
    </tr>
</table>

</body>
</html>

```

**(2.5) materi-kuliah.php**

```

<?
session_start();
$username=$loginname;
$username1=$loginname1;

?>

<?
include "connecting.php";
?>

<html>
<head>
<title>Materi Kuliah</title>
</head>

<body bgcolor="#0099FF" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>
        <td width="991"><span
class=menu><font size="2"><div align="center">

```

```

        <?
        include "logoutdosen.php" ;
        ?>
        </td>
    </tr>
</table>

<p align="center"><font size="15"><b>MATERI KULIAH</b></font></p>
<div align="center">
    <p class="login"><b><i>Selamat Datang Dosen
    <?
    echo $username;
    ?>.
    </i></b></p></div>

<center>

<table width="319" border="3">
    <tr>
        <td
            bgcolor="#FF3300"
            width="309"><div
align="center"><b><u><font
            size="+1">
            PILIHAN
            :
</font></u></b></div></td>
    </tr>
    <tr>
        <td
            bgcolor="#FF3300"><div
            align="center"><a
href="matakuliahindex.php"><font
            size="+2"><b>Menu
            Tambah
Data</b></font>
            </a></div></td>
    </tr>
    <tr>
        <td
            bgcolor="#FF3300"><div
            align="center"><a
href="matakuliahdel.php"><font
            size="+2"><b>Menu
            Hapus
Data</b></font>
            </a></div></td>
    </tr>
    <tr>
        <td
            bgcolor="#FF3300"><div
            align="center"><a
href="menu-
modulkuliah.php"><font
            size="+2"><b>Menu Modul Kuliah</b></font>
            </a></div></td>
    </tr>
</table>
<p><a href="menu-dosen.php"><b>KEMBALI</b></a></p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p><br>
    <br>
    </p>

</center>
<table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
    <tr bgcolor="#FF9900">
        <td
            width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font
            size="3"><b>
            Copyright &copy; 2007 Ady Triono, All
            right reserved<b> </font></span></div></td>
    </tr>
</table>
</body>

```

```

</html>

(2.6) matakuliahindex.php
<?
session_start();
$username=$loginname;
?>

<?
include "connecting.php";
?>

<html>

<head>
<title>Daftar Mata Kuliah</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1">

</head>

<body bgcolor="#CCCCFF" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
<tr>
<td width="991"><span
class=menu><font size="2"><div align="center">
<?
include "logoutdosen.php" ;
?>
</td>
</tr>

</table><br><br>
<div align="center">
<p class="login"><b><i>Selamat Datang Dosen
<?
echo $username;
?>.
</i></b></p></div>

<p>&nbsp;</p>

<table align="center">
<td width="100%" align="center" valign="top" bgcolor="blue
dark" style="padding-left:1px">
<table border="1" cellspacing="3" cellpadding="3">
<tr>
<td align="center" colspan="3"><b>[ Mata
Kuliah ]</b></td>
</tr>
<tr>
<td align="center"><b>Id Kuliah</b></td>
<td align="center"><b>Mata Kuliah</b></td>

```

```

                <td align="center"><b>Dosen</b></td>
            </tr>
            <?
            $sql = "select * from matakuliah ORDER BY kodekuliah
";
            $query = mysql_query($sql) or die ("error");

            $nomorurut = 1;

            while($result = mysql_fetch_array($query)){
            ?>
            <tr>
                <td align="center"><?=$nomorurut ?></td>
                <td><?=$result['matakulh'] ?></td>
                <td><?=$result['dosen'] ?></td>
            </tr>
            <?
            $nomorurut++;
            }
            ?>
            <tr>
                <td colspan="3" align="center">
                    [<a
href="matakuliahadd1.php?login=yes">TAMBAH</a>]
                    class="action"
                    </td>
                </tr>
            <tr>
                <td colspan="3" align="center">
                    [<a
                    class="action"
                    href="materi-
kuliaah.php">KEMBALI</a>]
                    </td>
                </tr>
            </table>
            </td>

</table>
    <p>&nbsp;</p>
    <p>&nbsp;</p>
    <p>&nbsp;</p>
    <p>&nbsp;</p>
    <table cellpadding="0" cellspacing="0" width="107%"
height="73" align="center">
        <tr bgcolor="#FF9900">
            <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
                Copyright &copy; 2007 Ady Triono, All
                right reserved<b> </font></span></div></td>
            </tr>
        </table>

</body>

</html>

```

**(2.7) matakuliahadd1.php**

```

<?
session_start();
$username=$loginname;
?>

<?
include "connecting.php";
?>

<script>

    function cleartext(){
        document.tambahkul.newmatakulh.value="";
        document.tambahkul.newdosen.value="";

    }

function checknama(){
    if(window.document.tambahkul.newmatakulh.value == ""){
        alert ("Silakan mengisi Mata Kuliah")
        window.document.tambahkul.newmatakulh.focus()
        return false
    }
    if(window.document.tambahkul.newdosen.value == ""){
        alert ("Silakan mengisi nama Dosen")
        window.document.tambahkul.newdosen.focus()
        return false
    }
}
</script>

<html>

<head>
<title>Tambah Mata Kuliah</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">

</head>

<body bgcolor="orange" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>
        <td width="991"><span
class=menu><font size="2"><div align="center">
            <?
            include "logoutdosen.php" ;
            ?>
        </td>
    </tr>

```

```

</table><br><br>
<div align="center">
    <p class="login"><b><i>Selamat Datang Dosen
        <?
        echo $username;
        ?>.
        </i></b></p></div>

<p>&nbsp;</p>

<table align="center">
    <td width="100%" height="100%" align="center" valign="top"
    style="padding-left:1px">
        <form onSubmit="return checknama();" name="tambahkul"
    action="matakulh_addsave.php" method="post">
            <input type="hidden" name="newid" value="<?=$result['kodekuliah'] ?>" />
            <table border="1" cellspacing="1" cellpadding="3">
                <tr>
                    <td bgcolor="#FFFF00" align="center"
    colspan="3"><b>[ Tambah Mata Kuliah ]</b></td>
                </tr>
                <tr>
                    <td bgcolor="#FFFF00">Mata Kuliah</td>
                    <td bgcolor="#FFFF00">:</td>
                    <td bgcolor="#FFFF00"><input type="text"
    name="newmatakulh" value="<?=$result['matakulh'] ?>" class="style1"
    /></td>
                </tr>
                <tr>
                    <td bgcolor="#FFFF00">Dosen</td>
                    <td bgcolor="#FFFF00">:</td>
                    <td bgcolor="#FFFF00"><input type="text"
    name="newdosen" value="<?=$result['dosen'] ?>" class="style1"
    /></td>
                </tr>
                <tr>
                    <td bgcolor="#FFFF00" colspan="3" align="center">
                    <input type="submit" name="submit"
    value="Tambah">
                    <input type="reset" value="Ulang">
                    <input type="button" name="back" value="Kembali"
    onClick="history.back();"></td>
                </tr>
            </table>
        </form>
    </td>

</table>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>

```



```

<table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
    <tr bgcolor="#FF9900">
        <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
            Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
        </tr>
    </table>
</body>

</html>

```

**(2.8) matak1h\_addsave.php**

```

<html>
<head>
<title>Save Tambah Data Mata Kuliah</title></head>
<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1">

</head>

<body bgcolor="orange" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<?
    include "connecting.php";
    $stt = $_POST['newmatak1h'];
    $dos = $_POST['newdosen'];
    $aid = $_POST['newid'];

    $sql = "insert into matakuliah (matak1h,dosen)
            values ( '$stt','$dos' )";
    $query = mysql_query($sql) or die ("error");

?>

<script>>window.location.href="matakuliahindex.php";</script>

<p><br>
    </p>
<p>&nbsp;</p>

    <p><br>
    </p>
    <BR>

    <table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
        <tr bgcolor="#FF9900">
            <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>

```

```

                Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
                </tr>

```

```
</table>
```

### (2.9) matakuliahdel.php

```

<?
session_start();
$username=$loginname;
?>

<?
include "connecting.php";
?>

<html>

<head>
<title>Daftar Delete Mata Kuliah</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1">

</head>

<body bgcolor="#33CC00" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
                <tr>
                                <td width="991"><span
class=menu><font size="2"><div align="center">
                <?
                include "logoutdosen.php" ;
                ?>                                </td>
                                </tr>
</table><br><br>
<div align="center">
                <p class="login"><b><i>Selamat Datang Dosen
                <?
                echo $username;
                ?>.
                </i></b></p></div>

<p>&nbsp;</p>
                <table align="center">
                <td width="100%" align="center" valign="top" bgcolor="pink"
style="padding-left:1px">
                <table border="1" cellspacing="3" cellpadding="3">
                <tr>
                                <td align="center" colspan="4"><b>[ Mata
Kuliah ]</b></td>
                                </tr>
                                <tr>
                                        <td align="center"><b>Id Kuliah</b></td>
                                        <td align="center"><b>Mata Kuliah</b></td>

```

```

        <td align="center"><b>Dosen</b></td>
        <td align="center"><b>Perintah</b></td>

    </tr>
    <?
    $sql = "select * from matakuliah ORDER BY kodekuliah
";
    $query = mysql_query($sql) or die ("error");

    $nomorurut = 1;
    while($result = mysql_fetch_array($query)){
    ?>
    <tr>
        <td align="center"><?=$nomorurut ?></td>
        <td><?=$result['matakulh'] ?></td>
        <td><?=$result['dosen'] ?></td>
        <td>
            [ <a
                                class="action"
href="matakulh_del.php?noid=<?=$result['kodekuliah']
?>">Hapus</a> ]
        </td>
    </tr>
    <?
    $nomorurut++;
    }
    ?>

    <tr>
        <td colspan="4" align="center">
            [ <a
                                class="action"
                                href="materi-
kuliaah.php">KEMBALI</a> ]
        </td>
    </tr>

    </table>
    </td>

</table>
    <p>&nbsp;</p>
    <p>&nbsp;</p>
    <p>&nbsp;</p>
    <p>&nbsp;</p>
    <p>&nbsp;</p>
    <table cellpadding="0" cellspacing="0" width="107%"
height="73" align="center">
        <tr bgcolor="#FF9900">
            <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
                Copyright &copy; 2007 Ady Triono, All
                right reserved<b> </font></span></div></td>
            </tr>
    </table>

</body>

</html>

```

```

(2.10) matak1h_del.php
<?
session_start();
$username=$loginname;
?>

<?
include "connecting.php";
?>

<html>

<head>
<title>Delete Mata Kuliah</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1">

</head>

<body bgcolor="#CCCCFF" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
<tr>
<td width="991"><span
class=menu><font size="2"><div align="center">
<?
include "logoutdosen.php" ;
?>
</td>
</tr>

</table><br><br>
<div align="center">
<p class="login"><b><i>Selamat Datang Dosen
<?
echo $username;
?>.
</i></b></p></div>

<p>&nbsp;</p>
<table width="27%" height="10%" border="0" align="center">

<?
$sql = "select * from matakuliah where kodekuliah =
'$noid'";

$query = mysql_query($sql) or die ("error");
$result = mysql_fetch_array($query);
?>

<td align="center" valign="top" style="padding-left:1px">
<form onSubmit="return checkeditadmin();"
name="frmeditadmin" action="matak1h_delrecord.php" method="post">
<input type="hidden" name="newid" value="<?=$
$result['kodekuliah'] ?>" />

```

```

        <table width="301" border="1" cellpadding="3"
cellspacing="3">
        <tr>
            <td bgcolor="orange" colspan="3"
align="center"><b>[ Hapus Mata Kuliah]</b></td>
        </tr>
        <tr>
            <td bgcolor="orange"width="90">Mata Kuliah</td>
            <td bgcolor="orange"width="3">:</td>
            <td bgcolor="orange"width="179"><?=$result['matakulh'] ?></td>
        </tr>
        <tr>
            <td bgcolor="orange">Dosen</td>
            <td bgcolor="orange">:</td>
            <td bgcolor="orange"><?=$result['dosen'] ?></td>
        </tr>
        <tr>
            <td bgcolor="orange"colspan="3" align="center">
            <input type="submit" name="submit"
value="Hapus">
            <input type="button" name="reset" value="Batal"
onClick="history.back();"></td>
        </tr>
    </table>
</form>
</td>

</table>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
    <tr bgcolor="#FF9900">
        <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
                Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
    </tr>
</table>
</body>

</html>

```

**(2.11) matakulh\_delrecord.php**

```

<title>Delete Mata Kuliah Save</title>
<?
    include "connecting.php";
    $aid = $_POST['newid'];

    $sql = "delete from matakuliah where kodekuliah = '$aid'";
    $query = mysql_query($sql) or die ("error2");
?>
<script>>window.location.href="matakuliahdel.php";</script>

```

**(2.12) menu-modulkuliah.php**

```

<?
session_start();
$username=$loginname;
?>

<?
include "connecting.php";
?>

<html>
<head>
<title>Menu Modul Kuliah</title>
</head>

<body    bgcolor="#33CC99"    leftmargin="0"    topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table  bgcolor="#FF9900"  width="103%"  height="23"  border="0"
align="center">
    <tr>
        <td                width="991"><span
class=menu><font size="2"><div align="center">
            <?
            include "logoutdosen.php" ;
            ?>
        </td>
    </tr>
</table>

<p      align="center"><font        size="15"><b>MENU            MODUL
KULIAH</b></font></p>
<div align="center">
    <p class="login"><b><i>Selamat Datang Dosen
    <?
    echo $username;
    ?>.
    </i></b></p></div>

<br><br>
<center>

<table width="319" border="3">
<tr>

```

```

        <td          bgcolor="#669966"          width="309"><div
align="center"><b><u><font          size="+1">          PILIHAN          :
</font></u></b></div></td>
    </tr>
    <tr>
        <td          bgcolor="#669966"><div          align="center"><a
href="modulkuliah.php"><font          size="+2"><b>Menu          Tambah
Modul</b></font>
        </a></div></td>
    </tr>
    <tr>
        <td          bgcolor="#669966"><div align="center"><a href="hapus-
modulkuliah.php"><font size="+2"><b>Menu Hapus Modul</b></font>
        </a></div></td>
    </tr>
    <tr>
        <td          bgcolor="#669966"><div align="center"><a href="edit-
modulkuliah.php"><font size="+2"><b>Menu Edit Modul</b></font>
        </a></div></td>
    </tr>
    <tr>
        <td          bgcolor="#669966"><div align="center"><a href="tambah-
soalkuliah.php"><font size="+2"><b>Menu Tambah Soal</b></font>
        </a></div></td>
    </tr>
    <tr>
        <td          bgcolor="#669966"><div align="center"><a href="edit-
soalkuliah.php"><font size="+2"><b>Menu Edit Soal</b></font>
        </a></div></td>
    </tr>
</table>
<p><a href="materi-kuliah.php"><b>KEMBALI</b></a></p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p><br>
    <br>
</p>
</center>
<table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
    <tr bgcolor="#FF9900">
        <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
                Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
    </tr>
</table>
</body>
</html>

```

```

(2.13) modulkuliah.php
<?
session_start();
$username=$loginname;
?>

<?
include "connecting.php";
?>

<html>

<head>
<title>Modul kuliah</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1">

</head>

<body bgcolor="#0099FF" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
<tr>
<td width="991"><span
class=menu><font size="2"><div align="center">
<?
include "logoutdosen.php" ;
?>
</td>
</tr>

</table><br><br>
<p align="center"><font size="10"><b>MODUL KULIAH</b></font></p>
<div align="center">
<p class="login"><b><i>Selamat Datang Dosen
<?
echo $username;
?>.
</i></b></p></div>

<p>&nbsp;</p>
<table align="center">
<td width="100%" align="center" valign="top"
bgcolor="#66FFFF" style="padding-left:1px">
<table border="1" cellspacing="3" cellpadding="3">
<tr>
<td align="center" colspan="4"><b>[ Mata
Kuliah ]</b></td>
</tr>
<tr>
<td align="center"><b>Kode Kuliah</b></td>
<td align="center"><b>Modul</b></td>
<td align="center"><b>Mata Kuliah</b></td>
<td align="center"><b>Dosen</b></td>
</tr>

```



```

        <?
        $sql="select      modulkuliah.*,      matakuliah.*      from
modulkuliah, matakuliah
        where
modulkuliah.kodekuliah=matakuliah.kodekuliah
        order by modulkuliah.kodekuliah";

        $query = mysql_query($sql) or die ("errormodul");

        while($result = mysql_fetch_array($query)){
        ?>
        <tr>
        <td align="center"><?=      $result['kodekuliah']
?></td>
        <td><p><a      href="isimodulkuliah.php?mod=<?=
$result['id_kul'] ?>"><strong>
        <?= $result['modul'] ?>
        </strong></a></td>
        <td>
        <?= $result['matakuliah'] ?>          </td>
        <td><?= $result['dosen'] ?></td>
        </tr>
        <?
        }
        ?>
        <tr>
        <td colspan="4" align="center">
        [<a      class="action"      href="tambah-
modul.php">TAMBAH</a>]          </td>
        </tr>
        <tr>
        <td colspan="4" align="center">
        [<a      class="action"      href="menu-
modulkuliah.php">KEMBALI</a>]          </td>
        </tr>
        </table>
        </td>

</table>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
        <tr bgcolor="#FF9900">
        <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
        Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
        </tr>
</table>

</body>

```

```
</html>

(2.14) tambah-modul.php
<?
session_start();
$username=$loginname;
?>

<?
include "connecting.php";
?>

<script>

    function cleartext(){
        document.tambahmodul.kodekul.value="";
        document.tambahmodul.modul.value="";
        document.tambahmodul.isimodul.value="";

    }

    function checknama(){
        if(window.document.tambahmodul.kodekul.value == ""){
            alert ("Silakan mengisi Kode Kuliah")
            window.document.tambahmodul.kodekul.focus()
            return false
        }
        if(window.document.tambahmodul.modul.value == ""){
            alert ("Silakan mengisi Nama Modul")
            window.document.tambahmodul.modul.focus()
            return false
        }
        if(window.document.tambahmodul.isimodul.value == ""){
            alert ("Silakan mengisi Isi Modul")
            window.document.tambahmodul.isimodul.focus()
            return false
        }

    }

</script>

<html>

<head>
<title>Tambah Modul Kuliah</title>

</head>

<body    bgcolor="#0099FF"    leftmargin="0"    topmargin="0"
marginwidth="0" marginheight="0">
<center></center>
```

```

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>
        <td width="991"><span
class=menu><font size="2"><div align="center">
    <?
        include "logoutdosen.php" ;
    <?
        </td>
    </tr>
</table><br><br>
<div align="center">
    <p class="login"><b><i>Selamat Datang Dosen
    <?
        echo $username;
    >>.
    </i></b></p></div>

<p>&nbsp;</p>

<table width="100%" border="0" align="center">

    <td colspan="1" align="center" valign="top" style="padding-
left:10px">
        <form onSubmit="return checknama();" name="tambahmodul"
action="tambah-modul2.php" method="post">
            <input type="hidden" name="newid" value="<?=$result['id_kul'] ?>" />
            <table border="1" cellspacing="3" cellpadding="3">
                <tr>
                    <td class="admin" align="center"
colspan="5"><b>[ Tambah Modul Kuliah]</b></td>
                </tr>
                <tr>
                    <td>Kode Kuliah </td>
                    <td>:</td>
                    <td><input type="text" name="kodekul"
width="450" value="<?=$resultmodul['kodekuliah'] ?>"
class="style1" /></td>
                </tr>
                <tr>
                    <td class="admin">Modul</td>
                    <td class="admin">:</td>
                    <td class="admin"><input type="text"
name="modul" width="450" value="<?=$resultmodul['modul'] ?>"
class="style1" /></td>
                </tr>
                <tr>
                    <td height="121" class="admin">Isi Modul </td>
                    <td class="admin">:</td>
                    <td class="admin"><textarea name="isimodul"
cols="80" rows="20" class="style1"><?=$resultmodul['isi']
?></textarea>
                </td>
                </tr>
                <tr>
                    <td colspan="3" align="center">

```

```

        <input          type="submit"          name="submit "
value="Tambah">
        <input type="button" name="reset" value="Ulang"
onClick="cleartext();" >
        <input          type="button"          name="reset "
value="Kembali" onClick="history.back();"></td>
</tr>
</table>
</form>
</td>

```

```

</table>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
        <tr bgcolor="#FF9900">
                <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
                        Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
                </tr>
</table>
</body>

</html>

```

#### (2.15) tambah-modul2.php

```
<title>Tambah Modul Kuliah Save</title>
```

```

<?
    include "connecting.php";
    $kode = $_POST['kodekul'];
    $modul = $_POST['modul'];
    $isi = $_POST['isimodul'];

    $sql = "insert into modulculiah (kodeculiah,modul,isi)
            values ( '$kode','$modul','$isi' )";
    $query = mysql_query($sql) or die ("error.");

?>

<script>>window.location.href="modulculiah.php";</script>

```

**(2.16) hapus-modulkuliah.php**

```

<?
session_start();
$username=$loginname;
?>

<?
include "connecting.php";
?>

<html>

<head>
<title>Modul kuliah</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1">

</head>

<body bgcolor="#0099FF" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>
        <td width="991"><span
class=menu><font size="2"><div align="center">
            <?
            include "logoutdosen.php" ;
            ?>
        </td>
    </tr>
</table><br><br>
<p align="center"><font size="10"><b>HAPUS        MODUL
KULIAH</b></font></p>
<div align="center">
    <p class="login"><b><i>Selamat Datang Dosen
    <?
    echo $username;
    ?>.
    </i></b></p></div>

<p>&nbsp;</p>
    <table align="center">
        <td width="100%" align="center" valign="top"
bgcolor="#66FFFF" style="padding-left:1px">
            <table border="1" cellspacing="4" cellpadding="4">
                <tr>
                    <td align="center" colspan="5"><b>[ Mata
Kuliah ]</b></td>
                </tr>
                <tr>
                    <td align="center"><b>Kode Kuliah</b></td>
                    <td align="center"><b>Modul</b></td>
                    <td align="center"><b>Mata Kuliah</b></td>
                    <td align="center"><b>Dosen</b></td>

```

```

                <td align="center"
class="admin"><strong>Perintah</strong></td>
            </tr>
            <?
                $sql="select      modulkuliah.*,      matakuliah.*      from
modulkuliah, matakuliah
                where
modulkuliah.kodekuliah=matakuliah.kodekuliah
                order by modulkuliah.kodekuliah";

                $query = mysql_query($sql) or die ("errormodul");

                while($result = mysql_fetch_array($query)){
            ?>
            <tr>
                <td align="center"><?=> $result['kodekuliah']
            ?></td>
                <td><p><a href="isimodulkuliah.php?mod=<?=>
            $result['id_kul'] ?>"><strong>
            <?=> $result['modul'] ?>
            </strong>
            </a></td>
                <td>
            <?=> $result['matakuliah'] ?>
            </td>
                <td><?=> $result['dosen'] ?>
                <td align="center">
                    [ <a href="hapusmodulproses.php?login=yes&noidmodul=<?=>
            $result['id_kul'] ?>">Hapus</a> ]
                    </td>
            </tr>
            <?
            }
            ?>

            <tr>
                <td colspan="5" align="center">
                    [ <a href="menu-
            modulkuliah.php">KEMBALI</a> ]
                </td>
            </tr>

            </table>
            </td>

        </table>
        <p>&nbsp;</p>
        <p>&nbsp;</p>
        <p>&nbsp;</p>
        <p>&nbsp;</p>
        <p>&nbsp;</p>
        <p>&nbsp;</p>
        <table cellpadding="0" cellspacing="0" width="107%" height="73"
        align="center">
            <tr bgcolor="#FF9900">

```

```

        <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
        Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
        </tr>
</table>

</body>

</html>

```

**(2.17) hapusmodulproses.php**

```

<?
session_start();
$username=$loginname;
?>

<?
include "connecting.php";
?>

<html>
<head>
<title>Proses Hapus Modul Kuliah</title></head>
<body bgcolor="#0099FF" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">

<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
        <tr>
                <td width="991"><span
class=menu><font size="2"><div align="center">
                        <?
                        include "logoutdosen.php" ;
                        ?>
                </td>
        </tr>
</table>

<?
        $sql = "select * from modulkuliah where id_kul =
'$noidmodul'";

        $query = mysql_query($sql) or die ("error");
        $result = mysql_fetch_array($query);
        ?>

<br><br> <div align="center">
        <p class="login"><b><i>Selamat Datang Dosen
        <?
        echo $username;

```





```

        <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
        Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
        </tr>
</table>

</body>
</html>

```

**(2.18) hapusmodulsave.php**

```

<title>Hapus Modul Kuliah Save</title>
<?
    include "connecting.php";
    $aid = $_POST['newid'];

    $sql = "delete from modulkuliah where id_kul = '$aid'";
    $query = mysql_query($sql) or die ("error2");
?>
<script>>window.location.href="hapus-
modulkuliah.php?login=yes";</script>

```

**(2.19) edit-modulkuliah.php**

```

<?
session_start();
$username=$loginname;
?>

<?
include "connecting.php";
?>

<html>

<head>
<title>Ubah Modul kuliah</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1">

</head>

<body bgcolor="#0099FF" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>
        <td width="991"><span
class=menu><font size="2"><div align="center">
            <?
            include "logoutdosen.php" ;
            ?>
        </td>
    </tr>
</table><br><br>

```

```

<p align="center"><font size="10"><b>UBAH MODUL
KULIAH</b></font></p>
<div align="center">
    <p class="login"><b><i>Selamat Datang Dosen
    <?
    echo $username;
    ?>.
    </i></b></p></div>

<p>&nbsp;</p>
    <table align="center">
        <td width="100%" align="center" valign="top"
bgcolor="#66FFFF" style="padding-left:1px">
            <table border="1" cellspacing="4" cellpadding="4">
                <tr>
                    <td align="center" colspan="5"><b>[ Mata
Kuliah ]</b></td>
                </tr>
                <tr>
                    <td align="center"><b>Kode Kuliah</b></td>
                    <td align="center"><b>Modul</b></td>
                    <td align="center"><b>Mata Kuliah</b></td>
                    <td align="center"><b>Dosen</b></td>
                    <td align="center"
class="admin"><strong>Perintah</strong></td>
                </tr>
                <?
                $sql="select modulkuliah.*, matakuliah.* from
modulkuliah, matakuliah
                where
modulkuliah.kodekuliah=matakuliah.kodekuliah
                order by modulkuliah.kodekuliah";

                $query = mysql_query($sql) or die ("errormodul");

                while($result = mysql_fetch_array($query)){
                ?>
                <tr>
                    <td align="center"><?= $result['kodekuliah']
?></td>
                    <td><p>
                    <a href="isimodulkuliah.php?mod=<?=
$result['id_kul'] ?>">
                    <strong><?= $result['modul']
?></strong>
                    </a></td>
                    <td>
                    <?= $result['matakuliah'] ?>
                    </td>
                    <td><?= $result['dosen'] ?></td>
                    <td align="center">
                    [ <a class="action"
href="editmodulproses.php?login=yes&noidmodul=<?=
$result['id_kul'] ?>">Ubah</a> ]
                    </td>
                </tr>
                <?

```

```

    }
    ?>

    <tr>
        <td colspan="5" align="center">
            [<a          class="action"          href="menu-
modulkuliah.php">KEMBALI</a>]
            </td>
        </tr>

    </table>
</td>

</table>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
    <tr bgcolor="#FF9900">
        <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
                Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
        </tr>
</table>

</body>

</html>

```

**(2.20) editmodulproses.php**

```

<?
session_start();
$username=$loginname;
?>

<?
include "connecting.php";
?>

<script>

    function cleartext(){
        document.editmodul.kodekul.value="";
        document.editmodul.modul.value="";
        document.editmodul.isimodul.value="";
    }

    function checknama(){
        if(window.document.editmodul.kodekul.value == ""){
            alert ("Silakan mengisi Kode Kuliah")
        }
    }

```

```

        window.document.editmodul.kodekul.focus()
        return false
    }
    if(window.document.editmodul.modul.value == ""){
        alert ("Silakan mengisi Nama Modul")
        window.document.editmodul.modul.focus()
        return false
    }
    if(window.document.editmodul.isimodul.value == ""){
        alert ("Silakan mengisi Isi Modul")
        window.document.editmodul.isimodul.focus()
        return false
    }
}

</script>

<html>

<head>
<title>Proses Ubah Modul Kuliah</title>

</head>

<body    bgcolor="#0099FF"        leftmargin="0"        topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table  bgcolor="#FF9900"  width="103%"  height="23"  border="0"
align="center">
                <tr>
                                <td                width="991"><span
class=menu><font size="2"><div align="center">
                <?
                include "logoutdosen.php" ;
                ?>                                </td>
                                </tr>
</table><br><br>
<div align="center">
    <p class="login"><b><i>Selamat Datang Dosen
    <?
    echo $username;
    ?>.
    </i></b></p></div>

<p>&nbsp;</p>

<table width="100%" border="0" align="center">
    <?
        $sql = "select * from modulkuliah where id_kul =
'$noidmodul'";
        $query = mysql_query($sql) or die ("error baca modul");
        $result = mysql_fetch_array($query);
        ?>

```

```

        <td colspan="1" align="center" valign="top" style="padding-left:10px">
            <form onSubmit="return checknama();" name="editmodul"
            action="editmodulsave.php" method="post">
                <input type="hidden" name="newid" value="<?=$result['id_kul'] ?>" />
                <table border="1" cellspacing="3" cellpadding="3">
                    <tr>
                        <td colspan="5"><b>[Ubah Modul Kuliah]</b></td>
                    </tr>
                    <tr>
                        <td>Kode Kuliah </td>
                        <td>:</td>
                        <td><input type="text" name="kodekul"
                        width="450" value="<?=$result['kodekuliah'] ?>" class="style1"
                        /></td>
                    </tr>
                    <tr>
                        <td class="admin">Modul</td>
                        <td class="admin">:</td>
                        <td class="admin"><input type="text"
                        name="modul" width="450" value="<?=$result['modul'] ?>"
                        class="style1" /></td>
                    </tr>
                    <tr>
                        <td height="121" class="admin">Isi Modul </td>
                        <td class="admin">:</td>
                        <td class="admin"><textarea name="isimodul"
                        cols="80" rows="20" class="style1"><?=$result['isi']
                        ?></textarea>
                    </td>
                    </tr>
                    <tr>
                        <td colspan="3" align="center">
                            <input type="submit" name="submit" value="Ubah">
                            <input type="button" name="reset" value="Ulang"
                            onClick="cleartext();" >
                            <input type="button" name="reset"
                            value="Kembali" onClick="history.back();"></td>
                    </tr>
                </table>
            </form>
        </td>

```

```

</table>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">

```

```

        <tr bgcolor="#FF9900">
            <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
                Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
            </tr>
</table>
</body>

</html>

```

**(2.21) editmodulsave.php**

```
<title>Ubah Modul Kuliah Save</title>
```

```

<?
    include "connecting.php";

    $kode = $_POST['kodekul'];
    $modul = $_POST['modul'];
    $isi = $_POST['isimodul'];
    $aid = $_POST['newid'];

    $sql =
        "update modulkuliah
        set kodekuliah = '$kode',
        modul = '$modul',
        isi = '$isi'
        where id_kul = '$aid'";

    $query = mysql_query($sql) or die ("error2");

?>

```

```
<script>>window.location.href="edit-modulkuliah.php";</script>
```

**(2.22) isimodulkuliah.php**

```

<?
include "connecting.php";
?>

<?
$sql="select matakuliah .*, modulkuliah .* from matakuliah,
modulkuliah
    where modulkuliah.id_kul = $mod";
$querykul = mysql_query($sql) or die ("errormodull");
$resultkul = mysql_fetch_array($querykul);

$sql="select modulkuliah .*, matakuliah.* from modulkuliah,
matakuliah
    where modulkuliah.id_kul=$mod and
    modulkuliah.kodekuliah=matakuliah.kodekuliah
    order by modulkuliah.kodekuliah";

```

```
$query = mysql_query($sql) or die ("errormodul3");

?>

<html>

<head>
<title>Isi Modul Kuliah</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1">

</head>

<body bgcolor="blue dark">
    <table align="center">

        <td width="100%" align="center" valign="top"
style="padding-left:1px">
            <table border="0" cellspacing="3" cellpadding="3">
                <?
                while($result = mysql_fetch_array($query)) {
                ?>
                    <tr>
                        <td align="center" colspan="3"><b>[ Mata
Kuliah: <?= $result['matakulh'] ?> ]</b></td>
                    </tr>
                    <tr>

                        <td align="center" colspan="3"><b>[ Modul: <?=
$result['modul'] ?> ]</b></td>
                    <tr>

                        <td align="center"><?= $resultkul['isi'] ?></td>

                    </tr>
                <?
                }
                ?>
                <tr>
                    <td colspan="3" align="center">
                        <input type="button" name="reset"
value="Kembali" onClick="history.back();">
                    </td>
                </tr>
            </table>
        </td>

    </table>

</body>

</html>
```

**(2.23) tambah-soalkuliah.php**

```

<?
session_start();
$username=$loginname;
?>

<?
include "connecting.php";
?>

<html>

<head>
<title>Ubah Modul kuliah</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1">

</head>

<body bgcolor="#0099FF" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
<tr>
<td width="991"><span
class=menu><font size="2"><div align="center">
<?
include "logoutdosen.php" ;
?>
</td>
</tr>

</table><br><br>
<p align="center"><font size="10"><b>TAMBAH SOAL
KULIAH</b></font></p>
<div align="center">
<p class="login"><b><i>Selamat Datang Dosen
<?
echo $username;
?>.
</i></b></p></div>

<p>&nbsp;</p>
<table align="center">
<td width="100%" align="center" valign="top"
bgcolor="#66FFFF" style="padding-left:1px">
<table border="1" cellspacing="4" cellpadding="4">
<tr>
<td align="center" colspan="10"><b>[ Mata
Kuliah ]</b></td>
</tr>
<tr>
<td align="center"><b>Kode Kuliah</b></td>
<td align="center"><b>Modul</b></td>
<td align="center"><b>Mata Kuliah</b></td>
<td align="center"><b>Dosen</b></td>

```



```

                                <td                                align="center"
colspan="6"><b>Perintah</b></td>
                                </tr>
                                <?
                                $sql="select      modulkuliah.*,      matakuliah.*      from
modulkuliah, matakuliah
                                where
modulkuliah.kodekuliah=matakuliah.kodekuliah
                                order by modulkuliah.kodekuliah";

                                $query = mysql_query($sql) or die ("errormodul");

                                while($result = mysql_fetch_array($query)){
                                ?>
                                <tr>
                                <td align="center"><?=      $result['kodekuliah']
?></td>

                                <td><?= $result['modul'] ?></td>
                                <td>
                                <?= $result['matakuliah'] ?>
                                </td>
                                <td><?= $result['dosen'] ?>
                                <td align="center">
                                <a      class="action"      href="tambah-
soal.php">Tambah Soal</a>
                                </td>
                                </tr>
                                <?
                                }
                                ?>

                                <tr>
                                <td align="center" colspan="10">
                                [<a      class="action"      href="menu-
modulkuliah.php">KEMBALI</a>]
                                </td>
                                </tr>
                                </table>
                                </td>

</table>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<table cellpadding="0" cellspacing="0" width="100%" height="73"
align="center">
    <tr bgcolor="#FF9900">
        <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
                Copyright &copy; 2007 Ady Triono, All
                right reserved<b> </font></span></div></td>
        </tr>
</table>

```

```
</body>

</html>

(2.24) tambah-soal.php
<?
session_start();
$username=$loginname;
?>

<?
include "connecting.php";
?>

<script>

    function cleartext(){
        document.tambahsoal.nomor.value="";
        document.tambahsoal.soal.value="";
        document.tambahsoal.jwba.value="";
        document.tambahsoal.jwbb.value="";
        document.tambahsoal.jwbc.value="";
        document.tambahsoal.jwbd.value="";
        document.tambahsoal.jwbbenar.value="";
    }

    function checknama(){
        if(window.document.tambahsoal.nomor.value == ""){
            alert ("Silakan mengisi Nomor")
            window.document.tambahsoal.nomor.focus()
            return false
        }
        if(window.document.tambahsoal.soal.value == ""){
            alert ("Silakan mengisi Soal")
            window.document.tambahsoal.soal.focus()
            return false
        }
        if(window.document.tambahsoal.jwba.value == ""){
            alert ("Silakan mengisi Jawaban A")
            window.document.tambahsoal.jwba.focus()
            return false
        }
        if(window.document.tambahsoal.jwbb.value == ""){
            alert ("Silakan mengisi Jawaban B")
            window.document.tambahsoal.jwbb.focus()
            return false
        }
        if(window.document.tambahsoal.jwbc.value == ""){
            alert ("Silakan mengisi Jawaban C")
            window.document.tambahsoal.jwbc.focus()
            return false
        }
        if(window.document.tambahsoal.jwbd.value == ""){
            alert ("Silakan mengisi Jawaban D")
            window.document.tambahsoal.jwbd.focus()
        }
    }

```

```

        return false
    }
    if(window.document.tambahsoal.jwbbenar.value == ""){
        alert ("Silakan mengisi Jawaban Benar")
        window.document.tambahsoal.jwbbenar.focus()
        return false
    }
}

</script>

<html>

<head>
<title>Tambah Soal Kuliah</title>

</head>

<body bgcolor="#0099FF" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>
        <td width="991"><span
class=menu><font size="2"> <div align="center">
        <?
            include "logoutdosen.php" ;
        <?> </div></font> </td>
    </tr>
</table><br><br>
<div align="center">
    <p class="login"><b><i>Selamat Datang Dosen
        <?
            echo $username;
        <?>.
        </i></b></p></div>

<p>&nbsp;</p>

<table width="100%" border="0" align="center">

    <td colspan="1" align="center" valign="top" style="padding-
left:10px">
        <form onSubmit="return checknama();" name="tambahsoal"
action="tambah-soal2.php" method="post">
            <input type="hidden" name="newid" value="<?= $result['no']
?>" />
        <table border="1" cellspacing="3" cellpadding="3">
            <tr>
                <td class="admin" align="center"
colspan="5"><b>[ Tambah Soal Kuliah]</b></td>

```

```

        </tr>
        <tr>
            <td>Nomor </td>
            <td>:</td>
            <td><input type="text" name="nomor" width="450"
value="<?=$resultsoal['no'] ?>" class="style1" /></td>
        </tr>
        <tr>
            <td class="admin">Soal</td>
            <td class="admin">:</td>
            <td class="admin"><input type="text" name="soal"
width="450" value="<?=$resultsoal['soal'] ?>" class="style1" />
            </td>
        </tr>
        <tr>
            <td>Jawaban A</td>
            <td>:</td>
            <td><input type="text" name="jwba" width="450"
value="<?=$resultsoal['a'] ?>" class="style1" /></td>
        </tr>
        <tr>
            <td class="admin">Jawaban B</td>
            <td class="admin">:</td>
            <td class="admin"><input type="text" name="jwbb"
width="450" value="<?=$resultsoal['b'] ?>" class="style1" />
            </td>
        </tr>
        <tr>
            <td>Jawaban C</td>
            <td>:</td>
            <td><input type="text" name="jwbc" width="450"
value="<?=$resultsoal['c'] ?>" class="style1" /></td>
        </tr>
        <tr>
            <td class="admin">Jawaban D</td>
            <td class="admin">:</td>
            <td class="admin"><input type="text" name="jwbd"
width="450" value="<?=$resultsoal['d'] ?>" class="style1" />
            </td>
        </tr>
        <tr>
            <td class="admin">Jawaban Benar</td>
            <td class="admin">:</td>
            <td class="admin"><input type="text"
name="jwbbenar" width="450" value="<?=$resultsoal['ans'] ?>"
class="style1" />
            </td>
        </tr>
        <tr>
            <td colspan="3" align="center">
                <input type="submit" name="submit"
value="Tambah">
                <input type="button" name="reset" value="Ulang"
onClick="cleartext();" >
                <input type="button" name="reset"
value="Kembali" onClick="history.back();" ></td>
        </tr>

```

```

</table>
</form>
</td>

```

```

</table>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
    <tr bgcolor="#FF9900">
        <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
            Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
        </tr>
    </table>
</body>

</html>

```

#### (2.25) tambah-soal2.php

```
<title>Tambah Soal Kuliah Save</title>
```

```

<?
    include "connecting.php";
    $no = $_POST['nomor'];
    $soal = $_POST['soal'];
    $jawabana = $_POST['jwba'];
    $jawabanb = $_POST['jwbb'];
    $jawabanc = $_POST['jwbc'];
    $jawaband = $_POST['jwbd'];
    $jawabanbenar = $_POST['jwbbenar'];

    $sql = "insert into soalkuliah (no,soal,a,b,c,d,ans)
            values
('$no','$soal','$jawabana','$jawabanb','$jawabanc','$jawaband','$ja
wabanbenar' )";
    $query = mysql_query($sql) or die ("error.");

?>

<script>>window.location.href="tambah-soalkuliah.php";</script>

```

**(2.26) edit-soalkuliah.php**

```

<?
session_start();
$username=$loginname;
?>

<?
include "connecting.php";
?>

<html>

<head>
<title>Ubah Modul kuliah</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1">

</head>

<body bgcolor="#0099FF" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>
        <td width="991"><span
class=menu><font size="2"><div align="center">
            <?
            include "logoutdosen.php" ;
            ?>
        </td>
    </tr>
</table><br><br>
<p align="center"><font size="10"><b>UBAH SOAL
KULIAH</b></font></p>
<div align="center">
    <p class="login"><b><i>Selamat Datang Dosen
    <?
    echo $username;
    ?>.
    </i></b></p></div>

<p>&nbsp;</p>
    <table align="center">
        <td width="100%" align="center" valign="top"
bgcolor="#66FFFF" style="padding-left:1px">
            <table border="1" cellspacing="4" cellpadding="4">
                <tr>
                    <td align="center" colspan="10"><b>[ Mata
Kuliah ]</b></td>
                </tr>
                <tr>
                    <td align="center"><b>Kode Kuliah</b></td>
                    <td align="center"><b>Modul</b></td>
                    <td align="center"><b>Mata Kuliah</b></td>
                    <td align="center"><b>Dosen</b></td>

```

```

                                <td align="center"
colspan="6"><b>Perintah</b></td>
                                </tr>
                                <?
                                $sql="select      modulkuliah.*,      matakuliah.*      from
modulkuliah, matakuliah
                                where
modulkuliah.kodekuliah=matakuliah.kodekuliah
                                order by modulkuliah.kodekuliah";

                                $query = mysql_query($sql) or die ("errormodul");

                                ?>
                                <tr>
                                <td align="center">1</td>
                                <td>Bab I </td>
                                <td>Jaringan Unix dan Internet </td>
                                <td>Semuil</td>
                                <td colspan="6" align="center"><a class="action"
href="editsoalprosesjudil.php">Ubah Soal</a>
                                </td>
                                </tr>
                                <tr>
                                <td align="center">1</td>
                                <td>Bab II</td>
                                <td>Jaringan Unix dan Internet </td>
                                <td>Semuil</td>
                                <td colspan="6" align="center"><a class="action"
href="editsoalprosesjudi2.php">Ubah Soal</a>
                                </td>
                                </tr>
                                <tr>
                                <td align="center">1</td>
                                <td>Bab III</td>
                                <td>Jaringan Unix dan Internet </td>
                                <td>Semuil</td>
                                <td colspan="6" align="center"><a class="action"
href="editsoalprosesjudi3.php">Ubah Soal</a>
                                </td>
                                </tr>
                                <tr>
                                <td align="center">2</td>
                                <td>Bab I </td>
                                <td>Dasar Komputer dan Pemrograman </td>
                                <td>Novi</td>
                                <td colspan="6" align="center"><a class="action"
href="editsoalprosesdaskom1.php">Ubah Soal</a>
                                </td>
                                </tr>
                                <tr>
                                <td align="center">2</td>
                                <td>Bab II</td>
                                <td>Dasar Komputer dan Pemrograman</td>
                                <td>Novi</td>
                                <td colspan="6" align="center"><a class="action"
href="editsoalprosesdaskom2.php">Ubah Soal</a>

```

```

        </td>
    </tr>

    <tr>
        <td colspan="10" align="center">
            [<a class="action" href="menu-
modulkuliah.php">KEMBALI</a>]
        </td>
    </tr>
</table>
</td>

</table>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
    <tr bgcolor="#FF9900">
        <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
                Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
    </tr>
</table>

</body>

</html>

(2.27) editsoalprosesjudil.php
<?
session_start();
$username=$loginname;
?>

<?php include "connecting.php"; ?>

<script>
function back() {
    window.location="edit-soalkuliah.php"
}

</script>
<html>

<head>
<title>Proses Save Ubah Modul kuliah</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1">

</head>

```



```

<body bgcolor="#0099FF" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>
        <td width="991"><span
class=menu><font size="2"><div align="center">
    <?
        include "logoutdosen.php" ;
    ?>
    </div></td>
    </tr>

</font>
</table>
<br><br>
<p align="center"><font size="10"><b>SAVE UBAH SOAL
KULIAH</b></font></p>

<form method="post" action="editsoalprosesjudil.php">

<p align="center">

<table align="center">
<?php

    for($i = 1;$i <= 5; $i++)
    {$judi = "judilno".$i;
    $result = mysql_query("select * from soalkuliah where no =
'$judi'");
    $data = mysql_fetch_array($result);
    echo "<tr><td>$i</td><td colspan=2 align=left><textarea
cols=60 rows=2 name=Asoalno$i>$data[soal]</textarea></td></tr>";
    echo "<tr><td></td><td>A. </td><td align=left><input
type=text size=75 name=Aoptano$i value='$data[a]'></td></tr>";
    echo "<tr><td></td><td>B. </td><td align=left><input
type=text size=75 name=Aoptbno$i value='$data[b]'></td></tr>";
    echo "<tr><td></td><td>C. </td><td align=left><input
type=text size=75 name=Aoptcno$i value='$data[c]'></td></tr>";
    echo "<tr><td></td><td>D. </td><td align=left><input
type=text size=75 name=Aoptdno$i value='$data[d]'></td></tr>";
    echo "<tr><td></td><td></td><td>Jawaban yang benar : <input
type=text name=Aansno$i value='$data[ans]'></td></tr>";
    }

?>

    <tr><td align="center" colspan="3"><input type="submit"
name="edit" value="EDIT"></td></tr>
    <tr><td align="center" colspan="3"><input type="reset"
name="reset" value="KEMBALI" onClick="history.back();"></td></tr>
</table>

```

```

</form>
<?php if(isset($edit))

        {for($i = 1;$i <= 5; $i++)
            {$judi = "judilno".$i; $soal = "Asoalno".$i; $a =
"Aoptano".$i; $b = "Aoptbno".$i; $c = "Aoptcno".$i; $d =
"Aoptdno".$i; $ans = "Aansno".$i;
            mysql_query("update soalkuliah set soal = '{$soal}',
a = '{$a}', b = '{$b}', c = '{$c}', d = '{$d}', ans =
 '{$ans}' where no = '$judi'");
            }

            echo "<meta http-equiv=refresh content=0>";
            echo '<script>alert("Anda telah berhasil mengupdate
soal.");</script>';
            }

?>
</p>
<p align="center">&nbsp;</p>
<p align="center" class="style5">&nbsp;</p>

</form>
</div>

<table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
    <tr bgcolor="#FF9900">
        <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
                Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
    </tr>
</table>

</body>
</html>

```

**(2.28) editsoalprosesjudi2.php**

```

<?
session_start();
$username=$loginname;
?>

<?php include "connecting.php"; ?>

<script>
function back() {
    window.location="edit-soalkuliah.php"
}
</script>
<html>

<head>
<title>Proses Save Ubah Modul kuliah</title>

```

```

<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1">

</head>

<body bgcolor="#0099FF" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>
        <td width="991"><span
class=menu><font size="2"><div align="center">
            <?
                include "logoutdosen.php" ;
            ?>
            </div></td>
        </tr>
    </font>
</table>
    <br><br>
    <p align="center"><font size="10"><b>SAVE UBAH SOAL
KULIAH</b></font></p>

    <form method="post" action="editsoalprosesjudi2.php">

        <p align="center">

        <table align="center">
            <?php

                for($i = 1;$i <= 5; $i++)
                {$judi = "judi2no".$i;
                    $result = mysql_query("select * from soalkuliah where no =
'$judi'");
                    $data = mysql_fetch_array($result);
                    echo "<tr><td>$i</td><td colspan=2 align=left><textarea
cols=60 rows=2 name=Asoalno$i>$data[soal]</textarea></td></tr>";
                    echo "<tr><td></td><td>A. </td><td align=left><input
type=text size=75 name=Aoptano$i value='$data[a]'></td></tr>";
                    echo "<tr><td></td><td>B. </td><td align=left><input
type=text size=75 name=Aoptbno$i value='$data[b]'></td></tr>";
                    echo "<tr><td></td><td>C. </td><td align=left><input
type=text size=75 name=Aoptcno$i value='$data[c]'></td></tr>";
                    echo "<tr><td></td><td>D. </td><td align=left><input
type=text size=75 name=Aoptdno$i value='$data[d]'></td></tr>";
                    echo "<tr><td></td><td></td><td>Jawaban yang benar : <input
type=text name=Aansno$i value='$data[ans]'></td></tr>";
                }

            ?>

```

```

        <tr><td align="center" colspan="3"><input type="submit"
name="edit" value="EDIT"></td></tr>
        <tr><td align="center" colspan="3"><input type="reset"
name="reset" value="KEMBALI" onClick="history.back();"></td></tr>
    </table>
    </form>
<?php if(isset($edit))

        {for($i = 1;$i <= 5; $i++)
            {$judi = "judi2no".$i; $soal = "Asoalno".$i; $a =
"Aoptano".$i; $b = "Aoptbno".$i; $c = "Aoptcno".$i; $d =
"Aoptdno".$i; $ans = "Aansno".$i;
                mysql_query("update soalkuliah set soal = '{$soal}',
a = '{$a}', b = '{$b}', c = '{$c}', d = '{$d}', ans =
 '{$ans}' where no = '$judi'");
            }

            echo "<meta http-equiv=refresh content=0>";
            echo '<script>alert("Anda telah berhasil mengupdate
soal.");</script>';
        }

?>
    </p>
    <p align="center">&nbsp;&nbsp;&nbsp;</p>
    <p align="center" class="style5">&nbsp;&nbsp;&nbsp;</p>

    </form>
</div>

<table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
    <tr bgcolor="#FF9900">
        <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
                Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
        </tr>
</table>

</body>
</html>

(2.29) editsoalprosesjudi3.php
<?
session_start();
$username=$loginname;
?>

<?php include "connecting.php"; ?>

<script>
function back() {
    window.location="edit-soalkuliah.php"
}
</script>

```

```

<html>

<head>
<title>Proses Save Ubah Modul kuliah</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1">

</head>

<body bgcolor="#0099FF" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>
        <td width="991"><span
class=menu><font size="2"><div align="center">
            <?
            include "logoutdosen.php" ;
            ?>
        </div></td>
    </tr>

</font>
</table>
    <br><br>
    <p align="center"><font size="10"><b>SAVE UBAH SOAL
KULIAH</b></font></p>

    <form method="post" action="editsoalprosesjudi3.php">

    <p align="center">

    <table align="center">
    <?php

        for($i = 1;$i <= 5; $i++)
        {$judi = "judi3no".$i;
        $result = mysql_query("select * from soalkuliah where no =
'$judi'");
        $data = mysql_fetch_array($result);
        echo "<tr><td>$i</td><td colspan=2 align=left><textarea
cols=60 rows=2 name=Asoalno$i>$data[soal]</textarea></td></tr>";
        echo "<tr><td></td><td>A. </td><td align=left><input
type=text size=75 name=Aoptano$i value='$data[a]'"></td></tr>";
        echo "<tr><td></td><td>B. </td><td align=left><input
type=text size=75 name=Aoptbno$i value='$data[b]'"></td></tr>";
        echo "<tr><td></td><td>C. </td><td align=left><input
type=text size=75 name=Aoptcno$i value='$data[c]'"></td></tr>";
        echo "<tr><td></td><td>D. </td><td align=left><input
type=text size=75 name=Aoptdno$i value='$data[d]'"></td></tr>";
        echo "<tr><td></td><td></td><td>Jawaban yang benar : <input
type=text name=Aansno$i value='$data[ans]'"></td></tr>";
        }
    }

```

```

?>
    <tr><td align="center" colspan="3"><input type="submit"
name="edit" value="EDIT"></td></tr>
    <tr><td align="center" colspan="3"><input type="reset"
name="reset" value="KEMBALI" onClick="history.back();"></td></tr>
    </table>
</form>
<?php if(isset($edit))

    {for($i = 1;$i <= 5; $i++)
    { $judi = "judi3no".$i; $soal = "Asoalno".$i; $a =
"Aoptano".$i; $b = "Aoptbno".$i; $c = "Aoptcno".$i; $d =
"Aoptdno".$i; $ans = "Aansno".$i;
    mysql_query("update soalkuliah set soal = '{$soal}',
a = '{$a}', b = '{$b}', c = '{$c}', d = '{$d}', ans =
 '{$ans}' where no = '$judi'");
    }

    echo "<meta http-equiv=refresh content=0>";
    echo '<script>alert("Anda telah berhasil mengupdate
soal.");</script>';
    }

?>
</p>
<p align="center">&nbsp;</p>
<p align="center" class="style5">&nbsp;</p>

</form>
</div>

<table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
    <tr bgcolor="#FF9900">
        <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
    </tr>
</table>

</body>
</html>

(2.30) editsoalprosesdaskom1.php
<?
session_start();
$username=$loginname;
?>

<?php include "connecting.php"; ?>

<script>
function back() {

```

```

        window.location="edit-soalkuliah.php"
    }
</script>
<html>

<head>
<title>Proses Save Ubah Modul kuliah</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">

</head>

<body bgcolor="#0099FF" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>
        <td colspan="2" class=menu><font size="2"><div align="center">
            <?
                include "logoutdosen.php" ;
            ?>
        </div></td>
        <td width="991"><span
    </tr>

</font>
</table>
<br><br>
<p align="center"><font size="10"><b>SAVE UBAH SOAL
KULIAH</b></font></p>

<form method="post" action="editsoalprosesdaskom1.php">

<p align="center">

<table align="center">
<?php

    for($i = 1;$i <= 5; $i++)
    {$daskom = "daskomlno".$i;
    $result = mysql_query("select * from soalkuliah where no =
'$daskom'");
    $data = mysql_fetch_array($result);
    echo "<tr><td>$i</td><td colspan=2 align=left><textarea
cols=60 rows=2 name=Asoalno$i>$data[soal]</textarea></td></tr>";
    echo "<tr><td></td><td>A. </td><td align=left><input
type=text size=75 name=Aoptano$i value='$data[a]'></td></tr>";
    echo "<tr><td></td><td>B. </td><td align=left><input
type=text size=75 name=Aoptbno$i value='$data[b]'></td></tr>";
    echo "<tr><td></td><td>C. </td><td align=left><input
type=text size=75 name=Aoptcno$i value='$data[c]'></td></tr>";

```

```

        echo " <tr><td></td><td>D. </td><td align=left><input
type=text size=75 name=Aoptdno$i value='$data[d]'"></td></tr>";
        echo " <tr><td></td><td></td><td>Jawaban yang benar : <input
type=text name=Aansno$i value='$data[ans]'"></td></tr>";
    }

?>

        <tr><td align="center" colspan="3"><input type="submit"
name="edit" value="EDIT"></td></tr>
        <tr><td align="center" colspan="3"><input type="reset"
name="reset" value="KEMBALI" onClick="history.back();"></td></tr>
    </table>
</form>
<?php if(isset($edit))

        {for($i = 1;$i <= 5; $i++)
            {$daskom = "daskomlno".$i; $soal = "Asoalno".$i; $a =
"Aoptano".$i; $b = "Aoptbno".$i; $c = "Aoptcno".$i; $d =
"Aoptdno".$i; $ans = "Aansno".$i;
            mysql_query("update soalkuliah set soal = '{$soal}',
a = '{$a}', b = '{$b}', c = '{$c}', d = '{$d}', ans =
 '{$ans}' where no = '$daskom'");
            }

        echo "<meta http-equiv=refresh content=0>";
        echo '<script>alert("Anda telah berhasil mengupdate
soal.");</script>';
    }

?>

    </p>
    <p align="center">&nbsp;</p>
    <p align="center" class="style5">&nbsp;</p>

    </form>
</div>

<table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
    <tr bgcolor="#FF9900">
        <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
        Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
    </tr>
</table>

</body>
</html>

(2.31) editsoalprosesdaskom2.php
<?
session_start();
$username=$loginname;
?>

```



```

<?php include "connecting.php"; ?>

<script>
function back() {
    window.location="edit-soalkuliah.php"
}
</script>
<html>

<head>
<title>Proses Save Ubah Modul kuliah</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
</head>

<body bgcolor="#0099FF" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>
        <td width="991"><span
class=menu><font size="2"><div align="center">
            <?
                include "logoutdosen.php" ;
            ?>
        </div></td>
    </tr>
</font>
</table>
<br><br>
<p align="center"><font size="10"><b>SAVE UBAH SOAL
KULIAH</b></font></p>

<form method="post" action="editsoalprosesdaskom2.php">

<p align="center">

<table align="center">
<?php

for($i = 1;$i <= 5; $i++)
    {$daskom = "daskom2no".$i;
    $result = mysql_query("select * from soalkuliah where no =
'$daskom'");
    $data = mysql_fetch_array($result);
    echo "<tr><td>$i</td><td colspan=2 align=left><textarea
cols=60 rows=2 name=Asoalno$i>$data[soal]</textarea></td></tr>";
    echo "<tr><td></td><td>A. </td><td align=left><input
type=text size=75 name=Aoptano$i value='$data[a]'"></td></tr>";

```

```

        echo " <tr><td></td><td>B. </td><td align=left><input
type=text size=75 name=Aoptbno$i value='$data[b]'"></td></tr>";
        echo " <tr><td></td><td>C. </td><td align=left><input
type=text size=75 name=Aoptcno$i value='$data[c]'"></td></tr>";
        echo " <tr><td></td><td>D. </td><td align=left><input
type=text size=75 name=Aoptdno$i value='$data[d]'"></td></tr>";
        echo " <tr><td></td><td></td><td>Jawaban yang benar : <input
type=text name=Aansno$i value='$data[ans]'"></td></tr>";
    }

?>

        <tr><td align="center" colspan="3"><input type="submit"
name="edit" value="EDIT"></td></tr>
        <tr><td align="center" colspan="3"><input type="reset"
name="reset" value="KEMBALI" onClick="history.back();"></td></tr>
    </table>
</form>
<?php if(isset($edit))

        {for($i = 1;$i <= 5; $i++)
        {$daskom = "daskom2no".$i; $soal = "Asoalno".$i; $a =
"Aoptano".$i; $b = "Aoptbno".$i; $c = "Aoptcno".$i; $d =
"Aoptdno".$i; $ans = "Aansno".$i;
        mysql_query("update soalkuliah set soal = '{$soal}',
a = '{$a}', b = '{$b}', c = '{$c}', d = '{$d}', ans =
'{$ans}' where no = '$daskom'");
        }

        echo "<meta http-equiv=refresh content=0>";
        echo '<script>alert("Anda telah berhasil mengupdate
soal.");</script>';
    }

?>

</p>
<p align="center">&nbsp;</p>
<p align="center" class="style5">&nbsp;</p>

</form>
</div>

<table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
    <tr bgcolor="#FF9900">
        <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
        Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
    </tr>
</table>

</body>
</html>

```

```

(2.32) lihat-nilai.php
<?
session_start();
$username=$loginname;

?>

<?

    include "connecting.php";

?>

<html>
<head>
<title>Cek Daftar dosen</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1"></head>

<body bgcolor="#66FF66" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>
        <td width="991"><span
class=menu><font size="2"> <div align="center">
            <?
                include "logoutdosen.php" ;
            ?>
        </div></font>
    </td>

    </tr>

</table>
<p align="center"><font size="15"><b>LIHAT NILAI
MAHASISWA</b></font></p>
<div align="center">
    <p class="login"><b><i>Selamat Datang Dosen
        <?
            echo $username;
        ?>.
        </i></b></p></div>

<table align="center">
    <td width="70%" align="center" valign="top" style="padding-
left:10px">
        <table border="0" cellspacing="9" cellpadding="9">
            <tr>
                <td bgcolor="#FFFF00"align="center"
colspan="10"><b>[ Daftar Nilai Mahasiswa]</b></td>
            </tr>
            <tr>

```

```

                <td                                bgcolor="#FFFF00"
align="center"><b>Id</b></td>
                <td                                bgcolor="#FFFF00"
align="center"><strong>Nama </strong></td>
                <td                                bgcolor="#FFFF00"
align="center"><strong>Nrp </strong></td>
                <td                                bgcolor="#FFFF00"
align="center"><strong>Nilai Jaringan Unix dan Internet Bab
I</strong></td>
                <td                                bgcolor="#FFFF00"
align="center"><strong>Nilai Jaringan Unix dan Internet Bab
II</strong></td>
                <td                                bgcolor="#FFFF00"
align="center"><strong>Nilai Jaringan Unix dan Internet Bab
III</strong></td>
                <td                                bgcolor="#FFFF00"
align="center"><strong>Nilai Dasar Komputer dan Pemrograman Bab
I</strong></td>
                <td                                bgcolor="#FFFF00"
align="center"><strong>Nilai Dasar Komputer dan Pemrograman Bab
II</strong></td>
            </tr>
        <?
        $sql = "select * from mahasiswa ORDER BY id_mahasiswa
";
        $query = mysql_query($sql) or die ("error");

        $nomorurut = 1;
        while($result = mysql_fetch_array($query)){
        ?>
        <tr>
            <td                                bgcolor="#FFFF00"            align="center"><?=$
$nomorurut ?></td>
            <td                                bgcolor="#FFFF00"><?=$result['nama']
?></td>
            <td bgcolor="#FFFF00"><?=$result['nrp'] ?></td>
            <td bgcolor="#FFFF00"><?=$result['nilaijudi1']
?></td>
            <td bgcolor="#FFFF00"><?=$result['nilaijudi2']
?></td>
            <td bgcolor="#FFFF00"><?=$result['nilaijudi3']
?></td>
            <td                                bgcolor="#FFFF00"><?=$
$result['nilaidaskom1'] ?></td>
            <td                                bgcolor="#FFFF00"><?=$
$result['nilaidaskom2'] ?></td>

        </tr>
        <?
        $nomorurut++;
        }
        ?>

        <tr>
            <td                                bgcolor="#FFFF00"            colspan="10"
align="center">

```



```

</script>

<html>
<head>
<title>Proses Ubah Password Dosen</title></head>
<body bgcolor="#00CC99" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">

<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
<tr>
<td width="991"><span
class=menu><font size="2"><div align="center">
<?
include "logoutdosen.php" ;
?>
</td>
</tr>
</table><br><br>
<div align="center">
<p class="login"><b><i>Selamat Datang Dosen
<?
echo $username;
?>.
</i></b></p></div>

<table width="100%" border="0" cellpadding="0" cellspacing="0">
<td colspan="1" align="center" valign="top" style="padding-
left:10px">
<form onSubmit="return checknama();" name="ubahpass"
action="ubahdosensave.php" method="post">
<p>
<input type="hidden" name="newuser" value="<?=$username; ?>" />
</p>
<p>&nbsp;</p>
<table width="263" border="2" cellpadding="3"
cellspacing="3">
<tr>
<td bgcolor="#66CCCC" class="admin"
align="center" colspan="3"><b>[ Ubah Password Dosen]</b></td>
</tr>
<tr>
<td bgcolor="#66CCCC" class="admin">Nama</td>
<td bgcolor="#66CCCC" class="admin">:</td>
<td bgcolor="#66CCCC" class="admin"><?=$username ?></td>
</tr>
<tr>
<td
class="admin">Password</td>
<td bgcolor="#66CCCC" class="admin">:</td>
<td bgcolor="#66CCCC" class="admin"><input
type="password" name="newpass" value="<?=$username1 ?>"

```

```

        class="style1" /></td>
    </tr>
    <tr>
        <td
            bgcolor="#66CCCC"
            colspan="3"
align="center">
            <input type="submit" name="submit" value="Ubah">
            <input type="button" name="reset" value="Ulang"
onClick="cleartext();" >
            <input
                type="button"
                name="reset"
value="Kembali" onClick="history.back();"></td>
    </tr>

</table>
</form>
</td>
</table>

<p><br>
</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p><br>
</p>
<BR>

<table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
    <tr bgcolor="#FF9900">
        <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
                Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
    </tr>
</table>

</body>
</html>

```

**(2.34) ubahdosensave.php**

```

<title>Ubah Password Dosen Save</title>
<?
    include "connecting.php";

    $user = $_POST['newuser'];
    $pass = $_POST['newpass'];

    $sqlcheck = "select * from dosen where username = '$user'";

    $querycheck = mysql_query($sqlcheck) or die ("error1");
    $resultcheck = mysql_fetch_array($querycheck);

    $sql = "update dosen set password = password('$pass') where
username = '$user'";

    $query = mysql_query($sql) or die ("error2");

```

```
?>
```

```
<script>>window.location.href="menu-dosen.php?login=yes";</script>
```

### (2.35) logoutdosen.php

```
<title>log-out dosen </title>
<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>
        <td width="991"><span
class=menu><font size="2"><div align="center">
            <a
href="menu-utama.php">MENU UTAMA</a> |
            <a
href="registerloginadmin.php">ADMINISTRATOR</a> |
            <a
href="registerlogin.php">DOSEN </a>|
            <a
href="registerloginmhs.php">MAHASISWA </a>|
            <a
href="ubahdosen.php">UBAH PASSWORD </a>|
            <?
            if ($username=="") {
            ?>
            <a class="login" href="menu-
dosen.php">DOSEN</a>
            <?
            }
            else
            {
            ?>
            <a class="login"
href="dosenlogout.php"><?= $username?>&nbsp;LOG OUT</a>
            <?
            }
            ?>
            </div></font></span></td>
    </tr>
</table>
```

### (2.36) dosenlogout.php

```
<?
session_start();
$username = $loginname;
$username1=$loginname1;

include "connecting.php";

session_start();
session_destroy();
```



```
header ("location:menu-utama.php");
?>
```

### (3.1) registerloginmhs.php

```
<html>
<head>
<title>Proses Login Mahasiswa</title>
</head>
<body bgcolor="#66CCFF" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
<tr>
<td width="991"><span
class=menu><font size="2"><div align="center">
<a
href="menu-utama.php">MENU UTAMA</a> |
<a
href="registerloginadmin.php">ADMINISTRATOR</a> |
<a
href="registerlogin.php">DOSEN </a>|
<a
href="registerloginmhs.php">MAHASISWA </a>
</div></font></span></td>
</tr>
</table>
<p>

<script>

function checklogin(){
if(window.document.isipassmhs.newnrp.value == ""){
alert ("Silakan mengisi Nrp Anda")
window.document.isipassmhs.newnrp.focus()
return false
}
if(window.document.isipassmhs.newpass.value == ""){
alert ("Silakan mengisi Password Anda")
window.document.isipassmhs.newpass.focus()
return false
}
}

function home() {
window.location="registerloginmhs.php"
}
</script>

<br></p>

<table width="102%" height="100%" cellspacing="0" cellpadding="0">
```



```

include "connecting.php";

$pass = $_POST['newpass'];
$user = $_POST['newnrp'];

$sql = "select * from mahasiswa where nrp = '$user' and password =
password('$pass')";
$query = mysql_query($sql) or die("error... ".$sql);
$numrows = mysql_num_rows($query);

if(!$numrows){
?><body bgcolor="#66CCFF"><script>alert('Nrp atau Password yang
Anda masukkan salah,\nSilakan Ulangi Lagi.');(3.3) registerlogin_processmhs1.php
<?
session_start();
$username=$loginname;
$username1=$loginname1;
header ("location:menu-mahasiswa.php?userlogin=$username");
?>
<title>Analisa Nrp Mahasiswa</title>

(3.4) menu-mahasiswa.php
<?
session_start();
$username=$loginname;
$username1=$loginname1;
?>

<?
include "connecting.php";
?>

<html>
<head>

```

```

<title>Menu Mahasiswa</title>
</head>

<body bgcolor="#FFCCFF" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>
        <td width="991"> <span
class=menu><font size="2"> <div align="center">
            <?
            include "logoutmahasiswa.php" ;
            ?>
            </div></td>
    </tr>
</table>
<p align="center"><font size="15"><b>MENU MAHASISWA</b></font></p>
<div align="center">
    <p class="login"><b><i>Selamat Datang
    <?
    echo $username;
    ?>.
    </i></b></p></div>

<p>&nbsp;</p>
<p>&nbsp;</p>
<center>
    <table width="370" height="115" border="3">
        <tr>
            <td bgcolor="#CC99FF"><div align="center"><b><u><font
size="+1"> PILIHAN : </font></u></b></div></td>
        </tr>
        <tr>
            <td bgcolor="#CC99FF"><div align="center"><a
href="matakuliahindexmhs.php"><font size="+2"><b>
Mata Kuliah Yang Ditawarkan</b>
</font>
</a></div></td>
        </tr>
        <tr>
            <td bgcolor="#CC99FF"><div align="center"><a
href="matakuliahambilmhs.php"><font size="+2"><b>
Mata Kuliah Yang Diambil</b>
</font>
</a></div></td>
        </tr>
        <tr>
            <td bgcolor="#CC99FF"><div align="center"><a
href="modulbuatmhs.php"><font size="+2"><b>Modul Perkuliahan</b>
</font>
</a></div></td>
        </tr>
        <tr>
            <td bgcolor="#CC99FF"><div align="center"><a
href="soal.php"><font size="+2"><b>Soal Perkuliahan</b>
</font>

```

```

        </a></div></td>
    </tr>
</table>

<p>&nbsp;</p>
    <p>&nbsp;</p>
    <p>&nbsp;</p>
    <p>&nbsp;</p>
    <p>&nbsp;</p>
    <br>
</center>
<table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
    <tr bgcolor="#FF9900">
        <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
                Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
        </tr>
</table>

</body>
</html>

```

### (3.5) matakuliahindexmhs.php

```

<?
session_start();
$username=$loginname;
?>

<?
include "connecting.php";
?>

<html>

<head>
<title>Daftar Mata Kuliah</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1">

</head>

<body bgcolor="#CCCCFF" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>
        <td width="991"><span
class=menu><font size="2"> <div align="center">
            <?
            include "logoutmahasiswa.php" ;

```

```

        ?>
                                </div></td>
                                </tr>
</table><br><br>
<p align="center"><font size="10"><b>DAFTAR MATA
KULIAH</b></font></p>
<div align="center">
    <p class="login"><b><i>Selamat Datang
    <?
    echo $username;
    ?>.
    </i></b></p></div>

<p>&nbsp;</p>

<table align="center">
    <td width="100%" align="center" valign="top" bgcolor="blue
dark" style="padding-left:1px">
        <table border="1" cellspacing="3" cellpadding="3">
            <tr>
                <td align="center" colspan="3"><b>[ Mata
Kuliah ]</b></td>
            </tr>
            <tr>
                <td align="center"><b>Id Kuliah</b></td>
                <td align="center"><b>Mata Kuliah</b></td>
                <td align="center"><b>Dosen</b></td>
            </tr>
            <?
            $sql = "select * from matakuliah ORDER BY kodekuliah
";
            $query = mysql_query($sql) or die ("error");

            $nomorurut = 1;

            while($result = mysql_fetch_array($query)){
                ?>
                <tr>
                    <td align="center"><?> $nomorurut ?></td>
                    <td><?> $result['matakuliah'] ?></td>
                    <td><?> $result['dosen'] ?></td>
                </tr>
                <?
                $nomorurut++;
            }
            ?>

            <tr>
                <td colspan="3" align="center">
                    [<a class="action" href="menu-
mahasiswa.php">KEMBALI</a>]
                </td>
            </tr>
        </table>
    </td>

</table>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>

```

```

    <p>&nbsp;</p>
    <table cellpadding="0" cellspacing="0" width="107%"
height="73" align="center">
        <tr bgcolor="#FF9900">
            <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
                Copyright &copy; 2007 Ady Triono, All
                right reserved<b> </font></span></div></td>
        </tr>
    </table>

</body>

</html>

```

### (3.6) matakuliahambilmhs.php

```

<?
session_start();
$username=$loginname;
?>

<?
include "connecting.php";
?>

<script>

    function cleartext(){
        document.daftarmhs.newmatakuliah.value="";
    }

    function back(){
        window.location.href="menu-mahasiswa.php";
    }

</script>

<html>

<head>
<title>Daftar Mata Kuliah</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1">

</head>

<body bgcolor="#CCCCFF" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>

```

```
  |
```



```

</table>
<p>&nbsp;</p>
<table align="center">
  <tr>
    <td colspan="3" align="center" valign="middle">
      <div align="center">
        <input type="submit" name="submit"
value="Daftar">
        <input type="button" name="reset"
value="Hapus" onClick="cleartext();" >
        <input type="button" name="reset"
value="Kembali" onClick="history.back();" >
      </div></td>
    </tr>
  </table>
  <p>&nbsp;</p>
  <p>&nbsp;</p>
  <p>&nbsp;</p>
  <p>&nbsp;</p>
  <table cellpadding="0" cellspacing="0" width="107%"
height="73" align="center">
    <tr bgcolor="#FF9900">
      <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
    </tr>
  </table>
</form>
</body>
</html>

```

### (3.7) matakuliahambil\_addsave.php

```

<?
session_start();
$username=$loginname;
?>

<?
include "connecting.php";

$mata = $_POST['newmatakuliah'];
$aid = $_POST['newid'];

$sql = "update mahasiswa
set
kodekuliah = '$mata'
where nrp = " . $aid. "'";
$query = mysql_query($sql) or die ("error pendaftaran add
save");
?>

```

```

<script>
    window.location.href="menu-mahasiswa.php";
</script>

(3.8) modulbuatmhs.php
<?
session_start();
$username=$loginname;
?>

<?
include "connecting.php";
?>

<html>

<head>
<title>Modul kuliah</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1">

</head>

<body bgcolor="#0099FF" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>
        <td width="991"><span
class=menu><font size="2"><div align="center">
            <?
            include "logoutmahasiswa.php" ;
            ?>
        </td>
    </tr>
</table><br><br>
<p align="center"><font size="10"><b>MODUL KULIAH</b></font></p>
<div align="center">
    <p class="login"><b><i>Selamat Datang
    <?
    echo $username;
    ?>.
    </i></b></p></div>

<p>&nbsp;</p>
<table align="center">
    <td width="100%" align="center" valign="top"
bgcolor="#66FFFF" style="padding-left:1px">
        <table border="1" cellspacing="3" cellpadding="3">
            <tr>
                <td align="center" colspan="4"><b>[ Mata
Kuliah ]</b></td>
            </tr>
            <tr>
                <td align="center"><b>Kode Kuliah</b></td>

```

```

        <td align="center"><b>Modul</b></td>
        <td align="center"><b>Mata Kuliah</b></td>
        <td align="center"><b>Dosen</b></td>
    </tr>
    <?
        $sql="select      modulkuliah.*,      matakuliah.*      from
modulkuliah, matakuliah
        where
modulkuliah.kodekuliah=matakuliah.kodekuliah
        order by modulkuliah.kodekuliah";

        $query = mysql_query($sql) or die ("errormodul");

        while($result = mysql_fetch_array($query)){
            ?>
            <tr>
                <td align="center"><?=$result['kodekuliah']
?></td>
                <td><p><a href="isimodulkuliahmhs.php?mod=<?=$result['id_kul'] ?>"><strong>
                    <?=$result['modul'] ?>
                </strong></a></td>
                <td>
                    <?=$result['matakuliah'] ?>                </td>
                <td><?=$result['dosen'] ?></td>
            </tr>
            <?
        }
        ?>

        <tr>
            <td colspan="4" align="center">
                [ <a class="action" href="menu-
mahasiswa.php">KEMBALI</a> ]                </td>
        </tr>
    </table>
</td>

</table>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<table cellpadding="0" cellspacing="0" width="100%" height="73"
align="center">
    <tr bgcolor="#FF9900">
        <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
            Copyright &copy; 2007 Ady Triono, All
            right reserved<b> </font></span></div></td>
        </tr>
</table>

</body>

```

```
</html>
```

### (3.9) isimodulkuliahmhs.php

```
<?
session_start();
$username=$loginname;
$username1=$loginname1;
?>

<?
include "connecting.php";

$result = mysql_query("select * from mahasiswa where nrp=
'$username'");
$data = mysql_fetch_array($result);
$nilai = 0;
if($data['matakuliah'] == $nilai)
{echo '<script>alert("Maaf, Anda tidak mengambil mata kuliah
ini!");</script>';
 echo '<script>history.back(1);</script>';
}
else
{ ?>

<?
$sql="select matakuliah .*, modulkuliah .* from matakuliah,
modulkuliah
      where modulkuliah.id_kul = $mod";
$querykul = mysql_query($sql) or die ("errormodul1");
$resultkul = mysql_fetch_array($querykul);

$sql="select modulkuliah .*, matakuliah.* from modulkuliah,
matakuliah
      where modulkuliah.id_kul=$mod and
      modulkuliah.kodekuliah=matakuliah.kodekuliah
      order by modulkuliah.kodekuliah";

$query = mysql_query($sql) or die ("errormodul3");

?>

<html>

<head>
<title>Isi Modul Kuliah</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1">

</head>

<body bgcolor="blue dark">
  <table align="center">
```

```

        <td width="100%" align="center" valign="top"
style="padding-left:1px">
        <table border="0" cellspacing="3" cellpadding="3">
        <?
        while($result = mysql_fetch_array($query)) {
        ?>
            <tr>
                <td align="center" colspan="3"><b>[ Mata
Kuliah: <?= $result['matakulh'] ?> ]</b></td>
                </tr>
            <tr>

                <td align="center" colspan="3"><b>[ Modul: <?=
$result['modul'] ?> ]</b></td>
                <tr>

                    <td align="center"><?= $resultkul['isi'] ?></td>

                </tr>
            <?
            }
            ?>
            <tr>
                <td colspan="3" align="center">
                    <input type="button" name="reset"
value="Kembali" onClick="history.back();">
                </td>
            </tr>

        </table>
        </td>

</table>

</body>
<?
}
?>
</html>

```

**(3.10) soal.php**

```

<?
session_start();
$username=$loginname;
?>

<?
include "connecting.php";
?>

<html>

<head>
<title>Soal Modul Buat Mahasiswa</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-
8859-1">

```

```

</head>

<body bgcolor="#0099FF" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>
        <td width="991"><span
class=menu><font size="2"> <div align="center">
    <?
        include "logoutmahasiswa.php" ;
    <?
        </div></td>
    </tr>
</table><br><br>
<p align="center"><font size="10"><b>SOAL KULIAH</b></font></p>
<div align="center">
    <p class="login"><b><i>Selamat Datang
    <?
        echo $username;
    <?>.
    </i></b></p></div>

<p>&nbsp;</p>
    <table align="center">
        <td width="100%" align="center" valign="top"
bgcolor="#66FFFF" style="padding-left:1px">
            <table border="1" cellspacing="4" cellpadding="4">
                <tr>
                    <td align="center" colspan="10"><b>[ Mata
Kuliah ]</b></td>
                </tr>
                <tr>
                    <td align="center"><b>Kode Kuliah</b></td>
                    <td align="center"><b>Modul</b></td>
                    <td align="center"><b>Mata Kuliah</b></td>
                    <td align="center"><b>Dosen</b></td>
                    <td align="center"
colspan="6"><b>Perintah</b></td>
                </tr>
                <?
                $sql="select modulkuliah.*, matakuliah.* from
modulkuliah, matakuliah
                where
modulkuliah.kodekuliah=matakuliah.kodekuliah
                order by modulkuliah.kodekuliah";

                $query = mysql_query($sql) or die ("errormodul");

                <?>
                <tr>
                    <td align="center">1</td>

```

```

        <td>Bab I </td>
        <td>Jaringan Unix dan Internet </td>
        <td>Semuil</td>
        <td colspan="6" align="center"><a class="action"
href="soaljudi1.php">Soal</a>
        </td>
    </tr>
    <tr>
        <td align="center">1</td>
        <td>Bab II</td>
        <td>Jaringan Unix dan Internet </td>
        <td>Semuil</td>
        <td colspan="6" align="center"><a class="action"
href="soaljudi2.php">Soal</a>
        </td>
    </tr>
    <tr>
        <td align="center">1</td>
        <td>Bab III</td>
        <td>Jaringan Unix dan Internet </td>
        <td>Semuil</td>
        <td colspan="6" align="center"><a class="action"
href="soaljudi3.php">Soal</a>
        </td>
    </tr>
    <tr>
        <td align="center">2</td>
        <td>Bab I </td>
        <td>Dasar Komputer dan Pemrograman </td>
        <td>Novi</td>
        <td colspan="6" align="center"><a class="action"
href="soaldaskom1.php">Soal</a>
        </td>
    </tr>
    <tr>
        <td align="center">2</td>
        <td>Bab II</td>
        <td>Dasar Komputer dan Pemrograman</td>
        <td>Novi</td>
        <td colspan="6" align="center"><a class="action"
href="soaldaskom2.php">Soal</a>
        </td>
    </tr>
    <tr>
        <td colspan="10" align="center">
        [<a
        class="action" href="menu-
mahasiswa.php">KEMBALI</a>]
        </td>
    </tr>
</table>
</td>

</table>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>

```

```

<p>&nbsp;</p>
<p>&nbsp;</p>
<table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
    <tr bgcolor="#FF9900">
        <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
                Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
        </tr>
</table>

</body>

</html>

```

**(3.11) soaljudil.php**

```

<?
session_start();
$username=$loginname;
?>

<?
include "connecting.php";

$result = mysql_query("select * from mahasiswa where nrp=
'$username'");
$data = mysql_fetch_array($result);
$nilai1 = 1;
$nilai2 = 2;

if($data['matakuliah'] != $nilai1 and $nilai2)
{echo '<script>alert("Maaf, Anda tidak mengambil mata kuliah
ini!");</script>';
  echo '<script>history.back(1);</script>';
}
else
{ ?>

<script>
function back() {
    window.location="soal.php"
}
</script>

<html>
<head>
<title>Soal Mahasiswa</title>
</head>

<body bgcolor="blue dark" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

```



```

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>
        <td width="991"><span
class=menu><font size="2"><div align="center">
    <?
        include "logoutmahasiswa.php" ;
    ?>
        </div></td>
    </tr>
</table>

    <form method="post" action="nilaijudil.php">

    <p align="center"><span class="style1"><font size="3"><b>[Mata
Kuliah : Jaringan Unix dan Internet] </b></font></span><br>
    <p align="center"><span class="style1"><font
size="3"><b>[Soal : Bab I] </b></font></span><br>
    <br><br>
    <table align="center">
    <?php
        for($i = 1;$i <= 5; $i++)
        {$no = "judilno".$i;
            $result = mysql_query("select * from soalkuliah where
no='$no'");
            $data = mysql_fetch_array($result);
            echo " <tr><td>".$i."</td><td
align=left>".$data["soal"]."</td></tr>";
            echo " <tr><td></td><td align=left><input
type=radio
name=ans".$i." value=a>".$data["a"]."</td></tr>";
            echo " <tr><td></td><td align=left><input
type=radio
name=ans".$i." value=b>".$data["b"]."</td></tr>";
            echo " <tr><td></td><td align=left><input
type=radio
name=ans".$i." value=c>".$data["c"]."</td></tr>";
            echo " <tr><td></td><td align=left><input
type=radio
name=ans".$i." value=d>".$data["d"]."</td></tr>";
            echo " <tr><td>&nbsp;</td></tr>";
        }
    ?>
    <input type="hidden" name="mk" value="Bab I">
    <input type="hidden" name="nmk" value="nilaijudil">
</table>

    <table align="center">
    <tr><td align="center"> <input
type="reset"
name="reset" value="Kembali" onClick="history.back();">&nbsp;  
        <input
type="submit" name="nilai" value="Nilai">
    </td></tr>
</table>

</p>
</form>

```

```

</body>
<?
}
?>
</html>

```

**(3.12) soaljudi2.php**

```

<?
session_start();
$username=$loginname;
?>

<?
include "connecting.php";

$result = mysql_query("select * from mahasiswa where nrp=
'$username'");
$data = mysql_fetch_array($result);
$nilai = 60;
if($data['nilaijudi1'] < $nilai)
{echo '<script>alert("Maaf, Anda harus lulus soal JUDI bab
I!");</script>';
echo '<script>history.back(1);</script>';
}
else
{ ?>

<script>
function back() {
    window.location="soal.php"
}
</script>

<html>
<head>
<title>Soal Mahasiswa</title>
</head>

<body bgcolor="blue dark" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
<tr>
<td width="991"><span
class=menu><font size="2"><div align="center">
<?
include "logoutmahasiswa.php" ;
?>
</div></td>
</tr>
</table>

```

```

<form method="post" action="nilaijudi2.php">

    <p align="center"><span class="style1"><font size="3"><b>[Mata
Kuliah : Jaringan Unix dan Internet] </b></font></span><br>
        <p align="center"><span class="style1"><font
size="3"><b>[Soal : Bab II] </b></font></span><br>
        <br><br>
        <table align="center">
            <?php
                for($i = 1;$i <= 5; $i++)
                {$no = "judi2no".$i;
                    $result = mysql_query("select * from soalkuliah where
no='$no'");
                    $data = mysql_fetch_array($result);
                    echo
                        "<tr><td>".$i."</td><td
align=left>".$data["soal"]."</td></tr>";
                    echo
                        "<tr><td></td><td align=left><input
type=radio
name=ans".$i." value=a>".$data["a"]."</td></tr>";
                    echo
                        "<tr><td></td><td align=left><input
type=radio
name=ans".$i." value=b>".$data["b"]."</td></tr>";
                    echo
                        "<tr><td></td><td align=left><input
type=radio
name=ans".$i." value=c>".$data["c"]."</td></tr>";
                    echo
                        "<tr><td></td><td align=left><input
type=radio
name=ans".$i." value=d>".$data["d"]."</td></tr>";
                    echo
                        "<tr><td>&nbsp;</td></tr>";
                }
            ?>
            <input type="hidden" name="mk" value="Bab II">
            <input type="hidden" name="nmk" value="nilaijudi2">
        </table>

        <table align="center">
            <tr><td align="center"> <input
name="reset" value="Kembali" onClick="history.back();">&nbsp;   
                <input
type="submit" name="nilai" value="Nilai">
            </td></tr>
        </table>

    </p>
</form>

</body>
<?
}
?>
</html>

(3.13) soaljudi3.php
<?
session_start();
$username=$loginname;
?>

```

```

<?
include "connecting.php";
$result = mysql_query("select * from mahasiswa where nrp=
'$username'");
$data = mysql_fetch_array($result);
$nilai = 60;
if($data['nilaijudi2'] < $nilai)
{echo '<script>alert("Maaf, Anda harus lulus soal JUDI bab
II!");</script>';
echo '<script>history.back(1);</script>';
}
else
{ ?>

<script>
function back() {
    window.location="soal.php"
}
}

</script>

<html>
<head>
<title>Soal Mahasiswa</title>
</head>

<body bgcolor="blue dark" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>
        <td width="991"><span
class=menu><font size="2"><div align="center">
            <?
            include "logoutmahasiswa.php" ;
            ?>
        </div></font></td>
    </tr>
</table>

    <form method="post" action="nilaijudi3.php">

        <p align="center"><span class="style1"><font size="3"><b>[Mata
Kuliah : Jaringan Unix dan Internet] </b></font></span><br>
        <p align="center"><span class="style1"><font
size="3"><b>[Soal : Bab III] </b></font></span><br>
        <br><br>
        <table align="center">
            <?php
            for($i = 1;$i <= 5; $i++)
            {$no = "judi3no".$i;

```

```

        $result = mysql_query("select * from soalkuliah where
no='$no'");
        $data = mysql_fetch_array($result);
        echo " <tr><td>".$.i."</td><td
align=left>".$.data["soal"]."</td></tr>";
        echo " <tr><td></td><td align=left><input type=radio
name=ans".$.i." value=a>".$.data["a"]."</td></tr>";
        echo " <tr><td></td><td align=left><input type=radio
name=ans".$.i." value=b>".$.data["b"]."</td></tr>";
        echo " <tr><td></td><td align=left><input type=radio
name=ans".$.i." value=c>".$.data["c"]."</td></tr>";
        echo " <tr><td></td><td align=left><input type=radio
name=ans".$.i." value=d>".$.data["d"]."</td></tr>";
        echo " <tr><td>&nbsp;</td></tr>";
    }
    ?>
    <input type="hidden" name="mk" value="Bab III">
    <input type="hidden" name="nmk" value="nilaijudi3">
</table>

    <table align="center">
        <tr><td align="center"> <input type="reset"
name="reset" value="Kembali" onClick="history.back();">&nbsp;  
        <input
type="submit" name="nilai" value="Nilai">
        </td></tr>
    </table>

</p>
</form>

</body>
<?
}
?>
</html>

```

**(3.14) soaldaskom1.php**

```

<?
session_start();
$username=$loginname;
?>

<?
include "connecting.php";

$result = mysql_query("select * from mahasiswa where nrp=
'$username'");
$data = mysql_fetch_array($result);
$nilai1 = 1;
$nilai2 = 2;

if($data['matakuliah'] != $nilai1 xor $nilai2)
{echo '<script>alert("Maaf, Anda tidak mengambil mata kuliah
ini!");</script>';

```

```

    echo '<script>history.back(1);</script>';
  }
  else
  { ?>

<script>
  function back() {
    window.location="soal.php"
  }
</script>

<html>
<head>
<title>Soal Mahasiswa</title>
</head>

<body bgcolor="blue dark" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>
        <td width="991"><span
class=menu><font size="2"><div align="center">
        <?
        include "logoutmahasiswa.php" ;
        ?>
        </div></font></td>
    </tr>
</table>

    <form method="post" action="nilaidaskom1.php">

        <p align="center"><span class="style1"><font size="3"><b>[Mata
Kuliah : Dasar Komputer dan Pemrograman] </b></font></span><br>
        <p align="center"><span class="style1"><font
size="3"><b>[Soal : Bab I] </b></font></span><br>
        <br><br>
        <table align="center">
            <?php
            for($i = 1;$i <= 5; $i++)
            {$no = "daskomlno".$i;
            $result = mysql_query("select * from soalkuliah where
no='$no'");
            $data = mysql_fetch_array($result);
            echo "
            <tr><td>".$i."</td><td
align=left>".$data["soal"]."</td></tr>";
            echo "
            <tr><td></td><td align=left><input type=radio
name=ans".$i." value=a>".$data["a"]."</td></tr>";
            echo "
            <tr><td></td><td align=left><input type=radio
name=ans".$i." value=b>".$data["b"]."</td></tr>";

```



```

<html>
<head>
<title>Soal Mahasiswa</title>
</head>

<body bgcolor="blue dark" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>
        <td width="991"><span
class=menu><font size="2"><div align="center">
            <?
                include "logoutmahasiswa.php" ;
            ?>
        </div></font></td>
    </tr>
</table>

    <form method="post" action="nilaidaskom2.php">

        <p align="center"><span class="style1"><font size="3"><b>[Mata
Kuliah : Dasar Komputer dan Pemrograman] </b></font></span><br>
        <p align="center"><span class="style1"><font
size="3"><b>[Soal : Bab II] </b></font></span><br>
        <br><br>
        <table align="center">
            <?php
                for($i = 1;$i <= 5; $i++)
                {$no = "daskom2no".$i;
                    $result = mysql_query("select * from soalkuliah where
no='$no'");
                    $data = mysql_fetch_array($result);
                    echo " <tr><td>".$i."</td><td
align=left>".$data["soal"]."</td></tr>";
                    echo " <tr><td></td><td align=left><input
type=radio
name=ans".$i." value=a>".$data["a"]."</td></tr>";
                    echo " <tr><td></td><td align=left><input
type=radio
name=ans".$i." value=b>".$data["b"]."</td></tr>";
                    echo " <tr><td></td><td align=left><input
type=radio
name=ans".$i." value=c>".$data["c"]."</td></tr>";
                    echo " <tr><td></td><td align=left><input
type=radio
name=ans".$i." value=d>".$data["d"]."</td></tr>";
                    echo " <tr><td>&nbsp;</td></tr>";
                }
            ?>
            <input type="hidden" name="mk" value="Bab II">
            <input type="hidden" name="nmk" value="nilaidaskom2">
        </table>

        <table align="center">

```



```

                <tr><td align="center"> <input
                                type="reset "
name="reset" value="Kembali" onClick="history.back();">&nbsp;
                                <input
type="submit" name="nilai" value="Nilai">
                </td></tr>
            </table>

        </p>
    </form>

</body>
<?
}
?>
</html>

```

**(3.16) nilaijudi1.php**

```

<?
session_start();
$username=$loginname;
?>

<?php include "connecting.php";
    $nilai = 0;
    for($i = 1;$i <= 5; $i++)
    {$no = "judilno".$i; $answer = "ans".$i;
    $result = mysql_query("select * from soalkuliah where
no='$no'");
    $data = mysql_fetch_array($result);
    if($data['ans'] == ${$answer} and !empty(${ $answer}))
    {$nilai = $nilai + 20;}
    }

    mysql_query("update mahasiswa set nilaijudi1 = '$nilai' where
nrp = '$username'");

?>

<html>
<head>
<title>Nilai Mahasiswa</title>
</head>

<body bgcolor="blue dark" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
                <tr>
                                <td
                                width="991"><span
class=menu><font size="2"><div align="center">
                <?
                include "logoutmahasiswa.php" ;
                ?>
                                </div> </td>

```

```

</tr>
</table>

    <p align="center"><br />
    </p>
    <p align="center"><b>Nilai Soal Jaringan Unix dan Internet
<?php echo $mk." Saudara : ".$nilai;?></b></p><br><br>
    <?php
        $result1 = mysql_query("SELECT * FROM mahasiswa WHERE nrp =
        '$username'");
        // ----- buat tampilan tabel
        echo("<table align='center' width=50% cellspacing=1
        cellpadding=2 bgcolor=#000000>");
        echo("<tr>
            <td align='center' bgcolor=yellow>NRP</td>
            <td align='center' bgcolor=yellow>Nama</td>
            <td align='center' bgcolor=yellow>Nilai Jaringan Unix
            dan Internet Bab I</td>
            </tr>");
        // ----- ambil isi masing-masing record
        while ($row = mysql_fetch_object ($result1))
        {
            // ----- mengambil isi setiap kolom
            $nrp=$row->nrp;
            $nama=$row->nama;
            $nilaijudil=$row->nilaijudil;
            // ----- menampilkan di layar browser
            echo("<tr>
                <td align='center' bgcolor=yellow>$nrp</td>
                <td align='center' bgcolor=yellow>$nama</td>
                <td align='center' bgcolor=yellow>$nilaijudil</td>
                </tr>");
            }
        echo("</table>");
    ?>

    <p align="center"><br />
    </p>

    <p align="center">&nbsp;</p>

</div>

        <div align="center">[<a class="action"
href="soal.php">KEMBALI</a>]
        </div></td>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>

<table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
    <tr bgcolor="#FF9900">

```

```

        <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
        Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
        </tr>
</table>

</body>
</html>

```

**(3.17) nilaijudi2.php**

```

<?
session_start();
$username=$loginname;
?>

<?php include "connecting.php";
    $nilai = 0;
    for($i = 1;$i <= 5; $i++)
    {$no = "judi2no".$i; $answer = "ans".$i;
    $result = mysql_query("select * from soalkuliah where
no='$no'");
    $data = mysql_fetch_array($result);
    if($data['ans'] == ${$answer} and !empty(${$answer}))
    {$nilai = $nilai + 20;}
    }

    mysql_query("update mahasiswa set nilaijudi2 = '$nilai' where
nrp = '$username'");

?>

<html>
<head>
<title>Nilai Mahasiswa</title>
</head>

<body bgcolor="blue dark" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
        <tr>
                <td width="991"><span
class=menu><font size="2"><div align="center">
                        <?
                        include "logoutmahasiswa.php" ;
                        ?>
                        </div> </td>
        </tr>
</table>

```

```

        <p align="center"><br />
    </p>
    <p align="center"><b>Nilai Soal Jaringan Unix dan Internet
<?php echo $mk." Saudara : ".$nilai;?></b></p><br><br>
    <?php
        $result1 = mysql_query("SELECT * FROM mahasiswa WHERE nrp =
'$username'");
        // ----- buat tampilan tabel
        echo("<table align='center' width=50% cellpadding=1
cellpadding=2 bgcolor=#000000>");
        echo("<tr>
            <td align='center' bgcolor=yellow>NRP</td>
            <td align='center' bgcolor=yellow>Nama</td>
            <td align='center' bgcolor=yellow>Nilai Jaringan Unix
dan Internet Bab II</td>
        </tr>");
        // ----- ambil isi masing-masing record
        while ($row = mysql_fetch_object ($result1))
        {
            // ----- mengambil isi setiap kolom
            $nrp=$row->nrp;
            $nama=$row->nama;
            $nilaijudi2=$row->nilaijudi2;
            // ----- menampilkan di layar browser
            echo("<tr>
                <td align='center' bgcolor=yellow>$nrp</td>
                <td align='center' bgcolor=yellow>$nama</td>
                <td align='center' bgcolor=yellow>$nilaijudi2</td>
            </tr>");
        }
        echo("</table>");
    ?>

    <p align="center"><br />
    </p>

    <p align="center">&nbsp; </p>

</div>

        <div align="center">[<a class="action"
href="soal.php">KEMBALI</a>] </div></td>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>

<table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
    <tr bgcolor="#FF9900">
        <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
            Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
        </tr>
</table>

```

```
</body>
</html>
```

**(3.18) nilaijudi3.php**

```
<?
session_start();
$username=$loginname;
?>

<?php include "connecting.php";
    $nilai = 0;
    for($i = 1;$i <= 5; $i++)
        { $no = "judi3no".$i; $answer = "ans".$i;
          $result = mysql_query("select * from soalkuliah where
no='$no'");
          $data = mysql_fetch_array($result);
          if($data['ans'] == ${$answer} and !empty(${ $answer}))
              { $nilai = $nilai + 20; }
          }

    mysql_query("update mahasiswa set nilaijudi3 = '$nilai' where
nrp = '$username'");

?>

<html>
<head>
<title>Nilai Mahasiswa</title>
</head>

<body bgcolor="blue dark" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>
        <td width="991"><span
class=menu><font size="2"><div align="center">
            <?
                include "logoutmahasiswa.php" ;
            ?>
        </div></font>
        </td>
    </tr>
</table>

<p align="center"><br />
</p>
<p align="center"><b>Nilai Soal Jaringan Unix dan Internet
<?php echo $mk." Saudara : ".$nilai;?></b></p><br><br>
<?php
```

```

$result1 = mysql_query("SELECT * FROM mahasiswa WHERE nrp =
'$username'");
// ----- buat tampilan tabel
echo("<table align='center' width=50% cellspacing=1
cellpadding=2 bgcolor=#000000>");
echo("<tr>
<td align='center' bgcolor=yellow>NRP</td>
<td align='center' bgcolor=yellow>Nama</td>
<td align='center' bgcolor=yellow>Nilai Jaringan Unix
dan Internet Bab III</td>
</tr>");
// ----- ambil isi masing-masing record
while ($row = mysql_fetch_object ($result1))
{
// ----- mengambil isi setiap kolom
$nrp=$row->nrp;
$nama=$row->nama;
$nilaijudi3=$row->nilaijudi3;
// ----- menampilkan di layar browser
echo("<tr>
<td align='center' bgcolor=yellow>$nrp</td>
<td align='center' bgcolor=yellow>$nama</td>
<td align='center' bgcolor=yellow>$nilaijudi3</td>
</tr>");
}
echo("</table>");
?>

<p align="center"><br />
</p>

<p align="center">&nbsp;</p>

</div>

<div align="center">[<a class="action"
href="soal.php">KEMBALI</a>] </div></td>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>

<table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
<tr bgcolor="#FF9900">
<td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
Copyright &copy; 2007 Ady Triono, All
right reserved<b> </font></span></div></td>
</tr>
</table>

</body>
</html>

```

```

(3.19) nilaidaskom1.php
<?
session_start();
$username=$loginname;
?>

<?php include "connecting.php";
    $nilai = 0;
    for($i = 1;$i <= 5; $i++)
    {
        $no = "daskomlno".$i; $answer = "ans".$i;
        $result = mysql_query("select * from soalkuliah where
no='$no'");
        $data = mysql_fetch_array($result);
        if($data['ans'] == ${$answer} and !empty(${ $answer}))
            {$nilai = $nilai + 20;}
    }

    mysql_query("update mahasiswa set nilaidaskom1 = '$nilai' where
nrp = '$username'");

?>

<html>
<head>
<title>Nilai Mahasiswa</title>
</head>

<body bgcolor="blue dark" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>
        <td width="991"><span
class=menu><font size="2"><div align="center">
            <?
            include "logoutmahasiswa.php" ;
            ?>
        </div></font>
    </td>
    </tr>
</table>

<p align="center"><br />
</p>
<p align="center"><b>Nilai Soal Dasar Komputer dan Pemrograman
<?php echo $mk." Saudara : ".$nilai;?></b></p><br><br>
<?php
    $result1 = mysql_query("SELECT * FROM mahasiswa WHERE nrp =
'$username'");
    // ----- buat tampilan tabel
    echo("<table align='center' width=50% cellpadding=2 bgcolor=#000000>");
    echo("<tr>

```





```

<?php include "connecting.php";
    $nilai = 0;
    for($i = 1;$i <= 5; $i++)
    {$no = "daskom2no".$i; $answer = "ans".$i;
    $result = mysql_query("select * from soalkuliah where
no='$no'");
    $data = mysql_fetch_array($result);
    if($data['ans'] == ${$answer} and !empty(${$answer}))
    {$nilai = $nilai + 20;}
    }

    mysql_query("update mahasiswa set nilaidaskom2 = '$nilai' where
nrp = '$username'");

?>

<html>
<head>
<title>Nilai Mahasiswa</title>
</head>

<body bgcolor="blue dark" leftmargin="0" topmargin="0"
marginwidth="0" marginheight="0">
<center></center>

<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>
        <td width="991"><span
class=menu><font size="2"><div align="center">
            <?
            include "logoutmahasiswa.php" ;
            ?>
        </div></font>
    </td>
    </tr>
</table>

<p align="center"><br />
</p>
<p align="center"><b>Nilai Soal Dasar Komputer dan Pemrograman
<?php echo $mk." Saudara : ".$nilai;?></b></p><br><br>
<?php
    $result1 = mysql_query("SELECT * FROM mahasiswa WHERE nrp =
'$username'");
    // ----- buat tampilan tabel
    echo("<table align='center' width=50% cellspacing=1
cellpadding=2 bgcolor=#000000>");
    echo("<tr>
        <td align='center' bgcolor=yellow>NRP</td>
        <td align='center' bgcolor=yellow>Nama</td>
        <td align='center' bgcolor=yellow>Nilai Dasar Komputer
dan Pemrograman Bab II</td>
    </tr>");
    // ----- ambil isi masing-masing record

```

```

while ($row = mysql_fetch_object ($result1))
{
// ----- mengambil isi setiap kolom
$nrp=$row->nrp;
$nama=$row->nama;
$nilaidaskom2=$row->nilaidaskom2;
// ----- menampilkan di layar browser
echo("<tr>
    <td align='center' bgcolor=yellow>$nrp</td>
    <td align='center' bgcolor=yellow>$nama</td>
    <td align='center' bgcolor=yellow>$nilaidaskom2</td>
</tr>");
}
echo("</table>");
?>

<p align="center"><br />
</p>

<p align="center">&nbsp; </p>

</div>

        <div align="center">[<a class="action"
href="soal.php">KEMBALI</a>] </div></td>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>

<table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
    <tr bgcolor="#FF9900">
        <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
            Copyright &copy; 2007 Ady Triono, All
            right reserved<b> </font></span></div></td>
        </tr>
</table>

</body>
</html>

(3.21) ubahmahasiswa.php
<?
session_start();
$username=$loginname;
$username1=$loginname1;
?>

<?
include "connecting.php";
?>

```

```

<script>

    function cleartext(){

        document.ubahpass.newpass.value="";

    }

    function checknama(){

        if(window.document.ubahpass.newpass.value == ""){
            alert ("Silakan mengisi Password Anda")
            window.document.ubahpass.newpass.focus()
            return false
        }

    }

</script>

<html>
<head>
<title>Proses Ubah Password Dosen</title></head>
<body    bgcolor="#CCCCCC"    leftmargin="0"    topmargin="0"
marginwidth="0" marginheight="0">

<center></center>

<table  bgcolor="#FF9900"  width="103%"  height="23"  border="0"
align="center">
    <tr>
        <td                                width="991"><span
class=menu><font size="2"><div align="center">
            <?
            include "logoutmahasiswa.php" ;
            ?>                                </td>
        </tr>
</table><br><br>
<div align="center">
    <p class="login"><b><i>Selamat Datang
        <?
        echo $username;
        ?>.
        </i></b></p></div>

<table width="100%" border="0" cellpadding="0" cellspacing="0">

    <td colspan="1" align="center" valign="top" style="padding-
left:10px">
        <form  onSubmit="return  checknama();"  name="ubahpass"
action="ubahmahasiswasave.php" method="post">
            <p>
                <input  type="hidden"  name="newnrp"  value="<?=
$username; ?>" />
            </p>
            <p>&nbsp;</p>

```

```

        <table width="263" border="2" cellpadding="3"
cellspacing="3">
        <tr>
            <td bgcolor="#CCFFFF" class="admin"
align="center" colspan="3"><b>[ Ubah Password Mahasiswa]</b></td>
        </tr>
        <tr>
            <td bgcolor="#CCFFFF" class="admin">Nrp</td>
            <td bgcolor="#CCFFFF" class="admin">:</td>
            <td bgcolor="#CCFFFF" class="admin"><?=$username ?></td>
        </tr>
        <tr>
            <td colspan="3" bgcolor="#CCFFFF"
class="admin">Password</td>
            <td bgcolor="#CCFFFF" class="admin">:</td>
            <td bgcolor="#CCFFFF" class="admin"><input
type="password" name="newpass" value="<?=$username1 ?>"
class="style1" /></td>
        </tr>
        <tr>
            <td colspan="3" bgcolor="#CCFFFF"
align="center">
                <input type="submit" name="submit" value="Ubah">
                <input type="button" name="reset" value="Ulang"
onClick="cleartext();" >
                <input type="button" name="reset"
value="Kembali" onClick="history.back();"></td>
        </tr>
    </table>
</form>
</td>
</table>

    <p><br>
</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p><br>
</p>
<BR>

    <table cellpadding="0" cellspacing="0" width="107%" height="73"
align="center">
        <tr bgcolor="#FF9900">
            <td width="994" height="71" colspan="3"><div
align="center"><span class="style4"><font size="3"><b>
                Copyright &copy; 2007 Ady Triono, All
                right reserved<b> </font></span></div></td>
        </tr>
    </table>

</body>
</html>

```

**(3.22) ubahmahasiswa.php**

```

<title>Ubah Password Mahasiswa Save</title>
<?
    include "connecting.php";

    $user = $_POST['newnrp'];
    $pass = $_POST['newpass'];

    $sqlcheck = "select * from mahasiswa where nrp = '$user'";

    $querycheck = mysql_query($sqlcheck) or die ("error1");
    $resultcheck = mysql_fetch_array($querycheck);

    $sql = "update mahasiswa set password = password('$pass')
where nrp = '$user'";

    $query = mysql_query($sql) or die ("error2");
?>

<script>>window.location.href="menu-
mahasiswa.php?login=yes";</script>

```

**(3.23) logoutmahasiswa.php**

```

<title>log-out mahasiswa</title>
<table bgcolor="#FF9900" width="103%" height="23" border="0"
align="center">
    <tr>
        <td width="991"><span
class=menu><font size="2"><div align="center">
                <a
href="menu-utama.php">MENU UTAMA</a> |
                <a
href="registerloginadmin.php">ADMINISTRATOR</a> |
                <a
href="registerlogin.php">DOSEN </a>|
                <a
href="registerloginmhs.php">MAHASISWA </a>|
                <a
href="ubahmahasiswa.php">UBAH PASSWORD </a>|
                <?
                if ($username=="") {
                ?>
                <a class="login" href="menu-
mahasiswa.php">MAHASISWA</a>
                <?
                }
                else
                {
                ?>
                <a class="login"
href="mahasiswalogout.php"><?=$username?>&nbsp;&nbsp;LOG OUT</a>

```

```
        }  
        ?>  
    </div></font></span></td>
```

```
</tr>
```

```
</table>
```

**(3.24) mahasiswa\_logout.php**

```
<?  
session_start();  
$username = $loginname;  
$username1=$loginname1;  
  
include "connecting.php";  
  
session_start();  
session_destroy();  
header ("location:menu-utama.php");  

```