

DAFTAR PUSTAKA

- Alma, M., Ertas, M., Nitz, S., & Kollmannsberger, H. 2007. Chemical Composition and Content of Essential Oil From The Bud Of Cultivated Turkish Clove (*Syzygium aromaticum* L.). *Bioresource*, 265-269.
- Anonim. 2007, January 27. Retrieved September 27, 2013, from *Candida albicans*: http://www.doctorfungus.org/thefungi/Candida_albicans.php
- Anonim. *Escherichia coli O157:H7*. (June 2006). Massachusetts.
- Anonim. Eugenol and thymol, alone or in combination, induce morphological alteration in the envelope of the *Candida albicans*. 2007. *Fitoterapia*, 396-400 .
- Ayoola, G. A., Lawore, F. M., Adelowotan, T., Aibinu, I., Adenipekun, E., Coker, H. 2008, July. Chemical analysis and antimicrobial activity of the. *African Journal of Microbiology Research*, 2, 162-166.
- Bhuiyan, N. I., Begum, J., Nandi, N. C., & Akter, F. 2010, November. Constituents of the essential oil from leaves and buds of Clove (*Syzygium caryophyllatum* (L.) Alston. *African Jounal of Plant Science*, 451-454.
- Brooks, G. F., Carroll, K. C., Butel, J. S., Morse, S. A., & Meitzer, T. A. 2010. *Jawetz, Melnick & Adelberg's Medical Microbiology*. New York: McGrawHill.
- Bukhari, M. 2004, September 27. *Staphylococcus epidermidis*. Retrieved September 27, 2013, from University of Connecticut: <http://web.uconn.edu/mcbstaff/graf/Student%20presentations/S%20epidermidis/sepidermidis.html>
- Burt, S. 2004. Essential Oils: Their Antibacterial Properties and Potential Applications In Foods. *International Journal of Food Microbiology*, 223-253.
- Craig, C. R., & Stizel, R. E. 2003. *Modern Pharmacology With Clinical Applications*. Philadelphia: Lippincott Williams & Wilkins.
- Darling, L. M. 2002. *Spice Exotic Flavour & Medicine*. Retrieved Agustus 07, 2013, from History & Special CollectionsLouise M. Darling Biomedical Library: <http://unitproj.library.ucla.edu/biomed/spice/index.cfm?displayID=7>

- FDA. 2007, April 24. U.S. Department of Health and Human Services Food and Drug Administration Center for Veterinary Medicine. *Concerns Related to the use of Clove Oil as an Anesthetic for Fish*. U S.
- Frederick, A., & Lewis, K. 2006. Focus on Anibacterials. *Nature Biotech*, 24, 1453-1602.
- General information related to microbiological risks in food*. (n.d.). Retrieved March 2007, from WHO: <http://www.who.int/mediacentre/factsheets/fs237/en/>
- Health Central*. 2013. Retrieved September 27, 2013, from Candida Albicans: <http://www.healthcentral.com/encyclopedia/408/312.html>
- Hutapea, J. R., Djumidi, Sutjipto, Sugiarto, S., Soerahso, & Sihombing, H. 2001. *Inventari Tanaman Obat Indonesia (I) Jilid 2*. Jakarta: Bakti Husada.
- Iwu, M. M., Duncan, A. R., & Okunji, C. O. 1999. New antimicrobials of plant origin, Perspectives on new crops and new uses J. Janick (ed.). *ASHS Press*, 457-462.
- Johnson, T. R., & Case, L. C. (2000). *Laboratory Experiments in Microbiology*. New York: Benjamin Cummings.
- Jore, G. B., Thakre, A. D., Jadhay, S., & Karuppayi, S. M. 2011. Terpenoids inhibit *Candida albicans* growth by affecting membrane integrity and arrest of cell cycle. *Phytomedicine*, 1181-1190.
- Kamatou, G. P., Vermaak, I., & Viljoen, A. M. 2012. Eugenol—From the Remote Maluku Islands to the International Market Place: A Review of Remarkable and Versatile Molecule. *Molecules*, 6953-6981.
- Kegley, S. 2008. *Marin Municipal Water District Vegetation Management Plan*.
- Laitupa, F., & Susane, H. 2006. Pemanfaatan Eugenol dari Minyak Cengkeh Untuk mengatasi Racniditas Pada Minyak Kelapa.
- Nanasombat, S., & Lohasupthawee, P. 2005, Jul-Dec. Antibacterial Activity of Crude Ethanolic Extracts and Essential Oils of Spices Againts *Salmonellae* and other Enterobacteria. *KMITL Sci. Tech. J.*, 527-538.

- Nurdjannah, N. 2004, Desember. Diversifikasi Penggunaan Cengkeh. *Perspektif*, 3, 61 - 70.
- Oyedemi, S. O., Okoh, A. I., Mabinya, L. V., Pirochenva, G., & Afolayan, A. J. 2009. The proposed mechanism of bactericidal action of eugenol, α -terpineol and - terpinene against *Listeriamonocytogenes*, *Streptococcus pyogenes*, *Proteus vulgaris* and *Escherichia coli*. *Afr. J. Biotechnol.*, 1280–1286.
- Paster, N., Menasherov, M., Ravid, U., & Juven, B. 1995. Antifungal activity of oregano and thyme essential. *J. Food Prot.*, 58, 81–85.
- Prabuseenivasan, S., Jayakumar, M., & Ignacimuthu, S. 2006. In vitro antibacterial activity of some plant essential oils. *BMC Complementary and Alternative Medicine*, 1-8.
- Rahayu, W. P. 2000. Aktivitas Antimikroba Bumbu Masakan Tradisional Hasil Olahan Industri Terhadap Bakteri Patogen dan Perusak. *Buletin Teknologi dan Industri Pagan*, XI, 42-28.
- Rojas, D. F., Souza, C. R., & Oliveira, W. P. 2013. Clove (*Syzygium aromaticum*): a precious spice. *Asian Pacific Journal of Tropical Biomedicine*, 90-96.
- Ryan, K. J., & Ray, C. G. 2004. *Sherris Medical Microbiology* (4 ed.). New York: McGraw-Hill.
- Snyder, O. 1997. Antimicrobial Effects of Spice and Herbs. St. Paul, Minnesota, U S. Retrieved from <http://www.hi-tm.com/Documents/Spices.html>
- Singh, I., Yadav, A. S., Pandey, N. K., & Singh, R. R. 2004. Antimicrobial effects of extract of spice againts salmonella typhimurium in chicken patties during refrigeration storage under vacuum packing. *Proceeding XXII World's Poultry Congress*, (p. 857). Istanbul, Turkey.
- Todar, K. 2012. *Shigella and Shigellosis*. Retrieved Agustus 02, 2013, from Todar's Online Textbook of Bacteriology: <http://textbookofbacteriology.net/Shigella.html>
- WHO. 2007, March. *Food safety and foodborne illness*. Retrieved December 2013, from WHO: <http://www.who.int/entity/mediacentre/factsheets/fs237/en/index.html>

WHO. 2008, December. *Traditional Medicine*. Retrieved July 28, 2013, from WHO:
<http://www.who.int/mediacentre/factsheets/fs134/en/index.html>